




Band5-4183-3-1000~10000MHz




Band5-4183-3-30~10000MHz




Band5-4183-3-0.15~30MHz



Band5-4183-3-0.009~0.15MHz




Band5-4183-4-0.009~0.15MHz




Band5-4183-4-1000~10000MHz




Band5-4183-4-30~1000MHz



Band5-4183-4-0.15~30MHz




Band5-4183-5-0.009~0.15MHz




Band5-4183-5-1000~10000MHz




Band5-4183-5-0.15~30MHz



Band5-4183-5-30~1000MHz




Band5-4233-1-0.009~0.15MHz




Band5-4233-1-1000~10000MHz




Band5-4233-1-30~1000MHz




Band5-4233-1-0.15~30MHz



Band5-4233-2-0.15~30MHz




Band5-4233-2-30~1000MHz




Band5-4233-2-1000~10000MHz




Band5-4233-2-0.009~0.15MHz




Band5-4233-3-0.15~30MHz



Band5-4233-3-30~1000MHz



Band5-4233-3-0.009~0.15MHz




Band5-4233-3-1000~10000MHz




Band5-4233-4-1000~10000MHz




Band5-4233-4-30~1000MHz



Band5-4233-4-0.15~30MHz




Band5-4233-4-0.009~0.15MHz




Band5-4233-5-1000~10000MHz




Band5-4233-5-0.009~0.15MHz



Band5-4233-5-0.15~30MHz



Band5-4233-5-30~1000MHz



Appendix F: Frequency Stability

Test Result(WCDMA)

Voltage							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	VL	NT	12.87	0.006948	±2.5	PASS
Band2	9262	VN	NT	12.90	0.006964	±2.5	PASS
Band2	9262	VH	NT	13.13	0.007088	±2.5	PASS
Band2	9400	VL	NT	11.74	0.006245	±2.5	PASS
Band2	9400	VN	NT	11.87	0.006314	±2.5	PASS
Band2	9400	VH	NT	11.57	0.006154	±2.5	PASS
Band2	9538	VL	NT	9.54	0.005001	±2.5	PASS
Band2	9538	VN	NT	9.67	0.005069	±2.5	PASS
Band2	9538	VH	NT	9.64	0.005053	±2.5	PASS
Band4	1312	VL	NT	14.31	0.008357	±2.5	PASS
Band4	1312	VN	NT	14.73	0.008602	±2.5	PASS
Band4	1312	VH	NT	14.80	0.008643	±2.5	PASS
Band4	1413	VL	NT	-11.00	-0.006349	±2.5	PASS
Band4	1413	VN	NT	-11.86	-0.006845	±2.5	PASS
Band4	1413	VH	NT	-12.39	-0.007151	±2.5	PASS
Band4	1513	VL	NT	-7.47	-0.004262	±2.5	PASS
Band4	1513	VN	NT	-6.49	-0.003703	±2.5	PASS
Band4	1513	VH	NT	-7.14	-0.004074	±2.5	PASS
Band5	4132	VL	NT	-0.30	-0.000363	±2.5	PASS
Band5	4132	VN	NT	-0.19	-0.000230	±2.5	PASS
Band5	4132	VH	NT	0.14	0.000169	±2.5	PASS
Band5	4183	VL	NT	-0.30	-0.000359	±2.5	PASS
Band5	4183	VN	NT	-0.82	-0.000980	±2.5	PASS
Band5	4183	VH	NT	-0.68	-0.000813	±2.5	PASS
Band5	4233	VL	NT	-0.68	-0.000803	±2.5	PASS
Band5	4233	VN	NT	-1.14	-0.001347	±2.5	PASS
Band5	4233	VH	NT	-0.93	-0.001099	±2.5	PASS

Temperature							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	NV	-30	13.39	0.007228	±2.5	PASS

Band2	9262	NV	-20	13.20	0.007126	±2.5	PASS
Band2	9262	NV	-10	13.35	0.007207	±2.5	PASS
Band2	9262	NV	0	13.59	0.007336	±2.5	PASS
Band2	9262	NV	10	13.51	0.007293	±2.5	PASS
Band2	9262	NV	20	13.51	0.007293	±2.5	PASS
Band2	9262	NV	30	13.72	0.007407	±2.5	PASS
Band2	9262	NV	40	13.55	0.007315	±2.5	PASS
Band2	9262	NV	50	13.59	0.007336	±2.5	PASS
Band2	9400	NV	-30	11.59	0.006165	±2.5	PASS
Band2	9400	NV	-20	11.57	0.006154	±2.5	PASS
Band2	9400	NV	-10	11.90	0.006330	±2.5	PASS
Band2	9400	NV	0	11.60	0.006170	±2.5	PASS
Band2	9400	NV	10	11.75	0.006250	±2.5	PASS
Band2	9400	NV	20	11.76	0.006255	±2.5	PASS
Band2	9400	NV	30	11.30	0.006011	±2.5	PASS
Band2	9400	NV	40	11.74	0.006245	±2.5	PASS
Band2	9400	NV	50	11.67	0.006207	±2.5	PASS
Band2	9538	NV	-30	9.25	0.004849	±2.5	PASS
Band2	9538	NV	-20	9.62	0.005043	±2.5	PASS
Band2	9538	NV	-10	9.60	0.005033	±2.5	PASS
Band2	9538	NV	0	9.61	0.005038	±2.5	PASS
Band2	9538	NV	10	9.65	0.005059	±2.5	PASS
Band2	9538	NV	20	9.36	0.004907	±2.5	PASS
Band2	9538	NV	30	9.49	0.004975	±2.5	PASS
Band2	9538	NV	40	9.20	0.004823	±2.5	PASS
Band2	9538	NV	50	10.06	0.005274	±2.5	PASS
Band4	1312	NV	-30	15.44	0.009017	±2.5	PASS
Band4	1312	NV	-20	15.60	0.009110	±2.5	PASS
Band4	1312	NV	-10	15.25	0.008906	±2.5	PASS
Band4	1312	NV	0	15.06	0.008795	±2.5	PASS
Band4	1312	NV	10	15.42	0.009005	±2.5	PASS
Band4	1312	NV	20	15.62	0.009122	±2.5	PASS
Band4	1312	NV	30	14.62	0.008538	±2.5	PASS
Band4	1312	NV	40	15.08	0.008806	±2.5	PASS
Band4	1312	NV	50	15.32	0.008947	±2.5	PASS
Band4	1413	NV	-30	-11.80	-0.006811	±2.5	PASS

Band4	1413	NV	-20	-12.11	-0.006989	±2.5	PASS
Band4	1413	NV	-10	-11.77	-0.006793	±2.5	PASS
Band4	1413	NV	0	-11.87	-0.006851	±2.5	PASS
Band4	1413	NV	10	-12.20	-0.007041	±2.5	PASS
Band4	1413	NV	20	-12.07	-0.006966	±2.5	PASS
Band4	1413	NV	30	-11.73	-0.006770	±2.5	PASS
Band4	1413	NV	40	-12.00	-0.006926	±2.5	PASS
Band4	1413	NV	50	-11.29	-0.006516	±2.5	PASS
Band4	1513	NV	-30	-6.75	-0.003851	±2.5	PASS
Band4	1513	NV	-20	-7.27	-0.004148	±2.5	PASS
Band4	1513	NV	-10	-6.96	-0.003971	±2.5	PASS
Band4	1513	NV	0	-6.86	-0.003914	±2.5	PASS
Band4	1513	NV	10	-6.61	-0.003772	±2.5	PASS
Band4	1513	NV	20	-7.11	-0.004057	±2.5	PASS
Band4	1513	NV	30	-7.02	-0.004005	±2.5	PASS
Band4	1513	NV	40	-6.75	-0.003851	±2.5	PASS
Band4	1513	NV	50	-6.23	-0.003555	±2.5	PASS
Band5	4132	NV	-30	-0.17	-0.000206	±2.5	PASS
Band5	4132	NV	-20	0.09	0.000109	±2.5	PASS
Band5	4132	NV	-10	-0.29	-0.000351	±2.5	PASS
Band5	4132	NV	0	0.55	0.000666	±2.5	PASS
Band5	4132	NV	10	0.08	0.000097	±2.5	PASS
Band5	4132	NV	20	-0.02	-0.000024	±2.5	PASS
Band5	4132	NV	30	-0.09	-0.000109	±2.5	PASS
Band5	4132	NV	40	0.22	0.000266	±2.5	PASS
Band5	4132	NV	50	-0.14	-0.000169	±2.5	PASS
Band5	4183	NV	-30	-0.21	-0.000251	±2.5	PASS
Band5	4183	NV	-20	-0.22	-0.000263	±2.5	PASS
Band5	4183	NV	-10	-0.37	-0.000442	±2.5	PASS
Band5	4183	NV	0	-0.42	-0.000502	±2.5	PASS
Band5	4183	NV	10	-0.63	-0.000753	±2.5	PASS
Band5	4183	NV	20	-0.84	-0.001004	±2.5	PASS
Band5	4183	NV	30	-0.29	-0.000347	±2.5	PASS
Band5	4183	NV	40	-0.68	-0.000813	±2.5	PASS
Band5	4183	NV	50	-0.33	-0.000394	±2.5	PASS
Band5	4233	NV	-30	-0.69	-0.000815	±2.5	PASS

Band5	4233	NV	-20	-0.77	-0.000910	±2.5	PASS
Band5	4233	NV	-10	-0.93	-0.001099	±2.5	PASS
Band5	4233	NV	0	-1.03	-0.001217	±2.5	PASS
Band5	4233	NV	10	-0.83	-0.000980	±2.5	PASS
Band5	4233	NV	20	-0.39	-0.000461	±2.5	PASS
Band5	4233	NV	30	-0.73	-0.000862	±2.5	PASS
Band5	4233	NV	40	-0.76	-0.000898	±2.5	PASS
Band5	4233	NV	50	-0.87	-0.001028	±2.5	PASS

Test Result(HSDPA)

Voltage								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	VL	NT	8.11	0.004378	±2.5	PASS
Band2	9262	1	VN	NT	9.07	0.004896	±2.5	PASS
Band2	9262	1	VH	NT	9.28	0.005010	±2.5	PASS
Band2	9262	2	VL	NT	8.00	0.004319	±2.5	PASS
Band2	9262	2	VN	NT	8.55	0.004616	±2.5	PASS
Band2	9262	2	VH	NT	9.31	0.005026	±2.5	PASS
Band2	9262	3	VL	NT	9.02	0.004869	±2.5	PASS
Band2	9262	3	VN	NT	8.17	0.004410	±2.5	PASS
Band2	9262	3	VH	NT	9.44	0.005096	±2.5	PASS
Band2	9262	4	VL	NT	8.30	0.004481	±2.5	PASS
Band2	9262	4	VN	NT	8.60	0.004643	±2.5	PASS
Band2	9262	4	VH	NT	8.48	0.004578	±2.5	PASS
Band2	9400	1	VL	NT	9.46	0.005032	±2.5	PASS
Band2	9400	1	VN	NT	9.28	0.004936	±2.5	PASS
Band2	9400	1	VH	NT	8.46	0.004500	±2.5	PASS
Band2	9400	2	VL	NT	9.28	0.004936	±2.5	PASS
Band2	9400	2	VN	NT	8.86	0.004713	±2.5	PASS
Band2	9400	2	VH	NT	9.27	0.004931	±2.5	PASS
Band2	9400	3	VL	NT	7.95	0.004229	±2.5	PASS
Band2	9400	3	VN	NT	8.97	0.004771	±2.5	PASS
Band2	9400	3	VH	NT	8.38	0.004457	±2.5	PASS
Band2	9400	4	VL	NT	8.66	0.004606	±2.5	PASS
Band2	9400	4	VN	NT	8.58	0.004564	±2.5	PASS
Band2	9400	4	VH	NT	9.32	0.004957	±2.5	PASS
Band2	9538	1	VL	NT	8.22	0.004309	±2.5	PASS
Band2	9538	1	VN	NT	8.57	0.004493	±2.5	PASS
Band2	9538	1	VH	NT	8.73	0.004576	±2.5	PASS
Band2	9538	2	VL	NT	9.31	0.004880	±2.5	PASS
Band2	9538	2	VN	NT	8.64	0.004529	±2.5	PASS
Band2	9538	2	VH	NT	9.55	0.005006	±2.5	PASS
Band2	9538	3	VL	NT	8.67	0.004545	±2.5	PASS
Band2	9538	3	VN	NT	8.84	0.004634	±2.5	PASS

Band2	9538	3	VH	NT	9.01	0.004723	±2.5	PASS
Band2	9538	4	VL	NT	9.00	0.004718	±2.5	PASS
Band2	9538	4	VN	NT	8.97	0.004702	±2.5	PASS
Band2	9538	4	VH	NT	8.69	0.004555	±2.5	PASS
Band4	1312	1	VL	NT	-5.99	-0.003498	±2.5	PASS
Band4	1312	1	VN	NT	-6.86	-0.004006	±2.5	PASS
Band4	1312	1	VH	NT	-6.08	-0.003551	±2.5	PASS
Band4	1312	2	VL	NT	-6.59	-0.003848	±2.5	PASS
Band4	1312	2	VN	NT	-4.89	-0.002856	±2.5	PASS
Band4	1312	2	VH	NT	-6.49	-0.003790	±2.5	PASS
Band4	1312	3	VL	NT	-6.97	-0.004070	±2.5	PASS
Band4	1312	3	VN	NT	-6.08	-0.003551	±2.5	PASS
Band4	1312	3	VH	NT	-5.72	-0.003340	±2.5	PASS
Band4	1312	4	VL	NT	-7.42	-0.004333	±2.5	PASS
Band4	1312	4	VN	NT	-6.23	-0.003638	±2.5	PASS
Band4	1312	4	VH	NT	-6.44	-0.003761	±2.5	PASS
Band4	1413	1	VL	NT	-5.71	-0.003296	±2.5	PASS
Band4	1413	1	VN	NT	-6.00	-0.003463	±2.5	PASS
Band4	1413	1	VH	NT	-6.03	-0.003480	±2.5	PASS
Band4	1413	2	VL	NT	-5.79	-0.003342	±2.5	PASS
Band4	1413	2	VN	NT	-6.25	-0.003607	±2.5	PASS
Band4	1413	2	VH	NT	-6.20	-0.003578	±2.5	PASS
Band4	1413	3	VL	NT	-5.59	-0.003226	±2.5	PASS
Band4	1413	3	VN	NT	-5.93	-0.003423	±2.5	PASS
Band4	1413	3	VH	NT	-5.69	-0.003284	±2.5	PASS
Band4	1413	4	VL	NT	-7.20	-0.004156	±2.5	PASS
Band4	1413	4	VN	NT	-5.64	-0.003255	±2.5	PASS
Band4	1413	4	VH	NT	-4.87	-0.002811	±2.5	PASS
Band4	1513	1	VL	NT	-6.00	-0.003423	±2.5	PASS
Band4	1513	1	VN	NT	-5.72	-0.003264	±2.5	PASS
Band4	1513	1	VH	NT	-5.76	-0.003287	±2.5	PASS
Band4	1513	2	VL	NT	-5.35	-0.003053	±2.5	PASS
Band4	1513	2	VN	NT	-5.83	-0.003326	±2.5	PASS
Band4	1513	2	VH	NT	-6.13	-0.003498	±2.5	PASS
Band4	1513	3	VL	NT	-6.34	-0.003617	±2.5	PASS
Band4	1513	3	VN	NT	-6.22	-0.003549	±2.5	PASS

Band4	1513	3	VH	NT	-5.81	-0.003315	±2.5	PASS
Band4	1513	4	VL	NT	-7.46	-0.004257	±2.5	PASS
Band4	1513	4	VN	NT	-5.79	-0.003304	±2.5	PASS
Band4	1513	4	VH	NT	-5.06	-0.002887	±2.5	PASS
Band5	4132	1	VL	NT	-0.70	-0.000847	±2.5	PASS
Band5	4132	1	VN	NT	-0.48	-0.000581	±2.5	PASS
Band5	4132	1	VH	NT	-1.22	-0.001476	±2.5	PASS
Band5	4132	2	VL	NT	-0.98	-0.001186	±2.5	PASS
Band5	4132	2	VN	NT	-0.95	-0.001150	±2.5	PASS
Band5	4132	2	VH	NT	-0.59	-0.000714	±2.5	PASS
Band5	4132	3	VL	NT	-0.44	-0.000532	±2.5	PASS
Band5	4132	3	VN	NT	-0.81	-0.000980	±2.5	PASS
Band5	4132	3	VH	NT	0.44	0.000532	±2.5	PASS
Band5	4132	4	VL	NT	-0.80	-0.000968	±2.5	PASS
Band5	4132	4	VN	NT	-0.94	-0.001137	±2.5	PASS
Band5	4132	4	VH	NT	-0.62	-0.000750	±2.5	PASS
Band5	4183	1	VL	NT	-1.76	-0.002104	±2.5	PASS
Band5	4183	1	VN	NT	-0.80	-0.000956	±2.5	PASS
Band5	4183	1	VH	NT	-1.26	-0.001506	±2.5	PASS
Band5	4183	2	VL	NT	-0.57	-0.000681	±2.5	PASS
Band5	4183	2	VN	NT	-0.98	-0.001171	±2.5	PASS
Band5	4183	2	VH	NT	0.67	0.000801	±2.5	PASS
Band5	4183	3	VL	NT	-0.62	-0.000741	±2.5	PASS
Band5	4183	3	VN	NT	-0.89	-0.001064	±2.5	PASS
Band5	4183	3	VH	NT	-0.60	-0.000717	±2.5	PASS
Band5	4183	4	VL	NT	-0.96	-0.001148	±2.5	PASS
Band5	4183	4	VN	NT	-1.15	-0.001375	±2.5	PASS
Band5	4183	4	VH	NT	-0.75	-0.000896	±2.5	PASS
Band5	4233	1	VL	NT	-0.66	-0.000780	±2.5	PASS
Band5	4233	1	VN	NT	-0.96	-0.001134	±2.5	PASS
Band5	4233	1	VH	NT	-0.92	-0.001087	±2.5	PASS
Band5	4233	2	VL	NT	-1.13	-0.001335	±2.5	PASS
Band5	4233	2	VN	NT	-1.12	-0.001323	±2.5	PASS
Band5	4233	2	VH	NT	-0.89	-0.001051	±2.5	PASS
Band5	4233	3	VL	NT	-1.10	-0.001299	±2.5	PASS
Band5	4233	3	VN	NT	-0.94	-0.001110	±2.5	PASS

Band5	4233	3	VH	NT	-0.31	-0.000366	±2.5	PASS
Band5	4233	4	VL	NT	-0.57	-0.000673	±2.5	PASS
Band5	4233	4	VN	NT	-0.47	-0.000555	±2.5	PASS
Band5	4233	4	VH	NT	-0.85	-0.001004	±2.5	PASS

Temperature								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	NV	-30	8.65	0.004670	±2.5	PASS
Band2	9262	1	NV	-20	9.32	0.005031	±2.5	PASS
Band2	9262	1	NV	-10	7.41	0.004000	±2.5	PASS
Band2	9262	1	NV	0	8.07	0.004357	±2.5	PASS
Band2	9262	1	NV	10	8.36	0.004513	±2.5	PASS
Band2	9262	1	NV	20	8.86	0.004783	±2.5	PASS
Band2	9262	1	NV	30	7.84	0.004232	±2.5	PASS
Band2	9262	1	NV	40	9.23	0.004983	±2.5	PASS
Band2	9262	1	NV	50	8.92	0.004815	±2.5	PASS
Band2	9262	2	NV	-30	9.41	0.005080	±2.5	PASS
Band2	9262	2	NV	-20	8.82	0.004761	±2.5	PASS
Band2	9262	2	NV	-10	8.79	0.004745	±2.5	PASS
Band2	9262	2	NV	0	9.01	0.004864	±2.5	PASS
Band2	9262	2	NV	10	9.06	0.004891	±2.5	PASS
Band2	9262	2	NV	20	9.46	0.005107	±2.5	PASS
Band2	9262	2	NV	30	8.60	0.004643	±2.5	PASS
Band2	9262	2	NV	40	8.96	0.004837	±2.5	PASS
Band2	9262	2	NV	50	9.57	0.005166	±2.5	PASS
Band2	9262	3	NV	-30	9.46	0.005107	±2.5	PASS
Band2	9262	3	NV	-20	9.13	0.004929	±2.5	PASS
Band2	9262	3	NV	-10	9.51	0.005134	±2.5	PASS
Band2	9262	3	NV	0	8.72	0.004707	±2.5	PASS
Band2	9262	3	NV	10	8.50	0.004589	±2.5	PASS
Band2	9262	3	NV	20	8.65	0.004670	±2.5	PASS
Band2	9262	3	NV	30	9.06	0.004891	±2.5	PASS
Band2	9262	3	NV	40	8.89	0.004799	±2.5	PASS
Band2	9262	3	NV	50	8.83	0.004767	±2.5	PASS
Band2	9262	4	NV	-30	8.29	0.004475	±2.5	PASS

Band2	9262	4	NV	-20	8.78	0.004740	±2.5	PASS
Band2	9262	4	NV	-10	8.89	0.004799	±2.5	PASS
Band2	9262	4	NV	0	9.40	0.005074	±2.5	PASS
Band2	9262	4	NV	10	9.31	0.005026	±2.5	PASS
Band2	9262	4	NV	20	8.52	0.004599	±2.5	PASS
Band2	9262	4	NV	30	9.71	0.005242	±2.5	PASS
Band2	9262	4	NV	40	9.17	0.004950	±2.5	PASS
Band2	9262	4	NV	50	8.81	0.004756	±2.5	PASS
Band2	9400	1	NV	-30	9.05	0.004814	±2.5	PASS
Band2	9400	1	NV	-20	8.65	0.004601	±2.5	PASS
Band2	9400	1	NV	-10	8.82	0.004691	±2.5	PASS
Band2	9400	1	NV	0	9.13	0.004856	±2.5	PASS
Band2	9400	1	NV	10	9.09	0.004835	±2.5	PASS
Band2	9400	1	NV	20	8.93	0.004750	±2.5	PASS
Band2	9400	1	NV	30	8.47	0.004505	±2.5	PASS
Band2	9400	1	NV	40	9.02	0.004798	±2.5	PASS
Band2	9400	1	NV	50	8.27	0.004399	±2.5	PASS
Band2	9400	2	NV	-30	8.16	0.004340	±2.5	PASS
Band2	9400	2	NV	-20	8.84	0.004702	±2.5	PASS
Band2	9400	2	NV	-10	9.01	0.004793	±2.5	PASS
Band2	9400	2	NV	0	8.72	0.004638	±2.5	PASS
Band2	9400	2	NV	10	9.49	0.005048	±2.5	PASS
Band2	9400	2	NV	20	9.03	0.004803	±2.5	PASS
Band2	9400	2	NV	30	8.64	0.004596	±2.5	PASS
Band2	9400	2	NV	40	8.43	0.004484	±2.5	PASS
Band2	9400	2	NV	50	8.91	0.004739	±2.5	PASS
Band2	9400	3	NV	-30	8.55	0.004548	±2.5	PASS
Band2	9400	3	NV	-20	8.43	0.004484	±2.5	PASS
Band2	9400	3	NV	-10	9.28	0.004936	±2.5	PASS
Band2	9400	3	NV	0	9.13	0.004856	±2.5	PASS
Band2	9400	3	NV	10	8.27	0.004399	±2.5	PASS
Band2	9400	3	NV	20	9.11	0.004846	±2.5	PASS
Band2	9400	3	NV	30	8.56	0.004553	±2.5	PASS
Band2	9400	3	NV	40	8.60	0.004574	±2.5	PASS
Band2	9400	3	NV	50	8.20	0.004362	±2.5	PASS
Band2	9400	4	NV	-30	8.89	0.004729	±2.5	PASS

Band2	9400	4	NV	-20	23.54	0.012521	±2.5	PASS
Band2	9400	4	NV	-10	8.47	0.004505	±2.5	PASS
Band2	9400	4	NV	0	8.19	0.004356	±2.5	PASS
Band2	9400	4	NV	10	8.89	0.004729	±2.5	PASS
Band2	9400	4	NV	20	8.49	0.004516	±2.5	PASS
Band2	9400	4	NV	30	8.39	0.004463	±2.5	PASS
Band2	9400	4	NV	40	7.85	0.004176	±2.5	PASS
Band2	9400	4	NV	50	8.64	0.004596	±2.5	PASS
Band2	9538	1	NV	-30	9.36	0.004907	±2.5	PASS
Band2	9538	1	NV	-20	9.21	0.004828	±2.5	PASS
Band2	9538	1	NV	-10	8.35	0.004377	±2.5	PASS
Band2	9538	1	NV	0	8.35	0.004377	±2.5	PASS
Band2	9538	1	NV	10	9.20	0.004823	±2.5	PASS
Band2	9538	1	NV	20	9.28	0.004865	±2.5	PASS
Band2	9538	1	NV	30	9.06	0.004749	±2.5	PASS
Band2	9538	1	NV	40	8.79	0.004608	±2.5	PASS
Band2	9538	1	NV	50	8.42	0.004414	±2.5	PASS
Band2	9538	2	NV	-30	8.94	0.004687	±2.5	PASS
Band2	9538	2	NV	-20	8.04	0.004215	±2.5	PASS
Band2	9538	2	NV	-10	8.80	0.004613	±2.5	PASS
Band2	9538	2	NV	0	8.96	0.004697	±2.5	PASS
Band2	9538	2	NV	10	8.86	0.004645	±2.5	PASS
Band2	9538	2	NV	20	9.20	0.004823	±2.5	PASS
Band2	9538	2	NV	30	8.60	0.004508	±2.5	PASS
Band2	9538	2	NV	40	8.71	0.004566	±2.5	PASS
Band2	9538	2	NV	50	8.89	0.004660	±2.5	PASS
Band2	9538	3	NV	-30	8.60	0.004508	±2.5	PASS
Band2	9538	3	NV	-20	8.46	0.004435	±2.5	PASS
Band2	9538	3	NV	-10	8.98	0.004707	±2.5	PASS
Band2	9538	3	NV	0	8.24	0.004320	±2.5	PASS
Band2	9538	3	NV	10	8.74	0.004582	±2.5	PASS
Band2	9538	3	NV	20	8.36	0.004382	±2.5	PASS
Band2	9538	3	NV	30	8.77	0.004597	±2.5	PASS
Band2	9538	3	NV	40	8.11	0.004251	±2.5	PASS
Band2	9538	3	NV	50	8.82	0.004624	±2.5	PASS
Band2	9538	4	NV	-30	8.63	0.004524	±2.5	PASS

Band2	9538	4	NV	-20	8.42	0.004414	±2.5	PASS
Band2	9538	4	NV	-10	8.28	0.004341	±2.5	PASS
Band2	9538	4	NV	0	9.04	0.004739	±2.5	PASS
Band2	9538	4	NV	10	8.35	0.004377	±2.5	PASS
Band2	9538	4	NV	20	8.62	0.004519	±2.5	PASS
Band2	9538	4	NV	30	9.41	0.004933	±2.5	PASS
Band2	9538	4	NV	40	8.70	0.004561	±2.5	PASS
Band2	9538	4	NV	50	8.83	0.004629	±2.5	PASS
Band4	1312	1	NV	-30	-6.40	-0.003737	±2.5	PASS
Band4	1312	1	NV	-20	-6.13	-0.003580	±2.5	PASS
Band4	1312	1	NV	-10	-7.01	-0.004094	±2.5	PASS
Band4	1312	1	NV	0	-6.60	-0.003854	±2.5	PASS
Band4	1312	1	NV	10	-6.61	-0.003860	±2.5	PASS
Band4	1312	1	NV	20	-6.35	-0.003708	±2.5	PASS
Band4	1312	1	NV	30	-6.42	-0.003749	±2.5	PASS
Band4	1312	1	NV	40	-6.07	-0.003545	±2.5	PASS
Band4	1312	1	NV	50	-6.86	-0.004006	±2.5	PASS
Band4	1312	2	NV	-30	-6.18	-0.003609	±2.5	PASS
Band4	1312	2	NV	-20	-7.14	-0.004170	±2.5	PASS
Band4	1312	2	NV	-10	-6.16	-0.003597	±2.5	PASS
Band4	1312	2	NV	0	-6.31	-0.003685	±2.5	PASS
Band4	1312	2	NV	10	-6.03	-0.003521	±2.5	PASS
Band4	1312	2	NV	20	-8.11	-0.004736	±2.5	PASS
Band4	1312	2	NV	30	-5.90	-0.003445	±2.5	PASS
Band4	1312	2	NV	40	-6.46	-0.003772	±2.5	PASS
Band4	1312	2	NV	50	-6.31	-0.003685	±2.5	PASS
Band4	1312	3	NV	-30	-6.17	-0.003603	±2.5	PASS
Band4	1312	3	NV	-20	-5.74	-0.003352	±2.5	PASS
Band4	1312	3	NV	-10	-5.26	-0.003072	±2.5	PASS
Band4	1312	3	NV	0	-6.43	-0.003755	±2.5	PASS
Band4	1312	3	NV	10	-7.24	-0.004228	±2.5	PASS
Band4	1312	3	NV	20	-6.61	-0.003860	±2.5	PASS
Band4	1312	3	NV	30	-6.07	-0.003545	±2.5	PASS
Band4	1312	3	NV	40	-7.96	-0.004648	±2.5	PASS
Band4	1312	3	NV	50	-6.15	-0.003591	±2.5	PASS
Band4	1312	4	NV	-30	-5.73	-0.003346	±2.5	PASS

Band4	1312	4	NV	-20	-6.48	-0.003784	±2.5	PASS
Band4	1312	4	NV	-10	-6.12	-0.003574	±2.5	PASS
Band4	1312	4	NV	0	-6.24	-0.003644	±2.5	PASS
Band4	1312	4	NV	10	-7.01	-0.004094	±2.5	PASS
Band4	1312	4	NV	20	-6.69	-0.003907	±2.5	PASS
Band4	1312	4	NV	30	-5.92	-0.003457	±2.5	PASS
Band4	1312	4	NV	40	-6.77	-0.003954	±2.5	PASS
Band4	1312	4	NV	50	-5.92	-0.003457	±2.5	PASS
Band4	1413	1	NV	-30	-6.32	-0.003648	±2.5	PASS
Band4	1413	1	NV	-20	-5.49	-0.003169	±2.5	PASS
Band4	1413	1	NV	-10	-5.80	-0.003348	±2.5	PASS
Band4	1413	1	NV	0	-6.28	-0.003625	±2.5	PASS
Band4	1413	1	NV	10	-6.11	-0.003526	±2.5	PASS
Band4	1413	1	NV	20	-5.87	-0.003388	±2.5	PASS
Band4	1413	1	NV	30	-6.78	-0.003913	±2.5	PASS
Band4	1413	1	NV	40	-6.09	-0.003515	±2.5	PASS
Band4	1413	1	NV	50	-6.51	-0.003757	±2.5	PASS
Band4	1413	2	NV	-30	-6.61	-0.003815	±2.5	PASS
Band4	1413	2	NV	-20	-5.58	-0.003221	±2.5	PASS
Band4	1413	2	NV	-10	-5.81	-0.003353	±2.5	PASS
Band4	1413	2	NV	0	-6.52	-0.003763	±2.5	PASS
Band4	1413	2	NV	10	-6.43	-0.003711	±2.5	PASS
Band4	1413	2	NV	20	-5.75	-0.003319	±2.5	PASS
Band4	1413	2	NV	30	-5.79	-0.003342	±2.5	PASS
Band4	1413	2	NV	40	-5.83	-0.003365	±2.5	PASS
Band4	1413	2	NV	50	-5.94	-0.003428	±2.5	PASS
Band4	1413	3	NV	-30	-5.81	-0.003353	±2.5	PASS
Band4	1413	3	NV	-20	-6.27	-0.003619	±2.5	PASS
Band4	1413	3	NV	-10	-7.03	-0.004057	±2.5	PASS
Band4	1413	3	NV	0	-6.11	-0.003526	±2.5	PASS
Band4	1413	3	NV	10	-6.06	-0.003498	±2.5	PASS
Band4	1413	3	NV	20	-6.06	-0.003498	±2.5	PASS
Band4	1413	3	NV	30	-6.25	-0.003607	±2.5	PASS
Band4	1413	3	NV	40	-5.28	-0.003047	±2.5	PASS
Band4	1413	3	NV	50	-5.67	-0.003273	±2.5	PASS
Band4	1413	4	NV	-30	-6.02	-0.003475	±2.5	PASS

Band4	1413	4	NV	-20	-5.81	-0.003353	±2.5	PASS
Band4	1413	4	NV	-10	-6.56	-0.003786	±2.5	PASS
Band4	1413	4	NV	0	-5.80	-0.003348	±2.5	PASS
Band4	1413	4	NV	10	-5.20	-0.003001	±2.5	PASS
Band4	1413	4	NV	20	-5.81	-0.003353	±2.5	PASS
Band4	1413	4	NV	30	-5.72	-0.003301	±2.5	PASS
Band4	1413	4	NV	40	-7.05	-0.004069	±2.5	PASS
Band4	1413	4	NV	50	-5.50	-0.003174	±2.5	PASS
Band4	1513	1	NV	-30	-5.54	-0.003161	±2.5	PASS
Band4	1513	1	NV	-20	-5.72	-0.003264	±2.5	PASS
Band4	1513	1	NV	-10	-5.72	-0.003264	±2.5	PASS
Band4	1513	1	NV	0	-7.41	-0.004228	±2.5	PASS
Band4	1513	1	NV	10	-6.34	-0.003617	±2.5	PASS
Band4	1513	1	NV	20	-6.02	-0.003435	±2.5	PASS
Band4	1513	1	NV	30	-6.59	-0.003760	±2.5	PASS
Band4	1513	1	NV	40	-5.42	-0.003093	±2.5	PASS
Band4	1513	1	NV	50	-6.27	-0.003578	±2.5	PASS
Band4	1513	2	NV	-30	-5.45	-0.003110	±2.5	PASS
Band4	1513	2	NV	-20	-5.59	-0.003190	±2.5	PASS
Band4	1513	2	NV	-10	-6.02	-0.003435	±2.5	PASS
Band4	1513	2	NV	0	-5.99	-0.003418	±2.5	PASS
Band4	1513	2	NV	10	-5.76	-0.003287	±2.5	PASS
Band4	1513	2	NV	20	-6.06	-0.003458	±2.5	PASS
Band4	1513	2	NV	30	-5.22	-0.002978	±2.5	PASS
Band4	1513	2	NV	40	-6.03	-0.003441	±2.5	PASS
Band4	1513	2	NV	50	-5.96	-0.003401	±2.5	PASS
Band4	1513	3	NV	-30	-5.09	-0.002904	±2.5	PASS
Band4	1513	3	NV	-20	-5.56	-0.003172	±2.5	PASS
Band4	1513	3	NV	-10	-5.48	-0.003127	±2.5	PASS
Band4	1513	3	NV	0	-5.43	-0.003098	±2.5	PASS
Band4	1513	3	NV	10	-4.93	-0.002813	±2.5	PASS
Band4	1513	3	NV	20	-5.54	-0.003161	±2.5	PASS
Band4	1513	3	NV	30	-5.68	-0.003241	±2.5	PASS
Band4	1513	3	NV	40	-5.40	-0.003081	±2.5	PASS
Band4	1513	3	NV	50	-5.89	-0.003361	±2.5	PASS
Band4	1513	4	NV	-30	-5.15	-0.002938	±2.5	PASS

Band4	1513	4	NV	-20	-5.74	-0.003275	±2.5	PASS
Band4	1513	4	NV	-10	-5.14	-0.002933	±2.5	PASS
Band4	1513	4	NV	0	-5.90	-0.003366	±2.5	PASS
Band4	1513	4	NV	10	-5.33	-0.003041	±2.5	PASS
Band4	1513	4	NV	20	-6.34	-0.003617	±2.5	PASS
Band4	1513	4	NV	30	-6.76	-0.003857	±2.5	PASS
Band4	1513	4	NV	40	-5.44	-0.003104	±2.5	PASS
Band4	1513	4	NV	50	-5.73	-0.003269	±2.5	PASS
Band5	4132	1	NV	-30	-0.62	-0.000750	±2.5	PASS
Band5	4132	1	NV	-20	-0.65	-0.000787	±2.5	PASS
Band5	4132	1	NV	-10	-0.96	-0.001162	±2.5	PASS
Band5	4132	1	NV	0	-0.78	-0.000944	±2.5	PASS
Band5	4132	1	NV	10	-0.65	-0.000787	±2.5	PASS
Band5	4132	1	NV	20	-0.84	-0.001016	±2.5	PASS
Band5	4132	1	NV	30	-0.94	-0.001137	±2.5	PASS
Band5	4132	1	NV	40	-0.92	-0.001113	±2.5	PASS
Band5	4132	1	NV	50	-0.29	-0.000351	±2.5	PASS
Band5	4132	2	NV	-30	-0.84	-0.001016	±2.5	PASS
Band5	4132	2	NV	-20	-0.55	-0.000666	±2.5	PASS
Band5	4132	2	NV	-10	-0.95	-0.001150	±2.5	PASS
Band5	4132	2	NV	0	-0.71	-0.000859	±2.5	PASS
Band5	4132	2	NV	10	-0.67	-0.000811	±2.5	PASS
Band5	4132	2	NV	20	0.12	0.000145	±2.5	PASS
Band5	4132	2	NV	30	-4.13	-0.004998	±2.5	PASS
Band5	4132	2	NV	40	-0.60	-0.000726	±2.5	PASS
Band5	4132	2	NV	50	-0.07	-0.000085	±2.5	PASS
Band5	4132	3	NV	-30	-0.47	-0.000569	±2.5	PASS
Band5	4132	3	NV	-20	-1.21	-0.001464	±2.5	PASS
Band5	4132	3	NV	-10	-0.87	-0.001053	±2.5	PASS
Band5	4132	3	NV	0	-0.94	-0.001137	±2.5	PASS
Band5	4132	3	NV	10	-0.56	-0.000678	±2.5	PASS
Band5	4132	3	NV	20	-0.89	-0.001077	±2.5	PASS
Band5	4132	3	NV	30	-0.21	-0.000254	±2.5	PASS
Band5	4132	3	NV	40	-0.86	-0.001041	±2.5	PASS
Band5	4132	3	NV	50	-0.70	-0.000847	±2.5	PASS
Band5	4132	4	NV	-30	-0.41	-0.000496	±2.5	PASS

Band5	4132	4	NV	-20	-1.10	-0.001331	±2.5	PASS
Band5	4132	4	NV	-10	-0.85	-0.001029	±2.5	PASS
Band5	4132	4	NV	0	-0.69	-0.000835	±2.5	PASS
Band5	4132	4	NV	10	-0.73	-0.000883	±2.5	PASS
Band5	4132	4	NV	20	-1.05	-0.001271	±2.5	PASS
Band5	4132	4	NV	30	-0.89	-0.001077	±2.5	PASS
Band5	4132	4	NV	40	-0.63	-0.000762	±2.5	PASS
Band5	4132	4	NV	50	-0.95	-0.001150	±2.5	PASS
Band5	4183	1	NV	-30	-0.94	-0.001124	±2.5	PASS
Band5	4183	1	NV	-20	-1.02	-0.001219	±2.5	PASS
Band5	4183	1	NV	-10	-0.21	-0.000251	±2.5	PASS
Band5	4183	1	NV	0	-0.46	-0.000550	±2.5	PASS
Band5	4183	1	NV	10	-0.75	-0.000896	±2.5	PASS
Band5	4183	1	NV	20	-0.88	-0.001052	±2.5	PASS
Band5	4183	1	NV	30	-0.05	-0.000060	±2.5	PASS
Band5	4183	1	NV	40	-1.03	-0.001231	±2.5	PASS
Band5	4183	1	NV	50	0.66	0.000789	±2.5	PASS
Band5	4183	2	NV	-30	-0.52	-0.000622	±2.5	PASS
Band5	4183	2	NV	-20	-0.84	-0.001004	±2.5	PASS
Band5	4183	2	NV	-10	-0.63	-0.000753	±2.5	PASS
Band5	4183	2	NV	0	-1.05	-0.001255	±2.5	PASS
Band5	4183	2	NV	10	-0.73	-0.000873	±2.5	PASS
Band5	4183	2	NV	20	-0.98	-0.001171	±2.5	PASS
Band5	4183	2	NV	30	-1.03	-0.001231	±2.5	PASS
Band5	4183	2	NV	40	-0.49	-0.000586	±2.5	PASS
Band5	4183	2	NV	50	-0.94	-0.001124	±2.5	PASS
Band5	4183	3	NV	-30	-0.88	-0.001052	±2.5	PASS
Band5	4183	3	NV	-20	-0.70	-0.000837	±2.5	PASS
Band5	4183	3	NV	-10	-0.69	-0.000825	±2.5	PASS
Band5	4183	3	NV	0	-0.76	-0.000908	±2.5	PASS
Band5	4183	3	NV	10	-0.61	-0.000729	±2.5	PASS
Band5	4183	3	NV	20	-1.04	-0.001243	±2.5	PASS
Band5	4183	3	NV	30	-0.43	-0.000514	±2.5	PASS
Band5	4183	3	NV	40	-0.20	-0.000239	±2.5	PASS
Band5	4183	3	NV	50	-0.29	-0.000347	±2.5	PASS
Band5	4183	4	NV	-30	-0.74	-0.000885	±2.5	PASS

Band5	4183	4	NV	-20	-0.76	-0.000908	±2.5	PASS
Band5	4183	4	NV	-10	-0.90	-0.001076	±2.5	PASS
Band5	4183	4	NV	0	-0.81	-0.000968	±2.5	PASS
Band5	4183	4	NV	10	-0.69	-0.000825	±2.5	PASS
Band5	4183	4	NV	20	-0.31	-0.000371	±2.5	PASS
Band5	4183	4	NV	30	-0.78	-0.000932	±2.5	PASS
Band5	4183	4	NV	40	-1.01	-0.001207	±2.5	PASS
Band5	4183	4	NV	50	-0.95	-0.001136	±2.5	PASS
Band5	4233	1	NV	-30	-0.68	-0.000803	±2.5	PASS
Band5	4233	1	NV	-20	-0.45	-0.000532	±2.5	PASS
Band5	4233	1	NV	-10	-0.63	-0.000744	±2.5	PASS
Band5	4233	1	NV	0	-0.95	-0.001122	±2.5	PASS
Band5	4233	1	NV	10	-0.77	-0.000910	±2.5	PASS
Band5	4233	1	NV	20	-0.39	-0.000461	±2.5	PASS
Band5	4233	1	NV	30	-0.91	-0.001075	±2.5	PASS
Band5	4233	1	NV	40	-3.81	-0.004500	±2.5	PASS
Band5	4233	1	NV	50	-0.60	-0.000709	±2.5	PASS
Band5	4233	2	NV	-30	-0.57	-0.000673	±2.5	PASS
Band5	4233	2	NV	-20	-0.83	-0.000980	±2.5	PASS
Band5	4233	2	NV	-10	-0.99	-0.001169	±2.5	PASS
Band5	4233	2	NV	0	-0.97	-0.001146	±2.5	PASS
Band5	4233	2	NV	10	-0.61	-0.000721	±2.5	PASS
Band5	4233	2	NV	20	-0.71	-0.000839	±2.5	PASS
Band5	4233	2	NV	30	-0.88	-0.001039	±2.5	PASS
Band5	4233	2	NV	40	0.79	0.000933	±2.5	PASS
Band5	4233	2	NV	50	-0.63	-0.000744	±2.5	PASS
Band5	4233	3	NV	-30	-0.76	-0.000898	±2.5	PASS
Band5	4233	3	NV	-20	-0.74	-0.000874	±2.5	PASS
Band5	4233	3	NV	-10	-0.95	-0.001122	±2.5	PASS
Band5	4233	3	NV	0	-0.89	-0.001051	±2.5	PASS
Band5	4233	3	NV	10	-0.73	-0.000862	±2.5	PASS
Band5	4233	3	NV	20	-1.08	-0.001276	±2.5	PASS
Band5	4233	3	NV	30	-1.13	-0.001335	±2.5	PASS
Band5	4233	3	NV	40	-0.77	-0.000910	±2.5	PASS
Band5	4233	3	NV	50	-0.96	-0.001134	±2.5	PASS
Band5	4233	4	NV	-30	-0.96	-0.001134	±2.5	PASS

Band5	4233	4	NV	-20	-0.54	-0.000638	±2.5	PASS
Band5	4233	4	NV	-10	-0.70	-0.000827	±2.5	PASS
Band5	4233	4	NV	0	-0.81	-0.000957	±2.5	PASS
Band5	4233	4	NV	10	-0.97	-0.001146	±2.5	PASS
Band5	4233	4	NV	20	-0.74	-0.000874	±2.5	PASS
Band5	4233	4	NV	30	-1.01	-0.001193	±2.5	PASS
Band5	4233	4	NV	40	-0.84	-0.000992	±2.5	PASS
Band5	4233	4	NV	50	-0.47	-0.000555	±2.5	PASS

Test Result(HSUPA)

Voltage								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	VL	NT	8.98	0.004848	±2.5	PASS
Band2	9262	1	VN	NT	9.52	0.005139	±2.5	PASS
Band2	9262	1	VH	NT	9.02	0.004869	±2.5	PASS
Band2	9262	2	VL	NT	8.90	0.004805	±2.5	PASS
Band2	9262	2	VN	NT	8.89	0.004799	±2.5	PASS
Band2	9262	2	VH	NT	9.00	0.004859	±2.5	PASS
Band2	9262	3	VL	NT	9.47	0.005112	±2.5	PASS
Band2	9262	3	VN	NT	8.99	0.004853	±2.5	PASS
Band2	9262	3	VH	NT	8.77	0.004734	±2.5	PASS
Band2	9262	4	VL	NT	9.76	0.005269	±2.5	PASS
Band2	9262	4	VN	NT	9.35	0.005048	±2.5	PASS
Band2	9262	4	VH	NT	9.15	0.004940	±2.5	PASS
Band2	9262	5	VL	NT	9.32	0.005031	±2.5	PASS
Band2	9262	5	VN	NT	9.26	0.004999	±2.5	PASS
Band2	9262	5	VH	NT	9.51	0.005134	±2.5	PASS
Band2	9400	1	VL	NT	8.43	0.004484	±2.5	PASS
Band2	9400	1	VN	NT	8.74	0.004649	±2.5	PASS
Band2	9400	1	VH	NT	9.84	0.005234	±2.5	PASS
Band2	9400	2	VL	NT	9.04	0.004809	±2.5	PASS
Band2	9400	2	VN	NT	9.02	0.004798	±2.5	PASS
Band2	9400	2	VH	NT	8.57	0.004559	±2.5	PASS
Band2	9400	3	VL	NT	9.11	0.004846	±2.5	PASS
Band2	9400	3	VN	NT	9.37	0.004984	±2.5	PASS
Band2	9400	3	VH	NT	10.02	0.005330	±2.5	PASS
Band2	9400	4	VL	NT	8.78	0.004670	±2.5	PASS
Band2	9400	4	VN	NT	9.13	0.004856	±2.5	PASS
Band2	9400	4	VH	NT	9.63	0.005122	±2.5	PASS
Band2	9400	5	VL	NT	8.69	0.004622	±2.5	PASS
Band2	9400	5	VN	NT	9.25	0.004920	±2.5	PASS
Band2	9400	5	VH	NT	8.66	0.004606	±2.5	PASS
Band2	9538	1	VL	NT	8.82	0.004624	±2.5	PASS
Band2	9538	1	VN	NT	9.01	0.004723	±2.5	PASS

Band2	9538	1	VH	NT	9.53	0.004996	±2.5	PASS
Band2	9538	2	VL	NT	9.27	0.004860	±2.5	PASS
Band2	9538	2	VN	NT	8.91	0.004671	±2.5	PASS
Band2	9538	2	VH	NT	9.45	0.004954	±2.5	PASS
Band2	9538	3	VL	NT	9.44	0.004949	±2.5	PASS
Band2	9538	3	VN	NT	9.05	0.004744	±2.5	PASS
Band2	9538	3	VH	NT	9.20	0.004823	±2.5	PASS
Band2	9538	4	VL	NT	9.19	0.004818	±2.5	PASS
Band2	9538	4	VN	NT	8.99	0.004713	±2.5	PASS
Band2	9538	4	VH	NT	9.63	0.005048	±2.5	PASS
Band2	9538	5	VL	NT	9.15	0.004797	±2.5	PASS
Band2	9538	5	VN	NT	8.88	0.004655	±2.5	PASS
Band2	9538	5	VH	NT	9.56	0.005012	±2.5	PASS
Band4	1312	1	VL	NT	2.62	0.001530	±2.5	PASS
Band4	1312	1	VN	NT	2.71	0.001583	±2.5	PASS
Band4	1312	1	VH	NT	2.45	0.001431	±2.5	PASS
Band4	1312	2	VL	NT	2.09	0.001221	±2.5	PASS
Band4	1312	2	VN	NT	2.32	0.001355	±2.5	PASS
Band4	1312	2	VH	NT	2.07	0.001209	±2.5	PASS
Band4	1312	3	VL	NT	2.25	0.001314	±2.5	PASS
Band4	1312	3	VN	NT	1.94	0.001133	±2.5	PASS
Band4	1312	3	VH	NT	1.92	0.001121	±2.5	PASS
Band4	1312	4	VL	NT	2.05	0.001197	±2.5	PASS
Band4	1312	4	VN	NT	2.22	0.001296	±2.5	PASS
Band4	1312	4	VH	NT	2.20	0.001285	±2.5	PASS
Band4	1312	5	VL	NT	1.89	0.001104	±2.5	PASS
Band4	1312	5	VN	NT	1.88	0.001098	±2.5	PASS
Band4	1312	5	VH	NT	1.71	0.000999	±2.5	PASS
Band4	1413	1	VL	NT	2.03	0.001172	±2.5	PASS
Band4	1413	1	VN	NT	1.58	0.000912	±2.5	PASS
Band4	1413	1	VH	NT	1.63	0.000941	±2.5	PASS
Band4	1413	2	VL	NT	1.55	0.000895	±2.5	PASS
Band4	1413	2	VN	NT	1.52	0.000877	±2.5	PASS
Band4	1413	2	VH	NT	1.98	0.001143	±2.5	PASS
Band4	1413	3	VL	NT	1.31	0.000756	±2.5	PASS
Band4	1413	3	VN	NT	1.55	0.000895	±2.5	PASS

Band4	1413	3	VH	NT	1.58	0.000912	±2.5	PASS
Band4	1413	4	VL	NT	1.43	0.000825	±2.5	PASS
Band4	1413	4	VN	NT	1.38	0.000796	±2.5	PASS
Band4	1413	4	VH	NT	1.47	0.000848	±2.5	PASS
Band4	1413	5	VL	NT	1.62	0.000935	±2.5	PASS
Band4	1413	5	VN	NT	1.44	0.000831	±2.5	PASS
Band4	1413	5	VH	NT	1.40	0.000808	±2.5	PASS
Band4	1513	1	VL	NT	1.52	0.000867	±2.5	PASS
Band4	1513	1	VN	NT	1.48	0.000844	±2.5	PASS
Band4	1513	1	VH	NT	1.28	0.000730	±2.5	PASS
Band4	1513	2	VL	NT	1.31	0.000747	±2.5	PASS
Band4	1513	2	VN	NT	1.01	0.000576	±2.5	PASS
Band4	1513	2	VH	NT	1.14	0.000650	±2.5	PASS
Band4	1513	3	VL	NT	1.02	0.000582	±2.5	PASS
Band4	1513	3	VN	NT	1.31	0.000747	±2.5	PASS
Band4	1513	3	VH	NT	1.56	0.000890	±2.5	PASS
Band4	1513	4	VL	NT	1.16	0.000662	±2.5	PASS
Band4	1513	4	VN	NT	1.04	0.000593	±2.5	PASS
Band4	1513	4	VH	NT	1.06	0.000605	±2.5	PASS
Band4	1513	5	VL	NT	1.32	0.000753	±2.5	PASS
Band4	1513	5	VN	NT	0.59	0.000337	±2.5	PASS
Band4	1513	5	VH	NT	0.66	0.000377	±2.5	PASS
Band5	4132	1	VL	NT	-0.79	-0.000956	±2.5	PASS
Band5	4132	1	VN	NT	-0.87	-0.001053	±2.5	PASS
Band5	4132	1	VH	NT	-0.54	-0.000653	±2.5	PASS
Band5	4132	2	VL	NT	-0.76	-0.000920	±2.5	PASS
Band5	4132	2	VN	NT	-0.55	-0.000666	±2.5	PASS
Band5	4132	2	VH	NT	-0.46	-0.000557	±2.5	PASS
Band5	4132	3	VL	NT	-0.77	-0.000932	±2.5	PASS
Band5	4132	3	VN	NT	-0.59	-0.000714	±2.5	PASS
Band5	4132	3	VH	NT	-0.78	-0.000944	±2.5	PASS
Band5	4132	4	VL	NT	-0.61	-0.000738	±2.5	PASS
Band5	4132	4	VN	NT	-0.58	-0.000702	±2.5	PASS
Band5	4132	4	VH	NT	-0.72	-0.000871	±2.5	PASS
Band5	4132	5	VL	NT	-0.40	-0.000484	±2.5	PASS
Band5	4132	5	VN	NT	-0.44	-0.000532	±2.5	PASS

Band5	4132	5	VH	NT	-0.44	-0.000532	±2.5	PASS
Band5	4183	1	VL	NT	-0.49	-0.000586	±2.5	PASS
Band5	4183	1	VN	NT	-0.62	-0.000741	±2.5	PASS
Band5	4183	1	VH	NT	-0.76	-0.000908	±2.5	PASS
Band5	4183	2	VL	NT	-0.81	-0.000968	±2.5	PASS
Band5	4183	2	VN	NT	-0.74	-0.000885	±2.5	PASS
Band5	4183	2	VH	NT	-0.79	-0.000944	±2.5	PASS
Band5	4183	3	VL	NT	-0.78	-0.000932	±2.5	PASS
Band5	4183	3	VN	NT	-0.66	-0.000789	±2.5	PASS
Band5	4183	3	VH	NT	-0.71	-0.000849	±2.5	PASS
Band5	4183	4	VL	NT	-0.53	-0.000634	±2.5	PASS
Band5	4183	4	VN	NT	-0.70	-0.000837	±2.5	PASS
Band5	4183	4	VH	NT	-0.52	-0.000622	±2.5	PASS
Band5	4183	5	VL	NT	-0.51	-0.000610	±2.5	PASS
Band5	4183	5	VN	NT	-0.50	-0.000598	±2.5	PASS
Band5	4183	5	VH	NT	-0.50	-0.000598	±2.5	PASS
Band5	4233	1	VL	NT	-0.59	-0.000697	±2.5	PASS
Band5	4233	1	VN	NT	-0.41	-0.000484	±2.5	PASS
Band5	4233	1	VH	NT	-0.79	-0.000933	±2.5	PASS
Band5	4233	2	VL	NT	-0.70	-0.000827	±2.5	PASS
Band5	4233	2	VN	NT	-0.54	-0.000638	±2.5	PASS
Band5	4233	2	VH	NT	-0.81	-0.000957	±2.5	PASS
Band5	4233	3	VL	NT	-0.64	-0.000756	±2.5	PASS
Band5	4233	3	VN	NT	-0.97	-0.001146	±2.5	PASS
Band5	4233	3	VH	NT	-0.88	-0.001039	±2.5	PASS
Band5	4233	4	VL	NT	-0.68	-0.000803	±2.5	PASS
Band5	4233	4	VN	NT	-0.48	-0.000567	±2.5	PASS
Band5	4233	4	VH	NT	-0.93	-0.001099	±2.5	PASS
Band5	4233	5	VL	NT	-1.46	-0.001725	±2.5	PASS
Band5	4233	5	VN	NT	-0.38	-0.000449	±2.5	PASS
Band5	4233	5	VH	NT	-0.74	-0.000874	±2.5	PASS

Temperature								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	NV	-30	8.86	0.004783	±2.5	PASS

Band2	9262	1	NV	-20	8.92	0.004815	±2.5	PASS
Band2	9262	1	NV	-10	9.33	0.005037	±2.5	PASS
Band2	9262	1	NV	0	8.93	0.004821	±2.5	PASS
Band2	9262	1	NV	10	8.52	0.004599	±2.5	PASS
Band2	9262	1	NV	20	8.66	0.004675	±2.5	PASS
Band2	9262	1	NV	30	9.44	0.005096	±2.5	PASS
Band2	9262	1	NV	40	9.24	0.004988	±2.5	PASS
Band2	9262	1	NV	50	8.63	0.004659	±2.5	PASS
Band2	9262	2	NV	-30	8.49	0.004583	±2.5	PASS
Band2	9262	2	NV	-20	9.02	0.004869	±2.5	PASS
Band2	9262	2	NV	-10	-1.29	-0.000696	±2.5	PASS
Band2	9262	2	NV	0	8.68	0.004686	±2.5	PASS
Band2	9262	2	NV	10	8.82	0.004761	±2.5	PASS
Band2	9262	2	NV	20	8.92	0.004815	±2.5	PASS
Band2	9262	2	NV	30	8.26	0.004459	±2.5	PASS
Band2	9262	2	NV	40	8.71	0.004702	±2.5	PASS
Band2	9262	2	NV	50	9.40	0.005074	±2.5	PASS
Band2	9262	3	NV	-30	9.15	0.004940	±2.5	PASS
Band2	9262	3	NV	-20	8.99	0.004853	±2.5	PASS
Band2	9262	3	NV	-10	9.39	0.005069	±2.5	PASS
Band2	9262	3	NV	0	8.94	0.004826	±2.5	PASS
Band2	9262	3	NV	10	9.12	0.004923	±2.5	PASS
Band2	9262	3	NV	20	8.93	0.004821	±2.5	PASS
Band2	9262	3	NV	30	9.78	0.005280	±2.5	PASS
Band2	9262	3	NV	40	8.83	0.004767	±2.5	PASS
Band2	9262	3	NV	50	9.10	0.004913	±2.5	PASS
Band2	9262	4	NV	-30	9.43	0.005091	±2.5	PASS
Band2	9262	4	NV	-20	8.52	0.004599	±2.5	PASS
Band2	9262	4	NV	-10	8.31	0.004486	±2.5	PASS
Band2	9262	4	NV	0	8.68	0.004686	±2.5	PASS
Band2	9262	4	NV	10	9.33	0.005037	±2.5	PASS
Band2	9262	4	NV	20	9.28	0.005010	±2.5	PASS
Band2	9262	4	NV	30	8.87	0.004788	±2.5	PASS
Band2	9262	4	NV	40	9.13	0.004929	±2.5	PASS
Band2	9262	4	NV	50	9.62	0.005193	±2.5	PASS
Band2	9262	5	NV	-30	9.86	0.005323	±2.5	PASS

Band2	9262	5	NV	-20	9.14	0.004934	±2.5	PASS
Band2	9262	5	NV	-10	8.90	0.004805	±2.5	PASS
Band2	9262	5	NV	0	8.89	0.004799	±2.5	PASS
Band2	9262	5	NV	10	9.57	0.005166	±2.5	PASS
Band2	9262	5	NV	20	8.97	0.004842	±2.5	PASS
Band2	9262	5	NV	30	9.57	0.005166	±2.5	PASS
Band2	9262	5	NV	40	8.81	0.004756	±2.5	PASS
Band2	9262	5	NV	50	9.47	0.005112	±2.5	PASS
Band2	9400	1	NV	-30	8.99	0.004782	±2.5	PASS
Band2	9400	1	NV	-20	9.80	0.005213	±2.5	PASS
Band2	9400	1	NV	-10	9.11	0.004846	±2.5	PASS
Band2	9400	1	NV	0	9.82	0.005223	±2.5	PASS
Band2	9400	1	NV	10	8.87	0.004718	±2.5	PASS
Band2	9400	1	NV	20	8.87	0.004718	±2.5	PASS
Band2	9400	1	NV	30	9.14	0.004862	±2.5	PASS
Band2	9400	1	NV	40	9.09	0.004835	±2.5	PASS
Band2	9400	1	NV	50	9.12	0.004851	±2.5	PASS
Band2	9400	2	NV	-30	9.42	0.005011	±2.5	PASS
Band2	9400	2	NV	-20	8.80	0.004681	±2.5	PASS
Band2	9400	2	NV	-10	9.64	0.005128	±2.5	PASS
Band2	9400	2	NV	0	8.14	0.004330	±2.5	PASS
Band2	9400	2	NV	10	9.54	0.005074	±2.5	PASS
Band2	9400	2	NV	20	9.33	0.004963	±2.5	PASS
Band2	9400	2	NV	30	9.03	0.004803	±2.5	PASS
Band2	9400	2	NV	40	8.87	0.004718	±2.5	PASS
Band2	9400	2	NV	50	8.96	0.004766	±2.5	PASS
Band2	9400	3	NV	-30	8.75	0.004654	±2.5	PASS
Band2	9400	3	NV	-20	8.74	0.004649	±2.5	PASS
Band2	9400	3	NV	-10	9.41	0.005005	±2.5	PASS
Band2	9400	3	NV	0	9.17	0.004878	±2.5	PASS
Band2	9400	3	NV	10	8.87	0.004718	±2.5	PASS
Band2	9400	3	NV	20	9.34	0.004968	±2.5	PASS
Band2	9400	3	NV	30	9.45	0.005027	±2.5	PASS
Band2	9400	3	NV	40	9.52	0.005064	±2.5	PASS
Band2	9400	3	NV	50	9.10	0.004840	±2.5	PASS
Band2	9400	4	NV	-30	9.88	0.005255	±2.5	PASS

Band2	9400	4	NV	-20	9.16	0.004872	±2.5	PASS
Band2	9400	4	NV	-10	8.80	0.004681	±2.5	PASS
Band2	9400	4	NV	0	8.44	0.004489	±2.5	PASS
Band2	9400	4	NV	10	8.78	0.004670	±2.5	PASS
Band2	9400	4	NV	20	9.47	0.005037	±2.5	PASS
Band2	9400	4	NV	30	9.60	0.005106	±2.5	PASS
Band2	9400	4	NV	40	8.68	0.004617	±2.5	PASS
Band2	9400	4	NV	50	9.13	0.004856	±2.5	PASS
Band2	9400	5	NV	-30	8.90	0.004734	±2.5	PASS
Band2	9400	5	NV	-20	9.20	0.004894	±2.5	PASS
Band2	9400	5	NV	-10	9.10	0.004840	±2.5	PASS
Band2	9400	5	NV	0	8.69	0.004622	±2.5	PASS
Band2	9400	5	NV	10	9.89	0.005261	±2.5	PASS
Band2	9400	5	NV	20	9.11	0.004846	±2.5	PASS
Band2	9400	5	NV	30	9.32	0.004957	±2.5	PASS
Band2	9400	5	NV	40	9.55	0.005080	±2.5	PASS
Band2	9400	5	NV	50	8.83	0.004697	±2.5	PASS
Band2	9538	1	NV	-30	8.71	0.004566	±2.5	PASS
Band2	9538	1	NV	-20	9.23	0.004839	±2.5	PASS
Band2	9538	1	NV	-10	9.19	0.004818	±2.5	PASS
Band2	9538	1	NV	0	9.44	0.004949	±2.5	PASS
Band2	9538	1	NV	10	9.13	0.004786	±2.5	PASS
Band2	9538	1	NV	20	8.95	0.004692	±2.5	PASS
Band2	9538	1	NV	30	9.74	0.005106	±2.5	PASS
Band2	9538	1	NV	40	9.89	0.005185	±2.5	PASS
Band2	9538	1	NV	50	9.30	0.004875	±2.5	PASS
Band2	9538	2	NV	-30	9.09	0.004765	±2.5	PASS
Band2	9538	2	NV	-20	8.49	0.004451	±2.5	PASS
Band2	9538	2	NV	-10	8.93	0.004681	±2.5	PASS
Band2	9538	2	NV	0	9.16	0.004802	±2.5	PASS
Band2	9538	2	NV	10	9.70	0.005085	±2.5	PASS
Band2	9538	2	NV	20	8.44	0.004424	±2.5	PASS
Band2	9538	2	NV	30	9.19	0.004818	±2.5	PASS
Band2	9538	2	NV	40	8.82	0.004624	±2.5	PASS
Band2	9538	2	NV	50	8.92	0.004676	±2.5	PASS
Band2	9538	3	NV	-30	9.53	0.004996	±2.5	PASS

Band2	9538	3	NV	-20	9.58	0.005022	±2.5	PASS
Band2	9538	3	NV	-10	8.94	0.004687	±2.5	PASS
Band2	9538	3	NV	0	9.70	0.005085	±2.5	PASS
Band2	9538	3	NV	10	9.51	0.004985	±2.5	PASS
Band2	9538	3	NV	20	9.11	0.004776	±2.5	PASS
Band2	9538	3	NV	30	9.09	0.004765	±2.5	PASS
Band2	9538	3	NV	40	9.08	0.004760	±2.5	PASS
Band2	9538	3	NV	50	8.78	0.004603	±2.5	PASS
Band2	9538	4	NV	-30	8.93	0.004681	±2.5	PASS
Band2	9538	4	NV	-20	9.38	0.004917	±2.5	PASS
Band2	9538	4	NV	-10	9.32	0.004886	±2.5	PASS
Band2	9538	4	NV	0	8.88	0.004655	±2.5	PASS
Band2	9538	4	NV	10	8.82	0.004624	±2.5	PASS
Band2	9538	4	NV	20	9.35	0.004901	±2.5	PASS
Band2	9538	4	NV	30	8.96	0.004697	±2.5	PASS
Band2	9538	4	NV	40	8.88	0.004655	±2.5	PASS
Band2	9538	4	NV	50	9.29	0.004870	±2.5	PASS
Band2	9538	5	NV	-30	9.37	0.004912	±2.5	PASS
Band2	9538	5	NV	-20	9.67	0.005069	±2.5	PASS
Band2	9538	5	NV	-10	9.24	0.004844	±2.5	PASS
Band2	9538	5	NV	0	9.28	0.004865	±2.5	PASS
Band2	9538	5	NV	10	9.29	0.004870	±2.5	PASS
Band2	9538	5	NV	20	8.76	0.004592	±2.5	PASS
Band2	9538	5	NV	30	9.30	0.004875	±2.5	PASS
Band2	9538	5	NV	40	9.13	0.004786	±2.5	PASS
Band2	9538	5	NV	50	9.49	0.004975	±2.5	PASS
Band4	1312	1	NV	-30	2.61	0.001524	±2.5	PASS
Band4	1312	1	NV	-20	2.40	0.001402	±2.5	PASS
Band4	1312	1	NV	-10	2.36	0.001378	±2.5	PASS
Band4	1312	1	NV	0	2.43	0.001419	±2.5	PASS
Band4	1312	1	NV	10	2.44	0.001425	±2.5	PASS
Band4	1312	1	NV	20	2.36	0.001378	±2.5	PASS
Band4	1312	1	NV	30	2.68	0.001565	±2.5	PASS
Band4	1312	1	NV	40	2.36	0.001378	±2.5	PASS
Band4	1312	1	NV	50	2.62	0.001530	±2.5	PASS
Band4	1312	2	NV	-30	2.37	0.001384	±2.5	PASS

Band4	1312	2	NV	-20	1.92	0.001121	±2.5	PASS
Band4	1312	2	NV	-10	2.50	0.001460	±2.5	PASS
Band4	1312	2	NV	0	2.33	0.001361	±2.5	PASS
Band4	1312	2	NV	10	2.40	0.001402	±2.5	PASS
Band4	1312	2	NV	20	1.91	0.001115	±2.5	PASS
Band4	1312	2	NV	30	2.14	0.001250	±2.5	PASS
Band4	1312	2	NV	40	2.41	0.001407	±2.5	PASS
Band4	1312	2	NV	50	1.92	0.001121	±2.5	PASS
Band4	1312	3	NV	-30	1.83	0.001069	±2.5	PASS
Band4	1312	3	NV	-20	2.31	0.001349	±2.5	PASS
Band4	1312	3	NV	-10	1.74	0.001016	±2.5	PASS
Band4	1312	3	NV	0	2.14	0.001250	±2.5	PASS
Band4	1312	3	NV	10	1.88	0.001098	±2.5	PASS
Band4	1312	3	NV	20	2.44	0.001425	±2.5	PASS
Band4	1312	3	NV	30	2.02	0.001180	±2.5	PASS
Band4	1312	3	NV	40	2.23	0.001302	±2.5	PASS
Band4	1312	3	NV	50	2.02	0.001180	±2.5	PASS
Band4	1312	4	NV	-30	2.30	0.001343	±2.5	PASS
Band4	1312	4	NV	-20	2.22	0.001296	±2.5	PASS
Band4	1312	4	NV	-10	2.23	0.001302	±2.5	PASS
Band4	1312	4	NV	0	2.11	0.001232	±2.5	PASS
Band4	1312	4	NV	10	1.86	0.001086	±2.5	PASS
Band4	1312	4	NV	20	1.99	0.001162	±2.5	PASS
Band4	1312	4	NV	30	2.16	0.001261	±2.5	PASS
Band4	1312	4	NV	40	1.92	0.001121	±2.5	PASS
Band4	1312	4	NV	50	1.74	0.001016	±2.5	PASS
Band4	1312	5	NV	-30	1.82	0.001063	±2.5	PASS
Band4	1312	5	NV	-20	1.80	0.001051	±2.5	PASS
Band4	1312	5	NV	-10	1.71	0.000999	±2.5	PASS
Band4	1312	5	NV	0	1.97	0.001150	±2.5	PASS
Band4	1312	5	NV	10	1.88	0.001098	±2.5	PASS
Band4	1312	5	NV	20	2.05	0.001197	±2.5	PASS
Band4	1312	5	NV	30	1.71	0.000999	±2.5	PASS
Band4	1312	5	NV	40	1.64	0.000958	±2.5	PASS
Band4	1312	5	NV	50	1.83	0.001069	±2.5	PASS
Band4	1413	1	NV	-30	1.73	0.000998	±2.5	PASS

Band4	1413	1	NV	-20	1.90	0.001097	±2.5	PASS
Band4	1413	1	NV	-10	1.56	0.000900	±2.5	PASS
Band4	1413	1	NV	0	1.90	0.001097	±2.5	PASS
Band4	1413	1	NV	10	1.60	0.000923	±2.5	PASS
Band4	1413	1	NV	20	1.84	0.001062	±2.5	PASS
Band4	1413	1	NV	30	1.93	0.001114	±2.5	PASS
Band4	1413	1	NV	40	1.72	0.000993	±2.5	PASS
Band4	1413	1	NV	50	1.88	0.001085	±2.5	PASS
Band4	1413	2	NV	-30	1.53	0.000883	±2.5	PASS
Band4	1413	2	NV	-20	1.67	0.000964	±2.5	PASS
Band4	1413	2	NV	-10	1.75	0.001010	±2.5	PASS
Band4	1413	2	NV	0	1.47	0.000848	±2.5	PASS
Band4	1413	2	NV	10	1.64	0.000947	±2.5	PASS
Band4	1413	2	NV	20	1.61	0.000929	±2.5	PASS
Band4	1413	2	NV	30	1.82	0.001050	±2.5	PASS
Band4	1413	2	NV	40	1.79	0.001033	±2.5	PASS
Band4	1413	2	NV	50	1.61	0.000929	±2.5	PASS
Band4	1413	3	NV	-30	1.70	0.000981	±2.5	PASS
Band4	1413	3	NV	-20	1.14	0.000658	±2.5	PASS
Band4	1413	3	NV	-10	1.44	0.000831	±2.5	PASS
Band4	1413	3	NV	0	1.74	0.001004	±2.5	PASS
Band4	1413	3	NV	10	1.48	0.000854	±2.5	PASS
Band4	1413	3	NV	20	1.55	0.000895	±2.5	PASS
Band4	1413	3	NV	30	1.52	0.000877	±2.5	PASS
Band4	1413	3	NV	40	1.79	0.001033	±2.5	PASS
Band4	1413	3	NV	50	1.48	0.000854	±2.5	PASS
Band4	1413	4	NV	-30	1.49	0.000860	±2.5	PASS
Band4	1413	4	NV	-20	1.71	0.000987	±2.5	PASS
Band4	1413	4	NV	-10	1.31	0.000756	±2.5	PASS
Band4	1413	4	NV	0	1.37	0.000791	±2.5	PASS
Band4	1413	4	NV	10	1.65	0.000952	±2.5	PASS
Band4	1413	4	NV	20	1.39	0.000802	±2.5	PASS
Band4	1413	4	NV	30	1.26	0.000727	±2.5	PASS
Band4	1413	4	NV	40	1.53	0.000883	±2.5	PASS
Band4	1413	4	NV	50	1.29	0.000745	±2.5	PASS
Band4	1413	5	NV	-30	1.34	0.000773	±2.5	PASS

Band4	1413	5	NV	-20	1.28	0.000739	±2.5	PASS
Band4	1413	5	NV	-10	1.11	0.000641	±2.5	PASS
Band4	1413	5	NV	0	1.52	0.000877	±2.5	PASS
Band4	1413	5	NV	10	1.44	0.000831	±2.5	PASS
Band4	1413	5	NV	20	1.23	0.000710	±2.5	PASS
Band4	1413	5	NV	30	1.11	0.000641	±2.5	PASS
Band4	1413	5	NV	40	1.41	0.000814	±2.5	PASS
Band4	1413	5	NV	50	0.99	0.000571	±2.5	PASS
Band4	1513	1	NV	-30	1.19	0.000679	±2.5	PASS
Band4	1513	1	NV	-20	1.76	0.001004	±2.5	PASS
Band4	1513	1	NV	-10	1.43	0.000816	±2.5	PASS
Band4	1513	1	NV	0	1.03	0.000588	±2.5	PASS
Band4	1513	1	NV	10	1.33	0.000759	±2.5	PASS
Band4	1513	1	NV	20	1.18	0.000673	±2.5	PASS
Band4	1513	1	NV	30	1.01	0.000576	±2.5	PASS
Band4	1513	1	NV	40	1.20	0.000685	±2.5	PASS
Band4	1513	1	NV	50	1.42	0.000810	±2.5	PASS
Band4	1513	2	NV	-30	1.03	0.000588	±2.5	PASS
Band4	1513	2	NV	-20	1.13	0.000645	±2.5	PASS
Band4	1513	2	NV	-10	1.27	0.000725	±2.5	PASS
Band4	1513	2	NV	0	1.03	0.000588	±2.5	PASS
Band4	1513	2	NV	10	1.12	0.000639	±2.5	PASS
Band4	1513	2	NV	20	1.31	0.000747	±2.5	PASS
Band4	1513	2	NV	30	1.22	0.000696	±2.5	PASS
Band4	1513	2	NV	40	1.19	0.000679	±2.5	PASS
Band4	1513	2	NV	50	1.38	0.000787	±2.5	PASS
Band4	1513	3	NV	-30	0.90	0.000514	±2.5	PASS
Band4	1513	3	NV	-20	1.11	0.000633	±2.5	PASS
Band4	1513	3	NV	-10	0.97	0.000553	±2.5	PASS
Band4	1513	3	NV	0	1.27	0.000725	±2.5	PASS
Band4	1513	3	NV	10	0.84	0.000479	±2.5	PASS
Band4	1513	3	NV	20	1.35	0.000770	±2.5	PASS
Band4	1513	3	NV	30	1.21	0.000690	±2.5	PASS
Band4	1513	3	NV	40	1.44	0.000822	±2.5	PASS
Band4	1513	3	NV	50	1.18	0.000673	±2.5	PASS
Band4	1513	4	NV	-30	1.23	0.000702	±2.5	PASS

Band4	1513	4	NV	-20	1.23	0.000702	±2.5	PASS
Band4	1513	4	NV	-10	1.41	0.000805	±2.5	PASS
Band4	1513	4	NV	0	1.29	0.000736	±2.5	PASS
Band4	1513	4	NV	10	1.12	0.000639	±2.5	PASS
Band4	1513	4	NV	20	0.84	0.000479	±2.5	PASS
Band4	1513	4	NV	30	0.85	0.000485	±2.5	PASS
Band4	1513	4	NV	40	0.89	0.000508	±2.5	PASS
Band4	1513	4	NV	50	1.12	0.000639	±2.5	PASS
Band4	1513	5	NV	-30	1.27	0.000725	±2.5	PASS
Band4	1513	5	NV	-20	0.75	0.000428	±2.5	PASS
Band4	1513	5	NV	-10	1.19	0.000679	±2.5	PASS
Band4	1513	5	NV	0	1.18	0.000673	±2.5	PASS
Band4	1513	5	NV	10	1.08	0.000616	±2.5	PASS
Band4	1513	5	NV	20	1.07	0.000611	±2.5	PASS
Band4	1513	5	NV	30	0.74	0.000422	±2.5	PASS
Band4	1513	5	NV	40	1.07	0.000611	±2.5	PASS
Band4	1513	5	NV	50	0.88	0.000502	±2.5	PASS
Band5	4132	1	NV	-30	-1.19	-0.001440	±2.5	PASS
Band5	4132	1	NV	-20	-0.55	-0.000666	±2.5	PASS
Band5	4132	1	NV	-10	-0.56	-0.000678	±2.5	PASS
Band5	4132	1	NV	0	-0.54	-0.000653	±2.5	PASS
Band5	4132	1	NV	10	-0.52	-0.000629	±2.5	PASS
Band5	4132	1	NV	20	-0.77	-0.000932	±2.5	PASS
Band5	4132	1	NV	30	-0.79	-0.000956	±2.5	PASS
Band5	4132	1	NV	40	-0.58	-0.000702	±2.5	PASS
Band5	4132	1	NV	50	-0.69	-0.000835	±2.5	PASS
Band5	4132	2	NV	-30	-0.41	-0.000496	±2.5	PASS
Band5	4132	2	NV	-20	-0.62	-0.000750	±2.5	PASS
Band5	4132	2	NV	-10	-0.50	-0.000605	±2.5	PASS
Band5	4132	2	NV	0	-0.87	-0.001053	±2.5	PASS
Band5	4132	2	NV	10	-0.77	-0.000932	±2.5	PASS
Band5	4132	2	NV	20	-0.96	-0.001162	±2.5	PASS
Band5	4132	2	NV	30	-0.81	-0.000980	±2.5	PASS
Band5	4132	2	NV	40	-0.84	-0.001016	±2.5	PASS
Band5	4132	2	NV	50	-0.62	-0.000750	±2.5	PASS
Band5	4132	3	NV	-30	-0.75	-0.000908	±2.5	PASS

Band5	4132	3	NV	-20	-0.89	-0.001077	±2.5	PASS
Band5	4132	3	NV	-10	-0.53	-0.000641	±2.5	PASS
Band5	4132	3	NV	0	-0.96	-0.001162	±2.5	PASS
Band5	4132	3	NV	10	-1.09	-0.001319	±2.5	PASS
Band5	4132	3	NV	20	-0.90	-0.001089	±2.5	PASS
Band5	4132	3	NV	30	-0.64	-0.000774	±2.5	PASS
Band5	4132	3	NV	40	-0.71	-0.000859	±2.5	PASS
Band5	4132	3	NV	50	-0.81	-0.000980	±2.5	PASS
Band5	4132	4	NV	-30	-0.48	-0.000581	±2.5	PASS
Band5	4132	4	NV	-20	-0.77	-0.000932	±2.5	PASS
Band5	4132	4	NV	-10	-0.82	-0.000992	±2.5	PASS
Band5	4132	4	NV	0	-0.79	-0.000956	±2.5	PASS
Band5	4132	4	NV	10	-0.41	-0.000496	±2.5	PASS
Band5	4132	4	NV	20	-0.49	-0.000593	±2.5	PASS
Band5	4132	4	NV	30	-0.93	-0.001125	±2.5	PASS
Band5	4132	4	NV	40	-0.45	-0.000545	±2.5	PASS
Band5	4132	4	NV	50	-0.64	-0.000774	±2.5	PASS
Band5	4132	5	NV	-30	-0.70	-0.000847	±2.5	PASS
Band5	4132	5	NV	-20	-0.77	-0.000932	±2.5	PASS
Band5	4132	5	NV	-10	-0.44	-0.000532	±2.5	PASS
Band5	4132	5	NV	0	-0.74	-0.000895	±2.5	PASS
Band5	4132	5	NV	10	-0.56	-0.000678	±2.5	PASS
Band5	4132	5	NV	20	-0.59	-0.000714	±2.5	PASS
Band5	4132	5	NV	30	-0.32	-0.000387	±2.5	PASS
Band5	4132	5	NV	40	-0.68	-0.000823	±2.5	PASS
Band5	4132	5	NV	50	-0.70	-0.000847	±2.5	PASS
Band5	4183	1	NV	-30	-0.60	-0.000717	±2.5	PASS
Band5	4183	1	NV	-20	-0.49	-0.000586	±2.5	PASS
Band5	4183	1	NV	-10	-0.40	-0.000478	±2.5	PASS
Band5	4183	1	NV	0	-1.13	-0.001351	±2.5	PASS
Band5	4183	1	NV	10	-0.56	-0.000669	±2.5	PASS
Band5	4183	1	NV	20	-1.32	-0.001578	±2.5	PASS
Band5	4183	1	NV	30	-0.42	-0.000502	±2.5	PASS
Band5	4183	1	NV	40	-0.74	-0.000885	±2.5	PASS
Band5	4183	1	NV	50	-0.24	-0.000287	±2.5	PASS
Band5	4183	2	NV	-30	-0.55	-0.000657	±2.5	PASS

Band5	4183	2	NV	-20	-0.54	-0.000645	±2.5	PASS
Band5	4183	2	NV	-10	-0.47	-0.000562	±2.5	PASS
Band5	4183	2	NV	0	-0.63	-0.000753	±2.5	PASS
Band5	4183	2	NV	10	-0.41	-0.000490	±2.5	PASS
Band5	4183	2	NV	20	-0.90	-0.001076	±2.5	PASS
Band5	4183	2	NV	30	-0.65	-0.000777	±2.5	PASS
Band5	4183	2	NV	40	-0.92	-0.001100	±2.5	PASS
Band5	4183	2	NV	50	-0.75	-0.000896	±2.5	PASS
Band5	4183	3	NV	-30	-0.38	-0.000454	±2.5	PASS
Band5	4183	3	NV	-20	-0.68	-0.000813	±2.5	PASS
Band5	4183	3	NV	-10	-0.46	-0.000550	±2.5	PASS
Band5	4183	3	NV	0	-0.66	-0.000789	±2.5	PASS
Band5	4183	3	NV	10	-0.68	-0.000813	±2.5	PASS
Band5	4183	3	NV	20	-0.51	-0.000610	±2.5	PASS
Band5	4183	3	NV	30	-0.60	-0.000717	±2.5	PASS
Band5	4183	3	NV	40	-0.94	-0.001124	±2.5	PASS
Band5	4183	3	NV	50	-0.85	-0.001016	±2.5	PASS
Band5	4183	4	NV	-30	-0.60	-0.000717	±2.5	PASS
Band5	4183	4	NV	-20	-0.82	-0.000980	±2.5	PASS
Band5	4183	4	NV	-10	-0.74	-0.000885	±2.5	PASS
Band5	4183	4	NV	0	-0.60	-0.000717	±2.5	PASS
Band5	4183	4	NV	10	-0.97	-0.001159	±2.5	PASS
Band5	4183	4	NV	20	-0.55	-0.000657	±2.5	PASS
Band5	4183	4	NV	30	-0.53	-0.000634	±2.5	PASS
Band5	4183	4	NV	40	-0.27	-0.000323	±2.5	PASS
Band5	4183	4	NV	50	-0.65	-0.000777	±2.5	PASS
Band5	4183	5	NV	-30	-0.02	-0.000024	±2.5	PASS
Band5	4183	5	NV	-20	-0.56	-0.000669	±2.5	PASS
Band5	4183	5	NV	-10	-0.99	-0.001183	±2.5	PASS
Band5	4183	5	NV	0	-0.73	-0.000873	±2.5	PASS
Band5	4183	5	NV	10	-0.80	-0.000956	±2.5	PASS
Band5	4183	5	NV	20	-0.17	-0.000203	±2.5	PASS
Band5	4183	5	NV	30	-0.41	-0.000490	±2.5	PASS
Band5	4183	5	NV	40	-0.81	-0.000968	±2.5	PASS
Band5	4183	5	NV	50	-0.85	-0.001016	±2.5	PASS
Band5	4233	1	NV	-30	-0.81	-0.000957	±2.5	PASS

Band5	4233	1	NV	-20	-0.85	-0.001004	±2.5	PASS
Band5	4233	1	NV	-10	-0.45	-0.000532	±2.5	PASS
Band5	4233	1	NV	0	-0.63	-0.000744	±2.5	PASS
Band5	4233	1	NV	10	-0.75	-0.000886	±2.5	PASS
Band5	4233	1	NV	20	-0.40	-0.000472	±2.5	PASS
Band5	4233	1	NV	30	-1.08	-0.001276	±2.5	PASS
Band5	4233	1	NV	40	-0.46	-0.000543	±2.5	PASS
Band5	4233	1	NV	50	-0.60	-0.000709	±2.5	PASS
Band5	4233	2	NV	-30	-0.82	-0.000969	±2.5	PASS
Band5	4233	2	NV	-20	-0.89	-0.001051	±2.5	PASS
Band5	4233	2	NV	-10	-0.39	-0.000461	±2.5	PASS
Band5	4233	2	NV	0	-0.65	-0.000768	±2.5	PASS
Band5	4233	2	NV	10	-0.75	-0.000886	±2.5	PASS
Band5	4233	2	NV	20	-0.87	-0.001028	±2.5	PASS
Band5	4233	2	NV	30	-0.71	-0.000839	±2.5	PASS
Band5	4233	2	NV	40	-0.92	-0.001087	±2.5	PASS
Band5	4233	2	NV	50	-0.73	-0.000862	±2.5	PASS
Band5	4233	3	NV	-30	-0.72	-0.000850	±2.5	PASS
Band5	4233	3	NV	-20	-0.86	-0.001016	±2.5	PASS
Band5	4233	3	NV	-10	-0.09	-0.000106	±2.5	PASS
Band5	4233	3	NV	0	-0.43	-0.000508	±2.5	PASS
Band5	4233	3	NV	10	-0.82	-0.000969	±2.5	PASS
Band5	4233	3	NV	20	-0.68	-0.000803	±2.5	PASS
Band5	4233	3	NV	30	-0.68	-0.000803	±2.5	PASS
Band5	4233	3	NV	40	-0.80	-0.000945	±2.5	PASS
Band5	4233	3	NV	50	-0.21	-0.000248	±2.5	PASS
Band5	4233	4	NV	-30	-0.76	-0.000898	±2.5	PASS
Band5	4233	4	NV	-20	-0.90	-0.001063	±2.5	PASS
Band5	4233	4	NV	-10	-0.93	-0.001099	±2.5	PASS
Band5	4233	4	NV	0	-0.54	-0.000638	±2.5	PASS
Band5	4233	4	NV	10	-0.68	-0.000803	±2.5	PASS
Band5	4233	4	NV	20	-0.46	-0.000543	±2.5	PASS
Band5	4233	4	NV	30	-0.72	-0.000850	±2.5	PASS
Band5	4233	4	NV	40	-0.74	-0.000874	±2.5	PASS
Band5	4233	4	NV	50	-0.75	-0.000886	±2.5	PASS
Band5	4233	5	NV	-30	-0.82	-0.000969	±2.5	PASS

Band5	4233	5	NV	-20	-0.66	-0.000780	±2.5	PASS
Band5	4233	5	NV	-10	-0.64	-0.000756	±2.5	PASS
Band5	4233	5	NV	0	-0.85	-0.001004	±2.5	PASS
Band5	4233	5	NV	10	-0.58	-0.000685	±2.5	PASS
Band5	4233	5	NV	20	-0.35	-0.000413	±2.5	PASS
Band5	4233	5	NV	30	-0.31	-0.000366	±2.5	PASS
Band5	4233	5	NV	40	-0.55	-0.000650	±2.5	PASS
Band5	4233	5	NV	50	-0.66	-0.000780	±2.5	PASS

-----END OF THE REPORT-----