











		59																																																					
Mode		Band Edge - L																																																					
		U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz																																																					
ANT		CDD 3+4																																																					
Pol.		Fundamental																																																					
Peak	Vertical	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5140.00</td><td>59.06</td><td>74.00</td><td>-14.94</td><td>51.01</td><td>34.12</td><td>10.60</td><td>36.67</td><td>0.00</td><td>161</td><td>164</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5140.00	59.06	74.00	-14.94	51.01	34.12	10.60	36.67	0.00	161	164	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5140.00	59.06	74.00	-14.94	51.01	34.12	10.60	36.67	0.00	161	164	PEAK																																											
Fundamental	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>103.27</td><td>-----</td><td>-----</td><td>94.85</td><td>34.32</td><td>10.67</td><td>36.57</td><td>0.00</td><td>161</td><td>164</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	103.27	-----	-----	94.85	34.32	10.67	36.57	0.00	161	164	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5210.00	103.27	-----	-----	94.85	34.32	10.67	36.57	0.00	161	164	PEAK																																											
Avg	Vertical	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.44</td><td>49.09</td><td>54.00</td><td>-4.91</td><td>40.98</td><td>34.15</td><td>10.61</td><td>36.65</td><td>0.00</td><td>161</td><td>164</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.44	49.09	54.00	-4.91	40.98	34.15	10.61	36.65	0.00	161	164	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5149.44	49.09	54.00	-4.91	40.98	34.15	10.61	36.65	0.00	161	164	AVERAGE																																											
Fundamental	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>95.16</td><td>-----</td><td>-----</td><td>86.74</td><td>34.32</td><td>10.67</td><td>36.57</td><td>0.00</td><td>161</td><td>164</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	95.16	-----	-----	86.74	34.32	10.67	36.57	0.00	161	164	AVERAGE	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5210.00	95.16	-----	-----	86.74	34.32	10.67	36.57	0.00	161	164	AVERAGE																																											







Mode	59																																															
	Band Edge - R																																															
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz																																															
ANT	CDD 3+4																																															
Pol.	Vertical						Fundamental																																									
Peak							Blank																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5352.30</td><td>48.29</td><td>74.00</td><td>-25.71</td><td>39.41</td><td>34.50</td><td>10.75</td><td>36.37</td><td>0.00</td><td>161</td><td>164</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5352.30	48.29	74.00	-25.71	39.41	34.50
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																						
1	5352.30	48.29	74.00	-25.71	39.41	34.50	10.75	36.37	0.00	161	164	PEAK																																				
Avg							Blank																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5350.14</td><td>38.19</td><td>54.00</td><td>-15.81</td><td>29.31</td><td>34.50</td><td>10.75</td><td>36.37</td><td>0.00</td><td>161</td><td>164</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.14	38.19	54.00	-15.81	29.31	34.50
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																						
1	5350.14	38.19	54.00	-15.81	29.31	34.50	10.75	36.37	0.00	161	164	AVERAGE																																				





Mode	59																																																																																																			
	Harmonic																																																																																																			
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz																																																																																																			
ANT	CDD 3+4																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10420.00</td><td>47.33</td><td>68.20</td><td>-20.87</td><td>60.10</td><td>37.49</td><td>15.50</td><td>65.76</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10420.00	47.33	68.20	-20.87	60.10	37.49	15.50	65.76	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10420.00</td><td>46.51</td><td>68.20</td><td>-21.69</td><td>59.30</td><td>37.48</td><td>15.49</td><td>65.76</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10420.00	46.51	68.20	-21.69	59.30	37.48	15.49	65.76	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	10420.00	47.33	68.20	-20.87	60.10	37.49	15.50	65.76	0.00	--	--	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	10420.00	46.51	68.20	-21.69	59.30	37.48	15.49	65.76	0.00	--	--	PEAK																																																																																								







Mode	60																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																																																																																		
ANT	CDD 3+4																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5183.68</td><td>48.95</td><td>74.00</td><td>-25.05</td><td>41.10</td><td>34.01</td><td>10.56</td><td>36.72</td><td>0.00</td><td>336</td><td>265</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5183.68	48.95	74.00	-25.05	41.10	34.01	10.56	36.72	0.00	336	265	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>100.35</td><td>-----</td><td>-----</td><td>91.59</td><td>34.49</td><td>10.72</td><td>36.45</td><td>0.00</td><td>336</td><td>265</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	100.35	-----	-----	91.59	34.49	10.72	36.45	0.00	336	265
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5183.68	48.95	74.00	-25.05	41.10	34.01	10.56	36.72	0.00	336	265	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5290.00	100.35	-----	-----	91.59	34.49	10.72	36.45	0.00	336	265	PEAK																																																																																							
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5134.40</td><td>38.47</td><td>54.00</td><td>-15.53</td><td>30.46</td><td>34.10</td><td>10.59</td><td>36.68</td><td>0.00</td><td>336</td><td>265</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5134.40	38.47	54.00	-15.53	30.46	34.10	10.59	36.68	0.00	336	265	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>92.57</td><td>-----</td><td>-----</td><td>83.81</td><td>34.49</td><td>10.72</td><td>36.45</td><td>0.00</td><td>336</td><td>265</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	92.57	-----	-----	83.81	34.49	10.72	36.45	0.00	336	265
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5134.40	38.47	54.00	-15.53	30.46	34.10	10.59	36.68	0.00	336	265	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5290.00	92.57	-----	-----	83.81	34.49	10.72	36.45	0.00	336	265	AVERAGE																																																																																							





Mode	60																																																																									
	Band Edge - R																																																																									
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																																																									
ANT	CDD 3+4																																																																									
Pol.	Horizontal						Fundamental																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5353.60</td><td>61.25</td><td>74.00</td><td>-12.75</td><td>52.37</td><td>34.50</td><td>10.75</td><td>36.37</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>336</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>265</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5353.60	61.25	74.00	-12.75	52.37	34.50	10.75	36.37								0.00	336									265									PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																		
1	5353.60	61.25	74.00	-12.75	52.37	34.50	10.75	36.37																																																																		
							0.00	336																																																																		
								265																																																																		
								PEAK																																																																		
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5352.50</td><td>49.61</td><td>54.00</td><td>-4.39</td><td>40.73</td><td>34.50</td><td>10.75</td><td>36.37</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>336</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>265</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5352.50	49.61	54.00	-4.39	40.73	34.50	10.75	36.37								0.00	336									265									AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																		
1	5352.50	49.61	54.00	-4.39	40.73	34.50	10.75	36.37																																																																		
							0.00	336																																																																		
								265																																																																		
								AVERAGE																																																																		



Mode	60																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																																																																																														
ANT	CDD 3+4																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5100.64</td><td>50.54</td><td>74.00</td><td>-23.46</td><td>42.70</td><td>34.00</td><td>10.56</td><td>36.72</td><td>0.00</td><td>132</td><td>158</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5100.64	50.54	74.00	-23.46	42.70	34.00	10.56	36.72	0.00	132	158	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>102.25</td><td>-----</td><td>-----</td><td>93.52</td><td>34.48</td><td>10.71</td><td>36.46</td><td>0.00</td><td>132</td><td>158</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	102.25	-----	-----	93.52	34.48	10.71	36.46	0.00	132	158
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5100.64	50.54	74.00	-23.46	42.70	34.00	10.56	36.72	0.00	132	158	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5290.00	102.25	-----	-----	93.52	34.48	10.71	36.46	0.00	132	158	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.92</td><td>38.63</td><td>54.00</td><td>-15.37</td><td>30.52</td><td>34.15</td><td>10.61</td><td>36.65</td><td>0.00</td><td>132</td><td>158</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.92	38.63	54.00	-15.37	30.52	34.15	10.61	36.65	0.00	132	158	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>94.33</td><td>-----</td><td>-----</td><td>85.60</td><td>34.48</td><td>10.71</td><td>36.46</td><td>0.00</td><td>132</td><td>158</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	94.33	-----	-----	85.60	34.48	10.71	36.46	0.00	132	158
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5149.92	38.63	54.00	-15.37	30.52	34.15	10.61	36.65	0.00	132	158	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5290.00	94.33	-----	-----	85.60	34.48	10.71	36.46	0.00	132	158	AVERAGE																																																																																																			







Mode	60																																																						
	Band Edge - R																																																						
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																																						
ANT	CDD 3+4																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.00</td><td>60.50</td><td>74.00</td><td>-13.50</td><td>51.62</td><td>34.50</td><td>10.75</td><td>36.37</td><td>0.00</td><td>132</td><td>158</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	60.50	74.00	-13.50	51.62	34.50	10.75	36.37	0.00	132	158	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5350.00	60.50	74.00	-13.50	51.62	34.50	10.75	36.37	0.00	132	158	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.00</td><td>51.83</td><td>54.00</td><td>-2.17</td><td>42.95</td><td>34.50</td><td>10.75</td><td>36.37</td><td>0.00</td><td>132</td><td>158</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	51.83	54.00	-2.17	42.95	34.50	10.75	36.37	0.00	132	158	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5350.00	51.83	54.00	-2.17	42.95	34.50	10.75	36.37	0.00	132	158	AVERAGE																																											




Mode	60																																																																																																																																											
	Harmonic																																																																																																																																											
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																																																																																																																											
ANT	CDD 3+4																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																					
Peak Avg																																																																																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7053.60</td><td>51.49</td><td>68.20</td><td>-16.71</td><td>67.86</td><td>35.65</td><td>12.53</td><td>64.55</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>10580.00</td><td>45.45</td><td>74.00</td><td>-28.55</td><td>57.81</td><td>37.62</td><td>15.68</td><td>65.66</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7053.60	51.49	68.20	-16.71	67.86	35.65	12.53	64.55	0.00	--	--	Peak	2	10580.00	45.45	74.00	-28.55	57.81	37.62	15.68	65.66	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7053.60</td><td>53.35</td><td>68.20</td><td>-14.85</td><td>69.72</td><td>35.65</td><td>12.53</td><td>64.55</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>10580.00</td><td>45.50</td><td>68.20</td><td>-22.70</td><td>57.97</td><td>37.59</td><td>15.63</td><td>65.69</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7053.60	53.35	68.20	-14.85	69.72	35.65	12.53	64.55	0.00	--	--	Peak	2	10580.00	45.50	68.20	-22.70	57.97	37.59	15.63	65.69	0.00	--	--	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	7053.60	51.49	68.20	-16.71	67.86	35.65	12.53	64.55	0.00	--	--	Peak																																																																																																																																
2	10580.00	45.45	74.00	-28.55	57.81	37.62	15.68	65.66	0.00	--	--	PEAK																																																																																																																																
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	7053.60	53.35	68.20	-14.85	69.72	35.65	12.53	64.55	0.00	--	--	Peak																																																																																																																																
2	10580.00	45.50	68.20	-22.70	57.97	37.59	15.63	65.69	0.00	--	--	PEAK																																																																																																																																







Mode	61																																																																																																																												
	Band Edge - L																																																																																																																												
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																																																																																												
ANT	CDD 3+4																																																																																																																												
Pol.	Horizontal						Fundamental																																																																																																																						
Peak																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5454.96</td><td>56.86</td><td>74.00</td><td>-17.14</td><td>47.70</td><td>34.55</td><td>10.83</td><td>36.22</td><td>0.00</td><td>274</td><td>248</td><td>PEAK</td></tr><tr><td>2</td><td>5465.52</td><td>59.55</td><td>68.20</td><td>-8.65</td><td>50.34</td><td>34.57</td><td>10.85</td><td>36.21</td><td>0.00</td><td>274</td><td>248</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5454.96	56.86	74.00	-17.14	47.70	34.55	10.83	36.22	0.00	274	248	PEAK	2	5465.52	59.55	68.20	-8.65	50.34	34.57	10.85	36.21	0.00	274	248	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>100.15</td><td>-----</td><td>-----</td><td>90.73</td><td>34.60</td><td>10.93</td><td>36.11</td><td>0.00</td><td>274</td><td>248</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	100.15	-----	-----	90.73	34.60	10.93	36.11	0.00	274	248	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5454.96	56.86	74.00	-17.14	47.70	34.55	10.83	36.22	0.00	274	248	PEAK																																																																																																																	
2	5465.52	59.55	68.20	-8.65	50.34	34.57	10.85	36.21	0.00	274	248	PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5530.00	100.15	-----	-----	90.73	34.60	10.93	36.11	0.00	274	248	PEAK																																																																																																																	
Avg																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5454.32</td><td>45.10</td><td>54.00</td><td>-8.90</td><td>35.94</td><td>34.55</td><td>10.83</td><td>36.22</td><td>0.00</td><td>274</td><td>248</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5454.32	45.10	54.00	-8.90	35.94	34.55	10.83	36.22	0.00	274	248	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>91.85</td><td>-----</td><td>-----</td><td>82.43</td><td>34.60</td><td>10.93</td><td>36.11</td><td>0.00</td><td>274</td><td>248</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	91.85	-----	-----	82.43	34.60	10.93	36.11	0.00	274	248	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5454.32	45.10	54.00	-8.90	35.94	34.55	10.83	36.22	0.00	274	248	AVERAGE																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5530.00	91.85	-----	-----	82.43	34.60	10.93	36.11	0.00	274	248	AVERAGE																																																																																																																	




Mode	61																																																																
	Band Edge - R																																																																
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																																
ANT	CDD 3+4																																																																
Pol.	Horizontal	Fundamental																																																															
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5746.44</td><td>47.67</td><td>68.20</td><td>-20.53</td><td>39.35</td><td>34.74</td><td>11.21</td><td>37.63</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>274</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>248</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5746.44	47.67	68.20	-20.53	39.35	34.74	11.21	37.63								0.00	274									248									PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																									
1	5746.44	47.67	68.20	-20.53	39.35	34.74	11.21	37.63																																																									
							0.00	274																																																									
								248																																																									
								PEAK																																																									





Mode	61																																																																																																																											
	Band Edge - L																																																																																																																											
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																																																																																											
ANT	CDD 3+4																																																																																																																											
Pol.	Vertical						Fundamental																																																																																																																					
Peak																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5451.76</td><td>60.70</td><td>74.00</td><td>-13.30</td><td>51.55</td><td>34.55</td><td>10.83</td><td>36.23</td><td>0.00</td><td>158</td><td>161</td><td>PEAK</td></tr><tr><td>2</td><td>5468.56</td><td>65.30</td><td>68.20</td><td>-2.90</td><td>56.08</td><td>34.57</td><td>10.85</td><td>36.20</td><td>0.00</td><td>158</td><td>161</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5451.76	60.70	74.00	-13.30	51.55	34.55	10.83	36.23	0.00	158	161	PEAK	2	5468.56	65.30	68.20	-2.90	56.08	34.57	10.85	36.20	0.00	158	161	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>101.57</td><td>-----</td><td>-----</td><td>92.17</td><td>34.60</td><td>10.92</td><td>36.12</td><td>0.00</td><td>158</td><td>161</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	101.57	-----	-----	92.17	34.60	10.92	36.12	0.00	158	161
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5451.76	60.70	74.00	-13.30	51.55	34.55	10.83	36.23	0.00	158	161	PEAK																																																																																																																
2	5468.56	65.30	68.20	-2.90	56.08	34.57	10.85	36.20	0.00	158	161	PEAK																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5530.00	101.57	-----	-----	92.17	34.60	10.92	36.12	0.00	158	161	PEAK																																																																																																																
Avg																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.60</td><td>49.49</td><td>54.00</td><td>-4.51</td><td>40.31</td><td>34.56</td><td>10.84</td><td>36.22</td><td>0.00</td><td>158</td><td>161</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.60	49.49	54.00	-4.51	40.31	34.56	10.84	36.22	0.00	158	161	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>93.76</td><td>-----</td><td>-----</td><td>84.36</td><td>34.60</td><td>10.92</td><td>36.12</td><td>0.00</td><td>158</td><td>161</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	93.76	-----	-----	84.36	34.60	10.92	36.12	0.00	158	161	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5459.60	49.49	54.00	-4.51	40.31	34.56	10.84	36.22	0.00	158	161	AVERAGE																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5530.00	93.76	-----	-----	84.36	34.60	10.92	36.12	0.00	158	161	AVERAGE																																																																																																																







Mode	61																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																							
ANT	CDD 3+4																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5749.96</td><td>47.62</td><td>68.20</td><td>-20.58</td><td>39.35</td><td>34.75</td><td>11.21</td><td>37.69</td><td>0.00</td><td>158</td><td>161</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5749.96	47.62	68.20	-20.58	39.35	34.75	11.21	37.69	0.00	158	161	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5749.96	47.62	68.20	-20.58	39.35	34.75	11.21	37.69	0.00	158	161	PEAK																																												





		61																																																																				
Mode		Harmonic																																																																				
		U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																																				
ANT		CDD 3+4																																																																				
Pol.		Horizontal						Vertical																																																														
Peak Avg																																																																						
																																																																						
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11060.00</td><td>46.63</td><td>74.00</td><td>-27.37</td><td>58.05</td><td>37.95</td><td>16.08</td><td>65.45</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11060.00	46.63	74.00	-27.37	58.05	37.95	16.08	65.45	0.00	--	--	PEAK													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																												
1	11060.00	46.63	74.00	-27.37	58.05	37.95	16.08	65.45	0.00	--	--	PEAK																																																										
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11060.00</td><td>47.53</td><td>74.00</td><td>-26.47</td><td>58.95</td><td>37.95</td><td>16.08</td><td>65.45</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>11060.00</td><td>35.86</td><td>54.00</td><td>-18.14</td><td>47.22</td><td>37.97</td><td>16.10</td><td>65.43</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11060.00	47.53	74.00	-26.47	58.95	37.95	16.08	65.45	0.00	300	360	PEAK	2	11060.00	35.86	54.00	-18.14	47.22	37.97	16.10	65.43	0.00	300	360	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																												
1	11060.00	47.53	74.00	-26.47	58.95	37.95	16.08	65.45	0.00	300	360	PEAK																																																										
2	11060.00	35.86	54.00	-18.14	47.22	37.97	16.10	65.43	0.00	300	360	AVERAGE																																																										







		63																																																																																				
Mode		Band Edge - L																																																																																				
		U-NII-2A_5.25-5.35_802.11ax HE160_CH50_Full_5250MHz																																																																																				
ANT		CDD 3+4																																																																																				
Pol.		Horizontal					Fundamental																																																																															
Peak																																																																																						
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5087.25	51.75	74.00	-22.25	43.94	34.01	10.54	36.74	0.00	241	111 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>97.98</td><td>-----</td><td>-----</td><td>89.40</td><td>34.40</td><td>10.69</td><td>36.51</td><td>0.00</td><td>241</td><td>111 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	97.98	-----	-----	89.40	34.40	10.69	36.51	0.00	241
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5087.25	51.75	74.00	-22.25	43.94	34.01	10.54	36.74	0.00	241	111 PEAK																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5250.00	97.98	-----	-----	89.40	34.40	10.69	36.51	0.00	241	111 PEAK																																																																											
Avg																																																																																						
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5138.00	40.97	54.00	-13.03	32.93	34.11	10.60	36.67	0.00	241	111 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>89.89</td><td>-----</td><td>-----</td><td>81.31</td><td>34.40</td><td>10.69</td><td>36.51</td><td>0.00</td><td>241</td><td>111 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	89.89	-----	-----	81.31	34.40	10.69	36.51	0.00	241
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5138.00	40.97	54.00	-13.03	32.93	34.11	10.60	36.67	0.00	241	111 AVERAGE																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5250.00	89.89	-----	-----	81.31	34.40	10.69	36.51	0.00	241	111 AVERAGE																																																																											



Mode	63																																																					
	Band Edge - R																																																					
	U-NII-2A_5.25-5.35_802.11ax HE160_CH50_Full_5250MHz																																																					
ANT	CDD 3+4																																																					
Pol.	Horizontal											Fundamental																																										
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5383.14</td><td>59.68</td><td>74.00</td><td>-14.32</td><td>50.73</td><td>34.50</td><td>10.77</td><td>36.32</td><td>0.00</td><td>241</td><td>111</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5383.14	59.68	74.00	-14.32	50.73	34.50	10.77	36.32	0.00	241	111	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5383.14	59.68	74.00	-14.32	50.73	34.50	10.77	36.32	0.00	241	111	PEAK																																										
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5355.42</td><td>48.33</td><td>54.00</td><td>-5.67</td><td>39.44</td><td>34.50</td><td>10.75</td><td>36.36</td><td>0.00</td><td>241</td><td>111</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5355.42	48.33	54.00	-5.67	39.44	34.50	10.75	36.36	0.00	241	111	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5355.42	48.33	54.00	-5.67	39.44	34.50	10.75	36.36	0.00	241	111	AVERAGE																																										





Mode	63																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-2A_5.25-5.35_802.11ax HE160_CH50_Full_5250MHz																																																																																																														
ANT	CDD 3+4																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5150.00</td><td>52.79</td><td>74.00</td><td>-21.21</td><td>44.68</td><td>34.15</td><td>10.61</td><td>36.65</td><td>0.00</td><td>151</td><td>161</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5150.00	52.79	74.00	-21.21	44.68	34.15	10.61	36.65	0.00	151	161	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>98.97</td><td>-----</td><td>-----</td><td>90.38</td><td>34.41</td><td>10.69</td><td>36.51</td><td>0.00</td><td>151</td><td>161</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	98.97	-----	-----	90.38	34.41	10.69	36.51	0.00	151	161
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5150.00	52.79	74.00	-21.21	44.68	34.15	10.61	36.65	0.00	151	161	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5250.00	98.97	-----	-----	90.38	34.41	10.69	36.51	0.00	151	161	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5131.75</td><td>42.11</td><td>54.00</td><td>-11.89</td><td>34.10</td><td>34.10</td><td>10.59</td><td>36.68</td><td>0.00</td><td>151</td><td>161</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5131.75	42.11	54.00	-11.89	34.10	34.10	10.59	36.68	0.00	151	161	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>90.80</td><td>-----</td><td>-----</td><td>82.26</td><td>34.38</td><td>10.68</td><td>36.52</td><td>0.00</td><td>151</td><td>161</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	90.80	-----	-----	82.26	34.38	10.68	36.52	0.00	151	161
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5131.75	42.11	54.00	-11.89	34.10	34.10	10.59	36.68	0.00	151	161	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5250.00	90.80	-----	-----	82.26	34.38	10.68	36.52	0.00	151	161	AVERAGE																																																																																																			





Mode	63										
	Band Edge - R										
	U-NII-2A_5.25-5.35_802.11ax HE160_CH50_Full_5250MHz										
ANT	CDD 3+4										
Pol.	Vertical										
Peak	Level (dBuV/m)										





Mode	63																																																																																																																																											
	Harmonic																																																																																																																																											
	U-NII-2A_5.25-5.35_802.11ax HE160_CH50_Full_5250MHz																																																																																																																																											
ANT	CDD 3+4																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																					
Peak Avg																																																																																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7000.00</td><td>51.74</td><td>68.20</td><td>-16.46</td><td>68.13</td><td>35.60</td><td>12.46</td><td>64.45</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>10500.00</td><td>46.59</td><td>68.20</td><td>-21.61</td><td>59.25</td><td>37.52</td><td>15.55</td><td>65.73</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7000.00	51.74	68.20	-16.46	68.13	35.60	12.46	64.45	0.00	--	--	Peak	2	10500.00	46.59	68.20	-21.61	59.25	37.52	15.55	65.73	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7000.06</td><td>53.17</td><td>68.20</td><td>-15.03</td><td>69.56</td><td>35.60</td><td>12.46</td><td>64.45</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>10500.00</td><td>47.10</td><td>68.20</td><td>-21.10</td><td>59.75</td><td>37.53</td><td>15.55</td><td>65.73</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7000.06	53.17	68.20	-15.03	69.56	35.60	12.46	64.45	0.00	--	--	Peak	2	10500.00	47.10	68.20	-21.10	59.75	37.53	15.55	65.73	0.00	--	--	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	7000.00	51.74	68.20	-16.46	68.13	35.60	12.46	64.45	0.00	--	--	Peak																																																																																																																																
2	10500.00	46.59	68.20	-21.61	59.25	37.52	15.55	65.73	0.00	--	--	PEAK																																																																																																																																
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	7000.06	53.17	68.20	-15.03	69.56	35.60	12.46	64.45	0.00	--	--	Peak																																																																																																																																
2	10500.00	47.10	68.20	-21.10	59.75	37.53	15.55	65.73	0.00	--	--	PEAK																																																																																																																																






Mode	60	
	18G-40G	
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz	
ANT	CDD 3+4	
Pol.	Horizontal	Vertical
Peak Avg		






Mode	60																																																																																																		
	30-1G																																																																																																		
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																																																																																		
ANT	CDD 3+4																																																																																																		
Pol.	Horizontal																																																																																																		
QP																																																																																																			
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Over Limit</th><th>Limit Line</th><th>Read Level</th><th>CableAntenna Loss</th><th>Preamp Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>30.00</td><td>20.57</td><td>-19.43</td><td>40.00</td><td>28.31</td><td>0.71</td><td>24.57</td><td>33.02</td><td>---</td><td>--- Peak</td></tr><tr><td>2</td><td>195.87</td><td>20.29</td><td>-23.21</td><td>43.50</td><td>35.51</td><td>2.13</td><td>15.49</td><td>32.84</td><td>---</td><td>--- Peak</td></tr><tr><td>3</td><td>443.22</td><td>20.90</td><td>-25.10</td><td>46.00</td><td>28.31</td><td>3.21</td><td>22.41</td><td>33.03</td><td>---</td><td>--- Peak</td></tr><tr><td>4</td><td>563.50</td><td>23.76</td><td>-22.24</td><td>46.00</td><td>28.18</td><td>3.62</td><td>25.06</td><td>33.10</td><td>---</td><td>--- Peak</td></tr><tr><td>5</td><td>736.16</td><td>27.04</td><td>-18.96</td><td>46.00</td><td>30.09</td><td>4.15</td><td>25.67</td><td>32.87</td><td>---</td><td>--- Peak</td></tr><tr><td>6</td><td>852.56</td><td>28.71</td><td>-17.29</td><td>46.00</td><td>30.01</td><td>4.46</td><td>26.59</td><td>32.35</td><td>---</td><td>--- Peak</td></tr></table>												Freq	Level	Over Limit	Limit Line	Read Level	CableAntenna Loss	Preamp Factor	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB	cm	deg	1	30.00	20.57	-19.43	40.00	28.31	0.71	24.57	33.02	---	--- Peak	2	195.87	20.29	-23.21	43.50	35.51	2.13	15.49	32.84	---	--- Peak	3	443.22	20.90	-25.10	46.00	28.31	3.21	22.41	33.03	---	--- Peak	4	563.50	23.76	-22.24	46.00	28.18	3.62	25.06	33.10	---	--- Peak	5	736.16	27.04	-18.96	46.00	30.09	4.15	25.67	32.87	---	--- Peak	6	852.56	28.71	-17.29	46.00	30.01	4.46	26.59	32.35	---	--- Peak
		Freq	Level	Over Limit	Limit Line	Read Level	CableAntenna Loss	Preamp Factor	A/Pos	T/Pos	Remark																																																																																								
		MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB	cm	deg																																																																																								
	1	30.00	20.57	-19.43	40.00	28.31	0.71	24.57	33.02	---	--- Peak																																																																																								
	2	195.87	20.29	-23.21	43.50	35.51	2.13	15.49	32.84	---	--- Peak																																																																																								
	3	443.22	20.90	-25.10	46.00	28.31	3.21	22.41	33.03	---	--- Peak																																																																																								
	4	563.50	23.76	-22.24	46.00	28.18	3.62	25.06	33.10	---	--- Peak																																																																																								
	5	736.16	27.04	-18.96	46.00	30.09	4.15	25.67	32.87	---	--- Peak																																																																																								
	6	852.56	28.71	-17.29	46.00	30.01	4.46	26.59	32.35	---	--- Peak																																																																																								
Vertical																																																																																																			
																																																																																																			
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Over Limit</th><th>Limit Line</th><th>Read Level</th><th>CableAntenna Loss</th><th>Preamp Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>30.97</td><td>24.41</td><td>-15.59</td><td>40.00</td><td>32.60</td><td>0.73</td><td>24.07</td><td>32.99</td><td>---</td><td>--- Peak</td></tr><tr><td>2</td><td>49.40</td><td>24.10</td><td>-15.82</td><td>40.00</td><td>41.37</td><td>1.04</td><td>14.69</td><td>32.92</td><td>---</td><td>--- Peak</td></tr><tr><td>3</td><td>201.69</td><td>15.45</td><td>-28.05</td><td>43.50</td><td>30.60</td><td>2.16</td><td>15.53</td><td>32.84</td><td>---</td><td>--- Peak</td></tr><tr><td>4</td><td>323.91</td><td>20.73</td><td>-25.27</td><td>46.00</td><td>31.01</td><td>2.74</td><td>19.85</td><td>32.87</td><td>---</td><td>--- Peak</td></tr><tr><td>5</td><td>735.19</td><td>28.21</td><td>-17.79</td><td>46.00</td><td>31.29</td><td>4.15</td><td>25.65</td><td>32.88</td><td>---</td><td>--- Peak</td></tr><tr><td>6</td><td>944.71</td><td>31.02</td><td>-14.98</td><td>46.00</td><td>30.52</td><td>4.70</td><td>27.47</td><td>31.67</td><td>---</td><td>--- Peak</td></tr></table>												Freq	Level	Over Limit	Limit Line	Read Level	CableAntenna Loss	Preamp Factor	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB	cm	deg	1	30.97	24.41	-15.59	40.00	32.60	0.73	24.07	32.99	---	--- Peak	2	49.40	24.10	-15.82	40.00	41.37	1.04	14.69	32.92	---	--- Peak	3	201.69	15.45	-28.05	43.50	30.60	2.16	15.53	32.84	---	--- Peak	4	323.91	20.73	-25.27	46.00	31.01	2.74	19.85	32.87	---	--- Peak	5	735.19	28.21	-17.79	46.00	31.29	4.15	25.65	32.88	---	--- Peak	6	944.71	31.02	-14.98	46.00	30.52	4.70	27.47	31.67	---	--- Peak
	Freq	Level	Over Limit	Limit Line	Read Level	CableAntenna Loss	Preamp Factor	A/Pos	T/Pos	Remark																																																																																									
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB	cm	deg																																																																																									
1	30.97	24.41	-15.59	40.00	32.60	0.73	24.07	32.99	---	--- Peak																																																																																									
2	49.40	24.10	-15.82	40.00	41.37	1.04	14.69	32.92	---	--- Peak																																																																																									
3	201.69	15.45	-28.05	43.50	30.60	2.16	15.53	32.84	---	--- Peak																																																																																									
4	323.91	20.73	-25.27	46.00	31.01	2.74	19.85	32.87	---	--- Peak																																																																																									
5	735.19	28.21	-17.79	46.00	31.29	4.15	25.65	32.88	---	--- Peak																																																																																									
6	944.71	31.02	-14.98	46.00	30.52	4.70	27.47	31.67	---	--- Peak																																																																																									





	65																																																																																																																																		
Mode	Band Edge																																																																																																																																		
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																		
ANT	CDD 3+4																																																																																																																																		
Pol.	Horizontal						Fundamental																																																																																																																												
Peak																																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5648.00</td><td>48.24</td><td>68.20</td><td>-19.96</td><td>38.66</td><td>34.60</td><td>11.07</td><td>36.09</td><td>0.00</td><td>100</td><td>237 PEAK</td></tr><tr><td>2 5650.00</td><td>46.53</td><td>68.20</td><td>-21.67</td><td>36.98</td><td>34.60</td><td>11.07</td><td>36.12</td><td>0.00</td><td>100</td><td>237 PEAK</td></tr><tr><td>3 5700.00</td><td>46.03</td><td>105.30</td><td>-59.27</td><td>37.19</td><td>34.60</td><td>11.14</td><td>36.90</td><td>0.00</td><td>100</td><td>237 PEAK</td></tr><tr><td>4 5720.40</td><td>46.90</td><td>111.81</td><td>-64.91</td><td>38.29</td><td>34.66</td><td>11.17</td><td>37.22</td><td>0.00</td><td>100</td><td>237 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5648.00	48.24	68.20	-19.96	38.66	34.60	11.07	36.09	0.00	100	237 PEAK	2 5650.00	46.53	68.20	-21.67	36.98	34.60	11.07	36.12	0.00	100	237 PEAK	3 5700.00	46.03	105.30	-59.27	37.19	34.60	11.14	36.90	0.00	100	237 PEAK	4 5720.40	46.90	111.81	-64.91	38.29	34.66	11.17	37.22	0.00	100	237 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>98.60</td><td>-----</td><td>-----</td><td>90.27</td><td>34.74</td><td>11.21</td><td>37.62</td><td>0.00</td><td>100</td><td>237 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	98.60	-----	-----	90.27	34.74	11.21	37.62	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5648.00	48.24	68.20	-19.96	38.66	34.60	11.07	36.09	0.00	100	237 PEAK																																																																																																																									
2 5650.00	46.53	68.20	-21.67	36.98	34.60	11.07	36.12	0.00	100	237 PEAK																																																																																																																									
3 5700.00	46.03	105.30	-59.27	37.19	34.60	11.14	36.90	0.00	100	237 PEAK																																																																																																																									
4 5720.40	46.90	111.81	-64.91	38.29	34.66	11.17	37.22	0.00	100	237 PEAK																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5745.00	98.60	-----	-----	90.27	34.74	11.21	37.62	0.00	100	237 PEAK																																																																																																																									
Avg	Blank																																																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>93.19</td><td>-----</td><td>-----</td><td>84.86</td><td>34.74</td><td>11.21</td><td>37.62</td><td>0.00</td><td>100</td><td>237 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	93.19	-----	-----	84.86	34.74	11.21	37.62	0.00	100	237 AVERAGE																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5745.00	93.19	-----	-----	84.86	34.74	11.21	37.62	0.00	100	237 AVERAGE																																																																																																																									





	65																																																																																																																													
Mode	Band Edge																																																																																																																													
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																													
ANT	CDD 3+4																																																																																																																													
Pol.	Vertical					Fundamental																																																																																																																								
Peak																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5646.00</td><td>49.61</td><td>68.20</td><td>-18.59</td><td>39.99</td><td>34.60</td><td>11.07</td><td>36.05</td><td>0.00</td><td>137</td><td>161 PEAK</td></tr><tr><td>2 5650.00</td><td>46.88</td><td>68.20</td><td>-21.32</td><td>37.33</td><td>34.60</td><td>11.07</td><td>36.12</td><td>0.00</td><td>137</td><td>161 PEAK</td></tr><tr><td>3 5700.00</td><td>47.92</td><td>105.30</td><td>-57.38</td><td>39.08</td><td>34.60</td><td>11.14</td><td>36.90</td><td>0.00</td><td>137</td><td>161 PEAK</td></tr><tr><td>4 5723.20</td><td>58.29</td><td>118.20</td><td>-59.91</td><td>49.72</td><td>34.67</td><td>11.17</td><td>37.27</td><td>0.00</td><td>137</td><td>161 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5646.00	49.61	68.20	-18.59	39.99	34.60	11.07	36.05	0.00	137	161 PEAK	2 5650.00	46.88	68.20	-21.32	37.33	34.60	11.07	36.12	0.00	137	161 PEAK	3 5700.00	47.92	105.30	-57.38	39.08	34.60	11.14	36.90	0.00	137	161 PEAK	4 5723.20	58.29	118.20	-59.91	49.72	34.67	11.17	37.27	0.00	137	161 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>101.13</td><td>-----</td><td>-----</td><td>92.80</td><td>34.74</td><td>11.21</td><td>37.62</td><td>0.00</td><td>137</td><td>161 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	101.13	-----	-----	92.80	34.74	11.21	37.62	0.00	137
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1 5646.00	49.61	68.20	-18.59	39.99	34.60	11.07	36.05	0.00	137	161 PEAK																																																																																																																				
2 5650.00	46.88	68.20	-21.32	37.33	34.60	11.07	36.12	0.00	137	161 PEAK																																																																																																																				
3 5700.00	47.92	105.30	-57.38	39.08	34.60	11.14	36.90	0.00	137	161 PEAK																																																																																																																				
4 5723.20	58.29	118.20	-59.91	49.72	34.67	11.17	37.27	0.00	137	161 PEAK																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1 5745.00	101.13	-----	-----	92.80	34.74	11.21	37.62	0.00	137	161 PEAK																																																																																																																				
Avg	Blank																																																																																																																													
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>94.70</td><td>-----</td><td>-----</td><td>86.37</td><td>34.74</td><td>11.21</td><td>37.62</td><td>0.00</td><td>137</td><td>161 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	94.70	-----	-----	86.37	34.74	11.21	37.62	0.00	137	161 AVERAGE																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1 5745.00	94.70	-----	-----	86.37	34.74	11.21	37.62	0.00	137	161 AVERAGE																																																																																																																				






Mode	65																																																													
	Harmonic																																																													
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																													
ANT	CDD 3+4																																																													
Pol.	Horizontal											Vertical																																																		
Peak Avg																																																														
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>46.29</td><td>74.00</td><td>-27.71</td><td>56.88</td><td>38.29</td><td>16.36</td><td>65.24</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>															Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11490.00	46.29	74.00	-27.71	56.88	38.29	16.36	65.24	0.00	--	--	PEAK
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																						
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																		
1	11490.00	46.29	74.00	-27.71	56.88	38.29	16.36	65.24	0.00	--	--	PEAK																																																		
																																																														
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>46.48</td><td>74.00</td><td>-27.52</td><td>57.07</td><td>38.29</td><td>16.36</td><td>65.24</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>															Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11490.00	46.48	74.00	-27.52	57.07	38.29	16.36	65.24	0.00	--	--	PEAK	
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																						
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																		
1	11490.00	46.48	74.00	-27.52	57.07	38.29	16.36	65.24	0.00	--	--	PEAK																																																		






Mode	66																																																																																																							
	Harmonic																																																																																																							
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																							
ANT	CDD 3+4																																																																																																							
Pol.	Horizontal						Vertical																																																																																																	
Peak Avg																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11570.00</td><td>45.94</td><td>74.00</td><td>-28.06</td><td>56.39</td><td>38.36</td><td>16.41</td><td>65.22</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11570.00	45.94	74.00	-28.06	56.39	38.36	16.41	65.22	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11570.00</td><td>47.08</td><td>74.00</td><td>-26.92</td><td>57.53</td><td>38.36</td><td>16.41</td><td>65.22</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11570.00	47.08	74.00	-26.92	57.53	38.36	16.41	65.22	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	11570.00	45.94	74.00	-28.06	56.39	38.36	16.41	65.22	0.00	--	--	PEAK																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	11570.00	47.08	74.00	-26.92	57.53	38.36	16.41	65.22	0.00	--	--	PEAK																																																																																												





Mode	67																																																																																							
	Band Edge																																																																																							
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																							
ANT	CDD 3+4																																																																																							
Pol.	Horizontal																																																																																							
Peak																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.40</td><td>44.58</td><td>112.27</td><td>-67.69</td><td>37.56</td><td>35.01</td><td>11.33</td><td>39.32</td><td>0.00</td><td>162</td><td>234 PEAK</td></tr><tr><td>2 5874.40</td><td>44.94</td><td>105.47</td><td>-60.53</td><td>37.84</td><td>35.05</td><td>11.35</td><td>39.30</td><td>0.00</td><td>162</td><td>234 PEAK</td></tr><tr><td>3 5924.00</td><td>45.00</td><td>68.94</td><td>-23.94</td><td>37.70</td><td>35.12</td><td>11.40</td><td>39.22</td><td>0.00</td><td>162</td><td>234 PEAK</td></tr><tr><td>4 5946.80</td><td>46.87</td><td>68.20</td><td>-21.33</td><td>39.48</td><td>35.15</td><td>11.42</td><td>39.18</td><td>0.00</td><td>162</td><td>234 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.40	44.58	112.27	-67.69	37.56	35.01	11.33	39.32	0.00	162	234 PEAK	2 5874.40	44.94	105.47	-60.53	37.84	35.05	11.35	39.30	0.00	162	234 PEAK	3 5924.00	45.00	68.94	-23.94	37.70	35.12	11.40	39.22	0.00	162	234 PEAK	4 5946.80	46.87	68.20	-21.33	39.48	35.15	11.42	39.18	0.00	162	234 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5854.40	44.58	112.27	-67.69	37.56	35.01	11.33	39.32	0.00	162	234 PEAK																																																																														
2 5874.40	44.94	105.47	-60.53	37.84	35.05	11.35	39.30	0.00	162	234 PEAK																																																																														
3 5924.00	45.00	68.94	-23.94	37.70	35.12	11.40	39.22	0.00	162	234 PEAK																																																																														
4 5946.80	46.87	68.20	-21.33	39.48	35.15	11.42	39.18	0.00	162	234 PEAK																																																																														
Avg	Blank																																																																																							
																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>101.38</td><td>-----</td><td>-----</td><td>93.97</td><td>34.95</td><td>11.31</td><td>38.85</td><td>0.00</td><td>162</td><td>234 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	101.38	-----	-----	93.97	34.95	11.31	38.85	0.00	162	234 PEAK																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5825.00	101.38	-----	-----	93.97	34.95	11.31	38.85	0.00	162	234 PEAK																																																																														
Avg	Blank																																																																																							
																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>93.40</td><td>-----</td><td>-----</td><td>85.99</td><td>34.95</td><td>11.31</td><td>38.85</td><td>0.00</td><td>162</td><td>234 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	93.40	-----	-----	85.99	34.95	11.31	38.85	0.00	162	234 AVERAGE																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5825.00	93.40	-----	-----	85.99	34.95	11.31	38.85	0.00	162	234 AVERAGE																																																																														






	67																																																																																																																																			
Mode	Band Edge																																																																																																																																			
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																			
ANT	CDD 3+4																																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																																													
Peak																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.00</td><td>45.71</td><td>111.36</td><td>-65.65</td><td>38.69</td><td>35.01</td><td>11.34</td><td>39.33</td><td>0.00</td><td>138</td><td>151 PEAK</td></tr><tr><td>2 5874.00</td><td>45.37</td><td>105.36</td><td>-59.99</td><td>38.27</td><td>35.05</td><td>11.35</td><td>39.30</td><td>0.00</td><td>138</td><td>151 PEAK</td></tr><tr><td>3 5924.00</td><td>44.53</td><td>68.35</td><td>-23.82</td><td>37.23</td><td>35.12</td><td>11.40</td><td>39.22</td><td>0.00</td><td>138</td><td>151 PEAK</td></tr><tr><td>4 5943.60</td><td>47.76</td><td>68.20</td><td>-20.44</td><td>40.38</td><td>35.14</td><td>11.42</td><td>39.18</td><td>0.00</td><td>138</td><td>151 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.00	45.71	111.36	-65.65	38.69	35.01	11.34	39.33	0.00	138	151 PEAK	2 5874.00	45.37	105.36	-59.99	38.27	35.05	11.35	39.30	0.00	138	151 PEAK	3 5924.00	44.53	68.35	-23.82	37.23	35.12	11.40	39.22	0.00	138	151 PEAK	4 5943.60	47.76	68.20	-20.44	40.38	35.14	11.42	39.18	0.00	138	151 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>100.40</td><td>-----</td><td>-----</td><td>92.99</td><td>34.95</td><td>11.31</td><td>38.85</td><td>0.00</td><td>138</td><td>151 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	100.40	-----	-----	92.99	34.95	11.31	38.85	0.00	138	151 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5854.00	45.71	111.36	-65.65	38.69	35.01	11.34	39.33	0.00	138	151 PEAK																																																																																																																										
2 5874.00	45.37	105.36	-59.99	38.27	35.05	11.35	39.30	0.00	138	151 PEAK																																																																																																																										
3 5924.00	44.53	68.35	-23.82	37.23	35.12	11.40	39.22	0.00	138	151 PEAK																																																																																																																										
4 5943.60	47.76	68.20	-20.44	40.38	35.14	11.42	39.18	0.00	138	151 PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5825.00	100.40	-----	-----	92.99	34.95	11.31	38.85	0.00	138	151 PEAK																																																																																																																										
Avg	Blank																																																																																																																																			
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>93.82</td><td>-----</td><td>-----</td><td>86.41</td><td>34.95</td><td>11.31</td><td>38.85</td><td>0.00</td><td>138</td><td>151 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	93.82	-----	-----	86.41	34.95	11.31	38.85	0.00	138	151 AVERAGE																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5825.00	93.82	-----	-----	86.41	34.95	11.31	38.85	0.00	138	151 AVERAGE																																																																																																																										







Mode	67																																																																																																																																																					
	Harmonic																																																																																																																																																					
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																																					
ANT	CDD 3+4																																																																																																																																																					
Pol.	Horizontal												Vertical																																																																																																																																									
Peak Avg																																																																																																																																																						
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7766.40</td><td>49.61</td><td>68.20</td><td>-18.59</td><td>66.04</td><td>35.97</td><td>13.17</td><td>65.57</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>11650.00</td><td>46.37</td><td>74.00</td><td>-27.63</td><td>56.69</td><td>38.42</td><td>16.46</td><td>65.20</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>															Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7766.40	49.61	68.20	-18.59	66.04	35.97	13.17	65.57	0.00	--	--	Peak	2	11650.00	46.37	74.00	-27.63	56.69	38.42	16.46	65.20	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7766.40</td><td>52.61</td><td>68.20</td><td>-15.59</td><td>69.04</td><td>35.97</td><td>13.17</td><td>65.57</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>11650.00</td><td>45.89</td><td>74.00</td><td>-28.11</td><td>56.21</td><td>38.42</td><td>16.46</td><td>65.20</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>															Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7766.40	52.61	68.20	-15.59	69.04	35.97	13.17	65.57	0.00	--	--	Peak	2	11650.00	45.89	74.00	-28.11	56.21	38.42	16.46	65.20	0.00	--	--	PEAK
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																														
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																										
1	7766.40	49.61	68.20	-18.59	66.04	35.97	13.17	65.57	0.00	--	--	Peak																																																																																																																																										
2	11650.00	46.37	74.00	-27.63	56.69	38.42	16.46	65.20	0.00	--	--	PEAK																																																																																																																																										
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																														
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																										
1	7766.40	52.61	68.20	-15.59	69.04	35.97	13.17	65.57	0.00	--	--	Peak																																																																																																																																										
2	11650.00	45.89	74.00	-28.11	56.21	38.42	16.46	65.20	0.00	--	--	PEAK																																																																																																																																										





Mode	68																																																																																							
	Band Edge																																																																																							
	U-NII-3_5.725-5.85_802.11ac VHT20_CH149_Full_5745MHz																																																																																							
ANT	CDD 3+4																																																																																							
Pol.	Horizontal																																																																																							
Peak																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5631.20</td><td>48.07</td><td>68.20</td><td>-20.13</td><td>38.39</td><td>34.60</td><td>11.05</td><td>35.97</td><td>0.00</td><td>309</td><td>109 PEAK</td></tr><tr><td>2 5650.00</td><td>46.39</td><td>68.20</td><td>-21.81</td><td>36.84</td><td>34.60</td><td>11.07</td><td>36.12</td><td>0.00</td><td>309</td><td>109 PEAK</td></tr><tr><td>3 5700.00</td><td>47.34</td><td>105.30</td><td>-57.96</td><td>38.50</td><td>34.60</td><td>11.14</td><td>36.90</td><td>0.00</td><td>309</td><td>109 PEAK</td></tr><tr><td>4 5720.00</td><td>48.33</td><td>110.90</td><td>-62.57</td><td>39.72</td><td>34.66</td><td>11.17</td><td>37.22</td><td>0.00</td><td>309</td><td>109 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5631.20	48.07	68.20	-20.13	38.39	34.60	11.05	35.97	0.00	309	109 PEAK	2 5650.00	46.39	68.20	-21.81	36.84	34.60	11.07	36.12	0.00	309	109 PEAK	3 5700.00	47.34	105.30	-57.96	38.50	34.60	11.14	36.90	0.00	309	109 PEAK	4 5720.00	48.33	110.90	-62.57	39.72	34.66	11.17	37.22	0.00	309	109 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5631.20	48.07	68.20	-20.13	38.39	34.60	11.05	35.97	0.00	309	109 PEAK																																																																														
2 5650.00	46.39	68.20	-21.81	36.84	34.60	11.07	36.12	0.00	309	109 PEAK																																																																														
3 5700.00	47.34	105.30	-57.96	38.50	34.60	11.14	36.90	0.00	309	109 PEAK																																																																														
4 5720.00	48.33	110.90	-62.57	39.72	34.66	11.17	37.22	0.00	309	109 PEAK																																																																														
Avg	Blank																																																																																							
																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>101.58</td><td>-----</td><td>-----</td><td>93.25</td><td>34.74</td><td>11.21</td><td>37.62</td><td>0.00</td><td>309</td><td>109 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	101.58	-----	-----	93.25	34.74	11.21	37.62	0.00	309	109 PEAK																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5745.00	101.58	-----	-----	93.25	34.74	11.21	37.62	0.00	309	109 PEAK																																																																														
Avg	Blank																																																																																							
																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>92.38</td><td>-----</td><td>-----</td><td>84.05</td><td>34.74</td><td>11.21</td><td>37.62</td><td>0.00</td><td>309</td><td>109 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	92.38	-----	-----	84.05	34.74	11.21	37.62	0.00	309	109 AVERAGE																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5745.00	92.38	-----	-----	84.05	34.74	11.21	37.62	0.00	309	109 AVERAGE																																																																														





	68																																																																																																				
Mode	Band Edge																																																																																																				
	U-NII-3_5.725-5.85_802.11ac VHT20_CH149_Full_5745MHz																																																																																																				
ANT	CDD 3+4																																																																																																				
Pol.	Vertical						Fundamental																																																																																														
Peak																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5637.60</td><td>49.08</td><td>68.20</td><td>-19.12</td><td>39.39</td><td>34.60</td><td>11.05</td><td>35.96</td><td>0.00</td><td>131</td><td>153</td><td>PEAK</td></tr><tr><td>2</td><td>5652.80</td><td>47.43</td><td>70.29</td><td>-22.86</td><td>37.91</td><td>34.60</td><td>11.08</td><td>36.16</td><td>0.00</td><td>131</td><td>153</td><td>PEAK</td></tr><tr><td>3</td><td>5700.00</td><td>47.21</td><td>105.30</td><td>-58.09</td><td>38.37</td><td>34.60</td><td>11.14</td><td>36.90</td><td>0.00</td><td>131</td><td>153</td><td>PEAK</td></tr><tr><td>4</td><td>5722.80</td><td>58.38</td><td>117.28</td><td>-58.90</td><td>49.80</td><td>34.67</td><td>11.17</td><td>37.26</td><td>0.00</td><td>131</td><td>153</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	5637.60	49.08	68.20	-19.12	39.39	34.60	11.05	35.96	0.00	131	153	PEAK	2	5652.80	47.43	70.29	-22.86	37.91	34.60	11.08	36.16	0.00	131	153	PEAK	3	5700.00	47.21	105.30	-58.09	38.37	34.60	11.14	36.90	0.00	131	153	PEAK	4	5722.80	58.38	117.28	-58.90	49.80	34.67	11.17	37.26	0.00	131	153
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	5637.60	49.08	68.20	-19.12	39.39	34.60	11.05	35.96	0.00	131	153	PEAK																																																																																									
2	5652.80	47.43	70.29	-22.86	37.91	34.60	11.08	36.16	0.00	131	153	PEAK																																																																																									
3	5700.00	47.21	105.30	-58.09	38.37	34.60	11.14	36.90	0.00	131	153	PEAK																																																																																									
4	5722.80	58.38	117.28	-58.90	49.80	34.67	11.17	37.26	0.00	131	153	PEAK																																																																																									
Avg																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>102.33</td><td>-----</td><td>-----</td><td>94.00</td><td>34.74</td><td>11.21</td><td>37.62</td><td>0.00</td><td>131</td><td>153</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	5745.00	102.33	-----	-----	94.00	34.74	11.21	37.62	0.00	131	153	PEAK																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	5745.00	102.33	-----	-----	94.00	34.74	11.21	37.62	0.00	131	153	PEAK																																																																																									
Blank																																																																																																					
																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>93.91</td><td>-----</td><td>-----</td><td>85.58</td><td>34.74</td><td>11.21</td><td>37.62</td><td>0.00</td><td>131</td><td>153</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	5745.00	93.91	-----	-----	85.58	34.74	11.21	37.62	0.00	131	153	AVERAGE																																						
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	5745.00	93.91	-----	-----	85.58	34.74	11.21	37.62	0.00	131	153	AVERAGE																																																																																									






Mode	68																																																												
	Harmonic																																																												
	U-NII-3_5.725-5.85_802.11ac VHT20_CH149_Full_5745MHz																																																												
ANT	CDD 3+4																																																												
Pol.	Horizontal						Vertical																																																						
Peak Avg																																																													
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>46.27</td><td>74.00</td><td>-27.73</td><td>56.86</td><td>38.29</td><td>16.36</td><td>65.24</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>														Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11490.00	46.27	74.00	-27.73	56.86	38.29	16.36	65.24	0.00	--	--	PEAK
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																					
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	11490.00	46.27	74.00	-27.73	56.86	38.29	16.36	65.24	0.00	--	--	PEAK																																																	
																																																													
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>46.87</td><td>74.00</td><td>-27.13</td><td>57.46</td><td>38.29</td><td>16.36</td><td>65.24</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>														Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11490.00	46.87	74.00	-27.13	57.46	38.29	16.36	65.24	0.00	--	--	PEAK	
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																					
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	11490.00	46.87	74.00	-27.13	57.46	38.29	16.36	65.24	0.00	--	--	PEAK																																																	






Mode	69																																																																																																			
	Harmonic																																																																																																			
	U-NII-3_5.725-5.85_802.11ac VHT20_CH157_Full_5785MHz																																																																																																			
ANT	CDD 3+4																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>46.55</td><td>74.00</td><td>-27.45</td><td>57.00</td><td>38.36</td><td>16.41</td><td>65.22</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	46.55	74.00	-27.45	57.00	38.36	16.41	65.22	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>46.89</td><td>74.00</td><td>-27.11</td><td>57.34</td><td>38.36</td><td>16.41</td><td>65.22</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	46.89	74.00	-27.11	57.34	38.36	16.41	65.22	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11570.00	46.55	74.00	-27.45	57.00	38.36	16.41	65.22	0.00	--	--	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11570.00	46.89	74.00	-27.11	57.34	38.36	16.41	65.22	0.00	--	--	PEAK																																																																																								





	70																																																																																							
Mode	Band Edge																																																																																							
	U-NII-3_5.725-5.85_802.11ac VHT20_CH165_Full_5825MHz																																																																																							
ANT	CDD 3+4																																																																																							
Pol.	Horizontal																																																																																							
Peak																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.00</td><td>45.05</td><td>111.36</td><td>-66.31</td><td>38.03</td><td>35.01</td><td>11.34</td><td>39.33</td><td>0.00</td><td>248</td><td>132 PEAK</td></tr><tr><td>2 5874.40</td><td>46.45</td><td>105.47</td><td>-59.02</td><td>39.35</td><td>35.05</td><td>11.35</td><td>39.30</td><td>0.00</td><td>248</td><td>132 PEAK</td></tr><tr><td>3 5924.00</td><td>46.40</td><td>68.35</td><td>-21.95</td><td>39.10</td><td>35.12</td><td>11.40</td><td>39.22</td><td>0.00</td><td>248</td><td>132 PEAK</td></tr><tr><td>4 5940.40</td><td>47.44</td><td>68.20</td><td>-20.76</td><td>40.07</td><td>35.14</td><td>11.42</td><td>39.19</td><td>0.00</td><td>248</td><td>132 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.00	45.05	111.36	-66.31	38.03	35.01	11.34	39.33	0.00	248	132 PEAK	2 5874.40	46.45	105.47	-59.02	39.35	35.05	11.35	39.30	0.00	248	132 PEAK	3 5924.00	46.40	68.35	-21.95	39.10	35.12	11.40	39.22	0.00	248	132 PEAK	4 5940.40	47.44	68.20	-20.76	40.07	35.14	11.42	39.19	0.00	248	132 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5854.00	45.05	111.36	-66.31	38.03	35.01	11.34	39.33	0.00	248	132 PEAK																																																																														
2 5874.40	46.45	105.47	-59.02	39.35	35.05	11.35	39.30	0.00	248	132 PEAK																																																																														
3 5924.00	46.40	68.35	-21.95	39.10	35.12	11.40	39.22	0.00	248	132 PEAK																																																																														
4 5940.40	47.44	68.20	-20.76	40.07	35.14	11.42	39.19	0.00	248	132 PEAK																																																																														
Fundamental																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>98.74</td><td>-----</td><td>-----</td><td>91.33</td><td>34.95</td><td>11.31</td><td>38.85</td><td>0.00</td><td>248</td><td>132 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	98.74	-----	-----	91.33	34.95	11.31	38.85	0.00	248	132 PEAK																																	
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5825.00	98.74	-----	-----	91.33	34.95	11.31	38.85	0.00	248	132 PEAK																																																																														
Avg	Blank																																																																																							
																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>90.22</td><td>-----</td><td>-----</td><td>82.81</td><td>34.95</td><td>11.31</td><td>38.85</td><td>0.00</td><td>248</td><td>132 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	90.22	-----	-----	82.81	34.95	11.31	38.85	0.00	248	132 AVERAGE																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5825.00	90.22	-----	-----	82.81	34.95	11.31	38.85	0.00	248	132 AVERAGE																																																																														





	70																																																																																																																																		
Mode	Band Edge																																																																																																																																		
	U-NII-3_5.725-5.85_802.11ac VHT20_CH165_Full_5825MHz																																																																																																																																		
ANT	CDD 3+4																																																																																																																																		
Pol.	Vertical						Fundamental																																																																																																																												
Peak																																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.00</td><td>45.57</td><td>113.18</td><td>-67.61</td><td>38.55</td><td>35.01</td><td>11.33</td><td>39.32</td><td>0.00</td><td>137</td><td>149 PEAK</td></tr><tr><td>2 5874.00</td><td>46.51</td><td>105.36</td><td>-58.85</td><td>39.41</td><td>35.05</td><td>11.35</td><td>39.30</td><td>0.00</td><td>137</td><td>149 PEAK</td></tr><tr><td>3 5924.40</td><td>45.73</td><td>68.64</td><td>-22.91</td><td>38.43</td><td>35.12</td><td>11.40</td><td>39.22</td><td>0.00</td><td>137</td><td>149 PEAK</td></tr><tr><td>4 5960.00</td><td>48.34</td><td>68.20</td><td>-19.86</td><td>40.91</td><td>35.16</td><td>11.43</td><td>39.16</td><td>0.00</td><td>137</td><td>149 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.00	45.57	113.18	-67.61	38.55	35.01	11.33	39.32	0.00	137	149 PEAK	2 5874.00	46.51	105.36	-58.85	39.41	35.05	11.35	39.30	0.00	137	149 PEAK	3 5924.40	45.73	68.64	-22.91	38.43	35.12	11.40	39.22	0.00	137	149 PEAK	4 5960.00	48.34	68.20	-19.86	40.91	35.16	11.43	39.16	0.00	137	149 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>101.32</td><td>-----</td><td>-----</td><td>93.91</td><td>34.95</td><td>11.31</td><td>38.85</td><td>0.00</td><td>137</td><td>149 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	101.32	-----	-----	93.91	34.95	11.31	38.85	0.00	137
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5854.00	45.57	113.18	-67.61	38.55	35.01	11.33	39.32	0.00	137	149 PEAK																																																																																																																									
2 5874.00	46.51	105.36	-58.85	39.41	35.05	11.35	39.30	0.00	137	149 PEAK																																																																																																																									
3 5924.40	45.73	68.64	-22.91	38.43	35.12	11.40	39.22	0.00	137	149 PEAK																																																																																																																									
4 5960.00	48.34	68.20	-19.86	40.91	35.16	11.43	39.16	0.00	137	149 PEAK																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5825.00	101.32	-----	-----	93.91	34.95	11.31	38.85	0.00	137	149 PEAK																																																																																																																									
Avg	Blank																																																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>92.18</td><td>-----</td><td>-----</td><td>84.77</td><td>34.95</td><td>11.31</td><td>38.85</td><td>0.00</td><td>137</td><td>149 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	92.18	-----	-----	84.77	34.95	11.31	38.85	0.00	137	149 AVERAGE																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5825.00	92.18	-----	-----	84.77	34.95	11.31	38.85	0.00	137	149 AVERAGE																																																																																																																									




Mode	70																																																																																																																																										
	Harmonic																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ac VHT20_CH165_Full_5825MHz																																																																																																																																										
ANT	CDD 3+4																																																																																																																																										
Pol.	Horizontal						Vertical																																																																																																																																				
Peak Avg																																																																																																																																											
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7766.40</td><td>48.00</td><td>68.20</td><td>-20.20</td><td>64.43</td><td>35.97</td><td>13.17</td><td>65.57</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>11650.00</td><td>45.85</td><td>74.00</td><td>-28.15</td><td>56.17</td><td>38.42</td><td>16.46</td><td>65.20</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	7766.40	48.00	68.20	-20.20	64.43	35.97	13.17	65.57	0.00	--	--	Peak	2	11650.00	45.85	74.00	-28.15	56.17	38.42	16.46	65.20	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7766.40</td><td>48.61</td><td>68.20</td><td>-19.59</td><td>65.04</td><td>35.97</td><td>13.17</td><td>65.57</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>11650.00</td><td>46.58</td><td>74.00</td><td>-27.42</td><td>56.90</td><td>38.42</td><td>16.46</td><td>65.20</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	7766.40	48.61	68.20	-19.59	65.04	35.97	13.17	65.57	0.00	--	--	Peak	2	11650.00	46.58	74.00	-27.42	56.90	38.42	16.46	65.20	0.00	--	--
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																
1	7766.40	48.00	68.20	-20.20	64.43	35.97	13.17	65.57	0.00	--	--	Peak																																																																																																																															
2	11650.00	45.85	74.00	-28.15	56.17	38.42	16.46	65.20	0.00	--	--	PEAK																																																																																																																															
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																
1	7766.40	48.61	68.20	-19.59	65.04	35.97	13.17	65.57	0.00	--	--	Peak																																																																																																																															
2	11650.00	46.58	74.00	-27.42	56.90	38.42	16.46	65.20	0.00	--	--	PEAK																																																																																																																															







	71																																																																																																				
Mode	Band Edge - L																																																																																																				
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_Full_5755MHz																																																																																																				
ANT	CDD 3+4																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5640.92</td><td>49.12</td><td>68.20</td><td>-19.08</td><td>39.43</td><td>34.60</td><td>11.06</td><td>35.97</td><td>0.00</td><td>243</td><td>109</td><td>PEAK</td></tr><tr><td>2</td><td>5650.69</td><td>48.44</td><td>68.71</td><td>-20.27</td><td>38.90</td><td>34.60</td><td>11.07</td><td>36.13</td><td>0.00</td><td>243</td><td>109</td><td>PEAK</td></tr><tr><td>3</td><td>5717.96</td><td>58.25</td><td>110.33</td><td>-52.08</td><td>49.61</td><td>34.65</td><td>11.17</td><td>37.18</td><td>0.00</td><td>243</td><td>109</td><td>PEAK</td></tr><tr><td>4</td><td>5720.28</td><td>55.36</td><td>111.54</td><td>-56.18</td><td>46.75</td><td>34.66</td><td>11.17</td><td>37.22</td><td>0.00</td><td>243</td><td>109</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	5640.92	49.12	68.20	-19.08	39.43	34.60	11.06	35.97	0.00	243	109	PEAK	2	5650.69	48.44	68.71	-20.27	38.90	34.60	11.07	36.13	0.00	243	109	PEAK	3	5717.96	58.25	110.33	-52.08	49.61	34.65	11.17	37.18	0.00	243	109	PEAK	4	5720.28	55.36	111.54	-56.18	46.75	34.66	11.17	37.22	0.00	243	109
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	5640.92	49.12	68.20	-19.08	39.43	34.60	11.06	35.97	0.00	243	109	PEAK																																																																																									
2	5650.69	48.44	68.71	-20.27	38.90	34.60	11.07	36.13	0.00	243	109	PEAK																																																																																									
3	5717.96	58.25	110.33	-52.08	49.61	34.65	11.17	37.18	0.00	243	109	PEAK																																																																																									
4	5720.28	55.36	111.54	-56.18	46.75	34.66	11.17	37.22	0.00	243	109	PEAK																																																																																									
Avg	Blank																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>89.77</td><td>-----</td><td>-----</td><td>81.59</td><td>34.77</td><td>11.22</td><td>37.81</td><td>0.00</td><td>243</td><td>109</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	5755.00	89.77	-----	-----	81.59	34.77	11.22	37.81	0.00	243	109	AVERAGE																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	5755.00	89.77	-----	-----	81.59	34.77	11.22	37.81	0.00	243	109	AVERAGE																																																																																									




Mode	71																																																																																														
	Band Edge - R																																																																																														
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_Full_5755MHz																																																																																														
ANT	CDD 3+4																																																																																														
Pol.	Horizontal						Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.84</td><td>45.62</td><td>111.26</td><td>-65.64</td><td>38.60</td><td>35.01</td><td>11.34</td><td>39.33</td><td>0.00</td><td>243</td><td>109</td><td>PEAK</td></tr><tr><td>2</td><td>5873.95</td><td>46.15</td><td>105.59</td><td>-59.44</td><td>39.05</td><td>35.05</td><td>11.35</td><td>39.30</td><td>0.00</td><td>243</td><td>109</td><td>PEAK</td></tr><tr><td>3</td><td>5921.53</td><td>47.72</td><td>70.76</td><td>-23.04</td><td>40.42</td><td>35.12</td><td>11.40</td><td>39.22</td><td>0.00</td><td>243</td><td>109</td><td>PEAK</td></tr><tr><td>4</td><td>5943.96</td><td>48.28</td><td>68.20</td><td>-19.92</td><td>40.90</td><td>35.14</td><td>11.42</td><td>39.18</td><td>0.00</td><td>243</td><td>109</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.84	45.62	111.26	-65.64	38.60	35.01	11.34	39.33	0.00	243	109	PEAK	2	5873.95	46.15	105.59	-59.44	39.05	35.05	11.35	39.30	0.00	243	109	PEAK	3	5921.53	47.72	70.76	-23.04	40.42	35.12	11.40	39.22	0.00	243	109	PEAK	4	5943.96	48.28	68.20	-19.92	40.90	35.14	11.42	39.18	0.00	243	109	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5854.84	45.62	111.26	-65.64	38.60	35.01	11.34	39.33	0.00	243	109	PEAK																																																																																			
2	5873.95	46.15	105.59	-59.44	39.05	35.05	11.35	39.30	0.00	243	109	PEAK																																																																																			
3	5921.53	47.72	70.76	-23.04	40.42	35.12	11.40	39.22	0.00	243	109	PEAK																																																																																			
4	5943.96	48.28	68.20	-19.92	40.90	35.14	11.42	39.18	0.00	243	109	PEAK																																																																																			





	71																																																																																													
Mode	Band Edge - L																																																																																													
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_Full_5755MHz																																																																																													
ANT	CDD 3+4																																																																																													
Pol.	Vertical						Fundamental																																																																																							
Peak																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5634.26</td><td>49.72</td><td>68.20</td><td>-18.48</td><td>40.04</td><td>34.60</td><td>11.05</td><td>35.97</td><td>0.00</td><td>159</td><td>150</td><td>PEAK</td></tr><tr><td>2</td><td>5650.53</td><td>47.06</td><td>68.59</td><td>-21.53</td><td>37.52</td><td>34.60</td><td>11.07</td><td>36.13</td><td>0.00</td><td>159</td><td>150</td><td>PEAK</td></tr><tr><td>3</td><td>5719.51</td><td>58.04</td><td>110.76</td><td>-52.72</td><td>49.42</td><td>34.66</td><td>11.17</td><td>37.21</td><td>0.00</td><td>159</td><td>150</td><td>PEAK</td></tr><tr><td>4</td><td>5721.06</td><td>58.82</td><td>113.31</td><td>-54.49</td><td>50.22</td><td>34.66</td><td>11.17</td><td>37.23</td><td>0.00</td><td>159</td><td>150</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5634.26	49.72	68.20	-18.48	40.04	34.60	11.05	35.97	0.00	159	150	PEAK	2	5650.53	47.06	68.59	-21.53	37.52	34.60	11.07	36.13	0.00	159	150	PEAK	3	5719.51	58.04	110.76	-52.72	49.42	34.66	11.17	37.21	0.00	159	150	PEAK	4	5721.06	58.82	113.31	-54.49	50.22	34.66	11.17	37.23	0.00	159	150
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5634.26	49.72	68.20	-18.48	40.04	34.60	11.05	35.97	0.00	159	150	PEAK																																																																																		
2	5650.53	47.06	68.59	-21.53	37.52	34.60	11.07	36.13	0.00	159	150	PEAK																																																																																		
3	5719.51	58.04	110.76	-52.72	49.42	34.66	11.17	37.21	0.00	159	150	PEAK																																																																																		
4	5721.06	58.82	113.31	-54.49	50.22	34.66	11.17	37.23	0.00	159	150	PEAK																																																																																		
Avg																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>98.65</td><td>-----</td><td>-----</td><td>90.54</td><td>34.79</td><td>11.23</td><td>37.91</td><td>0.00</td><td>159</td><td>150</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	98.65	-----	-----	90.54	34.79	11.23	37.91	0.00	159	150	PEAK																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5755.00	98.65	-----	-----	90.54	34.79	11.23	37.91	0.00	159	150	PEAK																																																																																		
Blank																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>91.18</td><td>-----</td><td>-----</td><td>82.93</td><td>34.76</td><td>11.21</td><td>37.72</td><td>0.00</td><td>159</td><td>150</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	91.18	-----	-----	82.93	34.76	11.21	37.72	0.00	159	150	AVERAGE																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5755.00	91.18	-----	-----	82.93	34.76	11.21	37.72	0.00	159	150	AVERAGE																																																																																		
Avg																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>91.18</td><td>-----</td><td>-----</td><td>82.93</td><td>34.76</td><td>11.21</td><td>37.72</td><td>0.00</td><td>159</td><td>150</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	91.18	-----	-----	82.93	34.76	11.21	37.72	0.00	159	150	AVERAGE																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5755.00	91.18	-----	-----	82.93	34.76	11.21	37.72	0.00	159	150	AVERAGE																																																																																		






Mode	71																																																																																														
	Band Edge - R																																																																																														
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_Full_5755MHz																																																																																														
ANT	CDD 3+4																																																																																														
Pol.	Vertical						Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.65</td><td>44.43</td><td>111.71</td><td>-67.28</td><td>37.41</td><td>35.01</td><td>11.34</td><td>39.33</td><td>0.00</td><td>159</td><td>150</td><td>PEAK</td></tr><tr><td>2</td><td>5873.56</td><td>46.67</td><td>105.70</td><td>-59.03</td><td>39.57</td><td>35.05</td><td>11.35</td><td>39.30</td><td>0.00</td><td>159</td><td>150</td><td>PEAK</td></tr><tr><td>3</td><td>5924.85</td><td>45.44</td><td>68.31</td><td>-22.87</td><td>38.14</td><td>35.12</td><td>11.40</td><td>39.22</td><td>0.00</td><td>159</td><td>150</td><td>PEAK</td></tr><tr><td>4</td><td>5942.59</td><td>47.55</td><td>68.20</td><td>-20.65</td><td>40.18</td><td>35.14</td><td>11.42</td><td>39.19</td><td>0.00</td><td>159</td><td>150</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.65	44.43	111.71	-67.28	37.41	35.01	11.34	39.33	0.00	159	150	PEAK	2	5873.56	46.67	105.70	-59.03	39.57	35.05	11.35	39.30	0.00	159	150	PEAK	3	5924.85	45.44	68.31	-22.87	38.14	35.12	11.40	39.22	0.00	159	150	PEAK	4	5942.59	47.55	68.20	-20.65	40.18	35.14	11.42	39.19	0.00	159	150	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5854.65	44.43	111.71	-67.28	37.41	35.01	11.34	39.33	0.00	159	150	PEAK																																																																																			
2	5873.56	46.67	105.70	-59.03	39.57	35.05	11.35	39.30	0.00	159	150	PEAK																																																																																			
3	5924.85	45.44	68.31	-22.87	38.14	35.12	11.40	39.22	0.00	159	150	PEAK																																																																																			
4	5942.59	47.55	68.20	-20.65	40.18	35.14	11.42	39.19	0.00	159	150	PEAK																																																																																			




Mode	71																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_Full_5755MHz																																																																																																																									
ANT	CDD 3+4																																																																																																																									
Pol.	Horizontal												Vertical																																																																																																													
Peak Avg																																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>47.23</td><td>74.00</td><td>-26.77</td><td>57.78</td><td>38.31</td><td>16.37</td><td>65.23</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>														Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11510.00	47.23	74.00	-26.77	57.78	38.31	16.37	65.23	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>46.43</td><td>74.00</td><td>-27.57</td><td>56.98</td><td>38.31</td><td>16.37</td><td>65.23</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>														Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11510.00	46.43	74.00	-27.57	56.98	38.31	16.37	65.23	0.00	--	--	PEAK
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																														
1	11510.00	47.23	74.00	-26.77	57.78	38.31	16.37	65.23	0.00	--	--	PEAK																																																																																																														
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																														
1	11510.00	46.43	74.00	-27.57	56.98	38.31	16.37	65.23	0.00	--	--	PEAK																																																																																																														






		72																																																																																																			
Mode		Band Edge - L																																																																																																			
		U-NII-3_5.725-5.85_802.11ac VHT40_CH159_Full_5795MHz																																																																																																			
ANT		CDD 3+4																																																																																																			
Pol.		Horizontal																																																																																																			
Peak																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5638.00</td><td>48.87</td><td>68.20</td><td>-19.33</td><td>39.17</td><td>34.60</td><td>11.06</td><td>35.96</td><td>0.00</td><td>226</td><td>108</td><td>PEAK</td></tr><tr><td>2</td><td>5653.60</td><td>48.82</td><td>70.88</td><td>-22.06</td><td>39.31</td><td>34.60</td><td>11.08</td><td>36.17</td><td>0.00</td><td>226</td><td>108</td><td>PEAK</td></tr><tr><td>3</td><td>5702.00</td><td>46.51</td><td>105.86</td><td>-59.35</td><td>37.69</td><td>34.61</td><td>11.14</td><td>36.93</td><td>0.00</td><td>226</td><td>108</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>46.51</td><td>110.90</td><td>-64.39</td><td>37.90</td><td>34.66</td><td>11.17</td><td>37.22</td><td>0.00</td><td>226</td><td>108</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	5638.00	48.87	68.20	-19.33	39.17	34.60	11.06	35.96	0.00	226	108	PEAK	2	5653.60	48.82	70.88	-22.06	39.31	34.60	11.08	36.17	0.00	226	108	PEAK	3	5702.00	46.51	105.86	-59.35	37.69	34.61	11.14	36.93	0.00	226	108	PEAK	4	5720.00	46.51	110.90	-64.39	37.90	34.66	11.17	37.22	0.00	226	108
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	5638.00	48.87	68.20	-19.33	39.17	34.60	11.06	35.96	0.00	226	108	PEAK																																																																																									
2	5653.60	48.82	70.88	-22.06	39.31	34.60	11.08	36.17	0.00	226	108	PEAK																																																																																									
3	5702.00	46.51	105.86	-59.35	37.69	34.61	11.14	36.93	0.00	226	108	PEAK																																																																																									
4	5720.00	46.51	110.90	-64.39	37.90	34.66	11.17	37.22	0.00	226	108	PEAK																																																																																									
Fundamental																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>98.37</td><td>-----</td><td>-----</td><td>90.60</td><td>34.88</td><td>11.27</td><td>38.38</td><td>0.00</td><td>226</td><td>108</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	5795.00	98.37	-----	-----	90.60	34.88	11.27	38.38	0.00	226	108	PEAK																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	5795.00	98.37	-----	-----	90.60	34.88	11.27	38.38	0.00	226	108	PEAK																																																																																									
Avg	Blank																																																																																																				
																																																																																																					
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>89.73</td><td>-----</td><td>-----</td><td>81.89</td><td>34.86</td><td>11.26</td><td>38.28</td><td>0.00</td><td>226</td><td>108</td><td>AVERAGE</td></tr></tbody></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	5795.00	89.73	-----	-----	81.89	34.86	11.26	38.28	0.00	226	108	AVERAGE																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	5795.00	89.73	-----	-----	81.89	34.86	11.26	38.28	0.00	226	108	AVERAGE																																																																																									




Mode	72																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_Full_5795MHz																																																																																				
ANT	CDD 3+4																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>45.03</td><td>111.36</td><td>-66.33</td><td>38.01</td><td>35.01</td><td>11.34</td><td>39.33</td><td>0.00</td><td>226</td><td>100</td><td>PEAK</td></tr><tr><td>2</td><td>5872.80</td><td>45.09</td><td>105.92</td><td>-60.03</td><td>38.79</td><td>35.05</td><td>11.35</td><td>39.30</td><td>0.00</td><td>226</td><td>100</td><td>PEAK</td></tr><tr><td>3</td><td>5923.20</td><td>46.14</td><td>69.53</td><td>-23.39</td><td>38.84</td><td>35.12</td><td>11.40</td><td>39.22</td><td>0.00</td><td>226</td><td>100</td><td>PEAK</td></tr><tr><td>4</td><td>5933.60</td><td>48.50</td><td>68.20</td><td>-19.70</td><td>41.16</td><td>35.13</td><td>11.41</td><td>39.20</td><td>0.00</td><td>226</td><td>100</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	45.03	111.36	-66.33	38.01	35.01	11.34	39.33	0.00	226	100	PEAK	2	5872.80	45.09	105.92	-60.03	38.79	35.05	11.35	39.30	0.00	226	100	PEAK	3	5923.20	46.14	69.53	-23.39	38.84	35.12	11.40	39.22	0.00	226	100	PEAK	4	5933.60	48.50	68.20	-19.70	41.16	35.13	11.41	39.20	0.00	226	100	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5854.80	45.03	111.36	-66.33	38.01	35.01	11.34	39.33	0.00	226	100	PEAK																																																																									
2	5872.80	45.09	105.92	-60.03	38.79	35.05	11.35	39.30	0.00	226	100	PEAK																																																																									
3	5923.20	46.14	69.53	-23.39	38.84	35.12	11.40	39.22	0.00	226	100	PEAK																																																																									
4	5933.60	48.50	68.20	-19.70	41.16	35.13	11.41	39.20	0.00	226	100	PEAK																																																																									





	72																																																																																																																							
Mode	Band Edge - L																																																																																																																							
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_Full_5795MHz																																																																																																																							
ANT	CDD 3+4																																																																																																																							
Pol.	Vertical						Fundamental																																																																																																																	
Peak																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5607.60</td><td>48.60</td><td>68.20</td><td>-19.60</td><td>39.00</td><td>34.60</td><td>11.01</td><td>36.01</td><td>0.00</td><td>152</td><td>148</td><td>PEAK</td></tr><tr><td>2</td><td>5652.00</td><td>47.67</td><td>69.69</td><td>-22.02</td><td>38.15</td><td>34.60</td><td>11.07</td><td>36.15</td><td>0.00</td><td>152</td><td>148</td><td>PEAK</td></tr><tr><td>3</td><td>5700.40</td><td>47.63</td><td>105.41</td><td>-57.78</td><td>38.80</td><td>34.60</td><td>11.14</td><td>36.91</td><td>0.00</td><td>152</td><td>148</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>46.00</td><td>110.90</td><td>-64.90</td><td>37.39</td><td>34.66</td><td>11.17</td><td>37.22</td><td>0.00</td><td>152</td><td>148</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5607.60	48.60	68.20	-19.60	39.00	34.60	11.01	36.01	0.00	152	148	PEAK	2	5652.00	47.67	69.69	-22.02	38.15	34.60	11.07	36.15	0.00	152	148	PEAK	3	5700.40	47.63	105.41	-57.78	38.80	34.60	11.14	36.91	0.00	152	148	PEAK	4	5720.00	46.00	110.90	-64.90	37.39	34.66	11.17	37.22	0.00	152	148	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>98.65</td><td>-----</td><td>-----</td><td>90.88</td><td>34.88</td><td>11.27</td><td>38.38</td><td>0.00</td><td>152</td><td>148</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5795.00	98.65	-----	-----	90.88	34.88	11.27	38.38	0.00	152	148	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																														
1	5607.60	48.60	68.20	-19.60	39.00	34.60	11.01	36.01	0.00	152	148	PEAK																																																																																																												
2	5652.00	47.67	69.69	-22.02	38.15	34.60	11.07	36.15	0.00	152	148	PEAK																																																																																																												
3	5700.40	47.63	105.41	-57.78	38.80	34.60	11.14	36.91	0.00	152	148	PEAK																																																																																																												
4	5720.00	46.00	110.90	-64.90	37.39	34.66	11.17	37.22	0.00	152	148	PEAK																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																														
1	5795.00	98.65	-----	-----	90.88	34.88	11.27	38.38	0.00	152	148	PEAK																																																																																																												
Avg	Blank																																																																																																																							
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>90.94</td><td>-----</td><td>-----</td><td>83.17</td><td>34.88</td><td>11.27</td><td>38.38</td><td>0.00</td><td>152</td><td>148</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5795.00	90.94	-----	-----	83.17	34.88	11.27	38.38	0.00	152	148	AVERAGE																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																														
1	5795.00	90.94	-----	-----	83.17	34.88	11.27	38.38	0.00	152	148	AVERAGE																																																																																																												






Mode	72																																																																																
	Band Edge - R																																																																																
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_Full_5795MHz																																																																																
ANT	CDD 3+4																																																																																
Pol.	Vertical	Fundamental																																																																															
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5854.00</td><td>45.46</td><td>111.36</td><td>-65.90</td><td>38.44</td><td>35.01</td><td>11.34</td><td>39.33</td><td>0.00</td><td>152</td><td>148</td><td>PEAK</td></tr><tr><td>2 5874.40</td><td>44.93</td><td>105.47</td><td>-60.54</td><td>37.83</td><td>35.05</td><td>11.35</td><td>39.30</td><td>0.00</td><td>152</td><td>148</td><td>PEAK</td></tr><tr><td>3 5924.00</td><td>46.89</td><td>68.94</td><td>-22.05</td><td>39.59</td><td>35.12</td><td>11.40</td><td>39.22</td><td>0.00</td><td>152</td><td>148</td><td>PEAK</td></tr><tr><td>4 5960.80</td><td>47.61</td><td>68.20</td><td>-20.59</td><td>40.17</td><td>35.16</td><td>11.44</td><td>39.16</td><td>0.00</td><td>152</td><td>148</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.00	45.46	111.36	-65.90	38.44	35.01	11.34	39.33	0.00	152	148	PEAK	2 5874.40	44.93	105.47	-60.54	37.83	35.05	11.35	39.30	0.00	152	148	PEAK	3 5924.00	46.89	68.94	-22.05	39.59	35.12	11.40	39.22	0.00	152	148	PEAK	4 5960.80	47.61	68.20	-20.59	40.17	35.16	11.44	39.16	0.00	152	148	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1 5854.00	45.46	111.36	-65.90	38.44	35.01	11.34	39.33	0.00	152	148	PEAK																																																																						
2 5874.40	44.93	105.47	-60.54	37.83	35.05	11.35	39.30	0.00	152	148	PEAK																																																																						
3 5924.00	46.89	68.94	-22.05	39.59	35.12	11.40	39.22	0.00	152	148	PEAK																																																																						
4 5960.80	47.61	68.20	-20.59	40.17	35.16	11.44	39.16	0.00	152	148	PEAK																																																																						




Mode	72																																																																																																			
	Harmonic																																																																																																			
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_Full_5795MHz																																																																																																			
ANT	CDD 3+4																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11590.00</td><td>46.53</td><td>74.00</td><td>-27.47</td><td>56.95</td><td>38.37</td><td>16.42</td><td>65.21</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11590.00	46.53	74.00	-27.47	56.95	38.37	16.42	65.21	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11590.00</td><td>46.88</td><td>74.00</td><td>-27.12</td><td>57.30</td><td>38.37</td><td>16.42</td><td>65.21</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11590.00	46.88	74.00	-27.12	57.30	38.37	16.42	65.21	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11590.00	46.53	74.00	-27.47	56.95	38.37	16.42	65.21	0.00	--	--	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11590.00	46.88	74.00	-27.12	57.30	38.37	16.42	65.21	0.00	--	--	PEAK																																																																																								






		73																																																																																		
Mode		Band Edge - L																																																																																		
		U-NII-3_5.725-5.85_802.11ac VHT80_CH155_Full_5775MHz																																																																																		
ANT		CDD 3+4																																																																																		
Pol.		Horizontal					Fundamental																																																																													
Peak																																																																																				
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>5616.00</td><td>49.52</td><td>68.20</td><td>-18.68</td><td>39.88</td><td>34.60</td><td>11.03</td><td>35.99</td><td>0.00</td><td>230 115 PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>46.05</td><td>68.50</td><td>-22.45</td><td>36.50</td><td>34.60</td><td>11.07</td><td>36.12</td><td>0.00</td><td>230 115 PEAK</td></tr><tr><td>3</td><td>5717.20</td><td>59.41</td><td>110.12</td><td>-50.71</td><td>50.76</td><td>34.65</td><td>11.17</td><td>37.17</td><td>0.00</td><td>230 115 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>55.00</td><td>110.90</td><td>-55.90</td><td>46.39</td><td>34.66</td><td>11.17</td><td>37.22</td><td>0.00</td><td>230 115 PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	5616.00	49.52	68.20	-18.68	39.88	34.60	11.03	35.99	0.00	230 115 PEAK	2	5650.40	46.05	68.50	-22.45	36.50	34.60	11.07	36.12	0.00	230 115 PEAK	3	5717.20	59.41	110.12	-50.71	50.76	34.65	11.17	37.17	0.00	230 115 PEAK	4	5720.00	55.00	110.90	-55.90	46.39	34.66	11.17	37.22	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																											
1	5616.00	49.52	68.20	-18.68	39.88	34.60	11.03	35.99	0.00	230 115 PEAK																																																																										
2	5650.40	46.05	68.50	-22.45	36.50	34.60	11.07	36.12	0.00	230 115 PEAK																																																																										
3	5717.20	59.41	110.12	-50.71	50.76	34.65	11.17	37.17	0.00	230 115 PEAK																																																																										
4	5720.00	55.00	110.90	-55.90	46.39	34.66	11.17	37.22	0.00	230 115 PEAK																																																																										
Avg																																																																																				
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>97.44</td><td>-----</td><td>-----</td><td>89.39</td><td>34.81</td><td>11.24</td><td>38.00</td><td>0.00</td><td>230 115 PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	5775.00	97.44	-----	-----	89.39	34.81	11.24	38.00	0.00	230 115 PEAK																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																											
1	5775.00	97.44	-----	-----	89.39	34.81	11.24	38.00	0.00	230 115 PEAK																																																																										
Blank																																																																																				
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>88.29</td><td>-----</td><td>-----</td><td>80.24</td><td>34.81</td><td>11.24</td><td>38.00</td><td>0.00</td><td>230 115 AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	5775.00	88.29	-----	-----	80.24	34.81	11.24	38.00	0.00	230 115 AVERAGE																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																											
1	5775.00	88.29	-----	-----	80.24	34.81	11.24	38.00	0.00	230 115 AVERAGE																																																																										




Mode	73																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_Full_5775MHz																																																																																				
ANT	CDD 3+4																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>54.56</td><td>113.18</td><td>-58.62</td><td>47.54</td><td>35.01</td><td>11.33</td><td>39.32</td><td>0.00</td><td>230</td><td>115</td><td>PEAK</td></tr><tr><td>2</td><td>5859.60</td><td>52.92</td><td>109.61</td><td>-56.69</td><td>45.88</td><td>35.02</td><td>11.34</td><td>39.32</td><td>0.00</td><td>230</td><td>115</td><td>PEAK</td></tr><tr><td>3</td><td>5923.20</td><td>46.12</td><td>69.53</td><td>-23.41</td><td>38.82</td><td>35.12</td><td>11.40</td><td>39.22</td><td>0.00</td><td>230</td><td>115</td><td>PEAK</td></tr><tr><td>4</td><td>5929.60</td><td>47.68</td><td>68.20</td><td>-20.52</td><td>40.35</td><td>35.13</td><td>11.41</td><td>39.21</td><td>0.00</td><td>230</td><td>115</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	54.56	113.18	-58.62	47.54	35.01	11.33	39.32	0.00	230	115	PEAK	2	5859.60	52.92	109.61	-56.69	45.88	35.02	11.34	39.32	0.00	230	115	PEAK	3	5923.20	46.12	69.53	-23.41	38.82	35.12	11.40	39.22	0.00	230	115	PEAK	4	5929.60	47.68	68.20	-20.52	40.35	35.13	11.41	39.21	0.00	230	115	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5854.00	54.56	113.18	-58.62	47.54	35.01	11.33	39.32	0.00	230	115	PEAK																																																																									
2	5859.60	52.92	109.61	-56.69	45.88	35.02	11.34	39.32	0.00	230	115	PEAK																																																																									
3	5923.20	46.12	69.53	-23.41	38.82	35.12	11.40	39.22	0.00	230	115	PEAK																																																																									
4	5929.60	47.68	68.20	-20.52	40.35	35.13	11.41	39.21	0.00	230	115	PEAK																																																																									





	73																																																																																							
Mode	Band Edge - L																																																																																							
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_Full_5775MHz																																																																																							
ANT	CDD 3+4																																																																																							
Pol.	Vertical																																																																																							
Peak																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5616.00</td><td>48.67</td><td>68.20</td><td>-19.53</td><td>39.04</td><td>34.60</td><td>11.02</td><td>35.99</td><td>0.00</td><td>168</td><td>151 PEAK</td></tr><tr><td>2 5651.20</td><td>49.25</td><td>69.09</td><td>-19.84</td><td>39.72</td><td>34.60</td><td>11.07</td><td>36.14</td><td>0.00</td><td>168</td><td>151 PEAK</td></tr><tr><td>3 5711.20</td><td>57.65</td><td>108.44</td><td>-50.79</td><td>48.94</td><td>34.63</td><td>11.16</td><td>37.08</td><td>0.00</td><td>168</td><td>151 PEAK</td></tr><tr><td>4 5720.00</td><td>53.83</td><td>110.90</td><td>-57.07</td><td>45.22</td><td>34.66</td><td>11.17</td><td>37.22</td><td>0.00</td><td>168</td><td>151 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5616.00	48.67	68.20	-19.53	39.04	34.60	11.02	35.99	0.00	168	151 PEAK	2 5651.20	49.25	69.09	-19.84	39.72	34.60	11.07	36.14	0.00	168	151 PEAK	3 5711.20	57.65	108.44	-50.79	48.94	34.63	11.16	37.08	0.00	168	151 PEAK	4 5720.00	53.83	110.90	-57.07	45.22	34.66	11.17	37.22	0.00	168	151 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5616.00	48.67	68.20	-19.53	39.04	34.60	11.02	35.99	0.00	168	151 PEAK																																																																														
2 5651.20	49.25	69.09	-19.84	39.72	34.60	11.07	36.14	0.00	168	151 PEAK																																																																														
3 5711.20	57.65	108.44	-50.79	48.94	34.63	11.16	37.08	0.00	168	151 PEAK																																																																														
4 5720.00	53.83	110.90	-57.07	45.22	34.66	11.17	37.22	0.00	168	151 PEAK																																																																														
Avg																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>96.32</td><td>-----</td><td>-----</td><td>88.40</td><td>34.85</td><td>11.26</td><td>38.19</td><td>0.00</td><td>168</td><td>151 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	96.32	-----	-----	88.40	34.85	11.26	38.19	0.00	168	151 PEAK																																	
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5775.00	96.32	-----	-----	88.40	34.85	11.26	38.19	0.00	168	151 PEAK																																																																														
Avg																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>88.55</td><td>-----</td><td>-----</td><td>80.56</td><td>34.83</td><td>11.25</td><td>38.09</td><td>0.00</td><td>168</td><td>151 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	88.55	-----	-----	80.56	34.83	11.25	38.09	0.00	168	151 AVERAGE																																	
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5775.00	88.55	-----	-----	80.56	34.83	11.25	38.09	0.00	168	151 AVERAGE																																																																														






Mode	73																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_Full_5775MHz																																																																																				
ANT	CDD 3+4																																																																																				
Pol.	Vertical	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>51.61</td><td>113.18</td><td>-61.57</td><td>44.59</td><td>35.01</td><td>11.33</td><td>39.32</td><td>0.00</td><td>168</td><td>151</td><td>PEAK</td></tr><tr><td>2</td><td>5874.00</td><td>47.06</td><td>105.58</td><td>-58.52</td><td>39.96</td><td>35.05</td><td>11.35</td><td>39.30</td><td>0.00</td><td>168</td><td>151</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>47.14</td><td>68.94</td><td>-21.80</td><td>39.84</td><td>35.12</td><td>11.40</td><td>39.22</td><td>0.00</td><td>168</td><td>151</td><td>PEAK</td></tr><tr><td>4</td><td>5946.80</td><td>47.32</td><td>68.20</td><td>-20.88</td><td>39.93</td><td>35.15</td><td>11.42</td><td>39.18</td><td>0.00</td><td>168</td><td>151</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	51.61	113.18	-61.57	44.59	35.01	11.33	39.32	0.00	168	151	PEAK	2	5874.00	47.06	105.58	-58.52	39.96	35.05	11.35	39.30	0.00	168	151	PEAK	3	5924.00	47.14	68.94	-21.80	39.84	35.12	11.40	39.22	0.00	168	151	PEAK	4	5946.80	47.32	68.20	-20.88	39.93	35.15	11.42	39.18	0.00	168	151	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5854.00	51.61	113.18	-61.57	44.59	35.01	11.33	39.32	0.00	168	151	PEAK																																																																									
2	5874.00	47.06	105.58	-58.52	39.96	35.05	11.35	39.30	0.00	168	151	PEAK																																																																									
3	5924.00	47.14	68.94	-21.80	39.84	35.12	11.40	39.22	0.00	168	151	PEAK																																																																									
4	5946.80	47.32	68.20	-20.88	39.93	35.15	11.42	39.18	0.00	168	151	PEAK																																																																									






Mode	73																																																																																										
	Harmonic																																																																																										
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_Full_5775MHz																																																																																										
ANT	CDD 3+4																																																																																										
Pol.	Horizontal	Vertical																																																																																									
Peak Avg	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11550.00</td><td>46.49</td><td>74.00</td><td>-27.51</td><td>56.98</td><td>38.34</td><td>16.39</td><td>65.22</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11550.00	46.49	74.00	-27.51	56.98	38.34	16.39	65.22	0.00	--	--	PEAK	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11550.00</td><td>47.00</td><td>74.00</td><td>-27.00</td><td>57.49</td><td>38.34</td><td>16.39</td><td>65.22</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11550.00	47.00	74.00	-27.00	57.49	38.34	16.39	65.22	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	11550.00	46.49	74.00	-27.51	56.98	38.34	16.39	65.22	0.00	--	--	PEAK																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	11550.00	47.00	74.00	-27.00	57.49	38.34	16.39	65.22	0.00	--	--	PEAK																																																																															





Mode	74																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full_5745MHz																																																																																																																																									
ANT	CDD 3+4																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5613.20</td><td>48.71</td><td>68.20</td><td>-19.49</td><td>39.09</td><td>34.60</td><td>11.02</td><td>36.00</td><td>0.00</td><td>296</td><td>111</td><td>PEAK</td></tr><tr><td>2</td><td>5652.40</td><td>47.17</td><td>69.99</td><td>-22.82</td><td>37.64</td><td>34.60</td><td>11.00</td><td>36.15</td><td>0.00</td><td>296</td><td>111</td><td>PEAK</td></tr><tr><td>3</td><td>5701.60</td><td>47.34</td><td>105.75</td><td>-58.41</td><td>38.53</td><td>34.60</td><td>11.14</td><td>36.93</td><td>0.00</td><td>296</td><td>111</td><td>PEAK</td></tr><tr><td>4</td><td>5721.20</td><td>55.75</td><td>113.64</td><td>-57.89</td><td>47.15</td><td>34.66</td><td>11.17</td><td>37.23</td><td>0.00</td><td>296</td><td>111</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5613.20	48.71	68.20	-19.49	39.09	34.60	11.02	36.00	0.00	296	111	PEAK	2	5652.40	47.17	69.99	-22.82	37.64	34.60	11.00	36.15	0.00	296	111	PEAK	3	5701.60	47.34	105.75	-58.41	38.53	34.60	11.14	36.93	0.00	296	111	PEAK	4	5721.20	55.75	113.64	-57.89	47.15	34.66	11.17	37.23	0.00	296	111	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>100.28</td><td>-----</td><td>-----</td><td>91.89</td><td>34.72</td><td>11.20</td><td>37.53</td><td>0.00</td><td>296</td><td>111</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	100.28	-----	-----	91.89	34.72	11.20	37.53	0.00	296	111	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5613.20	48.71	68.20	-19.49	39.09	34.60	11.02	36.00	0.00	296	111	PEAK																																																																																																																														
2	5652.40	47.17	69.99	-22.82	37.64	34.60	11.00	36.15	0.00	296	111	PEAK																																																																																																																														
3	5701.60	47.34	105.75	-58.41	38.53	34.60	11.14	36.93	0.00	296	111	PEAK																																																																																																																														
4	5721.20	55.75	113.64	-57.89	47.15	34.66	11.17	37.23	0.00	296	111	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	100.28	-----	-----	91.89	34.72	11.20	37.53	0.00	296	111	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>91.61</td><td>-----</td><td>-----</td><td>83.28</td><td>34.74</td><td>11.21</td><td>37.62</td><td>0.00</td><td>296</td><td>111</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	91.61	-----	-----	83.28	34.74	11.21	37.62	0.00	296	111	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	91.61	-----	-----	83.28	34.74	11.21	37.62	0.00	296	111	AVERAGE																																																																																																																														





		74																																																																																																																												
Mode		Band Edge																																																																																																																												
		U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full_5745MHz																																																																																																																												
ANT		CDD 3+4																																																																																																																												
Pol.		Vertical					Fundamental																																																																																																																							
Peak																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5640.40</td><td>49.89</td><td>68.20</td><td>-18.31</td><td>40.20</td><td>34.60</td><td>11.06</td><td>35.97</td><td>0.00</td><td>142</td><td>157 PEAK</td></tr><tr><td>2 5650.00</td><td>47.42</td><td>68.20</td><td>-20.78</td><td>37.87</td><td>34.60</td><td>11.07</td><td>36.12</td><td>0.00</td><td>142</td><td>157 PEAK</td></tr><tr><td>3 5704.80</td><td>48.25</td><td>106.65</td><td>-58.40</td><td>39.47</td><td>34.61</td><td>11.15</td><td>36.98</td><td>0.00</td><td>142</td><td>157 PEAK</td></tr><tr><td>4 5720.80</td><td>51.28</td><td>112.72</td><td>-61.44</td><td>42.68</td><td>34.66</td><td>11.17</td><td>37.23</td><td>0.00</td><td>142</td><td>157 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5640.40	49.89	68.20	-18.31	40.20	34.60	11.06	35.97	0.00	142	157 PEAK	2 5650.00	47.42	68.20	-20.78	37.87	34.60	11.07	36.12	0.00	142	157 PEAK	3 5704.80	48.25	106.65	-58.40	39.47	34.61	11.15	36.98	0.00	142	157 PEAK	4 5720.80	51.28	112.72	-61.44	42.68	34.66	11.17	37.23	0.00	142	157 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>101.35</td><td>-----</td><td>-----</td><td>93.10</td><td>34.76</td><td>11.21</td><td>37.72</td><td>0.00</td><td>142</td><td>157 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	101.35	-----	-----	93.10	34.76	11.21	37.72	0.00	142
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1 5640.40	49.89	68.20	-18.31	40.20	34.60	11.06	35.97	0.00	142	157 PEAK																																																																																																																				
2 5650.00	47.42	68.20	-20.78	37.87	34.60	11.07	36.12	0.00	142	157 PEAK																																																																																																																				
3 5704.80	48.25	106.65	-58.40	39.47	34.61	11.15	36.98	0.00	142	157 PEAK																																																																																																																				
4 5720.80	51.28	112.72	-61.44	42.68	34.66	11.17	37.23	0.00	142	157 PEAK																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1 5745.00	101.35	-----	-----	93.10	34.76	11.21	37.72	0.00	142	157 PEAK																																																																																																																				
Avg	Blank																																																																																																																													
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>92.46</td><td>-----</td><td>-----</td><td>84.13</td><td>34.74</td><td>11.21</td><td>37.62</td><td>0.00</td><td>142</td><td>157 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	92.46	-----	-----	84.13	34.74	11.21	37.62	0.00	142	157 AVERAGE																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1 5745.00	92.46	-----	-----	84.13	34.74	11.21	37.62	0.00	142	157 AVERAGE																																																																																																																				






Mode	74																																																																																																
	Harmonic																																																																																																
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full_5745MHz																																																																																																
ANT	CDD 3+4																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg																																																																																																	
	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11490.00</td><td>46.63</td><td>74.00</td><td>-27.37</td><td>57.22</td><td>38.29</td><td>16.36</td><td>65.24</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11490.00	46.63	74.00	-27.37	57.22	38.29	16.36	65.24	0.00	--	-- PEAK	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11490.00</td><td>46.38</td><td>74.00</td><td>-27.62</td><td>56.97</td><td>38.29</td><td>16.36</td><td>65.24</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11490.00	46.38	74.00	-27.62	56.97	38.29	16.36	65.24	0.00	--	-- PEAK
			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1 11490.00	46.63	74.00	-27.37	57.22	38.29	16.36	65.24	0.00	--	-- PEAK																																																																																							
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1 11490.00	46.38	74.00	-27.62	56.97	38.29	16.36	65.24	0.00	--	-- PEAK																																																																																							






Mode	75																																																																																																		
	Harmonic																																																																																																		
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full_5785MHz																																																																																																		
ANT	CDD 3+4																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11570.00</td><td>45.86</td><td>74.00</td><td>-28.14</td><td>56.31</td><td>38.36</td><td>16.41</td><td>65.22</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11570.00	45.86	74.00	-28.14	56.31	38.36	16.41	65.22	0.00	--	-- PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11570.00</td><td>45.90</td><td>74.00</td><td>-28.10</td><td>56.35</td><td>38.36</td><td>16.41</td><td>65.22</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11570.00	45.90	74.00	-28.10	56.35	38.36	16.41	65.22	0.00	--	-- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	11570.00	45.86	74.00	-28.14	56.31	38.36	16.41	65.22	0.00	--	-- PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	11570.00	45.90	74.00	-28.10	56.35	38.36	16.41	65.22	0.00	--	-- PEAK																																																																																								





	76																																																																																																																						
Mode	Band Edge																																																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full_5825MHz																																																																																																																						
ANT	CDD 3+4																																																																																																																						
Pol.	Horizontal					Fundamental																																																																																																																	
Peak																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.00</td><td>45.66</td><td>111.36</td><td>-65.70</td><td>38.64</td><td>35.01</td><td>11.34</td><td>39.33</td><td>0.00</td><td>249 132 PEAK</td></tr><tr><td>2 5873.60</td><td>45.68</td><td>105.69</td><td>-60.01</td><td>38.58</td><td>35.05</td><td>11.35</td><td>39.30</td><td>0.00</td><td>249 132 PEAK</td></tr><tr><td>3 5924.00</td><td>46.22</td><td>68.35</td><td>-22.13</td><td>38.92</td><td>35.12</td><td>11.40</td><td>39.22</td><td>0.00</td><td>249 132 PEAK</td></tr><tr><td>4 5976.00</td><td>47.35</td><td>68.20</td><td>-20.85</td><td>39.85</td><td>35.18</td><td>11.45</td><td>39.13</td><td>0.00</td><td>249 132 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5854.00	45.66	111.36	-65.70	38.64	35.01	11.34	39.33	0.00	249 132 PEAK	2 5873.60	45.68	105.69	-60.01	38.58	35.05	11.35	39.30	0.00	249 132 PEAK	3 5924.00	46.22	68.35	-22.13	38.92	35.12	11.40	39.22	0.00	249 132 PEAK	4 5976.00	47.35	68.20	-20.85	39.85	35.18	11.45	39.13	0.00	249 132 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>100.10</td><td>-----</td><td>-----</td><td>92.61</td><td>34.94</td><td>11.30</td><td>38.75</td><td>0.00</td><td>249 132 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5825.00	100.10	-----	-----	92.61	34.94	11.30	38.75	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1 5854.00	45.66	111.36	-65.70	38.64	35.01	11.34	39.33	0.00	249 132 PEAK																																																																																																														
2 5873.60	45.68	105.69	-60.01	38.58	35.05	11.35	39.30	0.00	249 132 PEAK																																																																																																														
3 5924.00	46.22	68.35	-22.13	38.92	35.12	11.40	39.22	0.00	249 132 PEAK																																																																																																														
4 5976.00	47.35	68.20	-20.85	39.85	35.18	11.45	39.13	0.00	249 132 PEAK																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1 5825.00	100.10	-----	-----	92.61	34.94	11.30	38.75	0.00	249 132 PEAK																																																																																																														
Avg	Blank																																																																																																																						
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>90.07</td><td>-----</td><td>-----</td><td>82.66</td><td>34.95</td><td>11.31</td><td>38.85</td><td>0.00</td><td>249 132 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5825.00	90.07	-----	-----	82.66	34.95	11.31	38.85	0.00	249 132 AVERAGE																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1 5825.00	90.07	-----	-----	82.66	34.95	11.31	38.85	0.00	249 132 AVERAGE																																																																																																														






	76																																																																																																																																		
Mode	Band Edge																																																																																																																																		
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full_5825MHz																																																																																																																																		
ANT	CDD 3+4																																																																																																																																		
Pol.	Vertical						Fundamental																																																																																																																												
Peak																																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.40</td><td>46.27</td><td>112.27</td><td>-66.00</td><td>39.25</td><td>35.01</td><td>11.33</td><td>39.32</td><td>0.00</td><td>136</td><td>149 PEAK</td></tr><tr><td>2 5870.40</td><td>47.70</td><td>106.59</td><td>-58.89</td><td>40.61</td><td>35.04</td><td>11.35</td><td>39.30</td><td>0.00</td><td>136</td><td>149 PEAK</td></tr><tr><td>3 5924.00</td><td>43.63</td><td>68.35</td><td>-24.72</td><td>36.33</td><td>35.12</td><td>11.40</td><td>39.22</td><td>0.00</td><td>136</td><td>149 PEAK</td></tr><tr><td>4 5950.00</td><td>47.92</td><td>68.20</td><td>-20.28</td><td>40.51</td><td>35.15</td><td>11.43</td><td>39.17</td><td>0.00</td><td>136</td><td>149 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.40	46.27	112.27	-66.00	39.25	35.01	11.33	39.32	0.00	136	149 PEAK	2 5870.40	47.70	106.59	-58.89	40.61	35.04	11.35	39.30	0.00	136	149 PEAK	3 5924.00	43.63	68.35	-24.72	36.33	35.12	11.40	39.22	0.00	136	149 PEAK	4 5950.00	47.92	68.20	-20.28	40.51	35.15	11.43	39.17	0.00	136	149 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>100.41</td><td>-----</td><td>-----</td><td>93.00</td><td>34.95</td><td>11.31</td><td>38.85</td><td>0.00</td><td>136</td><td>149 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	100.41	-----	-----	93.00	34.95	11.31	38.85	0.00	136
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5854.40	46.27	112.27	-66.00	39.25	35.01	11.33	39.32	0.00	136	149 PEAK																																																																																																																									
2 5870.40	47.70	106.59	-58.89	40.61	35.04	11.35	39.30	0.00	136	149 PEAK																																																																																																																									
3 5924.00	43.63	68.35	-24.72	36.33	35.12	11.40	39.22	0.00	136	149 PEAK																																																																																																																									
4 5950.00	47.92	68.20	-20.28	40.51	35.15	11.43	39.17	0.00	136	149 PEAK																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5825.00	100.41	-----	-----	93.00	34.95	11.31	38.85	0.00	136	149 PEAK																																																																																																																									
Avg	Blank																																																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>91.96</td><td>-----</td><td>-----</td><td>84.55</td><td>34.95</td><td>11.31</td><td>38.85</td><td>0.00</td><td>136</td><td>149 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	91.96	-----	-----	84.55	34.95	11.31	38.85	0.00	136	149 AVERAGE																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5825.00	91.96	-----	-----	84.55	34.95	11.31	38.85	0.00	136	149 AVERAGE																																																																																																																									




		76																																																																																																																																																																												
Mode		Harmonic																																																																																																																																																																												
		U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full_5825MHz																																																																																																																																																																												
ANT		CDD 3+4																																																																																																																																																																												
Pol.		Horizontal											Vertical																																																																																																																																																																	
Peak Avg																																																																																																																																																																														
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7766.40</td><td>47.36</td><td>68.20</td><td>-20.84</td><td>63.79</td><td>35.97</td><td>13.17</td><td>65.57</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>11650.00</td><td>45.89</td><td>74.00</td><td>-28.11</td><td>56.21</td><td>38.42</td><td>16.46</td><td>65.20</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>																									Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7766.40	47.36	68.20	-20.84	63.79	35.97	13.17	65.57	0.00	--	--	Peak	2	11650.00	45.89	74.00	-28.11	56.21	38.42	16.46	65.20	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7766.40</td><td>49.39</td><td>68.20</td><td>-18.81</td><td>65.82</td><td>35.97</td><td>13.17</td><td>65.57</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>11649.60</td><td>45.31</td><td>74.00</td><td>-28.69</td><td>55.63</td><td>38.42</td><td>16.46</td><td>65.20</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr></table>																									Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7766.40	49.39	68.20	-18.81	65.82	35.97	13.17	65.57	0.00	--	--	Peak	2	11649.60	45.31	74.00	-28.69	55.63	38.42	16.46	65.20	0.00	--	--	Peak
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																	
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																			
1	7766.40	47.36	68.20	-20.84	63.79	35.97	13.17	65.57	0.00	--	--	Peak																																																																																																																																																																		
2	11650.00	45.89	74.00	-28.11	56.21	38.42	16.46	65.20	0.00	--	--	PEAK																																																																																																																																																																		
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																			
1	7766.40	49.39	68.20	-18.81	65.82	35.97	13.17	65.57	0.00	--	--	Peak																																																																																																																																																																		
2	11649.60	45.31	74.00	-28.69	55.63	38.42	16.46	65.20	0.00	--	--	Peak																																																																																																																																																																		






	77																																																																																																																																								
Mode	Band Edge - L																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																																																																								
ANT	CDD 3+4																																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5625.58</td><td>49.07</td><td>68.20</td><td>-19.13</td><td>39.41</td><td>34.60</td><td>11.04</td><td>35.98</td><td>0.00</td><td>246</td><td>106</td><td>PEAK</td></tr><tr><td>2</td><td>5651.46</td><td>47.88</td><td>69.29</td><td>-21.41</td><td>38.35</td><td>34.60</td><td>11.07</td><td>36.14</td><td>0.00</td><td>246</td><td>106</td><td>PEAK</td></tr><tr><td>3</td><td>5717.49</td><td>59.23</td><td>110.20</td><td>-50.97</td><td>50.59</td><td>34.65</td><td>11.17</td><td>37.18</td><td>0.00</td><td>246</td><td>106</td><td>PEAK</td></tr><tr><td>4</td><td>5720.13</td><td>57.39</td><td>111.19</td><td>-53.80</td><td>48.78</td><td>34.66</td><td>11.17</td><td>37.22</td><td>0.00</td><td>246</td><td>106</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5625.58	49.07	68.20	-19.13	39.41	34.60	11.04	35.98	0.00	246	106	PEAK	2	5651.46	47.88	69.29	-21.41	38.35	34.60	11.07	36.14	0.00	246	106	PEAK	3	5717.49	59.23	110.20	-50.97	50.59	34.65	11.17	37.18	0.00	246	106	PEAK	4	5720.13	57.39	111.19	-53.80	48.78	34.66	11.17	37.22	0.00	246	106	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>99.32</td><td>-----</td><td>-----</td><td>91.14</td><td>34.77</td><td>11.22</td><td>37.81</td><td>0.00</td><td>246</td><td>106</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	99.32	-----	-----	91.14	34.77	11.22	37.81	0.00	246	106	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5625.58	49.07	68.20	-19.13	39.41	34.60	11.04	35.98	0.00	246	106	PEAK																																																																																																																													
2	5651.46	47.88	69.29	-21.41	38.35	34.60	11.07	36.14	0.00	246	106	PEAK																																																																																																																													
3	5717.49	59.23	110.20	-50.97	50.59	34.65	11.17	37.18	0.00	246	106	PEAK																																																																																																																													
4	5720.13	57.39	111.19	-53.80	48.78	34.66	11.17	37.22	0.00	246	106	PEAK																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5755.00	99.32	-----	-----	91.14	34.77	11.22	37.81	0.00	246	106	PEAK																																																																																																																													
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>89.72</td><td>-----</td><td>-----</td><td>81.54</td><td>34.77</td><td>11.22</td><td>37.81</td><td>0.00</td><td>246</td><td>106</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	89.72	-----	-----	81.54	34.77	11.22	37.81	0.00	246	106	AVERAGE																																																																																		
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5755.00	89.72	-----	-----	81.54	34.77	11.22	37.81	0.00	246	106	AVERAGE																																																																																																																													




	77																																																																																														
Mode	Band Edge - R																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																														
ANT	CDD 3+4																																																																																														
Pol.	Horizontal						Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.65</td><td>45.15</td><td>111.71</td><td>-66.56</td><td>38.13</td><td>35.01</td><td>11.34</td><td>39.33</td><td>0.00</td><td>246</td><td>106</td><td>PEAK</td></tr><tr><td>2</td><td>5874.34</td><td>45.87</td><td>105.48</td><td>-59.61</td><td>38.77</td><td>35.05</td><td>11.35</td><td>39.30</td><td>0.00</td><td>246</td><td>106</td><td>PEAK</td></tr><tr><td>3</td><td>5924.46</td><td>46.91</td><td>68.60</td><td>-21.69</td><td>39.61</td><td>35.12</td><td>11.40</td><td>39.22</td><td>0.00</td><td>246</td><td>106</td><td>PEAK</td></tr><tr><td>4</td><td>5936.35</td><td>47.67</td><td>68.20</td><td>-20.53</td><td>40.32</td><td>35.14</td><td>11.41</td><td>39.20</td><td>0.00</td><td>246</td><td>106</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.65	45.15	111.71	-66.56	38.13	35.01	11.34	39.33	0.00	246	106	PEAK	2	5874.34	45.87	105.48	-59.61	38.77	35.05	11.35	39.30	0.00	246	106	PEAK	3	5924.46	46.91	68.60	-21.69	39.61	35.12	11.40	39.22	0.00	246	106	PEAK	4	5936.35	47.67	68.20	-20.53	40.32	35.14	11.41	39.20	0.00	246	106	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5854.65	45.15	111.71	-66.56	38.13	35.01	11.34	39.33	0.00	246	106	PEAK																																																																																			
2	5874.34	45.87	105.48	-59.61	38.77	35.05	11.35	39.30	0.00	246	106	PEAK																																																																																			
3	5924.46	46.91	68.60	-21.69	39.61	35.12	11.40	39.22	0.00	246	106	PEAK																																																																																			
4	5936.35	47.67	68.20	-20.53	40.32	35.14	11.41	39.20	0.00	246	106	PEAK																																																																																			





		77																																																																																												
Mode		Band Edge - L																																																																																												
		U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																												
ANT		CDD 3+4																																																																																												
Pol.		Vertical																																																																																												
Peak																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5602.95</td><td>49.52</td><td>68.20</td><td>-18.68</td><td>39.92</td><td>34.60</td><td>11.01</td><td>36.01</td><td>0.00</td><td>144</td><td>152</td><td>PEAK</td></tr><tr><td>2</td><td>5650.84</td><td>47.08</td><td>68.83</td><td>-21.75</td><td>37.54</td><td>34.60</td><td>11.07</td><td>36.13</td><td>0.00</td><td>144</td><td>152</td><td>PEAK</td></tr><tr><td>3</td><td>5719.20</td><td>57.92</td><td>110.67</td><td>-52.75</td><td>49.29</td><td>34.66</td><td>11.17</td><td>37.20</td><td>0.00</td><td>144</td><td>152</td><td>PEAK</td></tr><tr><td>4</td><td>5720.44</td><td>58.35</td><td>111.89</td><td>-53.54</td><td>49.74</td><td>34.66</td><td>11.17</td><td>37.22</td><td>0.00</td><td>144</td><td>152</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5602.95	49.52	68.20	-18.68	39.92	34.60	11.01	36.01	0.00	144	152	PEAK	2	5650.84	47.08	68.83	-21.75	37.54	34.60	11.07	36.13	0.00	144	152	PEAK	3	5719.20	57.92	110.67	-52.75	49.29	34.66	11.17	37.20	0.00	144	152	PEAK	4	5720.44	58.35	111.89	-53.54	49.74	34.66	11.17	37.22	0.00	144	152
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5602.95	49.52	68.20	-18.68	39.92	34.60	11.01	36.01	0.00	144	152	PEAK																																																																																		
2	5650.84	47.08	68.83	-21.75	37.54	34.60	11.07	36.13	0.00	144	152	PEAK																																																																																		
3	5719.20	57.92	110.67	-52.75	49.29	34.66	11.17	37.20	0.00	144	152	PEAK																																																																																		
4	5720.44	58.35	111.89	-53.54	49.74	34.66	11.17	37.22	0.00	144	152	PEAK																																																																																		
Fundamental																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>99.96</td><td>-----</td><td>-----</td><td>91.71</td><td>34.76</td><td>11.21</td><td>37.72</td><td>0.00</td><td>144</td><td>152</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	99.96	-----	-----	91.71	34.76	11.21	37.72	0.00	144	152	PEAK																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5755.00	99.96	-----	-----	91.71	34.76	11.21	37.72	0.00	144	152	PEAK																																																																																		
Avg	Blank																																																																																													
																																																																																														
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>91.30</td><td>-----</td><td>-----</td><td>83.05</td><td>34.76</td><td>11.21</td><td>37.72</td><td>0.00</td><td>144</td><td>152</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	91.30	-----	-----	83.05	34.76	11.21	37.72	0.00	144	152	AVERAGE																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5755.00	91.30	-----	-----	83.05	34.76	11.21	37.72	0.00	144	152	AVERAGE																																																																																		






Mode	77																																																																																														
	Band Edge - R																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																														
ANT	CDD 3+4																																																																																														
Pol.	Vertical						Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.45</td><td>46.72</td><td>112.15</td><td>-65.43</td><td>39.70</td><td>35.01</td><td>11.33</td><td>39.32</td><td>0.00</td><td>144</td><td>152</td><td>PEAK</td></tr><tr><td>2</td><td>5874.93</td><td>46.25</td><td>105.32</td><td>-59.07</td><td>39.15</td><td>35.05</td><td>11.35</td><td>39.30</td><td>0.00</td><td>144</td><td>152</td><td>PEAK</td></tr><tr><td>3</td><td>5924.85</td><td>46.15</td><td>68.31</td><td>-22.16</td><td>38.85</td><td>35.12</td><td>11.40</td><td>39.22</td><td>0.00</td><td>144</td><td>152</td><td>PEAK</td></tr><tr><td>4</td><td>5934.79</td><td>47.80</td><td>68.20</td><td>-20.40</td><td>40.46</td><td>35.13</td><td>11.41</td><td>39.20</td><td>0.00</td><td>144</td><td>152</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.45	46.72	112.15	-65.43	39.70	35.01	11.33	39.32	0.00	144	152	PEAK	2	5874.93	46.25	105.32	-59.07	39.15	35.05	11.35	39.30	0.00	144	152	PEAK	3	5924.85	46.15	68.31	-22.16	38.85	35.12	11.40	39.22	0.00	144	152	PEAK	4	5934.79	47.80	68.20	-20.40	40.46	35.13	11.41	39.20	0.00	144	152	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5854.45	46.72	112.15	-65.43	39.70	35.01	11.33	39.32	0.00	144	152	PEAK																																																																																			
2	5874.93	46.25	105.32	-59.07	39.15	35.05	11.35	39.30	0.00	144	152	PEAK																																																																																			
3	5924.85	46.15	68.31	-22.16	38.85	35.12	11.40	39.22	0.00	144	152	PEAK																																																																																			
4	5934.79	47.80	68.20	-20.40	40.46	35.13	11.41	39.20	0.00	144	152	PEAK																																																																																			




Mode	77																																																																																																												
	Harmonic																																																																																																												
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																																												
ANT	CDD 3+4																																																																																																												
Pol.	Horizontal						Vertical																																																																																																						
Peak Avg																																																																																																													
	<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11510.00</td><td>46.34</td><td>74.00</td><td>-27.66</td><td>56.89</td><td>38.31</td><td>16.37</td><td>65.23</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11510.00	46.34	74.00	-27.66	56.89	38.31	16.37	65.23	0.00	--	--	PEAK	<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11510.00</td><td>46.48</td><td>74.00</td><td>-27.52</td><td>57.03</td><td>38.31</td><td>16.37</td><td>65.23</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11510.00	46.48	74.00	-27.52	57.03	38.31	16.37	65.23	0.00	--	--
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																	
1	11510.00	46.34	74.00	-27.66	56.89	38.31	16.37	65.23	0.00	--	--	PEAK																																																																																																	
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																	
1	11510.00	46.48	74.00	-27.52	57.03	38.31	16.37	65.23	0.00	--	--	PEAK																																																																																																	






Mode	78																																																																																																																																									
	Band Edge - L																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																																																																									
ANT	CDD 3+4																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5622.00</td><td>48.14</td><td>68.20</td><td>-20.06</td><td>38.50</td><td>34.60</td><td>11.03</td><td>35.99</td><td>0.00</td><td>224</td><td>108</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>47.87</td><td>68.20</td><td>-20.33</td><td>38.32</td><td>34.60</td><td>11.07</td><td>36.12</td><td>0.00</td><td>224</td><td>108</td><td>PEAK</td></tr><tr><td>3</td><td>5702.00</td><td>47.62</td><td>105.86</td><td>-58.24</td><td>38.00</td><td>34.61</td><td>11.14</td><td>36.93</td><td>0.00</td><td>224</td><td>108</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>44.20</td><td>110.90</td><td>-66.70</td><td>35.59</td><td>34.66</td><td>11.17</td><td>37.22</td><td>0.00</td><td>224</td><td>108</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5622.00	48.14	68.20	-20.06	38.50	34.60	11.03	35.99	0.00	224	108	PEAK	2	5650.00	47.87	68.20	-20.33	38.32	34.60	11.07	36.12	0.00	224	108	PEAK	3	5702.00	47.62	105.86	-58.24	38.00	34.61	11.14	36.93	0.00	224	108	PEAK	4	5720.00	44.20	110.90	-66.70	35.59	34.66	11.17	37.22	0.00	224	108	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>98.01</td><td>-----</td><td>-----</td><td>90.24</td><td>34.88</td><td>11.27</td><td>38.38</td><td>0.00</td><td>224</td><td>108</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	98.01	-----	-----	90.24	34.88	11.27	38.38	0.00	224	108
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5622.00	48.14	68.20	-20.06	38.50	34.60	11.03	35.99	0.00	224	108	PEAK																																																																																																																														
2	5650.00	47.87	68.20	-20.33	38.32	34.60	11.07	36.12	0.00	224	108	PEAK																																																																																																																														
3	5702.00	47.62	105.86	-58.24	38.00	34.61	11.14	36.93	0.00	224	108	PEAK																																																																																																																														
4	5720.00	44.20	110.90	-66.70	35.59	34.66	11.17	37.22	0.00	224	108	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5795.00	98.01	-----	-----	90.24	34.88	11.27	38.38	0.00	224	108	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>89.12</td><td>-----</td><td>-----</td><td>81.28</td><td>34.86</td><td>11.26</td><td>38.28</td><td>0.00</td><td>224</td><td>108</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	89.12	-----	-----	81.28	34.86	11.26	38.28	0.00	224	108	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5795.00	89.12	-----	-----	81.28	34.86	11.26	38.28	0.00	224	108	AVERAGE																																																																																																																														




Mode	78																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																				
ANT	CDD 3+4																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>44.97</td><td>111.36</td><td>-66.39</td><td>37.95</td><td>35.01</td><td>11.34</td><td>39.33</td><td>0.00</td><td>224</td><td>100</td><td>PEAK</td></tr><tr><td>2</td><td>5872.00</td><td>47.29</td><td>106.14</td><td>-58.85</td><td>40.20</td><td>35.04</td><td>11.35</td><td>39.30</td><td>0.00</td><td>224</td><td>100</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>44.98</td><td>68.35</td><td>-23.37</td><td>37.68</td><td>35.12</td><td>11.40</td><td>39.22</td><td>0.00</td><td>224</td><td>100</td><td>PEAK</td></tr><tr><td>4</td><td>5978.00</td><td>47.87</td><td>68.20</td><td>-20.33</td><td>40.37</td><td>35.18</td><td>11.45</td><td>39.13</td><td>0.00</td><td>224</td><td>100</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	44.97	111.36	-66.39	37.95	35.01	11.34	39.33	0.00	224	100	PEAK	2	5872.00	47.29	106.14	-58.85	40.20	35.04	11.35	39.30	0.00	224	100	PEAK	3	5924.00	44.98	68.35	-23.37	37.68	35.12	11.40	39.22	0.00	224	100	PEAK	4	5978.00	47.87	68.20	-20.33	40.37	35.18	11.45	39.13	0.00	224	100	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.00	44.97	111.36	-66.39	37.95	35.01	11.34	39.33	0.00	224	100	PEAK																																																																									
2	5872.00	47.29	106.14	-58.85	40.20	35.04	11.35	39.30	0.00	224	100	PEAK																																																																									
3	5924.00	44.98	68.35	-23.37	37.68	35.12	11.40	39.22	0.00	224	100	PEAK																																																																									
4	5978.00	47.87	68.20	-20.33	40.37	35.18	11.45	39.13	0.00	224	100	PEAK																																																																									





	78																																																																																																																																								
Mode	Band Edge - L																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																																																																								
ANT	CDD 3+4																																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5628.80</td><td>49.60</td><td>68.20</td><td>-18.60</td><td>39.94</td><td>34.60</td><td>11.04</td><td>35.98</td><td>0.00</td><td>149</td><td>151 PEAK</td></tr><tr><td>2</td><td>5652.80</td><td>49.06</td><td>70.29</td><td>-21.23</td><td>39.54</td><td>34.60</td><td>11.08</td><td>36.16</td><td>0.00</td><td>149</td><td>151 PEAK</td></tr><tr><td>3</td><td>5702.40</td><td>47.04</td><td>105.97</td><td>-58.93</td><td>38.23</td><td>34.61</td><td>11.14</td><td>36.94</td><td>0.00</td><td>149</td><td>151 PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>47.82</td><td>111.81</td><td>-63.99</td><td>39.21</td><td>34.66</td><td>11.17</td><td>37.22</td><td>0.00</td><td>149</td><td>151 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5628.80	49.60	68.20	-18.60	39.94	34.60	11.04	35.98	0.00	149	151 PEAK	2	5652.80	49.06	70.29	-21.23	39.54	34.60	11.08	36.16	0.00	149	151 PEAK	3	5702.40	47.04	105.97	-58.93	38.23	34.61	11.14	36.94	0.00	149	151 PEAK	4	5720.40	47.82	111.81	-63.99	39.21	34.66	11.17	37.22	0.00	149	151 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>99.12</td><td>-----</td><td>-----</td><td>91.35</td><td>34.88</td><td>11.27</td><td>38.38</td><td>0.00</td><td>149</td><td>151 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5795.00	99.12	-----	-----	91.35	34.88	11.27	38.38	0.00	149
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5628.80	49.60	68.20	-18.60	39.94	34.60	11.04	35.98	0.00	149	151 PEAK																																																																																																																														
2	5652.80	49.06	70.29	-21.23	39.54	34.60	11.08	36.16	0.00	149	151 PEAK																																																																																																																														
3	5702.40	47.04	105.97	-58.93	38.23	34.61	11.14	36.94	0.00	149	151 PEAK																																																																																																																														
4	5720.40	47.82	111.81	-63.99	39.21	34.66	11.17	37.22	0.00	149	151 PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																														
1	5795.00	99.12	-----	-----	91.35	34.88	11.27	38.38	0.00	149	151 PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>90.41</td><td>-----</td><td>-----</td><td>82.64</td><td>34.88</td><td>11.27</td><td>38.38</td><td>0.00</td><td>149</td><td>151 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5795.00	90.41	-----	-----	82.64	34.88	11.27	38.38	0.00	149	151 AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																														
1	5795.00	90.41	-----	-----	82.64	34.88	11.27	38.38	0.00	149	151 AVERAGE																																																																																																																														






Mode	78																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																				
ANT	CDD 3+4																																																																																				
Pol.	Vertical	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>45.81</td><td>111.36</td><td>-65.55</td><td>38.79</td><td>35.01</td><td>11.34</td><td>39.33</td><td>0.00</td><td>149</td><td>151</td><td>PEAK</td></tr><tr><td>2</td><td>5873.20</td><td>46.96</td><td>105.80</td><td>-58.84</td><td>39.86</td><td>35.05</td><td>11.35</td><td>39.30</td><td>0.00</td><td>149</td><td>151</td><td>PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>45.22</td><td>68.64</td><td>-23.42</td><td>37.92</td><td>35.12</td><td>11.40</td><td>39.22</td><td>0.00</td><td>149</td><td>151</td><td>PEAK</td></tr><tr><td>4</td><td>5938.00</td><td>47.71</td><td>68.20</td><td>-20.49</td><td>40.38</td><td>35.13</td><td>11.41</td><td>39.21</td><td>0.00</td><td>149</td><td>151</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.80	45.81	111.36	-65.55	38.79	35.01	11.34	39.33	0.00	149	151	PEAK	2	5873.20	46.96	105.80	-58.84	39.86	35.05	11.35	39.30	0.00	149	151	PEAK	3	5924.40	45.22	68.64	-23.42	37.92	35.12	11.40	39.22	0.00	149	151	PEAK	4	5938.00	47.71	68.20	-20.49	40.38	35.13	11.41	39.21	0.00	149	151	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.80	45.81	111.36	-65.55	38.79	35.01	11.34	39.33	0.00	149	151	PEAK																																																																									
2	5873.20	46.96	105.80	-58.84	39.86	35.05	11.35	39.30	0.00	149	151	PEAK																																																																									
3	5924.40	45.22	68.64	-23.42	37.92	35.12	11.40	39.22	0.00	149	151	PEAK																																																																									
4	5938.00	47.71	68.20	-20.49	40.38	35.13	11.41	39.21	0.00	149	151	PEAK																																																																									




Mode	78																																																																																																			
	Harmonic																																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																																			
ANT	CDD 3+4																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11590.00</td><td>46.55</td><td>74.00</td><td>-27.45</td><td>56.97</td><td>38.37</td><td>16.42</td><td>65.21</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11590.00	46.55	74.00	-27.45	56.97	38.37	16.42	65.21	0.00	--	-- PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11590.00</td><td>47.26</td><td>74.00</td><td>-26.74</td><td>57.68</td><td>38.37</td><td>16.42</td><td>65.21</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11590.00	47.26	74.00	-26.74	57.68	38.37	16.42	65.21	0.00	--	-- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11590.00	46.55	74.00	-27.45	56.97	38.37	16.42	65.21	0.00	--	-- PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11590.00	47.26	74.00	-26.74	57.68	38.37	16.42	65.21	0.00	--	-- PEAK																																																																																									






Mode	79																																																																																																																																										
	Band Edge - L																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																																																																										
ANT	CDD 3+4																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 6000 MHz. The plot shows a red line for the limit and a blue line for the measured signal. Four peaks are marked with vertical lines and numbered 1 to 4. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5624.00</td><td>49.46</td><td>68.20</td><td>-18.74</td><td>39.80</td><td>34.60</td><td>11.04</td><td>35.98</td><td>0.00</td><td>228</td><td>116</td><td>PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>46.72</td><td>68.50</td><td>-21.78</td><td>37.17</td><td>34.60</td><td>11.07</td><td>36.12</td><td>0.00</td><td>228</td><td>116</td><td>PEAK</td></tr><tr><td>3</td><td>5700.00</td><td>52.91</td><td>105.30</td><td>-52.39</td><td>44.07</td><td>34.60</td><td>11.14</td><td>36.90</td><td>0.00</td><td>228</td><td>116</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>56.08</td><td>110.90</td><td>-54.82</td><td>47.47</td><td>34.66</td><td>11.17</td><td>37.22</td><td>0.00</td><td>228</td><td>116</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5624.00	49.46	68.20	-18.74	39.80	34.60	11.04	35.98	0.00	228	116	PEAK	2	5650.40	46.72	68.50	-21.78	37.17	34.60	11.07	36.12	0.00	228	116	PEAK	3	5700.00	52.91	105.30	-52.39	44.07	34.60	11.14	36.90	0.00	228	116	PEAK	4	5720.00	56.08	110.90	-54.82	47.47	34.66	11.17	37.22	0.00	228	116	PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red line for the limit and a blue line for the measured signal. A single peak is marked with a vertical line and numbered 1. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>97.68</td><td>-----</td><td>-----</td><td>89.63</td><td>34.81</td><td>11.24</td><td>38.00</td><td>0.00</td><td>228</td><td>116</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	97.68	-----	-----	89.63	34.81	11.24	38.00	0.00	228	116	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5624.00	49.46	68.20	-18.74	39.80	34.60	11.04	35.98	0.00	228	116	PEAK																																																																																																																															
2	5650.40	46.72	68.50	-21.78	37.17	34.60	11.07	36.12	0.00	228	116	PEAK																																																																																																																															
3	5700.00	52.91	105.30	-52.39	44.07	34.60	11.14	36.90	0.00	228	116	PEAK																																																																																																																															
4	5720.00	56.08	110.90	-54.82	47.47	34.66	11.17	37.22	0.00	228	116	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5775.00	97.68	-----	-----	89.63	34.81	11.24	38.00	0.00	228	116	PEAK																																																																																																																															
Avg	Blank						 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red line for the limit and a blue line for the measured signal. A single peak is marked with a vertical line and numbered 1. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>87.95</td><td>-----</td><td>-----</td><td>79.90</td><td>34.81</td><td>11.24</td><td>38.00</td><td>0.00</td><td>228</td><td>116</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	87.95	-----	-----	79.90	34.81	11.24	38.00	0.00	228	116	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5775.00	87.95	-----	-----	79.90	34.81	11.24	38.00	0.00	228	116	AVERAGE																																																																																																																															




Mode	79																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																				
ANT	CDD 3+4																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>50.09</td><td>111.36</td><td>-61.27</td><td>43.07</td><td>35.01</td><td>11.34</td><td>39.33</td><td>0.00</td><td>228</td><td>116</td><td>PEAK</td></tr><tr><td>2</td><td>5873.20</td><td>48.92</td><td>105.80</td><td>-56.88</td><td>41.82</td><td>35.05</td><td>11.35</td><td>39.30</td><td>0.00</td><td>228</td><td>116</td><td>PEAK</td></tr><tr><td>3</td><td>5921.20</td><td>48.54</td><td>71.01</td><td>-22.47</td><td>41.24</td><td>35.12</td><td>11.40</td><td>39.22</td><td>0.00</td><td>228</td><td>116</td><td>PEAK</td></tr><tr><td>4</td><td>5943.60</td><td>48.59</td><td>68.20</td><td>-19.61</td><td>41.21</td><td>35.14</td><td>11.42</td><td>39.18</td><td>0.00</td><td>228</td><td>116</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.80	50.09	111.36	-61.27	43.07	35.01	11.34	39.33	0.00	228	116	PEAK	2	5873.20	48.92	105.80	-56.88	41.82	35.05	11.35	39.30	0.00	228	116	PEAK	3	5921.20	48.54	71.01	-22.47	41.24	35.12	11.40	39.22	0.00	228	116	PEAK	4	5943.60	48.59	68.20	-19.61	41.21	35.14	11.42	39.18	0.00	228	116	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.80	50.09	111.36	-61.27	43.07	35.01	11.34	39.33	0.00	228	116	PEAK																																																																									
2	5873.20	48.92	105.80	-56.88	41.82	35.05	11.35	39.30	0.00	228	116	PEAK																																																																									
3	5921.20	48.54	71.01	-22.47	41.24	35.12	11.40	39.22	0.00	228	116	PEAK																																																																									
4	5943.60	48.59	68.20	-19.61	41.21	35.14	11.42	39.18	0.00	228	116	PEAK																																																																									





		79																																																																																																																																						
Mode		Band Edge - L																																																																																																																																						
		U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																																																																						
ANT		CDD 3+4																																																																																																																																						
Pol.		Vertical					Fundamental																																																																																																																																	
Peak																																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5640.40</td><td>49.51</td><td>68.20</td><td>-18.69</td><td>39.82</td><td>34.60</td><td>11.06</td><td>35.97</td><td>0.00</td><td>169</td><td>151</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>46.45</td><td>68.20</td><td>-21.75</td><td>36.90</td><td>34.60</td><td>11.07</td><td>36.12</td><td>0.00</td><td>169</td><td>151</td><td>PEAK</td></tr><tr><td>3</td><td>5700.00</td><td>52.28</td><td>105.52</td><td>-53.24</td><td>43.45</td><td>34.60</td><td>11.14</td><td>36.91</td><td>0.00</td><td>169</td><td>151</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>56.39</td><td>112.72</td><td>-56.33</td><td>47.79</td><td>34.66</td><td>11.17</td><td>37.23</td><td>0.00</td><td>169</td><td>151</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5640.40	49.51	68.20	-18.69	39.82	34.60	11.06	35.97	0.00	169	151	PEAK	2	5650.00	46.45	68.20	-21.75	36.90	34.60	11.07	36.12	0.00	169	151	PEAK	3	5700.00	52.28	105.52	-53.24	43.45	34.60	11.14	36.91	0.00	169	151	PEAK	4	5720.00	56.39	112.72	-56.33	47.79	34.66	11.17	37.23	0.00	169	151	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>96.82</td><td>-----</td><td>-----</td><td>88.83</td><td>34.83</td><td>11.25</td><td>38.09</td><td>0.00</td><td>169</td><td>151</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	96.82	-----	-----	88.83	34.83	11.25	38.09	0.00	169	151
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5640.40	49.51	68.20	-18.69	39.82	34.60	11.06	35.97	0.00	169	151	PEAK																																																																																																																												
2	5650.00	46.45	68.20	-21.75	36.90	34.60	11.07	36.12	0.00	169	151	PEAK																																																																																																																												
3	5700.00	52.28	105.52	-53.24	43.45	34.60	11.14	36.91	0.00	169	151	PEAK																																																																																																																												
4	5720.00	56.39	112.72	-56.33	47.79	34.66	11.17	37.23	0.00	169	151	PEAK																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5775.00	96.82	-----	-----	88.83	34.83	11.25	38.09	0.00	169	151	PEAK																																																																																																																												
Avg	Blank																																																																																																																																							
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>88.28</td><td>-----</td><td>-----</td><td>80.29</td><td>34.83</td><td>11.25</td><td>38.09</td><td>0.00</td><td>169</td><td>151</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	88.28	-----	-----	80.29	34.83	11.25	38.09	0.00	169	151	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5775.00	88.28	-----	-----	80.29	34.83	11.25	38.09	0.00	169	151	AVERAGE																																																																																																																												





	79																																																																																									
Mode	Band Edge - R																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																									
ANT	CDD 3+4																																																																																									
Pol.	Vertical						Fundamental																																																																																			
Peak	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr><tr><td>1</td><td>5854.40</td><td>52.37</td><td>112.27</td><td>-59.90</td><td>45.35</td><td>35.01</td><td>11.33</td><td>39.32</td><td>0.00</td><td>169 151 PEAK</td></tr><tr><td>2</td><td>5872.40</td><td>47.69</td><td>106.03</td><td>-58.34</td><td>40.60</td><td>35.04</td><td>11.35</td><td>39.30</td><td>0.00</td><td>169 151 PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>46.27</td><td>68.64</td><td>-22.37</td><td>38.97</td><td>35.12</td><td>11.40</td><td>39.22</td><td>0.00</td><td>169 151 PEAK</td></tr><tr><td>4</td><td>5946.00</td><td>47.63</td><td>68.20</td><td>-20.57</td><td>40.24</td><td>35.15</td><td>11.42</td><td>39.18</td><td>0.00</td><td>169 151 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1	5854.40	52.37	112.27	-59.90	45.35	35.01	11.33	39.32	0.00	169 151 PEAK	2	5872.40	47.69	106.03	-58.34	40.60	35.04	11.35	39.30	0.00	169 151 PEAK	3	5924.40	46.27	68.64	-22.37	38.97	35.12	11.40	39.22	0.00	169 151 PEAK	4	5946.00	47.63	68.20	-20.57	40.24	35.15	11.42	39.18	0.00	169 151 PEAK	Blank	
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																	
	1	5854.40	52.37	112.27	-59.90	45.35	35.01	11.33	39.32	0.00	169 151 PEAK																																																																															
2	5872.40	47.69	106.03	-58.34	40.60	35.04	11.35	39.30	0.00	169 151 PEAK																																																																																
3	5924.40	46.27	68.64	-22.37	38.97	35.12	11.40	39.22	0.00	169 151 PEAK																																																																																
4	5946.00	47.63	68.20	-20.57	40.24	35.15	11.42	39.18	0.00	169 151 PEAK																																																																																






Mode	79																																																																																																			
	Harmonic																																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																																			
ANT	CDD 3+4																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11550.00</td><td>46.66</td><td>74.00</td><td>-27.34</td><td>57.15</td><td>38.34</td><td>16.39</td><td>65.22</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11550.00	46.66	74.00	-27.34	57.15	38.34	16.39	65.22	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11550.00</td><td>46.21</td><td>74.00</td><td>-27.79</td><td>56.70</td><td>38.34</td><td>16.39</td><td>65.22</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11550.00	46.21	74.00	-27.79	56.70	38.34	16.39	65.22	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11550.00	46.66	74.00	-27.34	57.15	38.34	16.39	65.22	0.00	--	PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11550.00	46.21	74.00	-27.79	56.70	38.34	16.39	65.22	0.00	--	PEAK																																																																																									






Mode	80																																																																																														
	Band Edge																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU26/0_5745MHz																																																																																														
ANT	CDD 3+4																																																																																														
Pol.	Horizontal						Fundamental																																																																																								
Peak																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5647.20</td><td>48.06</td><td>68.20</td><td>-20.14</td><td>38.46</td><td>34.60</td><td>11.07</td><td>36.07</td><td>0.00</td><td>324</td><td>112</td><td>PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>46.70</td><td>68.50</td><td>-21.80</td><td>37.15</td><td>34.60</td><td>11.07</td><td>36.12</td><td>0.00</td><td>324</td><td>112</td><td>PEAK</td></tr><tr><td>3</td><td>5702.40</td><td>47.94</td><td>105.97</td><td>-58.03</td><td>39.13</td><td>34.61</td><td>11.14</td><td>36.94</td><td>0.00</td><td>324</td><td>112</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>46.74</td><td>110.90</td><td>-64.16</td><td>38.13</td><td>34.66</td><td>11.17</td><td>37.22</td><td>0.00</td><td>324</td><td>112</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5647.20	48.06	68.20	-20.14	38.46	34.60	11.07	36.07	0.00	324	112	PEAK	2	5650.40	46.70	68.50	-21.80	37.15	34.60	11.07	36.12	0.00	324	112	PEAK	3	5702.40	47.94	105.97	-58.03	39.13	34.61	11.14	36.94	0.00	324	112	PEAK	4	5720.00	46.74	110.90	-64.16	38.13	34.66	11.17	37.22	0.00	324	112	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5647.20	48.06	68.20	-20.14	38.46	34.60	11.07	36.07	0.00	324	112	PEAK																																																																																			
2	5650.40	46.70	68.50	-21.80	37.15	34.60	11.07	36.12	0.00	324	112	PEAK																																																																																			
3	5702.40	47.94	105.97	-58.03	39.13	34.61	11.14	36.94	0.00	324	112	PEAK																																																																																			
4	5720.00	46.74	110.90	-64.16	38.13	34.66	11.17	37.22	0.00	324	112	PEAK																																																																																			
Avg	Blank																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>97.45</td><td>-----</td><td>-----</td><td>88.99</td><td>34.70</td><td>11.19</td><td>37.43</td><td>0.00</td><td>324</td><td>112</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	97.45	-----	-----	88.99	34.70	11.19	37.43	0.00	324	112	AVERAGE																																							
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5745.00	97.45	-----	-----	88.99	34.70	11.19	37.43	0.00	324	112	AVERAGE																																																																																			



Mode	80																																																																																																																																																																
	Band Edge																																																																																																																																																																
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU26/0_5745MHz																																																																																																																																																																
ANT	CDD 3+4																																																																																																																																																																
Pol.	Vertical						Fundamental																																																																																																																																																										
Peak																																																																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5632.00</td><td>48.62</td><td>68.20</td><td>-19.58</td><td>38.94</td><td>34.60</td><td>11.05</td><td>35.97</td><td>0.00</td><td>145</td><td>149</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>46.64</td><td>68.20</td><td>-21.56</td><td>37.09</td><td>34.60</td><td>11.07</td><td>36.12</td><td>0.00</td><td>145</td><td>149</td><td>PEAK</td></tr><tr><td>3</td><td>5700.00</td><td>47.01</td><td>105.30</td><td>-58.29</td><td>38.17</td><td>34.60</td><td>11.14</td><td>36.90</td><td>0.00</td><td>145</td><td>149</td><td>PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>47.57</td><td>111.81</td><td>-64.24</td><td>38.96</td><td>34.66</td><td>11.17</td><td>37.22</td><td>0.00</td><td>145</td><td>149</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5632.00	48.62	68.20	-19.58	38.94	34.60	11.05	35.97	0.00	145	149	PEAK	2	5650.00	46.64	68.20	-21.56	37.09	34.60	11.07	36.12	0.00	145	149	PEAK	3	5700.00	47.01	105.30	-58.29	38.17	34.60	11.14	36.90	0.00	145	149	PEAK	4	5720.40	47.57	111.81	-64.24	38.96	34.66	11.17	37.22	0.00	145	149	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>105.26</td><td>-----</td><td>-----</td><td>96.80</td><td>34.70</td><td>11.19</td><td>37.43</td><td>0.00</td><td>145</td><td>149</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5745.00	105.26	-----	-----	96.80	34.70	11.19	37.43	0.00	145	149	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																							
1	5632.00	48.62	68.20	-19.58	38.94	34.60	11.05	35.97	0.00	145	149	PEAK																																																																																																																																																					
2	5650.00	46.64	68.20	-21.56	37.09	34.60	11.07	36.12	0.00	145	149	PEAK																																																																																																																																																					
3	5700.00	47.01	105.30	-58.29	38.17	34.60	11.14	36.90	0.00	145	149	PEAK																																																																																																																																																					
4	5720.40	47.57	111.81	-64.24	38.96	34.66	11.17	37.22	0.00	145	149	PEAK																																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																							
1	5745.00	105.26	-----	-----	96.80	34.70	11.19	37.43	0.00	145	149	PEAK																																																																																																																																																					
Avg	Blank																																																																																																																																																																
													<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>97.56</td><td>-----</td><td>-----</td><td>89.10</td><td>34.70</td><td>11.19</td><td>37.43</td><td>0.00</td><td>145</td><td>149</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5745.00	97.56	-----	-----	89.10	34.70	11.19	37.43	0.00	145	149	AVERAGE																																																																																								
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																							
1	5745.00	97.56	-----	-----	89.10	34.70	11.19	37.43	0.00	145	149	AVERAGE																																																																																																																																																					






Mode	81																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU26/8_5825MHz																																																																																																																																									
ANT	CDD 3+4																																																																																																																																									
Pol.	Horizontal					Fundamental																																																																																																																																				
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.80</td><td>43.55</td><td>111.36</td><td>-67.81</td><td>36.53</td><td>35.01</td><td>11.34</td><td>39.33</td><td>0.00</td><td>379</td><td>129</td><td>PEAK</td></tr><tr><td>2</td><td>5869.20</td><td>47.04</td><td>106.92</td><td>-59.88</td><td>39.96</td><td>35.04</td><td>11.35</td><td>39.31</td><td>0.00</td><td>379</td><td>129</td><td>PEAK</td></tr><tr><td>3</td><td>5922.80</td><td>46.77</td><td>69.83</td><td>-23.06</td><td>39.47</td><td>35.12</td><td>11.40</td><td>39.22</td><td>0.00</td><td>379</td><td>129</td><td>PEAK</td></tr><tr><td>4</td><td>5929.60</td><td>47.35</td><td>68.20</td><td>-20.85</td><td>40.02</td><td>35.13</td><td>11.41</td><td>39.21</td><td>0.00</td><td>379</td><td>129</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.80	43.55	111.36	-67.81	36.53	35.01	11.34	39.33	0.00	379	129	PEAK	2	5869.20	47.04	106.92	-59.88	39.96	35.04	11.35	39.31	0.00	379	129	PEAK	3	5922.80	46.77	69.83	-23.06	39.47	35.12	11.40	39.22	0.00	379	129	PEAK	4	5929.60	47.35	68.20	-20.85	40.02	35.13	11.41	39.21	0.00	379	129	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>103.56</td><td>-----</td><td>-----</td><td>96.31</td><td>34.97</td><td>11.32</td><td>39.04</td><td>0.00</td><td>379</td><td>129</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5825.00	103.56	-----	-----	96.31	34.97	11.32	39.04	0.00	379	129	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5854.80	43.55	111.36	-67.81	36.53	35.01	11.34	39.33	0.00	379	129	PEAK																																																																																																																														
2	5869.20	47.04	106.92	-59.88	39.96	35.04	11.35	39.31	0.00	379	129	PEAK																																																																																																																														
3	5922.80	46.77	69.83	-23.06	39.47	35.12	11.40	39.22	0.00	379	129	PEAK																																																																																																																														
4	5929.60	47.35	68.20	-20.85	40.02	35.13	11.41	39.21	0.00	379	129	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																															
1	5825.00	103.56	-----	-----	96.31	34.97	11.32	39.04	0.00	379	129	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>95.71</td><td>-----</td><td>-----</td><td>88.46</td><td>34.97</td><td>11.32</td><td>39.04</td><td>0.00</td><td>379</td><td>129</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5825.00	95.71	-----	-----	88.46	34.97	11.32	39.04	0.00	379	129	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																															
1	5825.00	95.71	-----	-----	88.46	34.97	11.32	39.04	0.00	379	129	AVERAGE																																																																																																																														





	81																																																																																																				
Mode	Band Edge																																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU26/8_5825MHz																																																																																																				
ANT	CDD 3+4																																																																																																				
Pol.	Vertical						Fundamental																																																																																														
Peak																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5854.40</td><td>47.32</td><td>112.27</td><td>-64.95</td><td>40.30</td><td>35.01</td><td>11.33</td><td>39.32</td><td>0.00</td><td>144</td><td>172</td><td>PEAK</td></tr><tr><td>2</td><td>5874.40</td><td>45.82</td><td>105.47</td><td>-59.65</td><td>38.72</td><td>35.05</td><td>11.35</td><td>39.30</td><td>0.00</td><td>144</td><td>172</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>46.10</td><td>68.35</td><td>-22.25</td><td>38.80</td><td>35.12</td><td>11.40</td><td>39.22</td><td>0.00</td><td>144</td><td>172</td><td>PEAK</td></tr><tr><td>4</td><td>5941.60</td><td>47.55</td><td>68.20</td><td>-20.65</td><td>40.18</td><td>35.14</td><td>11.42</td><td>39.19</td><td>0.00</td><td>144</td><td>172</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	5854.40	47.32	112.27	-64.95	40.30	35.01	11.33	39.32	0.00	144	172	PEAK	2	5874.40	45.82	105.47	-59.65	38.72	35.05	11.35	39.30	0.00	144	172	PEAK	3	5924.80	46.10	68.35	-22.25	38.80	35.12	11.40	39.22	0.00	144	172	PEAK	4	5941.60	47.55	68.20	-20.65	40.18	35.14	11.42	39.19	0.00	144	172
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	5854.40	47.32	112.27	-64.95	40.30	35.01	11.33	39.32	0.00	144	172	PEAK																																																																																									
2	5874.40	45.82	105.47	-59.65	38.72	35.05	11.35	39.30	0.00	144	172	PEAK																																																																																									
3	5924.80	46.10	68.35	-22.25	38.80	35.12	11.40	39.22	0.00	144	172	PEAK																																																																																									
4	5941.60	47.55	68.20	-20.65	40.18	35.14	11.42	39.19	0.00	144	172	PEAK																																																																																									
Avg																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>105.89</td><td>-----</td><td>-----</td><td>98.64</td><td>34.97</td><td>11.32</td><td>39.04</td><td>0.00</td><td>144</td><td>172</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	5825.00	105.89	-----	-----	98.64	34.97	11.32	39.04	0.00	144	172	PEAK																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	5825.00	105.89	-----	-----	98.64	34.97	11.32	39.04	0.00	144	172	PEAK																																																																																									
Blank																																																																																																					
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>96.13</td><td>-----</td><td>-----</td><td>88.88</td><td>34.97</td><td>11.32</td><td>39.04</td><td>0.00</td><td>144</td><td>172</td><td>AVERAGE</td></tr></tbody></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	5825.00	96.13	-----	-----	88.88	34.97	11.32	39.04	0.00	144	172	AVERAGE																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	5825.00	96.13	-----	-----	88.88	34.97	11.32	39.04	0.00	144	172	AVERAGE																																																																																									






	82																																																																																																				
Mode	Band Edge																																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU52/37_5745MHz																																																																																																				
ANT	CDD 3+4																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5647.20</td><td>48.60</td><td>68.20</td><td>-19.60</td><td>39.00</td><td>34.60</td><td>11.07</td><td>36.07</td><td>0.00</td><td>307</td><td>112</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>46.15</td><td>68.00</td><td>-22.65</td><td>36.61</td><td>34.60</td><td>11.07</td><td>36.13</td><td>0.00</td><td>307</td><td>112</td><td>PEAK</td></tr><tr><td>3</td><td>5702.00</td><td>48.04</td><td>106.09</td><td>-58.05</td><td>39.23</td><td>34.61</td><td>11.15</td><td>36.95</td><td>0.00</td><td>307</td><td>112</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>48.10</td><td>110.90</td><td>-62.80</td><td>39.49</td><td>34.66</td><td>11.17</td><td>37.22</td><td>0.00</td><td>307</td><td>112</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	5647.20	48.60	68.20	-19.60	39.00	34.60	11.07	36.07	0.00	307	112	PEAK	2	5650.00	46.15	68.00	-22.65	36.61	34.60	11.07	36.13	0.00	307	112	PEAK	3	5702.00	48.04	106.09	-58.05	39.23	34.61	11.15	36.95	0.00	307	112	PEAK	4	5720.00	48.10	110.90	-62.80	39.49	34.66	11.17	37.22	0.00	307	112
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	5647.20	48.60	68.20	-19.60	39.00	34.60	11.07	36.07	0.00	307	112	PEAK																																																																																									
2	5650.00	46.15	68.00	-22.65	36.61	34.60	11.07	36.13	0.00	307	112	PEAK																																																																																									
3	5702.00	48.04	106.09	-58.05	39.23	34.61	11.15	36.95	0.00	307	112	PEAK																																																																																									
4	5720.00	48.10	110.90	-62.80	39.49	34.66	11.17	37.22	0.00	307	112	PEAK																																																																																									
Avg																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>102.54</td><td>-----</td><td>-----</td><td>94.15</td><td>34.72</td><td>11.20</td><td>37.53</td><td>0.00</td><td>307</td><td>112</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	5745.00	102.54	-----	-----	94.15	34.72	11.20	37.53	0.00	307	112	PEAK																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	5745.00	102.54	-----	-----	94.15	34.72	11.20	37.53	0.00	307	112	PEAK																																																																																									
Avg																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>94.55</td><td>-----</td><td>-----</td><td>86.16</td><td>34.72</td><td>11.20</td><td>37.53</td><td>0.00</td><td>307</td><td>112</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	5745.00	94.55	-----	-----	86.16	34.72	11.20	37.53	0.00	307	112	AVERAGE																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	5745.00	94.55	-----	-----	86.16	34.72	11.20	37.53	0.00	307	112	AVERAGE																																																																																									






Mode	82																																																																																							
	Band Edge																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU52/37_5745MHz																																																																																							
ANT	CDD 3+4																																																																																							
Pol.	Vertical																																																																																							
Peak																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5636.00</td><td>48.67</td><td>68.20</td><td>-19.53</td><td>38.99</td><td>34.60</td><td>11.05</td><td>35.97</td><td>0.00</td><td>146</td><td>151 PEAK</td></tr><tr><td>2 5651.60</td><td>48.02</td><td>69.39</td><td>-21.37</td><td>38.49</td><td>34.60</td><td>11.07</td><td>36.14</td><td>0.00</td><td>146</td><td>151 PEAK</td></tr><tr><td>3 5701.20</td><td>48.04</td><td>105.64</td><td>-57.60</td><td>39.22</td><td>34.60</td><td>11.14</td><td>36.92</td><td>0.00</td><td>146</td><td>151 PEAK</td></tr><tr><td>4 5720.00</td><td>46.48</td><td>110.90</td><td>-64.42</td><td>37.87</td><td>34.66</td><td>11.17</td><td>37.22</td><td>0.00</td><td>146</td><td>151 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5636.00	48.67	68.20	-19.53	38.99	34.60	11.05	35.97	0.00	146	151 PEAK	2 5651.60	48.02	69.39	-21.37	38.49	34.60	11.07	36.14	0.00	146	151 PEAK	3 5701.20	48.04	105.64	-57.60	39.22	34.60	11.14	36.92	0.00	146	151 PEAK	4 5720.00	46.48	110.90	-64.42	37.87	34.66	11.17	37.22	0.00	146	151 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5636.00	48.67	68.20	-19.53	38.99	34.60	11.05	35.97	0.00	146	151 PEAK																																																																														
2 5651.60	48.02	69.39	-21.37	38.49	34.60	11.07	36.14	0.00	146	151 PEAK																																																																														
3 5701.20	48.04	105.64	-57.60	39.22	34.60	11.14	36.92	0.00	146	151 PEAK																																																																														
4 5720.00	46.48	110.90	-64.42	37.87	34.66	11.17	37.22	0.00	146	151 PEAK																																																																														
Avg	Blank																																																																																							
																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5745.00</td><td>101.93</td><td>-----</td><td>-----</td><td>93.47</td><td>34.70</td><td>11.19</td><td>37.43</td><td>0.00</td><td>146</td><td>151 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	101.93	-----	-----	93.47	34.70	11.19	37.43	0.00	146	151 PEAK																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5745.00	101.93	-----	-----	93.47	34.70	11.19	37.43	0.00	146	151 PEAK																																																																														






Mode	83																																																																																																																																								
	Band Edge																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU52/40_5825MHz																																																																																																																																								
ANT	CDD 3+4																																																																																																																																								
Pol.	Horizontal					Fundamental																																																																																																																																			
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>45.04</td><td>113.18</td><td>-68.14</td><td>38.02</td><td>35.01</td><td>11.33</td><td>39.32</td><td>0.00</td><td>379</td><td>128</td><td>PEAK</td></tr><tr><td>2</td><td>5873.60</td><td>44.85</td><td>105.69</td><td>-60.84</td><td>37.75</td><td>35.05</td><td>11.35</td><td>39.30</td><td>0.00</td><td>379</td><td>128</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>44.96</td><td>68.35</td><td>-23.39</td><td>37.66</td><td>35.12</td><td>11.40</td><td>39.22</td><td>0.00</td><td>379</td><td>128</td><td>PEAK</td></tr><tr><td>4</td><td>5946.00</td><td>46.92</td><td>68.20</td><td>-21.28</td><td>39.53</td><td>35.15</td><td>11.42</td><td>39.18</td><td>0.00</td><td>379</td><td>128</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	45.04	113.18	-68.14	38.02	35.01	11.33	39.32	0.00	379	128	PEAK	2	5873.60	44.85	105.69	-60.84	37.75	35.05	11.35	39.30	0.00	379	128	PEAK	3	5924.00	44.96	68.35	-23.39	37.66	35.12	11.40	39.22	0.00	379	128	PEAK	4	5946.00	46.92	68.20	-21.28	39.53	35.15	11.42	39.18	0.00	379	128	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>104.95</td><td>-----</td><td>-----</td><td>97.70</td><td>34.97</td><td>11.32</td><td>39.04</td><td>0.00</td><td>379</td><td>128</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	104.95	-----	-----	97.70	34.97	11.32	39.04	0.00	379	128	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5854.00	45.04	113.18	-68.14	38.02	35.01	11.33	39.32	0.00	379	128	PEAK																																																																																																																													
2	5873.60	44.85	105.69	-60.84	37.75	35.05	11.35	39.30	0.00	379	128	PEAK																																																																																																																													
3	5924.00	44.96	68.35	-23.39	37.66	35.12	11.40	39.22	0.00	379	128	PEAK																																																																																																																													
4	5946.00	46.92	68.20	-21.28	39.53	35.15	11.42	39.18	0.00	379	128	PEAK																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5825.00	104.95	-----	-----	97.70	34.97	11.32	39.04	0.00	379	128	PEAK																																																																																																																													
Avg	Blank																																																																																																																																								
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>96.19</td><td>-----</td><td>-----</td><td>88.94</td><td>34.97</td><td>11.32</td><td>39.04</td><td>0.00</td><td>379</td><td>128</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	96.19	-----	-----	88.94	34.97	11.32	39.04	0.00	379	128	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5825.00	96.19	-----	-----	88.94	34.97	11.32	39.04	0.00	379	128	AVERAGE																																																																																																																													






	83																																																																																							
Mode	Band Edge																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU52/40_5825MHz																																																																																							
ANT	CDD 3+4																																																																																							
Pol.	Vertical																																																																																							
Peak																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.40</td><td>46.38</td><td>112.27</td><td>-65.89</td><td>39.36</td><td>35.01</td><td>11.33</td><td>39.32</td><td>0.00</td><td>105</td><td>190 PEAK</td></tr><tr><td>2 5872.00</td><td>45.52</td><td>106.14</td><td>-60.62</td><td>38.43</td><td>35.04</td><td>11.35</td><td>39.30</td><td>0.00</td><td>105</td><td>190 PEAK</td></tr><tr><td>3 5923.60</td><td>45.61</td><td>69.23</td><td>-23.62</td><td>38.31</td><td>35.12</td><td>11.40</td><td>39.22</td><td>0.00</td><td>105</td><td>190 PEAK</td></tr><tr><td>4 5931.20</td><td>47.61</td><td>68.20</td><td>-20.59</td><td>40.27</td><td>35.13</td><td>11.41</td><td>39.20</td><td>0.00</td><td>105</td><td>190 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.40	46.38	112.27	-65.89	39.36	35.01	11.33	39.32	0.00	105	190 PEAK	2 5872.00	45.52	106.14	-60.62	38.43	35.04	11.35	39.30	0.00	105	190 PEAK	3 5923.60	45.61	69.23	-23.62	38.31	35.12	11.40	39.22	0.00	105	190 PEAK	4 5931.20	47.61	68.20	-20.59	40.27	35.13	11.41	39.20	0.00	105	190 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5854.40	46.38	112.27	-65.89	39.36	35.01	11.33	39.32	0.00	105	190 PEAK																																																																														
2 5872.00	45.52	106.14	-60.62	38.43	35.04	11.35	39.30	0.00	105	190 PEAK																																																																														
3 5923.60	45.61	69.23	-23.62	38.31	35.12	11.40	39.22	0.00	105	190 PEAK																																																																														
4 5931.20	47.61	68.20	-20.59	40.27	35.13	11.41	39.20	0.00	105	190 PEAK																																																																														
Avg	Blank																																																																																							
																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>103.83</td><td>-----</td><td>-----</td><td>96.58</td><td>34.97</td><td>11.32</td><td>39.04</td><td>0.00</td><td>105</td><td>190 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	103.83	-----	-----	96.58	34.97	11.32	39.04	0.00	105	190 PEAK																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5825.00	103.83	-----	-----	96.58	34.97	11.32	39.04	0.00	105	190 PEAK																																																																														
Avg																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>95.12</td><td>-----</td><td>-----</td><td>87.87</td><td>34.97</td><td>11.32</td><td>39.04</td><td>0.00</td><td>105</td><td>190 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	95.12	-----	-----	87.87	34.97	11.32	39.04	0.00	105	190 AVERAGE																																	
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5825.00	95.12	-----	-----	87.87	34.97	11.32	39.04	0.00	105	190 AVERAGE																																																																														



	84																																																																																																																						
Mode	Band Edge																																																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU106/53_5745MHz																																																																																																																						
ANT	CDD 3+4																																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																																
Peak																																																																																																																							
	<table><thead><tr><th></th><th>Freq</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5613.60</td><td>47.34</td><td>68.20</td><td>-20.86</td><td>37.72</td><td>34.60</td><td>11.02</td><td>36.00</td><td>0.00</td><td>243</td><td>112 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>47.11</td><td>68.20</td><td>-21.09</td><td>37.56</td><td>34.60</td><td>11.07</td><td>36.12</td><td>0.00</td><td>243</td><td>112 PEAK</td></tr><tr><td>3</td><td>5701.20</td><td>47.63</td><td>105.64</td><td>-58.01</td><td>38.81</td><td>34.60</td><td>11.14</td><td>36.92</td><td>0.00</td><td>243</td><td>112 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>44.93</td><td>110.90</td><td>-65.97</td><td>36.32</td><td>34.66</td><td>11.17</td><td>37.22</td><td>0.00</td><td>243</td><td>112 PEAK</td></tr></tbody></table>							Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5613.60	47.34	68.20	-20.86	37.72	34.60	11.02	36.00	0.00	243	112 PEAK	2	5650.00	47.11	68.20	-21.09	37.56	34.60	11.07	36.12	0.00	243	112 PEAK	3	5701.20	47.63	105.64	-58.01	38.81	34.60	11.14	36.92	0.00	243	112 PEAK	4	5720.00	44.93	110.90	-65.97	36.32	34.66	11.17	37.22	0.00	243	112 PEAK	<table><thead><tr><th></th><th>Freq</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>101.72</td><td>-----</td><td>-----</td><td>93.33</td><td>34.72</td><td>11.20</td><td>37.53</td><td>0.00</td><td>243</td><td>112 PEAK</td></tr></tbody></table>							Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	101.72	-----	-----	93.33	34.72	11.20	37.53	0.00	243
	Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5613.60	47.34	68.20	-20.86	37.72	34.60	11.02	36.00	0.00	243	112 PEAK																																																																																																												
2	5650.00	47.11	68.20	-21.09	37.56	34.60	11.07	36.12	0.00	243	112 PEAK																																																																																																												
3	5701.20	47.63	105.64	-58.01	38.81	34.60	11.14	36.92	0.00	243	112 PEAK																																																																																																												
4	5720.00	44.93	110.90	-65.97	36.32	34.66	11.17	37.22	0.00	243	112 PEAK																																																																																																												
	Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5745.00	101.72	-----	-----	93.33	34.72	11.20	37.53	0.00	243	112 PEAK																																																																																																												
Avg	Blank																																																																																																																						
							<table><thead><tr><th></th><th>Freq</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>92.29</td><td>-----</td><td>-----</td><td>83.90</td><td>34.72</td><td>11.20</td><td>37.53</td><td>0.00</td><td>243</td><td>112 AVERAGE</td></tr></tbody></table>							Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	92.29	-----	-----	83.90	34.72	11.20	37.53	0.00	243	112 AVERAGE																																																																							
	Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5745.00	92.29	-----	-----	83.90	34.72	11.20	37.53	0.00	243	112 AVERAGE																																																																																																												






Mode	84																																																																																																																														
	Band Edge																																																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU106/53_5745MHz																																																																																																																														
ANT	CDD 3+4																																																																																																																														
Pol.	Vertical					Fundamental																																																																																																																									
Peak																																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5632.00</td><td>48.81</td><td>68.20</td><td>-19.39</td><td>39.13</td><td>34.60</td><td>11.05</td><td>35.97</td><td>0.00</td><td>119</td><td>182 PEAK</td></tr><tr><td>2 5650.00</td><td>46.31</td><td>68.20</td><td>-21.89</td><td>36.76</td><td>34.60</td><td>11.07</td><td>36.12</td><td>0.00</td><td>119</td><td>182 PEAK</td></tr><tr><td>3 5704.40</td><td>47.52</td><td>106.53</td><td>-59.01</td><td>38.73</td><td>34.61</td><td>11.15</td><td>36.97</td><td>0.00</td><td>119</td><td>182 PEAK</td></tr><tr><td>4 5720.00</td><td>46.45</td><td>110.90</td><td>-64.45</td><td>37.84</td><td>34.66</td><td>11.17</td><td>37.22</td><td>0.00</td><td>119</td><td>182 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5632.00	48.81	68.20	-19.39	39.13	34.60	11.05	35.97	0.00	119	182 PEAK	2 5650.00	46.31	68.20	-21.89	36.76	34.60	11.07	36.12	0.00	119	182 PEAK	3 5704.40	47.52	106.53	-59.01	38.73	34.61	11.15	36.97	0.00	119	182 PEAK	4 5720.00	46.45	110.90	-64.45	37.84	34.66	11.17	37.22	0.00	119	182 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>100.58</td><td>-----</td><td>-----</td><td>92.19</td><td>34.72</td><td>11.20</td><td>37.53</td><td>0.00</td><td>119</td><td>182 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	100.58	-----	-----	92.19	34.72	11.20	37.53	0.00	119	182 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1 5632.00	48.81	68.20	-19.39	39.13	34.60	11.05	35.97	0.00	119	182 PEAK																																																																																																																					
2 5650.00	46.31	68.20	-21.89	36.76	34.60	11.07	36.12	0.00	119	182 PEAK																																																																																																																					
3 5704.40	47.52	106.53	-59.01	38.73	34.61	11.15	36.97	0.00	119	182 PEAK																																																																																																																					
4 5720.00	46.45	110.90	-64.45	37.84	34.66	11.17	37.22	0.00	119	182 PEAK																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1 5745.00	100.58	-----	-----	92.19	34.72	11.20	37.53	0.00	119	182 PEAK																																																																																																																					
Avg	Blank																																																																																																																														
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>91.44</td><td>-----</td><td>-----</td><td>83.05</td><td>34.72</td><td>11.20</td><td>37.53</td><td>0.00</td><td>119</td><td>182 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	91.44	-----	-----	83.05	34.72	11.20	37.53	0.00	119	182 AVERAGE																																																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1 5745.00	91.44	-----	-----	83.05	34.72	11.20	37.53	0.00	119	182 AVERAGE																																																																																																																					



		85																																																																														
Mode		Band Edge																																																																														
		U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU106/54_5825MHz																																																																														
ANT		CDD 3+4																																																																														
Pol.		Horizontal					Fundamental																																																																									
Peak																																																																																
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.00</td><td>45.75</td><td>111.36</td><td>-65.61</td><td>38.73</td><td>35.01</td><td>11.34</td><td>39.33</td><td>0.00</td><td>331 128 PEAK</td></tr><tr><td>2 5865.20</td><td>48.20</td><td>108.04</td><td>-59.84</td><td>41.13</td><td>35.03</td><td>11.35</td><td>39.31</td><td>0.00</td><td>331 128 PEAK</td></tr><tr><td>3 5924.00</td><td>45.65</td><td>68.35</td><td>-22.70</td><td>38.35</td><td>35.12</td><td>11.40</td><td>39.22</td><td>0.00</td><td>331 128 PEAK</td></tr><tr><td>4 5934.00</td><td>47.69</td><td>68.20</td><td>-20.51</td><td>40.35</td><td>35.13</td><td>11.41</td><td>39.20</td><td>0.00</td><td>331 128 PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5854.00	45.75	111.36	-65.61	38.73	35.01	11.34	39.33	0.00	331 128 PEAK	2 5865.20	48.20	108.04	-59.84	41.13	35.03	11.35	39.31	0.00	331 128 PEAK	3 5924.00	45.65	68.35	-22.70	38.35	35.12	11.40	39.22	0.00	331 128 PEAK	4 5934.00	47.69	68.20	-20.51	40.35	35.13	11.41	39.20	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 5854.00	45.75	111.36	-65.61	38.73	35.01	11.34	39.33	0.00	331 128 PEAK																																																																							
2 5865.20	48.20	108.04	-59.84	41.13	35.03	11.35	39.31	0.00	331 128 PEAK																																																																							
3 5924.00	45.65	68.35	-22.70	38.35	35.12	11.40	39.22	0.00	331 128 PEAK																																																																							
4 5934.00	47.69	68.20	-20.51	40.35	35.13	11.41	39.20	0.00	331 128 PEAK																																																																							
Avg																																																																																
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>99.28</td><td>-----</td><td>-----</td><td>92.03</td><td>34.97</td><td>11.32</td><td>39.04</td><td>0.00</td><td>331 128 PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5825.00	99.28	-----	-----	92.03	34.97	11.32	39.04	0.00	331 128 PEAK																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 5825.00	99.28	-----	-----	92.03	34.97	11.32	39.04	0.00	331 128 PEAK																																																																							
Blank																																																																																
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>89.74</td><td>-----</td><td>-----</td><td>82.49</td><td>34.97</td><td>11.32</td><td>39.04</td><td>0.00</td><td>331 128 AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5825.00	89.74	-----	-----	82.49	34.97	11.32	39.04	0.00	331 128 AVERAGE																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 5825.00	89.74	-----	-----	82.49	34.97	11.32	39.04	0.00	331 128 AVERAGE																																																																							





Mode	85																																																																																																																																												
	Band Edge																																																																																																																																												
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU106/54_5825MHz																																																																																																																																												
ANT	CDD 3+4																																																																																																																																												
Pol.	Vertical						Fundamental																																																																																																																																						
Peak																																																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>45.89</td><td>111.36</td><td>-65.47</td><td>38.87</td><td>35.01</td><td>11.34</td><td>39.33</td><td>0.00</td><td>142</td><td>173</td><td>PEAK</td></tr><tr><td>2</td><td>5874.40</td><td>47.18</td><td>105.47</td><td>-58.29</td><td>40.08</td><td>35.05</td><td>11.35</td><td>39.30</td><td>0.00</td><td>142</td><td>173</td><td>PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>45.13</td><td>68.64</td><td>-23.51</td><td>37.83</td><td>35.12</td><td>11.40</td><td>39.22</td><td>0.00</td><td>142</td><td>173</td><td>PEAK</td></tr><tr><td>4</td><td>5948.00</td><td>47.23</td><td>68.20</td><td>-20.97</td><td>39.84</td><td>35.15</td><td>11.42</td><td>39.18</td><td>0.00</td><td>142</td><td>173</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	45.89	111.36	-65.47	38.87	35.01	11.34	39.33	0.00	142	173	PEAK	2	5874.40	47.18	105.47	-58.29	40.08	35.05	11.35	39.30	0.00	142	173	PEAK	3	5924.40	45.13	68.64	-23.51	37.83	35.12	11.40	39.22	0.00	142	173	PEAK	4	5948.00	47.23	68.20	-20.97	39.84	35.15	11.42	39.18	0.00	142	173	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>99.39</td><td>-----</td><td>-----</td><td>92.14</td><td>34.97</td><td>11.32</td><td>39.04</td><td>0.00</td><td>142</td><td>173</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	99.39	-----	-----	92.14	34.97	11.32	39.04	0.00	142	173
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																			
1	5854.00	45.89	111.36	-65.47	38.87	35.01	11.34	39.33	0.00	142	173	PEAK																																																																																																																																	
2	5874.40	47.18	105.47	-58.29	40.08	35.05	11.35	39.30	0.00	142	173	PEAK																																																																																																																																	
3	5924.40	45.13	68.64	-23.51	37.83	35.12	11.40	39.22	0.00	142	173	PEAK																																																																																																																																	
4	5948.00	47.23	68.20	-20.97	39.84	35.15	11.42	39.18	0.00	142	173	PEAK																																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																			
1	5825.00	99.39	-----	-----	92.14	34.97	11.32	39.04	0.00	142	173	PEAK																																																																																																																																	
Avg	Blank																																																																																																																																												
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>90.15</td><td>-----</td><td>-----</td><td>82.82</td><td>34.96</td><td>11.31</td><td>38.94</td><td>0.00</td><td>142</td><td>173</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	90.15	-----	-----	82.82	34.96	11.31	38.94	0.00	142	173	AVERAGE																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																			
1	5825.00	90.15	-----	-----	82.82	34.96	11.31	38.94	0.00	142	173	AVERAGE																																																																																																																																	







Mode	67	
	18G-40G	
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz	
ANT	CDD 3+4	
Pol.	Horizontal	Vertical
Peak Avg		







Mode	67																																																																																																								
	30-1G																																																																																																								
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																								
ANT	CDD 3+4																																																																																																								
Pol.	Horizontal																																																																																																								
QP																																																																																																									
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>Read</th><th>CableAntenna</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>30.00</td><td>20.03</td><td>-19.97</td><td>40.00</td><td>27.77</td><td>0.71</td><td>24.57</td><td>33.02</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>83.35</td><td>14.92</td><td>-25.08</td><td>40.00</td><td>32.54</td><td>1.36</td><td>13.82</td><td>32.80</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>201.69</td><td>17.42</td><td>-26.08</td><td>43.50</td><td>32.57</td><td>2.16</td><td>15.53</td><td>32.84</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>359.80</td><td>20.35</td><td>-25.65</td><td>46.00</td><td>29.70</td><td>2.89</td><td>20.67</td><td>32.91</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>607.15</td><td>25.45</td><td>-20.55</td><td>46.00</td><td>29.77</td><td>3.76</td><td>24.98</td><td>33.06</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>846.74</td><td>29.33</td><td>-16.67</td><td>46.00</td><td>30.72</td><td>4.44</td><td>26.57</td><td>32.40</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Freq	Level	Over	Limit	Read	CableAntenna	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB	cm	deg	1	30.00	20.03	-19.97	40.00	27.77	0.71	24.57	33.02	---	---	Peak	2	83.35	14.92	-25.08	40.00	32.54	1.36	13.82	32.80	---	---	Peak	3	201.69	17.42	-26.08	43.50	32.57	2.16	15.53	32.84	---	---	Peak	4	359.80	20.35	-25.65	46.00	29.70	2.89	20.67	32.91	---	---	Peak	5	607.15	25.45	-20.55	46.00	29.77	3.76	24.98	33.06	---	---	Peak	6	846.74	29.33	-16.67	46.00	30.72	4.44	26.57	32.40	---	---	Peak
		Freq	Level	Over	Limit	Read	CableAntenna	Preamp	A/Pos	T/Pos	Remark																																																																																														
		MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB	cm	deg																																																																																														
	1	30.00	20.03	-19.97	40.00	27.77	0.71	24.57	33.02	---	---	Peak																																																																																													
	2	83.35	14.92	-25.08	40.00	32.54	1.36	13.82	32.80	---	---	Peak																																																																																													
	3	201.69	17.42	-26.08	43.50	32.57	2.16	15.53	32.84	---	---	Peak																																																																																													
	4	359.80	20.35	-25.65	46.00	29.70	2.89	20.67	32.91	---	---	Peak																																																																																													
	5	607.15	25.45	-20.55	46.00	29.77	3.76	24.98	33.06	---	---	Peak																																																																																													
	6	846.74	29.33	-16.67	46.00	30.72	4.44	26.57	32.40	---	---	Peak																																																																																													
Vertical																																																																																																									
																																																																																																									
<table><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>Read</th><th>CableAntenna</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>31.94</td><td>23.69</td><td>-16.31</td><td>40.00</td><td>32.35</td><td>0.74</td><td>23.57</td><td>32.97</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>48.43</td><td>21.53</td><td>-18.47</td><td>40.00</td><td>38.39</td><td>1.03</td><td>15.04</td><td>32.93</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>136.70</td><td>17.19</td><td>-26.31</td><td>43.50</td><td>31.67</td><td>1.76</td><td>16.59</td><td>32.83</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>327.79</td><td>19.30</td><td>-26.70</td><td>46.00</td><td>29.48</td><td>2.76</td><td>19.94</td><td>32.88</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>607.15</td><td>24.83</td><td>-21.17</td><td>46.00</td><td>29.15</td><td>3.76</td><td>24.98</td><td>33.06</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>779.81</td><td>28.92</td><td>-17.08</td><td>46.00</td><td>31.32</td><td>4.27</td><td>26.09</td><td>32.76</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Freq	Level	Over	Limit	Read	CableAntenna	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB	cm	deg	1	31.94	23.69	-16.31	40.00	32.35	0.74	23.57	32.97	---	---	Peak	2	48.43	21.53	-18.47	40.00	38.39	1.03	15.04	32.93	---	---	Peak	3	136.70	17.19	-26.31	43.50	31.67	1.76	16.59	32.83	---	---	Peak	4	327.79	19.30	-26.70	46.00	29.48	2.76	19.94	32.88	---	---	Peak	5	607.15	24.83	-21.17	46.00	29.15	3.76	24.98	33.06	---	---	Peak	6	779.81	28.92	-17.08	46.00	31.32	4.27	26.09	32.76	---	---	Peak	
	Freq	Level	Over	Limit	Read	CableAntenna	Preamp	A/Pos	T/Pos	Remark																																																																																															
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB	cm	deg																																																																																															
1	31.94	23.69	-16.31	40.00	32.35	0.74	23.57	32.97	---	---	Peak																																																																																														
2	48.43	21.53	-18.47	40.00	38.39	1.03	15.04	32.93	---	---	Peak																																																																																														
3	136.70	17.19	-26.31	43.50	31.67	1.76	16.59	32.83	---	---	Peak																																																																																														
4	327.79	19.30	-26.70	46.00	29.48	2.76	19.94	32.88	---	---	Peak																																																																																														
5	607.15	24.83	-21.17	46.00	29.15	3.76	24.98	33.06	---	---	Peak																																																																																														
6	779.81	28.92	-17.08	46.00	31.32	4.27	26.09	32.76	---	---	Peak																																																																																														





Co-location

	86																																																																																					
Mode	Band Edge																																																																																					
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																																					
ANT	4																																																																																					
Pol.	Horizontal					Fundamental																																																																																
Peak																																																																																						
	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2494.30</td><td>50.89</td><td>74.00</td><td>-23.11</td><td>41.38</td><td>33.06</td><td>7.27</td><td>36.82</td><td>6.00</td><td>107 0 PEAK</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2494.30	50.89	74.00	-23.11	41.38	33.06	7.27	36.82	6.00	107 0 PEAK	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2480.00</td><td>97.70</td><td>-----</td><td>-----</td><td>88.35</td><td>32.96</td><td>7.25</td><td>36.86</td><td>6.00</td><td>107 0 PEAK</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2480.00	97.70	-----	-----	88.35	32.96	7.25	36.86	6.00	107 0 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1 2494.30	50.89	74.00	-23.11	41.38	33.06	7.27	36.82	6.00	107 0 PEAK																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1 2480.00	97.70	-----	-----	88.35	32.96	7.25	36.86	6.00	107 0 PEAK																																																																													
Avg																																																																																						
	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2496.04</td><td>40.52</td><td>54.00</td><td>-13.48</td><td>30.99</td><td>33.07</td><td>7.28</td><td>36.82</td><td>6.00</td><td>107 0 AVERAGE</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2496.04	40.52	54.00	-13.48	30.99	33.07	7.28	36.82	6.00	107 0 AVERAGE	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2480.00</td><td>95.41</td><td>-----</td><td>-----</td><td>86.06</td><td>32.96</td><td>7.25</td><td>36.86</td><td>6.00</td><td>107 0 AVERAGE</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2480.00	95.41	-----	-----	86.06	32.96	7.25	36.86	6.00	107 0 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1 2496.04	40.52	54.00	-13.48	30.99	33.07	7.28	36.82	6.00	107 0 AVERAGE																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1 2480.00	95.41	-----	-----	86.06	32.96	7.25	36.86	6.00	107 0 AVERAGE																																																																													







Mode	86																																																										
	Band Edge																																																										
	2400-2483.5_Bluetooth-LE _CH39_2480MHz																																																										
ANT	4																																																										
Pol.	Vertical						Fundamental																																																				
Peak																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 2483.92</td><td>50.89</td><td>74.00</td><td>-23.11</td><td>41.49</td><td>32.99</td><td>7.26</td><td>36.85</td><td>6.00</td><td>298</td><td>178</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 2483.92	50.89	74.00	-23.11	41.49	32.99	7.26	36.85	6.00	298	178
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1 2483.92	50.89	74.00	-23.11	41.49	32.99	7.26	36.85	6.00	298	178	PEAK																																																
Fundamental																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 2480.00</td><td>100.00</td><td>-----</td><td>-----</td><td>90.65</td><td>32.96</td><td>7.25</td><td>36.86</td><td>6.00</td><td>298</td><td>178</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 2480.00	100.00	-----	-----	90.65	32.96	7.25	36.86	6.00	298	178
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1 2480.00	100.00	-----	-----	90.65	32.96	7.25	36.86	6.00	298	178	PEAK																																																
Avg																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 2483.62</td><td>40.70</td><td>54.00</td><td>-13.30</td><td>31.30</td><td>32.99</td><td>7.26</td><td>36.85</td><td>6.00</td><td>298</td><td>178</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 2483.62	40.70	54.00	-13.30	31.30	32.99	7.26	36.85	6.00	298	178
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1 2483.62	40.70	54.00	-13.30	31.30	32.99	7.26	36.85	6.00	298	178	AVERAGE																																																
Avg																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 2480.00</td><td>97.29</td><td>-----</td><td>-----</td><td>87.94</td><td>32.96</td><td>7.25</td><td>36.86</td><td>6.00</td><td>298</td><td>178</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 2480.00	97.29	-----	-----	87.94	32.96	7.25	36.86	6.00	298	178
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1 2480.00	97.29	-----	-----	87.94	32.96	7.25	36.86	6.00	298	178	AVERAGE																																																





Mode	86																																																																																																																																	
	Harmonic																																																																																																																																	
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																																																																																	
ANT	4																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4960.00</td><td>41.29</td><td>74.00</td><td>-32.71</td><td>62.24</td><td>34.24</td><td>10.40</td><td>65.59</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>42.38</td><td>74.00</td><td>-31.62</td><td>60.29</td><td>35.94</td><td>12.78</td><td>66.63</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4960.00	41.29	74.00	-32.71	62.24	34.24	10.40	65.59	0.00	--	-- PEAK	2	7440.00	42.38	74.00	-31.62	60.29	35.94	12.78	66.63	0.00	--	-- PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4960.00</td><td>40.87</td><td>74.00</td><td>-33.13</td><td>61.82</td><td>34.24</td><td>10.40</td><td>65.59</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>42.21</td><td>74.00</td><td>-31.79</td><td>60.12</td><td>35.94</td><td>12.78</td><td>66.63</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4960.00	40.87	74.00	-33.13	61.82	34.24	10.40	65.59	0.00	--	-- PEAK	2	7440.00	42.21	74.00	-31.79	60.12	35.94	12.78	66.63	0.00	--	-- PEAK
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1	4960.00	41.29	74.00	-32.71	62.24	34.24	10.40	65.59	0.00	--	-- PEAK																																																																																																																							
2	7440.00	42.38	74.00	-31.62	60.29	35.94	12.78	66.63	0.00	--	-- PEAK																																																																																																																							
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1	4960.00	40.87	74.00	-33.13	61.82	34.24	10.40	65.59	0.00	--	-- PEAK																																																																																																																							
2	7440.00	42.21	74.00	-31.79	60.12	35.94	12.78	66.63	0.00	--	-- PEAK																																																																																																																							







		86																																																														
Mode		Band Edge - L																																																														
		U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																																														
ANT		CDD 3+4																																																														
Pol.		Horizontal																																																														
Peak																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5121.37</td><td>49.02</td><td>74.00</td><td>-24.98</td><td>40.67</td><td>34.46</td><td>10.58</td><td>36.69</td><td>0.00</td><td>328</td><td>80 PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5121.37	49.02	74.00	-24.98	40.67	34.46	10.58	36.69	0.00	328	80 PEAK									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																						
1	5121.37	49.02	74.00	-24.98	40.67	34.46	10.58	36.69	0.00	328	80 PEAK																																																					
Fundamental																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>90.52</td><td>-----</td><td>87.17</td><td>32.96</td><td>7.25</td><td>36.86</td><td>0.00</td><td>328</td><td>80 PEAK</td></tr><tr><td>2</td><td>5290.00</td><td>100.64</td><td>-----</td><td>91.31</td><td>35.07</td><td>10.71</td><td>36.45</td><td>0.00</td><td>328</td><td>80 PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2480.00	90.52	-----	87.17	32.96	7.25	36.86	0.00	328	80 PEAK	2	5290.00	100.64	-----	91.31	35.07	10.71	36.45	0.00	328
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																						
1	2480.00	90.52	-----	87.17	32.96	7.25	36.86	0.00	328	80 PEAK																																																						
2	5290.00	100.64	-----	91.31	35.07	10.71	36.45	0.00	328	80 PEAK																																																						
Avg																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5128.72</td><td>39.26</td><td>54.00</td><td>-14.74</td><td>30.86</td><td>34.49</td><td>10.59</td><td>36.68</td><td>0.00</td><td>328</td><td>80 AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5128.72	39.26	54.00	-14.74	30.86	34.49	10.59	36.68	0.00	328	80 AVERAGE									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																						
1	5128.72	39.26	54.00	-14.74	30.86	34.49	10.59	36.68	0.00	328	80 AVERAGE																																																					
Avg																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>88.83</td><td>-----</td><td>85.48</td><td>32.96</td><td>7.25</td><td>36.86</td><td>0.00</td><td>328</td><td>80 AVERAGE</td></tr><tr><td>2</td><td>5290.00</td><td>92.15</td><td>-----</td><td>82.82</td><td>35.07</td><td>10.71</td><td>36.45</td><td>0.00</td><td>328</td><td>80 AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2480.00	88.83	-----	85.48	32.96	7.25	36.86	0.00	328	80 AVERAGE	2	5290.00	92.15	-----	82.82	35.07	10.71	36.45	0.00	328
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																						
1	2480.00	88.83	-----	85.48	32.96	7.25	36.86	0.00	328	80 AVERAGE																																																						
2	5290.00	92.15	-----	82.82	35.07	10.71	36.45	0.00	328	80 AVERAGE																																																						





Mode	86																																																				
	Band Edge - R																																																				
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																																				
ANT	CDD 3+4																																																				
Pol.	Horizontal										Fundamental																																										
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5352.35</td><td>55.11</td><td>74.00</td><td>-18.89</td><td>45.53</td><td>35.20</td><td>10.75</td><td>36.37</td><td>0.00</td><td>328</td><td>80 PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5352.35	55.11	74.00	-18.89	45.53	35.20	10.75	36.37	0.00	328	80 PEAK	Blank
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5352.35	55.11	74.00	-18.89	45.53	35.20	10.75	36.37	0.00	328	80 PEAK																																										
Avg	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5352.46</td><td>46.27</td><td>54.00</td><td>-7.73</td><td>36.69</td><td>35.20</td><td>10.75</td><td>36.37</td><td>0.00</td><td>328</td><td>80 AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5352.46	46.27	54.00	-7.73	36.69	35.20	10.75	36.37	0.00	328	80 AVERAGE	Blank
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5352.46	46.27	54.00	-7.73	36.69	35.20	10.75	36.37	0.00	328	80 AVERAGE																																										





Mode	86																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																																																																																															
ANT	CDD 3+4																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5143.45</td><td>48.86</td><td>74.00</td><td>-25.14</td><td>40.39</td><td>34.53</td><td>10.60</td><td>36.66</td><td>0.00</td><td>141</td><td>336</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5143.45	48.86	74.00	-25.14	40.39	34.53	10.60	36.66	0.00	141	336	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>79.79</td><td>-----</td><td>-----</td><td>76.44</td><td>32.96</td><td>7.25</td><td>36.86</td><td>0.00</td><td>141</td><td>336</td><td>PEAK</td></tr><tr><td>2</td><td>5290.00</td><td>98.97</td><td>-----</td><td>-----</td><td>89.59</td><td>35.10</td><td>10.72</td><td>36.44</td><td>0.00</td><td>141</td><td>336</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	79.79	-----	-----	76.44	32.96	7.25	36.86	0.00	141	336	PEAK	2	5290.00	98.97	-----	-----	89.59	35.10	10.72	36.44	0.00	141	336
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5143.45	48.86	74.00	-25.14	40.39	34.53	10.60	36.66	0.00	141	336	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2480.00	79.79	-----	-----	76.44	32.96	7.25	36.86	0.00	141	336	PEAK																																																																																																				
2	5290.00	98.97	-----	-----	89.59	35.10	10.72	36.44	0.00	141	336	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5138.17</td><td>39.11</td><td>54.00</td><td>-14.89</td><td>30.67</td><td>34.51</td><td>10.60</td><td>36.67</td><td>0.00</td><td>141</td><td>336</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5138.17	39.11	54.00	-14.89	30.67	34.51	10.60	36.67	0.00	141	336	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2479.33</td><td>80.95</td><td>-----</td><td>-----</td><td>77.60</td><td>32.96</td><td>7.25</td><td>36.86</td><td>0.00</td><td>141</td><td>336</td><td>AVERAGE</td></tr><tr><td>2</td><td>5290.00</td><td>91.26</td><td>-----</td><td>-----</td><td>81.96</td><td>35.05</td><td>10.71</td><td>36.46</td><td>0.00</td><td>141</td><td>336</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2479.33	80.95	-----	-----	77.60	32.96	7.25	36.86	0.00	141	336	AVERAGE	2	5290.00	91.26	-----	-----	81.96	35.05	10.71	36.46	0.00	141	336
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5138.17	39.11	54.00	-14.89	30.67	34.51	10.60	36.67	0.00	141	336	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2479.33	80.95	-----	-----	77.60	32.96	7.25	36.86	0.00	141	336	AVERAGE																																																																																																				
2	5290.00	91.26	-----	-----	81.96	35.05	10.71	36.46	0.00	141	336	AVERAGE																																																																																																				







Mode	86																																																						
	Band Edge - R																																																						
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																																						
ANT	CDD 3+4																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.46</td><td>54.58</td><td>74.00</td><td>-19.42</td><td>45.00</td><td>35.20</td><td>10.75</td><td>36.37</td><td>0.00</td><td>141</td><td>336</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.46	54.58	74.00	-19.42	45.00	35.20	10.75	36.37	0.00	141	336	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5350.46	54.58	74.00	-19.42	45.00	35.20	10.75	36.37	0.00	141	336	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.16</td><td>47.04</td><td>54.00</td><td>-6.96</td><td>37.46</td><td>35.20</td><td>10.75</td><td>36.37</td><td>0.00</td><td>141</td><td>336</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.16	47.04	54.00	-6.96	37.46	35.20	10.75	36.37	0.00	141	336	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5350.16	47.04	54.00	-6.96	37.46	35.20	10.75	36.37	0.00	141	336	AVERAGE																																											





		86																																																								
Mode		Harmonic																																																								
		U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																																								
ANT		CDD 3+4																																																								
Pol.		Horizontal						Vertical																																																		
Peak Avg																																																										
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>10580.00</td><td>43.44</td><td>68.20</td><td>-24.76</td><td>57.16</td><td>37.52</td><td>15.62</td><td>66.86</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg		1	10580.00	43.44	68.20	-24.76	57.16	37.52	15.62	66.86	0.00	--	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																
1	10580.00	43.44	68.20	-24.76	57.16	37.52	15.62	66.86	0.00	--	--	PEAK																																														
																																																										
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>10580.00</td><td>42.84</td><td>68.20</td><td>-25.36</td><td>56.55</td><td>37.53</td><td>15.62</td><td>66.86</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg		1	10580.00	42.84	68.20	-25.36	56.55	37.53	15.62	66.86	0.00	--	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																
1	10580.00	42.84	68.20	-25.36	56.55	37.53	15.62	66.86	0.00	--	--	PEAK																																														







		87																																																																																																																		
Mode	Band Edge - L																																																																																																																			
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																																																																																																			
ANT	CDD 3+4																																																																																																																			
Pol.	Horizontal						Fundamental																																																																																																													
Peak																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5105.84</td><td>50.90</td><td>74.00</td><td>-23.10</td><td>42.64</td><td>34.42</td><td>10.56</td><td>36.72</td><td>0.00</td><td>395</td><td>118 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5105.84	50.90	74.00	-23.10	42.64	34.42	10.56	36.72	0.00	395	118 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>3613.00</td><td>112.57</td><td>-----</td><td>107.19</td><td>33.23</td><td>8.78</td><td>36.63</td><td>0.00</td><td>395</td><td>118 Peak</td></tr><tr><td>2</td><td>5287.33</td><td>99.95</td><td>-----</td><td>90.65</td><td>35.05</td><td>10.71</td><td>36.46</td><td>0.00</td><td>395</td><td>118 Peak</td></tr><tr><td>3</td><td>6577.67</td><td>62.91</td><td>-----</td><td>53.19</td><td>35.80</td><td>12.07</td><td>38.15</td><td>0.00</td><td>395</td><td>118 Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	3613.00	112.57	-----	107.19	33.23	8.78	36.63	0.00	395	118 Peak	2	5287.33	99.95	-----	90.65	35.05	10.71	36.46	0.00	395	118 Peak	3	6577.67	62.91	-----	53.19	35.80	12.07	38.15	0.00	395
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	5105.84	50.90	74.00	-23.10	42.64	34.42	10.56	36.72	0.00	395	118 PEAK																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	3613.00	112.57	-----	107.19	33.23	8.78	36.63	0.00	395	118 Peak																																																																																																										
2	5287.33	99.95	-----	90.65	35.05	10.71	36.46	0.00	395	118 Peak																																																																																																										
3	6577.67	62.91	-----	53.19	35.80	12.07	38.15	0.00	395	118 Peak																																																																																																										
Avg																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5147.57</td><td>39.09</td><td>54.00</td><td>-14.91</td><td>30.60</td><td>34.54</td><td>10.61</td><td>36.66</td><td>0.00</td><td>395</td><td>118 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5147.57	39.09	54.00	-14.91	30.60	34.54	10.61	36.66	0.00	395	118 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>3613.00</td><td>106.66</td><td>-----</td><td>101.28</td><td>33.23</td><td>8.78</td><td>36.63</td><td>0.00</td><td>395</td><td>118 Average</td></tr><tr><td>2</td><td>5287.33</td><td>91.04</td><td>-----</td><td>81.74</td><td>35.05</td><td>10.71</td><td>36.46</td><td>0.00</td><td>395</td><td>118 Average</td></tr><tr><td>3</td><td>6493.00</td><td>54.07</td><td>-----</td><td>44.57</td><td>35.79</td><td>11.99</td><td>38.28</td><td>0.00</td><td>395</td><td>118 Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	3613.00	106.66	-----	101.28	33.23	8.78	36.63	0.00	395	118 Average	2	5287.33	91.04	-----	81.74	35.05	10.71	36.46	0.00	395	118 Average	3	6493.00	54.07	-----	44.57	35.79	11.99	38.28	0.00	395
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	5147.57	39.09	54.00	-14.91	30.60	34.54	10.61	36.66	0.00	395	118 AVERAGE																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	3613.00	106.66	-----	101.28	33.23	8.78	36.63	0.00	395	118 Average																																																																																																										
2	5287.33	91.04	-----	81.74	35.05	10.71	36.46	0.00	395	118 Average																																																																																																										
3	6493.00	54.07	-----	44.57	35.79	11.99	38.28	0.00	395	118 Average																																																																																																										





Mode	87																																																							
	Band Edge - R																																																							
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																																							
ANT	CDD 3+4																																																							
Pol.	Horizontal	Fundamental																																																						
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5351.16</td><td>51.59</td><td>74.00</td><td>-22.41</td><td>42.01</td><td>35.20</td><td>10.75</td><td>36.37</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>395</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>118 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5351.16	51.59	74.00	-22.41	42.01	35.20	10.75	36.37								0.00	395									118 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																
1	5351.16	51.59	74.00	-22.41	42.01	35.20	10.75	36.37																																																
							0.00	395																																																
								118 PEAK																																																
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5352.43</td><td>41.07</td><td>54.00</td><td>-12.93</td><td>31.49</td><td>35.20</td><td>10.75</td><td>36.37</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>395</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>118 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5352.43	41.07	54.00	-12.93	31.49	35.20	10.75	36.37								0.00	395									118 AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																
1	5352.43	41.07	54.00	-12.93	31.49	35.20	10.75	36.37																																																
							0.00	395																																																
								118 AVERAGE																																																





	87																																																																																																																												
Mode	Band Edge - L																																																																																																																												
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																																																																																																												
ANT	CDD 3+4																																																																																																																												
Pol.	Vertical						Fundamental																																																																																																																						
Peak																																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5123.92</td><td>49.57</td><td>74.00</td><td>-24.43</td><td>41.21</td><td>34.47</td><td>10.58</td><td>36.69</td><td>0.00</td><td>126</td><td>155</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5123.92	49.57	74.00	-24.43	41.21	34.47	10.58	36.69	0.00	126	155	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>3613.00</td><td>118.77</td><td>-----</td><td>-----</td><td>113.39</td><td>33.23</td><td>8.78</td><td>36.63</td><td>0.00</td><td>126</td><td>155</td><td>Peak</td></tr><tr><td>2</td><td>5287.33</td><td>98.80</td><td>-----</td><td>-----</td><td>89.50</td><td>35.05</td><td>10.71</td><td>36.46</td><td>0.00</td><td>126</td><td>155</td><td>Peak</td></tr><tr><td>3</td><td>6577.00</td><td>62.83</td><td>-----</td><td>-----</td><td>53.11</td><td>35.80</td><td>12.07</td><td>38.15</td><td>0.00</td><td>126</td><td>155</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	3613.00	118.77	-----	-----	113.39	33.23	8.78	36.63	0.00	126	155	Peak	2	5287.33	98.80	-----	-----	89.50	35.05	10.71	36.46	0.00	126	155	Peak	3	6577.00	62.83	-----	-----	53.11	35.80	12.07	38.15	0.00	126	155
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5123.92	49.57	74.00	-24.43	41.21	34.47	10.58	36.69	0.00	126	155	PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	3613.00	118.77	-----	-----	113.39	33.23	8.78	36.63	0.00	126	155	Peak																																																																																																																	
2	5287.33	98.80	-----	-----	89.50	35.05	10.71	36.46	0.00	126	155	Peak																																																																																																																	
3	6577.00	62.83	-----	-----	53.11	35.80	12.07	38.15	0.00	126	155	Peak																																																																																																																	
Avg																																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.77</td><td>39.12</td><td>54.00</td><td>-14.88</td><td>30.61</td><td>34.55</td><td>10.61</td><td>36.65</td><td>0.00</td><td>126</td><td>155</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.77	39.12	54.00	-14.88	30.61	34.55	10.61	36.65	0.00	126	155	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>3613.00</td><td>114.83</td><td>-----</td><td>-----</td><td>109.45</td><td>33.23</td><td>8.78</td><td>36.63</td><td>0.00</td><td>126</td><td>155</td><td>Average</td></tr><tr><td>2</td><td>5287.33</td><td>90.41</td><td>-----</td><td>-----</td><td>81.11</td><td>35.05</td><td>10.71</td><td>36.46</td><td>0.00</td><td>126</td><td>155</td><td>Average</td></tr><tr><td>3</td><td>6432.67</td><td>54.00</td><td>-----</td><td>-----</td><td>44.77</td><td>35.67</td><td>11.94</td><td>38.38</td><td>0.00</td><td>126</td><td>155</td><td>Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	3613.00	114.83	-----	-----	109.45	33.23	8.78	36.63	0.00	126	155	Average	2	5287.33	90.41	-----	-----	81.11	35.05	10.71	36.46	0.00	126	155	Average	3	6432.67	54.00	-----	-----	44.77	35.67	11.94	38.38	0.00	126	155
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5149.77	39.12	54.00	-14.88	30.61	34.55	10.61	36.65	0.00	126	155	AVERAGE																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	3613.00	114.83	-----	-----	109.45	33.23	8.78	36.63	0.00	126	155	Average																																																																																																																	
2	5287.33	90.41	-----	-----	81.11	35.05	10.71	36.46	0.00	126	155	Average																																																																																																																	
3	6432.67	54.00	-----	-----	44.77	35.67	11.94	38.38	0.00	126	155	Average																																																																																																																	



Mode	87																																																						
	Band Edge - R																																																						
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																																						
ANT	CDD 3+4																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.85</td><td>55.19</td><td>74.00</td><td>-18.81</td><td>45.61</td><td>35.20</td><td>10.75</td><td>36.37</td><td>0.00</td><td>126</td><td>155</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.85	55.19	74.00	-18.81	45.61	35.20	10.75	36.37	0.00	126	155	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5351.85	55.19	74.00	-18.81	45.61	35.20	10.75	36.37	0.00	126	155	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.00</td><td>45.69</td><td>54.00</td><td>-8.31</td><td>36.11</td><td>35.20</td><td>10.75</td><td>36.37</td><td>0.00</td><td>126</td><td>155</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	45.69	54.00	-8.31	36.11	35.20	10.75	36.37	0.00	126	155	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5350.00	45.69	54.00	-8.31	36.11	35.20	10.75	36.37	0.00	126	155	AVERAGE																																											




Mode	87																																																																																									
	Harmonic																																																																																									
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																																																																									
ANT	CDD 3+4																																																																																									
Pol.	Horizontal	Vertical																																																																																								
Peak Avg	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10580.00</td><td>43.85</td><td>74.00</td><td>-30.15</td><td>57.45</td><td>37.56</td><td>15.67</td><td>66.83</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10580.00	43.85	74.00	-30.15	57.45	37.56	15.67	66.83	0.00	--	--	PEAK	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10580.00</td><td>44.84</td><td>68.20</td><td>-23.36</td><td>58.54</td><td>37.53</td><td>15.63</td><td>66.86</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10580.00	44.84	68.20	-23.36	58.54	37.53	15.63	66.86	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	10580.00	43.85	74.00	-30.15	57.45	37.56	15.67	66.83	0.00	--	--	PEAK																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	10580.00	44.84	68.20	-23.36	58.54	37.53	15.63	66.86	0.00	--	--	PEAK																																																																														

Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	99.31	-	-	10Hz
802.11ac VHT20	100	-	-	10Hz
802.11ac VHT40	100	-	-	10Hz
802.11ac VHT80	100	-	-	10Hz
802.11ac VHT160	100	-	-	10Hz
802.11ax HE20	100	-	-	10Hz
802.11ax HE40	100	-	-	10Hz
802.11ax HE80	100	-	-	10Hz
802.11ax HE160	100	-	-	10Hz

802.11a






802.11ac VHT20




802.11ac VHT40






802.11ac VHT80



Date: 18.FEB.2024 10:56:02


802.11ac VHT160




Date: 18.FEB.2024 11:57:36



802.11ax HE20




802.11ax HE40





802.11ax HE80



802.11ax HE160

