



<802.11ax Partial RU>

Maximum power spectral density

Test Result

Test Mode	Antenna	Freq(MHz)	Ru Size	Ru Index	Result [dBm/MHz]	Limit [dBm/MHz]	Verdict
11AX20MIMO	Ant3	5180	26Tone	RU0	-1.02	≤11.00	PASS
			52Tone	RU37	-0.94	≤11.00	PASS
			106Tone	RU53	-0.94	≤11.00	PASS
	Ant4	5180	26Tone	RU0	-4.02	≤11.00	PASS
			52Tone	RU37	-3.87	≤11.00	PASS
			106Tone	RU53	-3.92	≤11.00	PASS
	total	5180	26Tone	RU0	0.74	≤11.00	PASS
			52Tone	RU37	0.85	≤11.00	PASS
			106Tone	RU53	0.83	≤11.00	PASS
	Ant3	5220	26Tone	RU0	-0.92	≤11.00	PASS
			52Tone	RU37	-0.82	≤11.00	PASS
			106Tone	RU53	-0.32	≤11.00	PASS
	Ant4	5220	26Tone	RU0	-3.67	≤11.00	PASS
			52Tone	RU37	-3.38	≤11.00	PASS
			106Tone	RU53	-3.82	≤11.00	PASS
	total	5220	26Tone	RU0	0.93	≤11.00	PASS
			52Tone	RU37	1.10	≤11.00	PASS
			106Tone	RU53	1.28	≤11.00	PASS
	Ant3	5240	26Tone	RU8	-1.08	≤11.00	PASS
			52Tone	RU40	-0.94	≤11.00	PASS
			106Tone	RU54	-0.68	≤11.00	PASS
	Ant4	5240	26Tone	RU8	-3.77	≤11.00	PASS
			52Tone	RU40	-3.62	≤11.00	PASS
			106Tone	RU54	-4.43	≤11.00	PASS
	total	5240	26Tone	RU8	0.79	≤11.00	PASS
			52Tone	RU40	0.93	≤11.00	PASS
			106Tone	RU54	0.85	≤11.00	PASS
	Ant3	5260	26Tone	RU0	-2.12	≤11.00	PASS
			52Tone	RU37	-2.52	≤11.00	PASS
			106Tone	RU53	-0.3	≤11.00	PASS
	Ant4	5260	26Tone	RU0	-1.79	≤11.00	PASS
			52Tone	RU37	-2.03	≤11.00	PASS
			106Tone	RU53	-3.86	≤11.00	PASS
	total	5260	26Tone	RU0	1.06	≤11.00	PASS
			52Tone	RU37	0.74	≤11.00	PASS



			106Tone	RU53	1.29	≤11.00	PASS
	Ant3	5300	26Tone	RU0	-2.53	≤11.00	PASS
			52Tone	RU37	-2.97	≤11.00	PASS
			106Tone	RU53	-0.75	≤11.00	PASS
	Ant4	5300	26Tone	RU0	-1.92	≤11.00	PASS
			52Tone	RU37	-1.92	≤11.00	PASS
			106Tone	RU53	-4.63	≤11.00	PASS
	total	5300	26Tone	RU0	0.80	≤11.00	PASS
			52Tone	RU37	0.60	≤11.00	PASS
			106Tone	RU53	0.74	≤11.00	PASS
	Ant3	5320	26Tone	RU8	-3.07	≤11.00	PASS
			52Tone	RU40	-2.93	≤11.00	PASS
			106Tone	RU54	-0.71	≤11.00	PASS
	Ant4	5320	26Tone	RU8	-1.26	≤11.00	PASS
			52Tone	RU40	-0.95	≤11.00	PASS
			106Tone	RU54	-4.17	≤11.00	PASS
	total	5320	26Tone	RU8	0.94	≤11.00	PASS
			52Tone	RU40	1.18	≤11.00	PASS
			106Tone	RU54	0.91	≤11.00	PASS
	Ant3	5500	26Tone	RU0	-4.76	≤11.00	PASS
			52Tone	RU37	-4.66	≤11.00	PASS
			106Tone	RU53	-0.8	≤11.00	PASS
	Ant4	5500	26Tone	RU0	-2.48	≤11.00	PASS
			52Tone	RU37	-2.42	≤11.00	PASS
			106Tone	RU53	-5.93	≤11.00	PASS
	total	5500	26Tone	RU0	-0.46	≤11.00	PASS
			52Tone	RU37	-0.39	≤11.00	PASS
			106Tone	RU53	0.36	≤11.00	PASS
	Ant3	5580	26Tone	RU0	-4.82	≤11.00	PASS
			52Tone	RU37	-4.57	≤11.00	PASS
			106Tone	RU53	-1.82	≤11.00	PASS
	Ant4	5580	26Tone	RU0	-2.19	≤11.00	PASS
			52Tone	RU37	-2.39	≤11.00	PASS
			106Tone	RU53	-6.62	≤11.00	PASS
	total	5580	26Tone	RU0	-0.30	≤11.00	PASS
			52Tone	RU37	-0.33	≤11.00	PASS
			106Tone	RU53	-0.58	≤11.00	PASS
	Ant3	5700	26Tone	RU8	-3.22	≤11.00	PASS
			52Tone	RU40	-3.31	≤11.00	PASS
			106Tone	RU54	-1.85	≤11.00	PASS
	Ant4	5700	26Tone	RU8	-3.79	≤11.00	PASS
			52Tone	RU40	-3.77	≤11.00	PASS




	total	5700	106Tone	RU54	-7.46	≤11.00	PASS
			26Tone	RU8	-0.49	≤11.00	PASS
			52Tone	RU40	-0.52	≤11.00	PASS
	Ant3	5745	106Tone	RU54	-0.80	≤11.00	PASS
			26Tone	RU0	-1.39	≤30.00	PASS
			52Tone	RU37	0.21	≤30.00	PASS
	Ant4	5745	106Tone	RU53	-0.03	≤30.00	PASS
			26Tone	RU0	-2.12	≤30.00	PASS
			52Tone	RU37	-5.16	≤30.00	PASS
	total	5745	106Tone	RU53	-5.23	≤30.00	PASS
			26Tone	RU0	1.27	≤30.00	PASS
			52Tone	RU37	1.32	≤30.00	PASS
	Ant3	5785	106Tone	RU53	1.12	≤30.00	PASS
			26Tone	RU0	-1.12	≤30.00	PASS
			52Tone	RU37	0.29	≤30.00	PASS
	Ant4	5785	106Tone	RU53	-0.26	≤30.00	PASS
			26Tone	RU0	-2.16	≤30.00	PASS
			52Tone	RU37	-5.46	≤30.00	PASS
	total	5785	106Tone	RU53	-5.13	≤30.00	PASS
			26Tone	RU0	1.40	≤30.00	PASS
			52Tone	RU37	1.31	≤30.00	PASS
	Ant3	5825	106Tone	RU53	0.96	≤30.00	PASS
			26Tone	RU8	-1.89	≤30.00	PASS
			52Tone	RU40	-0.3	≤30.00	PASS
	Ant4	5825	106Tone	RU54	-0.77	≤30.00	PASS
			26Tone	RU8	-2.55	≤30.00	PASS
			52Tone	RU40	-5.53	≤30.00	PASS
	total	5825	106Tone	RU54	-5.36	≤30.00	PASS
			26Tone	RU8	0.80	≤30.00	PASS
			52Tone	RU40	0.84	≤30.00	PASS
	total	5825	106Tone	RU54	0.53	≤30.00	PASS
			26Tone	RU8	0.80	≤30.00	PASS
			52Tone	RU40	0.84	≤30.00	PASS

Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.

2.The Duty Cycle Factor and is compensated in the graph.




Test Graphs






11AX20MIMO_Ant3_5180_106Tone_RU53



Date: 16.MAR.2024 15:22:33


11AX20MIMO_Ant4_5180_26Tone_RU0



Date: 16.MAR.2024 15:20:02




11AX20MIMO_Ant4_5180_52Tone_RU37




Date: 16.MAR.2024 15:21:49

11AX20MIMO_Ant4_5180_106Tone_RU53




Date: 16.MAR.2024 15:22:43






11AX20MIMO_Ant3_5220_106Tone_RU53



Date: 16.MAR.2024 15:27:46


11AX20MIMO_Ant4_5220_26Tone_RU0



Date: 16.MAR.2024 15:26:27




11AX20MIMO_Ant4_5220_52Tone_RU37



Date: 16.MAR.2024 15:27:08


11AX20MIMO_Ant4_5220_106Tone_RU53




Date: 16.MAR.2024 15:27:57



11AX20MIMO_Ant3_5240_26Tone_RU8




11AX20MIMO_Ant3_5240_52Tone_RU40






11AX20MIMO_Ant3_5240_106Tone_RU54



Date: 16.MAR.2024 15:34:25


11AX20MIMO_Ant4_5240_26Tone_RU8



Date: 16.MAR.2024 15:29:38




11AX20MIMO_Ant4_5240_52Tone_RU40




Date: 16.MAR.2024 15:30:41

11AX20MIMO_Ant4_5240_106Tone_RU54




Date: 16.MAR.2024 15:34:35






11AX20MIMO_Ant3_5260_106Tone_RU53



Date: 16.MAR.2024 15:38:30


11AX20MIMO_Ant4_5260_26Tone_RU0



Date: 16.MAR.2024 15:36:42




11AX20MIMO_Ant4_5260_52Tone_RU37




Date: 16.MAR.2024 15:37:17

11AX20MIMO_Ant4_5260_106Tone_RU53




Date: 16.MAR.2024 15:38:39






11AX20MIMO_Ant3_5300_106Tone_RU53



Date: 16.MAR.2024 15:45:21


11AX20MIMO_Ant4_5300_26Tone_RU0



Date: 16.MAR.2024 15:43:20




11AX20MIMO_Ant4_5300_52Tone_RU37



Date: 16.MAR.2024 15:43:54


11AX20MIMO_Ant4_5300_106Tone_RU53



Date: 16.MAR.2024 15:45:31




11AX20MIMO_Ant3_5320_26Tone_RU8



Date: 16.MAR.2024 15:46:19


11AX20MIMO_Ant3_5320_52Tone_RU40



Date: 16.MAR.2024 15:47:45




11AX20MIMO_Ant3_5320_106Tone_RU54



Date: 16.MAR.2024 15:50:05


11AX20MIMO_Ant4_5320_26Tone_RU8



Date: 16.MAR.2024 15:46:29




11AX20MIMO_Ant4_5320_52Tone_RU40



Date: 16.MAR.2024 15:47:55


11AX20MIMO_Ant4_5320_106Tone_RU54



Date: 16.MAR.2024 15:50:15




11AX20MIMO_Ant3_5500_26Tone_RU0



Date: 10.APR.2024 12:00:28


11AX20MIMO_Ant3_5500_52Tone_RU37



Date: 10.APR.2024 12:01:07




11AX20MIMO_Ant3_5500_106Tone_RU53



Date: 10.APR.2024 12:02:29


11AX20MIMO_Ant4_5500_26Tone_RU0



Date: 10.APR.2024 12:00:40




11AX20MIMO_Ant4_5500_52Tone_RU37



Date: 10.APR.2024 12:01:16


11AX20MIMO_Ant4_5500_106Tone_RU53



Date: 10.APR.2024 12:02:39




11AX20MIMO_Ant3_5580_26Tone_RU0



Date: 10.APR.2024 12:03:29


11AX20MIMO_Ant3_5580_52Tone_RU37



Date: 10.APR.2024 12:04:18




11AX20MIMO_Ant3_5580_106Tone_RU53



Date: 10.APR.2024 12:05:00


11AX20MIMO_Ant4_5580_26Tone_RU0



Date: 10.APR.2024 12:03:39




11AX20MIMO_Ant4_5580_52Tone_RU37



Date: 10.APR.2024 12:04:28


11AX20MIMO_Ant4_5580_106Tone_RU53



Date: 10.APR.2024 12:05:10




11AX20MIMO_Ant3_5700_26Tone_RU8



Date: 10.APR.2024 12:05:49


11AX20MIMO_Ant3_5700_52Tone_RU40



Date: 10.APR.2024 12:06:35




11AX20MIMO_Ant3_5700_106Tone_RU54



Date: 10.APR.2024 12:07:16


11AX20MIMO_Ant4_5700_26Tone_RU8




Date: 10.APR.2024 12:05:58



11AX20MIMO_Ant4_5700_52Tone_RU40




11AX20MIMO_Ant4_5700_106Tone_RU54






11AX20MIMO_Ant3_5745_26Tone_RU0



Date: 11.MAR.2024 11:46:26


11AX20MIMO_Ant3_5745_52Tone_RU37



Date: 11.MAR.2024 11:47:42




11AX20MIMO_Ant3_5745_106Tone_RU53



Date: 11.MAR.2024 11:48:35


11AX20MIMO_Ant4_5745_26Tone_RU0



Date: 11.MAR.2024 11:46:36




11AX20MIMO_Ant4_5745_52Tone_RU37




Date: 11.MAR.2024 11:47:51

11AX20MIMO_Ant4_5745_106Tone_RU53




Date: 11.MAR.2024 11:48:45






11AX20MIMO_Ant3_5785_106Tone_RU53



Date: 11.MAR.2024 11:51:59


11AX20MIMO_Ant4_5785_26Tone_RU0



Date: 11.MAR.2024 11:50:13




11AX20MIMO_Ant4_5785_52Tone_RU37



Date: 11.MAR.2024 11:51:10


11AX20MIMO_Ant4_5785_106Tone_RU53



Date: 11.MAR.2024 11:52:08




11AX20MIMO_Ant3_5825_26Tone_RU8



Date: 11.MAR.2024 11:53:09


11AX20MIMO_Ant3_5825_52Tone_RU40



Date: 11.MAR.2024 11:54:05




11AX20MIMO_Ant3_5825_106Tone_RU54



Date: 11.MAR.2024 11:54:48


11AX20MIMO_Ant4_5825_26Tone_RU8



Date: 11.MAR.2024 11:53:18




11AX20MIMO_Ant4_5825_52Tone_RU40



Date: 11.MAR.2024 11:54:14


11AX20MIMO_Ant4_5825_106Tone_RU54



Date: 11.MAR.2024 11:54:57

Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS
Condition : 15E RSS247-QP LISN-060105-L 2023 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.199	38.64	-25.03	63.67	28.20	0.03	10.41	QP
2	0.199	20.64	-33.03	53.67	10.20	0.03	10.41	Average
3	0.272	36.99	-24.08	61.07	26.60	0.04	10.35	QP
4	0.272	23.69	-27.38	51.07	13.30	0.04	10.35	Average
5	0.454	40.43	-16.37	56.80	30.20	-0.02	10.25	QP
6 *	0.454	32.53	-14.27	46.80	22.30	-0.02	10.25	Average
7	0.513	35.78	-20.22	56.00	25.60	-0.03	10.21	QP
8	0.513	25.48	-20.52	46.00	15.30	-0.03	10.21	Average
9	0.647	33.60	-22.40	56.00	23.50	-0.06	10.16	QP
10	0.647	21.30	-24.70	46.00	11.20	-0.06	10.16	Average
11	8.105	30.87	-29.13	60.00	20.60	-0.15	10.42	QP
12	8.105	22.77	-27.23	50.00	12.50	-0.15	10.42	Average



Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.198	37.96	-25.75	63.71	27.50	0.05	10.41	QP
2	0.198	19.66	-34.05	53.71	9.20	0.05	10.41	Average
3	0.269	36.54	-24.62	61.16	26.21	-0.02	10.35	QP
4	0.269	21.64	-29.52	51.16	11.31	-0.02	10.35	Average
5	0.447	36.79	-20.14	56.93	26.60	-0.06	10.25	QP
6 *	0.447	27.49	-19.44	46.93	17.30	-0.06	10.25	Average
7	0.535	32.43	-23.57	56.00	22.30	-0.07	10.20	QP
8	0.535	20.43	-25.57	46.00	10.30	-0.07	10.20	Average
9	8.148	33.48	-26.52	60.00	23.20	-0.14	10.42	QP
10	8.148	25.68	-24.42	50.00	15.30	-0.14	10.42	Average
11	9.204	30.98	-29.02	60.00	20.59	-0.17	10.56	QP
12	9.204	24.58	-25.42	50.00	14.19	-0.17	10.56	Average

Note:

1. $\text{Level(dB}\mu\text{V)} = \text{Read Level(dB}\mu\text{V)} + \text{LISN Factor(dB)} + \text{Cable Loss(dB)}$
2. $\text{Over Limit(dB)} = \text{Level(dB}\mu\text{V)} - \text{Limit Line(dB}\mu\text{V)}$



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Carl Ni	Relative Humidity :	41 ~ 42 %
		Temperature :	22 ~ 23 °C

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-1	5.15-5.25	CDD 3+4	802.11a	36	5180	6Mbps	-	-
Mode 2	U-NII-1	5.15-5.25	CDD 3+4	802.11a	44	5220	6Mbps	-	-
Mode 3	U-NII-1	5.15-5.25	CDD 3+4	802.11a	48	5240	6Mbps	-	-
Mode 4	U-NII-2A	5.25-5.35	CDD 3+4	802.11a	52	5260	6Mbps	-	-
Mode 5	U-NII-2A	5.25-5.35	CDD 3+4	802.11a	60	5300	6Mbps	-	-
Mode 6	U-NII-2A	5.25-5.35	CDD 3+4	802.11a	64	5320	6Mbps	-	-
Mode 7	U-NII-2C	5.47-5.725	CDD 3+4	802.11a	100	5500	6Mbps	-	-
Mode 8	U-NII-2C	5.47-5.725	CDD 3+4	802.11a	116	5580	6Mbps	-	-
Mode 9	U-NII-2C	5.47-5.725	CDD 3+4	802.11a	140	5700	6Mbps	-	-
Mode 10	U-NII-1	5.15-5.25	CDD 3+4	802.11ac VHT20	36	5180	MCS0	-	-
Mode 11	U-NII-1	5.15-5.25	CDD 3+4	802.11ac VHT20	44	5220	MCS0	-	-
Mode 12	U-NII-1	5.15-5.25	CDD 3+4	802.11ac VHT20	48	5240	MCS0	-	-
Mode 13	U-NII-2A	5.25-5.35	CDD 3+4	802.11ac VHT20	52	5280	MCS0	-	-
Mode 14	U-NII-2A	5.25-5.35	CDD 3+4	802.11ac VHT20	60	5300	MCS0	-	-
Mode 15	U-NII-2A	5.25-5.35	CDD 3+4	802.11ac VHT20	64	5320	MCS0	-	-
Mode 16	U-NII-2C	5.47-5.725	CDD 3+4	802.11ac VHT20	100	5500	MCS0	-	-
Mode 17	U-NII-2C	5.47-5.725	CDD 3+4	802.11ac VHT20	116	5580	MCS0	-	-
Mode 18	U-NII-2C	5.47-5.725	CDD 3+4	802.11ac VHT20	140	5700	MCS0	-	-
Mode 19	U-NII-1	5.15-5.25	CDD 3+4	802.11ac VHT40	38	5190	MCS0	-	-
Mode 20	U-NII-1	5.15-5.25	CDD 3+4	802.11ac VHT40	46	5230	MCS0	-	-
Mode 21	U-NII-2A	5.25-5.35	CDD 3+4	802.11ac VHT40	54	5270	MCS0	-	-
Mode 22	U-NII-2A	5.25-5.35	CDD 3+4	802.11ac VHT40	62	5310	MCS0	-	-
Mode 23	U-NII-2C	5.47-5.725	CDD 3+4	802.11ac VHT40	102	5510	MCS0	-	-
Mode 24	U-NII-2C	5.47-5.725	CDD 3+4	802.11ac VHT40	110	5550	MCS0	-	-
Mode 25	U-NII-2C	5.47-5.725	CDD 3+4	802.11ac VHT40	134	5670	MCS0	-	-
Mode 26	U-NII-1	5.15-5.25	CDD 3+4	802.11ac VHT80	42	5210	MCS0	-	-
Mode 27	U-NII-2A	5.25-5.35	CDD 3+4	802.11ac VHT80	58	5290	MCS0	-	-
Mode 28	U-NII-2C	5.47-5.725	CDD 3+4	802.11ac VHT80	106	5530	MCS0	-	-
Mode 29	U-NII-2A	5.25-5.35	CDD 3+4	802.11ac VHT160	50	5250	MCS0	-	-
Mode 31	U-NII-1	5.15-5.25	CDD 3+4	802.11ax HE20	36	5180	MCS0	Full RU	-
Mode 32	U-NII-1	5.15-5.25	CDD 3+4	802.11ax HE20	44	5220	MCS0	Full RU	-
Mode 33	U-NII-1	5.15-5.25	CDD 3+4	802.11ax HE20	48	5240	MCS0	Full RU	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 34	U-NII-2A	5.25-5.35	CDD 3+4	802.11ax HE20	52	5260	MCS0	Full RU	-
Mode 35	U-NII-2A	5.25-5.35	CDD 3+4	802.11ax HE20	60	5300	MCS0	Full RU	-
Mode 36	U-NII-2A	5.25-5.35	CDD 3+4	802.11ax HE20	64	5320	MCS0	Full RU	-
Mode 37	U-NII-2C	5.47-5.725	CDD 3+4	802.11ax HE20	100	5500	MCS0	Full RU	-
Mode 38	U-NII-2C	5.47-5.725	CDD 3+4	802.11ax HE20	116	5580	MCS0	Full RU	-
Mode 39	U-NII-2C	5.47-5.725	CDD 3+4	802.11ax HE20	140	5700	MCS0	Full RU	-
Mode 40	U-NII-1	5.15-5.25	CDD 3+4	802.11ax HE20	36	5180	MCS0	RU26/0	-
Mode 41	U-NII-2A	5.25-5.35	CDD 3+4	802.11ax HE20	64	5320	MCS0	RU26/8	-
Mode 42	U-NII-2C	5.47-5.725	CDD 3+4	802.11ax HE20	100	5500	MCS0	RU26/0	-
Mode 43	U-NII-2C	5.47-5.725	CDD 3+4	802.11ax HE20	140	5700	MCS0	RU26/8	-
Mode 44	U-NII-1	5.15-5.25	CDD 3+4	802.11ax HE20	36	5180	MCS0	RU52/37	-
Mode 45	U-NII-2A	5.25-5.35	CDD 3+4	802.11ax HE20	64	5320	MCS0	RU52/40	-
Mode 46	U-NII-2C	5.47-5.725	CDD 3+4	802.11ax HE20	100	5500	MCS0	RU52/37	-
Mode 47	U-NII-2C	5.47-5.725	CDD 3+4	802.11ax HE20	140	5700	MCS0	RU52/40	-
Mode 48	U-NII-1	5.15-5.25	CDD 3+4	802.11ax HE20	36	5180	MCS0	RU106/53	-
Mode 49	U-NII-2A	5.25-5.35	CDD 3+4	802.11ax HE20	64	5320	MCS0	RU106/54	-
Mode 50	U-NII-2C	5.47-5.725	CDD 3+4	802.11ax HE20	100	5500	MCS0	RU106/53	-
Mode 51	U-NII-2C	5.47-5.725	CDD 3+4	802.11ax HE20	140	5700	MCS0	RU106/54	-
Mode 52	U-NII-1	5.15-5.25	CDD 3+4	802.11ax HE40	38	5190	MCS0	Full	-
Mode 53	U-NII-1	5.15-5.25	CDD 3+4	802.11ax HE40	46	5230	MCS0	Full	-
Mode 54	U-NII-2A	5.25-5.35	CDD 3+4	802.11ax HE40	54	5270	MCS0	Full	-
Mode 55	U-NII-2A	5.25-5.35	CDD 3+4	802.11ax HE40	62	5310	MCS0	Full	-
Mode 56	U-NII-2C	5.47-5.725	CDD 3+4	802.11ax HE40	102	5510	MCS0	Full	-
Mode 57	U-NII-2C	5.47-5.725	CDD 3+4	802.11ax HE40	110	5550	MCS0	Full	-
Mode 58	U-NII-2C	5.47-5.725	CDD 3+4	802.11ax HE40	134	5670	MCS0	Full	-
Mode 59	U-NII-1	5.15-5.25	CDD 3+4	802.11ax HE80	42	5210	MCS0	Full	-
Mode 60	U-NII-2A	5.25-5.35	CDD 3+4	802.11ax HE80	58	5290	MCS0	Full	-
Mode 61	U-NII-2C	5.47-5.725	CDD 3+4	802.11ax HE80	106	5530	MCS0	Full	-
Mode 63	U-NII-2A	5.25-5.35	CDD 3+4	802.11ax HE160	50	5250	MCS0	Full	-
Mode 65	U-NII-3	5.725-5.85	CDD 3+4	802.11a	149	5745	6Mbps	-	-
Mode 66	U-NII-3	5.725-5.85	CDD 3+4	802.11a	157	5785	6Mbps	-	-
Mode 67	U-NII-3	5.725-5.85	CDD 3+4	802.11a	165	5825	6Mbps	-	-
Mode 68	U-NII-3	5.725-5.85	CDD 3+4	802.11ac VHT20	149	5745	MCS0	-	-
Mode 69	U-NII-3	5.725-5.85	CDD 3+4	802.11ac VHT20	157	5785	MCS0	-	-
Mode 70	U-NII-3	5.725-5.85	CDD 3+4	802.11ac VHT20	165	5825	MCS0	-	-
Mode 71	U-NII-3	5.725-5.85	CDD 3+4	802.11ac VHT40	151	5755	MCS0	-	-
Mode 72	U-NII-3	5.725-5.85	CDD 3+4	802.11ac VHT40	159	5795	MCS0	-	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 73	U-NII-3	5.725-5.85	CDD 3+4	802.11ac VHT80	155	5775	MCS0	-	-
Mode 74	U-NII-3	5.725-5.85	CDD 3+4	802.11ax HE20	149	5745	MCS0	Full	-
Mode 75	U-NII-3	5.725-5.85	CDD 3+4	802.11ax HE20	157	5785	MCS0	Full	-
Mode 76	U-NII-3	5.725-5.85	CDD 3+4	802.11ax HE20	165	5825	MCS0	Full	-
Mode 77	U-NII-3	5.725-5.85	CDD 3+4	802.11ax HE40	151	5755	MCS0	Full	-
Mode 78	U-NII-3	5.725-5.85	CDD 3+4	802.11ax HE40	159	5795	MCS0	Full	-
Mode 79	U-NII-3	5.725-5.85	CDD 3+4	802.11ax HE80	155	5775	MCS0	Full	-
Mode 80	U-NII-3	5.725-5.85	CDD 3+4	802.11ax HE20	149	5745	MCS0	RU26/0	-
Mode 81	U-NII-3	5.725-5.85	CDD 3+4	802.11ax HE20	165	5825	MCS0	RU26/8	-
Mode 82	U-NII-3	5.725-5.85	CDD 3+4	802.11ax HE20	149	5745	MCS0	RU52/37	-
Mode 83	U-NII-3	5.725-5.85	CDD 3+4	802.11ax HE20	165	5825	MCS0	RU52/40	-
Mode 84	U-NII-3	5.725-5.85	CDD 3+4	802.11ax HE20	149	5745	MCS0	RU106/53	-
Mode 85	U-NII-3	5.725-5.85	CDD 3+4	802.11ax HE20	165	5825	MCS0	RU106/54	-

Co-location

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 86	2400-2483.5	2400-2483.5	4	Bluetooth-LE	39	2480	2Mbps	-	-
	U-NII-2A	5.25-5.35	CDD 3+4	802.11ax HE80	58	5290	MCS0	Full	-
	LTE Band 48- BW 20M								
Mode 87	U-NII-2A	5.25-5.35	CDD 3+4	802.11ax HE80	58	5290	MCS0	Full	-
	LTE Band 48- BW 20M								
	UWB CH 05								



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	36	5150.00	43.48	54.00	-10.52	V	AVERAGE	Pass	Band Edge
1	802.11a	36	10360.00	46.58	68.20	-21.62	H	PEAK	Pass	Harmonic
2	802.11a	44	-	-	-	-	-	-	-	Band Edge
2	802.11a	44	10440.00	47.84	68.20	-20.36	H	PEAK	Pass	Harmonic
3	802.11a	48	-	-	-	-	-	-	-	Band Edge
3	802.11a	48	10480.00	45.88	68.20	-22.32	V	PEAK	Pass	Harmonic
4	802.11a	52	-	-	-	-	-	-	-	Band Edge
4	802.11a	52	7013.20	52.19	68.20	-16.01	V	Peak	Pass	Harmonic
5	802.11a	60	-	-	-	-	-	-	-	Band Edge
5	802.11a	60	7067.10	53.22	68.20	-14.98	V	Peak	Pass	Harmonic
6	802.11a	64	5350.00	41.85	54.00	-12.15	V	AVERAGE	Pass	Band Edge
6	802.11a	64	7093.50	52.07	68.20	-16.13	V	Peak	Pass	Harmonic
7	802.11a	100	5459.60	38.46	54.00	-15.54	V	AVERAGE	Pass	Band Edge
7	802.11a	100	11000.00	46.40	74.00	-27.60	H	PEAK	Pass	Harmonic
8	802.11a	116	-	-	-	-	-	-	-	Band Edge
8	802.11a	116	11160.00	46.94	74.00	-27.06	V	PEAK	Pass	Harmonic
9	802.11a	140	5748.28	49.42	68.20	-18.78	H	PEAK	Pass	Band Edge
9	802.11a	140	11400.00	46.66	74.00	-27.34	V	PEAK	Pass	Harmonic
10	802.11ac VHT20	36	5150.00	42.26	54.00	-11.74	V	AVERAGE	Pass	Band Edge
10	802.11ac VHT20	36	10360.00	46.98	68.20	-21.22	H	PEAK	Pass	Harmonic
11	802.11ac VHT20	44	-	-	-	-	-	-	-	Band Edge
11	802.11ac VHT20	44	10440.00	47.22	68.20	-20.98	H	PEAK	Pass	Harmonic
12	802.11ac VHT20	48	-	-	-	-	-	-	-	Band Edge
12	802.11ac VHT20	48	10480.00	47.15	68.20	-21.05	V	PEAK	Pass	Harmonic
13	802.11ac VHT20	52	-	-	-	-	-	-	-	Band Edge
13	802.11ac VHT20	52	7014.00	53.30	68.20	-14.90	V	Peak	Pass	Harmonic
14	802.11ac VHT20	60	-	-	-	-	-	-	-	Band Edge
14	802.11ac VHT20	60	7066.80	53.02	68.20	-15.18	V	Peak	Pass	Harmonic
15	802.11ac VHT20	64	5350.00	40.18	54.00	-13.82	V	AVERAGE	Pass	Band Edge
15	802.11ac VHT20	64	7093.20	53.84	68.20	-14.36	V	Peak	Pass	Harmonic
16	802.11ac VHT20	100	5459.92	38.49	54.00	-15.51	V	AVERAGE	Pass	Band Edge
16	802.11ac VHT20	100	11000.00	46.71	74.00	-27.29	H	PEAK	Pass	Harmonic
17	802.11ac VHT20	116	-	-	-	-	-	-	-	Band Edge
17	802.11ac VHT20	116	11160.00	47.27	74.00	-26.73	H	PEAK	Pass	Harmonic
18	802.11ac VHT20	140	5725.16	50.85	68.20	-17.35	H	PEAK	Pass	Band Edge
18	802.11ac VHT20	140	11400.00	46.81	74.00	-27.19	V	PEAK	Pass	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
19	802.11ac VHT40	38	5149.92	48.46	54.00	-5.54	V	AVERAGE	Pass	Band Edge
19	802.11ac VHT40	38	10380.00	46.37	68.20	-21.83	H	PEAK	Pass	Harmonic
20	802.11ac VHT40	46	5149.92	39.41	54.00	-14.59	V	AVERAGE	Pass	Band Edge
20	802.11ac VHT40	46	10460.00	46.77	68.20	-21.43	H	PEAK	Pass	Harmonic
21	802.11ac VHT40	54	-	-	-	-	-	-	-	Band Edge
21	802.11ac VHT40	54	7027.50	51.91	68.20	-16.29	V	Peak	Pass	Harmonic
22	802.11ac VHT40	62	5350.00	50.30	54.00	-3.70	V	AVERAGE	Pass	Band Edge
22	802.11ac VHT40	62	7080.30	52.67	68.20	-15.53	V	Peak	Pass	Harmonic
23	802.11ac VHT40	102	5468.24	61.17	68.20	-7.03	H	PEAK	Pass	Band Edge
23	802.11ac VHT40	102	11020.00	44.78	74.00	-29.22	V	PEAK	Pass	Harmonic
24	802.11ac VHT40	110	-	-	-	-	-	-	-	Band Edge
24	802.11ac VHT40	110	11100.00	46.07	74.00	-27.93	H	PEAK	Pass	Harmonic
25	802.11ac VHT40	134	5459.60	36.93	54.00	-17.07	H	AVERAGE	Pass	Band Edge
25	802.11ac VHT40	134	11340.00	45.16	74.00	-28.84	V	PEAK	Pass	Harmonic
26	802.11ac VHT80	42	5149.92	50.48	54.00	-3.52	V	AVERAGE	Pass	Band Edge
26	802.11ac VHT80	42	10420.00	45.32	68.20	-22.88	H	PEAK	Pass	Harmonic
27	802.11ac VHT80	58	5350.00	47.79	54.00	-6.21	V	AVERAGE	Pass	Band Edge
27	802.11ac VHT80	58	7052.80	50.75	68.20	-17.45	V	Peak	Pass	Harmonic
28	802.11ac VHT80	106	5459.76	45.77	54.00	-8.23	V	AVERAGE	Pass	Band Edge
28	802.11ac VHT80	106	11060.00	44.07	74.00	-29.93	V	PEAK	Pass	Harmonic
29	802.11ac VHT160	50	5350.17	51.25	54.00	-2.75	V	AVERAGE	Pass	Band Edge
29	802.11ac VHT160	50	10500.00	46.36	68.20	-21.84	V	PEAK	Pass	Harmonic
31	802.11ax HE20	36	5150.00	43.63	54.00	-10.37	V	AVERAGE	Pass	Band Edge
31	802.11ax HE20	36	10360.00	45.81	68.20	-22.39	H	PEAK	Pass	Harmonic
32	802.11ax HE20	44	-	-	-	-	-	-	-	Band Edge
32	802.11ax HE20	44	10440.00	46.16	68.20	-22.04	V	PEAK	Pass	Harmonic
33	802.11ax HE20	48	-	-	-	-	-	-	-	Band Edge
33	802.11ax HE20	48	10480.00	46.13	68.20	-22.07	V	PEAK	Pass	Harmonic
34	802.11ax HE20	52	-	-	-	-	-	-	-	Band Edge
34	802.11ax HE20	52	7012.80	53.01	68.20	-15.19	V	Peak	Pass	Harmonic
35	802.11ax HE20	60	-	-	-	-	-	-	-	Band Edge
35	802.11ax HE20	60	7066.80	52.05	68.20	-16.15	V	Peak	Pass	Harmonic
36	802.11ax HE20	64	5350.00	41.19	54.00	-12.81	V	AVERAGE	Pass	Band Edge
36	802.11ax HE20	64	7093.20	52.32	68.20	-15.88	V	Peak	Pass	Harmonic
37	802.11ax HE20	100	5459.92	38.92	54.00	-15.08	V	AVERAGE	Pass	Band Edge
37	802.11ax HE20	100	11000.00	46.45	74.00	-27.55	H	PEAK	Pass	Harmonic
38	802.11ax HE20	116	-	-	-	-	-	-	-	Band Edge



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
38	802.11ax HE20	116	11160.00	46.47	74.00	-27.53	H	PEAK	Pass	Harmonic
39	802.11ax HE20	140	5725.08	53.77	68.20	-14.43	H	PEAK	Pass	Band Edge
39	802.11ax HE20	140	11400.00	46.87	74.00	-27.13	V	PEAK	Pass	Harmonic
40	802.11ax HE20	36	5148.10	39.13	54.00	-14.87	V	AVERAGE	Pass	Band Edge
40	802.11ax HE20	36	-	-	-	-	-	-	-	Harmonic
41	802.11ax HE20	64	5362.00	37.87	54.00	-16.13	V	AVERAGE	Pass	Band Edge
41	802.11ax HE20	64	-	-	-	-	-	-	-	Harmonic
42	802.11ax HE20	100	5414.48	38.05	54.00	-15.95	V	AVERAGE	Pass	Band Edge
42	802.11ax HE20	100	-	-	-	-	-	-	-	Harmonic
43	802.11ax HE20	140	5760.28	48.87	68.20	-19.33	H	PEAK	Pass	Band Edge
43	802.11ax HE20	140	-	-	-	-	-	-	-	Harmonic
44	802.11ax HE20	36	5146.70	39.07	54.00	-14.93	V	AVERAGE	Pass	Band Edge
44	802.11ax HE20	36	-	-	-	-	-	-	-	Harmonic
45	802.11ax HE20	64	5354.80	38.39	54.00	-15.61	V	AVERAGE	Pass	Band Edge
45	802.11ax HE20	64	-	-	-	-	-	-	-	Harmonic
46	802.11ax HE20	100	5459.92	37.88	54.00	-16.12	V	AVERAGE	Pass	Band Edge
46	802.11ax HE20	100	-	-	-	-	-	-	-	Harmonic
47	802.11ax HE20	140	5733.32	50.64	68.20	-17.56	V	PEAK	Pass	Band Edge
47	802.11ax HE20	140	-	-	-	-	-	-	-	Harmonic
48	802.11ax HE20	36	5150.00	39.06	54.00	-14.94	V	AVERAGE	Pass	Band Edge
48	802.11ax HE20	36	-	-	-	-	-	-	-	Harmonic
49	802.11ax HE20	64	5350.10	37.88	54.00	-16.12	V	AVERAGE	Pass	Band Edge
49	802.11ax HE20	64	-	-	-	-	-	-	-	Harmonic
50	802.11ax HE20	100	5459.12	38.08	54.00	-15.92	V	AVERAGE	Pass	Band Edge
50	802.11ax HE20	100	-	-	-	-	-	-	-	Harmonic
51	802.11ax HE20	140	5733.00	49.76	68.20	-18.44	V	PEAK	Pass	Band Edge
51	802.11ax HE20	140	-	-	-	-	-	-	-	Harmonic
52	802.11ax HE40	38	5149.92	49.07	54.00	-4.93	V	AVERAGE	Pass	Band Edge
52	802.11ax HE40	38	10380.00	46.53	68.20	-21.67	H	PEAK	Pass	Harmonic
53	802.11ax HE40	46	-	-	-	-	-	-	-	Band Edge
53	802.11ax HE40	46	10460.00	46.37	68.20	-21.83	H	PEAK	Pass	Harmonic
54	802.11ax HE40	54	-	-	-	-	-	-	-	Band Edge
54	802.11ax HE40	54	7027.20	53.39	68.20	-14.81	V	Peak	Pass	Harmonic
55	802.11ax HE40	62	5350.00	51.03	54.00	-2.97	V	AVERAGE	Pass	Band Edge
55	802.11ax HE40	62	7080.00	52.81	68.20	-15.39	V	Peak	Pass	Harmonic
56	802.11ax HE40	102	5468.24	61.73	68.20	-6.47	V	PEAK	Pass	Band Edge
56	802.11ax HE40	102	11020.00	35.67	54.00	-18.33	V	AVERAGE	Pass	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
57	802.11ax HE40	110	-	-	-	-	-	-	-	Band Edge
57	802.11ax HE40	110	11100.00	45.94	74.00	-28.06	V	PEAK	Pass	Harmonic
58	802.11ax HE40	134	5457.52	37.35	54.00	-16.65	V	AVERAGE	Pass	Band Edge
58	802.11ax HE40	134	11340.00	46.74	74.00	-27.26	H	PEAK	Pass	Harmonic
59	802.11ax HE80	42	5149.44	49.09	54.00	-4.91	V	AVERAGE	Pass	Band Edge
59	802.11ax HE80	42	10420.00	47.33	68.20	-20.87	H	PEAK	Pass	Harmonic
60	802.11ax HE80	58	5350.00	51.83	54.00	-2.17	V	AVERAGE	Pass	Band Edge
60	802.11ax HE80	58	7053.60	53.35	68.20	-14.85	V	Peak	Pass	Harmonic
61	802.11ax HE80	106	5468.56	65.30	68.20	-2.90	V	PEAK	Pass	Band Edge
61	802.11ax HE80	106	11060.00	35.86	54.00	-18.14	V	AVERAGE	Pass	Harmonic
63	802.11ax HE160	50	5350.17	51.28	54.00	-2.72	V	AVERAGE	Pass	Band Edge
63	802.11ax HE160	50	7000.06	53.17	68.20	-15.03	V	Peak	Pass	Harmonic
65	802.11a	149	5646.00	49.61	68.20	-18.59	V	PEAK	Pass	Band Edge
65	802.11a	149	11490.00	46.48	74.00	-27.52	V	PEAK	Pass	Harmonic
66	802.11a	157	-	-	-	-	-	-	-	Band Edge
66	802.11a	157	11570.00	47.08	74.00	-26.92	V	PEAK	Pass	Harmonic
67	802.11a	165	5943.60	47.76	68.20	-20.44	V	PEAK	Pass	Band Edge
67	802.11a	165	7766.40	52.61	68.20	-15.59	V	Peak	Pass	Harmonic
68	802.11ac VHT20	149	5637.60	49.08	68.20	-19.12	V	PEAK	Pass	Band Edge
68	802.11ac VHT20	149	11490.00	46.87	74.00	-27.13	V	PEAK	Pass	Harmonic
69	802.11ac VHT20	157	-	-	-	-	-	-	-	Band Edge
69	802.11ac VHT20	157	11570.00	46.89	74.00	-27.11	V	PEAK	Pass	Harmonic
70	802.11ac VHT20	165	5960.00	48.34	68.20	-19.86	V	PEAK	Pass	Band Edge
70	802.11ac VHT20	165	7766.40	48.61	68.20	-19.59	V	Peak	Pass	Harmonic
71	802.11ac VHT40	151	5634.26	49.72	68.20	-18.48	V	PEAK	Pass	Band Edge
71	802.11ac VHT40	151	11510.00	47.23	74.00	-26.77	H	PEAK	Pass	Harmonic
72	802.11ac VHT40	159	5638.00	48.87	68.20	-19.33	H	PEAK	Pass	Band Edge
72	802.11ac VHT40	159	11590.00	46.88	74.00	-27.12	V	PEAK	Pass	Harmonic
73	802.11ac VHT80	155	5616.80	49.52	68.20	-18.68	H	PEAK	Pass	Band Edge
73	802.11ac VHT80	155	11550.00	47.00	74.00	-27.00	V	PEAK	Pass	Harmonic
74	802.11ax HE20	149	5640.40	49.89	68.20	-18.31	V	PEAK	Pass	Band Edge
74	802.11ax HE20	149	11490.00	46.63	74.00	-27.37	H	PEAK	Pass	Harmonic
75	802.11ax HE20	157	-	-	-	-	-	-	-	Band Edge
75	802.11ax HE20	157	11570.00	45.90	74.00	-28.10	V	PEAK	Pass	Harmonic
76	802.11ax HE20	165	5950.00	47.92	68.20	-20.28	V	PEAK	Pass	Band Edge
76	802.11ax HE20	165	7766.40	49.39	68.20	-18.81	V	Peak	Pass	Harmonic
77	802.11ax HE40	151	5602.95	49.52	68.20	-18.68	V	PEAK	Pass	Band Edge







Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
77	802.11ax HE40	151	11510.00	46.48	74.00	-27.52	V	PEAK	Pass	Harmonic
78	802.11ax HE40	159	5628.80	49.60	68.20	-18.60	V	PEAK	Pass	Band Edge
78	802.11ax HE40	159	11590.00	47.26	74.00	-26.74	V	PEAK	Pass	Harmonic
79	802.11ax HE80	155	5640.40	49.51	68.20	-18.69	V	PEAK	Pass	Band Edge
79	802.11ax HE80	155	11550.00	46.66	74.00	-27.34	H	PEAK	Pass	Harmonic
80	802.11ax HE20	149	5632.80	48.62	68.20	-19.58	V	PEAK	Pass	Band Edge
80	802.11ax HE20	149	-	-	-	-	-	-	-	Harmonic
81	802.11ax HE20	165	5941.60	47.55	68.20	-20.65	V	PEAK	Pass	Band Edge
81	802.11ax HE20	165	-	-	-	-	-	-	-	Harmonic
82	802.11ax HE20	149	5636.00	48.67	68.20	-19.53	V	PEAK	Pass	Band Edge
82	802.11ax HE20	149	-	-	-	-	-	-	-	Harmonic
83	802.11ax HE20	165	5931.20	47.61	68.20	-20.59	V	PEAK	Pass	Band Edge
83	802.11ax HE20	165	-	-	-	-	-	-	-	Harmonic
84	802.11ax HE20	149	5632.80	48.81	68.20	-19.39	V	PEAK	Pass	Band Edge
84	802.11ax HE20	149	-	-	-	-	-	-	-	Harmonic
85	802.11ax HE20	165	5934.80	47.69	68.20	-20.51	H	PEAK	Pass	Band Edge
85	802.11ax HE20	165	-	-	-	-	-	-	-	Harmonic





Co-location

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
86	Bluetooth-LE	39	2483.62	40.70	54.00	-13.30	V	AVERAGE	Pass	Band Edge
	Bluetooth-LE	39	7440.00	42.38	74.00	-31.62	H	PEAK	Pass	Harmonic
	802.11ax HE80	58	5350.16	47.04	54.00	-6.96	V	AVERAGE	Pass	Band Edge
	802.11ax HE80	58	10580.00	43.44	68.20	-24.76	H	PEAK	Pass	Harmonic
87	802.11ax HE80	58	5350.00	45.69	54.00	-8.31	V	AVERAGE	Pass	Band Edge
	802.11ax HE80	58	10580.00	44.84	68.20	-23.36	V	PEAK	Pass	Harmonic






Mode	1																																																						
	Band Edge																																																						
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																						
ANT	CDD 3+4																																																						
Pol.	Horizontal						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.20</td><td>55.37</td><td>74.00</td><td>-18.63</td><td>47.26</td><td>34.15</td><td>10.61</td><td>36.65</td><td>0.00</td><td>296</td><td>262</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.20	55.37	74.00	-18.63	47.26	34.15	10.61	36.65	0.00	296	262
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5149.20	55.37	74.00	-18.63	47.26	34.15	10.61	36.65	0.00	296	262	PEAK																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>107.70</td><td>-----</td><td>-----</td><td>99.45</td><td>34.23</td><td>10.64</td><td>36.62</td><td>0.00</td><td>296</td><td>262</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	107.70	-----	-----	99.45	34.23	10.64	36.62	0.00	296	262
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5180.00	107.70	-----	-----	99.45	34.23	10.64	36.62	0.00	296	262	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.20</td><td>41.55</td><td>54.00</td><td>-12.45</td><td>33.46</td><td>34.14</td><td>10.61</td><td>36.66</td><td>0.00</td><td>296</td><td>262</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.20	41.55	54.00	-12.45	33.46	34.14	10.61	36.66	0.00	296	262
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5148.20	41.55	54.00	-12.45	33.46	34.14	10.61	36.66	0.00	296	262	AVERAGE																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>99.55</td><td>-----</td><td>-----</td><td>91.30</td><td>34.23</td><td>10.64</td><td>36.62</td><td>0.00</td><td>296</td><td>262</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	99.55	-----	-----	91.30	34.23	10.64	36.62	0.00	296	262
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5180.00	99.55	-----	-----	91.30	34.23	10.64	36.62	0.00	296	262	AVERAGE																																											





		1																																																																																																																																	
Mode		Band Edge																																																																																																																																	
		U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																																																	
ANT		CDD 3+4																																																																																																																																	
Pol.	Vertical											Fundamental																																																																																																																							
Peak																																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5150.00</td><td>56.88</td><td>74.00</td><td>-17.12</td><td>48.77</td><td>34.15</td><td>10.61</td><td>36.65</td><td>0.00</td><td>125</td><td>161</td><td>PEAK</td></tr></table>																							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5150.00	56.88	74.00	-17.12	48.77	34.15	10.61	36.65	0.00	125	161	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>107.87</td><td>-----</td><td>-----</td><td>99.59</td><td>34.25</td><td>10.64</td><td>36.61</td><td>0.00</td><td>125</td><td>161</td><td>PEAK</td></tr></table>																							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	107.87	-----	-----	99.59	34.25	10.64	36.61	0.00	125	161
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5150.00	56.88	74.00	-17.12	48.77	34.15	10.61	36.65	0.00	125	161	PEAK																																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5180.00	107.87	-----	-----	99.59	34.25	10.64	36.61	0.00	125	161	PEAK																																																																																																																							
Avg																																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5150.00</td><td>43.48</td><td>54.00</td><td>-10.52</td><td>35.37</td><td>34.15</td><td>10.61</td><td>36.65</td><td>0.00</td><td>125</td><td>161</td><td>AVERAGE</td></tr></table>																							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5150.00	43.48	54.00	-10.52	35.37	34.15	10.61	36.65	0.00	125	161	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>100.75</td><td>-----</td><td>-----</td><td>92.47</td><td>34.25</td><td>10.64</td><td>36.61</td><td>0.00</td><td>125</td><td>161</td><td>AVERAGE</td></tr></table>																							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	100.75	-----	-----	92.47	34.25	10.64	36.61	0.00	125	161
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5150.00	43.48	54.00	-10.52	35.37	34.15	10.61	36.65	0.00	125	161	AVERAGE																																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5180.00	100.75	-----	-----	92.47	34.25	10.64	36.61	0.00	125	161	AVERAGE																																																																																																																							





Mode	1																																																																																																		
	Harmonic																																																																																																		
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																		
ANT	CDD 3+4																																																																																																		
Pol.	Horizontal	Vertical																																																																																																	
Peak Avg	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a red line for the limit, a blue line for the average, and a red line for the peak. The peak is at 10360.00 MHz with a level of 46.58 dBuV/m.	 Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a red line for the limit, a blue line for the average, and a red line for the peak. The peak is at 10360.00 MHz with a level of 46.47 dBuV/m.																																																																																																	
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>46.58</td><td>68.20</td><td>-21.62</td><td>59.46</td><td>37.45</td><td>15.45</td><td>65.78</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10360.00	46.58	68.20	-21.62	59.46	37.45	15.45	65.78	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>46.47</td><td>68.20</td><td>-21.73</td><td>59.33</td><td>37.46</td><td>15.46</td><td>65.78</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10360.00	46.47	68.20	-21.73	59.33	37.46	15.46	65.78	0.00	--	--
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1	10360.00	46.58	68.20	-21.62	59.46	37.45	15.45	65.78	0.00	--	--	PEAK																																																																																							
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1	10360.00	46.47	68.20	-21.73	59.33	37.46	15.46	65.78	0.00	--	--	PEAK																																																																																							







Mode	3																																																																																																			
	Harmonic																																																																																																			
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																																																			
ANT	CDD 3+4																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10480.00</td><td>45.61</td><td>68.20</td><td>-22.59</td><td>58.22</td><td>37.54</td><td>15.57</td><td>65.72</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10480.00	45.61	68.20	-22.59	58.22	37.54	15.57	65.72	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10480.00</td><td>45.88</td><td>68.20</td><td>-22.32</td><td>58.51</td><td>37.53</td><td>15.56</td><td>65.72</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10480.00	45.88	68.20	-22.32	58.51	37.53	15.56	65.72	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	10480.00	45.61	68.20	-22.59	58.22	37.54	15.57	65.72	0.00	--	--	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	10480.00	45.88	68.20	-22.32	58.51	37.53	15.56	65.72	0.00	--	--	PEAK																																																																																								







Mode	4																																																																																																																																											
	Harmonic																																																																																																																																											
	U-NII-2A_5.25-5.35_802.11a_CH52_5260MHz																																																																																																																																											
ANT	CDD 3+4																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																					
Peak Avg																																																																																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7013.20</td><td>50.90</td><td>68.20</td><td>-17.30</td><td>67.29</td><td>35.61</td><td>12.47</td><td>64.47</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>10520.00</td><td>45.77</td><td>68.20</td><td>-22.43</td><td>58.29</td><td>37.57</td><td>15.61</td><td>65.70</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7013.20	50.90	68.20	-17.30	67.29	35.61	12.47	64.47	0.00	--	--	Peak	2	10520.00	45.77	68.20	-22.43	58.29	37.57	15.61	65.70	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7013.20</td><td>52.19</td><td>68.20</td><td>-16.01</td><td>68.58</td><td>35.61</td><td>12.47</td><td>64.47</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>10520.00</td><td>45.45</td><td>68.20</td><td>-22.75</td><td>58.01</td><td>37.56</td><td>15.59</td><td>65.71</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7013.20	52.19	68.20	-16.01	68.58	35.61	12.47	64.47	0.00	--	--	Peak	2	10520.00	45.45	68.20	-22.75	58.01	37.56	15.59	65.71	0.00	--	--	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	7013.20	50.90	68.20	-17.30	67.29	35.61	12.47	64.47	0.00	--	--	Peak																																																																																																																																
2	10520.00	45.77	68.20	-22.43	58.29	37.57	15.61	65.70	0.00	--	--	PEAK																																																																																																																																
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	7013.20	52.19	68.20	-16.01	68.58	35.61	12.47	64.47	0.00	--	--	Peak																																																																																																																																
2	10520.00	45.45	68.20	-22.75	58.01	37.56	15.59	65.71	0.00	--	--	PEAK																																																																																																																																







Mode	5																																																																																																																																											
	Harmonic																																																																																																																																											
	U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz																																																																																																																																											
ANT	CDD 3+4																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																					
Peak Avg																																																																																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7067.10</td><td>51.25</td><td>68.20</td><td>-16.95</td><td>67.61</td><td>35.67</td><td>12.54</td><td>64.57</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>10600.01</td><td>45.67</td><td>74.00</td><td>-28.33</td><td>58.04</td><td>37.62</td><td>15.67</td><td>65.66</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7067.10	51.25	68.20	-16.95	67.61	35.67	12.54	64.57	0.00	--	--	Peak	2	10600.01	45.67	74.00	-28.33	58.04	37.62	15.67	65.66	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7067.10</td><td>53.22</td><td>68.20</td><td>-14.98</td><td>69.58</td><td>35.67</td><td>12.54</td><td>64.57</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>10600.01</td><td>45.55</td><td>74.00</td><td>-28.45</td><td>57.92</td><td>37.62</td><td>15.67</td><td>65.66</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7067.10	53.22	68.20	-14.98	69.58	35.67	12.54	64.57	0.00	--	--	Peak	2	10600.01	45.55	74.00	-28.45	57.92	37.62	15.67	65.66	0.00	--	--	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	7067.10	51.25	68.20	-16.95	67.61	35.67	12.54	64.57	0.00	--	--	Peak																																																																																																																																
2	10600.01	45.67	74.00	-28.33	58.04	37.62	15.67	65.66	0.00	--	--	PEAK																																																																																																																																
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	7067.10	53.22	68.20	-14.98	69.58	35.67	12.54	64.57	0.00	--	--	Peak																																																																																																																																
2	10600.01	45.55	74.00	-28.45	57.92	37.62	15.67	65.66	0.00	--	--	PEAK																																																																																																																																





Mode	6																																																																																																		
	Band Edge																																																																																																		
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																		
ANT	CDD 3+4																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5351.20</td><td>106.44</td><td>-----</td><td>-----</td><td>97.62</td><td>34.50</td><td>10.73</td><td>36.41</td><td>0.00</td><td>292</td><td>253</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.20	106.44	-----	-----	97.62	34.50	10.73	36.41	0.00	292	253	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>106.44</td><td>-----</td><td>-----</td><td>97.62</td><td>34.50</td><td>10.73</td><td>36.41</td><td>0.00</td><td>292</td><td>253</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	106.44	-----	-----	97.62	34.50	10.73	36.41	0.00	292	253
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5351.20	106.44	-----	-----	97.62	34.50	10.73	36.41	0.00	292	253	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5320.00	106.44	-----	-----	97.62	34.50	10.73	36.41	0.00	292	253	PEAK																																																																																							
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5352.20</td><td>40.41</td><td>-----</td><td>-----</td><td>31.53</td><td>34.50</td><td>10.75</td><td>36.37</td><td>0.00</td><td>292</td><td>253</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5352.20	40.41	-----	-----	31.53	34.50	10.75	36.37	0.00	292	253	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>40.41</td><td>-----</td><td>-----</td><td>90.00</td><td>34.50</td><td>10.73</td><td>36.41</td><td>0.00</td><td>292</td><td>253</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	40.41	-----	-----	90.00	34.50	10.73	36.41	0.00	292	253
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5352.20	40.41	-----	-----	31.53	34.50	10.75	36.37	0.00	292	253	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5320.00	40.41	-----	-----	90.00	34.50	10.73	36.41	0.00	292	253	AVERAGE																																																																																							







Mode	6																																																																																																		
	Band Edge																																																																																																		
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																		
ANT	CDD 3+4																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5350.60</td><td>52.45</td><td>74.00</td><td>-21.55</td><td>43.57</td><td>34.50</td><td>10.75</td><td>36.37</td><td>0.00</td><td>111</td><td>164</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.60	52.45	74.00	-21.55	43.57	34.50	10.75	36.37	0.00	111	164	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>105.89</td><td>-----</td><td>-----</td><td>97.08</td><td>34.50</td><td>10.73</td><td>36.42</td><td>0.00</td><td>111</td><td>164</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	105.89	-----	-----	97.08	34.50	10.73	36.42	0.00	111	164
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5350.60	52.45	74.00	-21.55	43.57	34.50	10.75	36.37	0.00	111	164	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5320.00	105.89	-----	-----	97.08	34.50	10.73	36.42	0.00	111	164	PEAK																																																																																							
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5350.00</td><td>41.85</td><td>54.00</td><td>-12.15</td><td>32.97</td><td>34.50</td><td>10.75</td><td>36.37</td><td>0.00</td><td>111</td><td>164</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	41.85	54.00	-12.15	32.97	34.50	10.75	36.37	0.00	111	164	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>100.47</td><td>-----</td><td>-----</td><td>91.65</td><td>34.50</td><td>10.73</td><td>36.41</td><td>0.00</td><td>111</td><td>164</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	100.47	-----	-----	91.65	34.50	10.73	36.41	0.00	111	164
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5350.00	41.85	54.00	-12.15	32.97	34.50	10.75	36.37	0.00	111	164	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5320.00	100.47	-----	-----	91.65	34.50	10.73	36.41	0.00	111	164	AVERAGE																																																																																							







Mode	6																																																																																																																																											
	Harmonic																																																																																																																																											
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																																																											
ANT	CDD 3+4																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																					
Peak Avg																																																																																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7093.50</td><td>49.91</td><td>68.20</td><td>-18.29</td><td>66.26</td><td>35.69</td><td>12.58</td><td>64.62</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>10640.00</td><td>45.30</td><td>74.00</td><td>-28.70</td><td>57.59</td><td>37.65</td><td>15.71</td><td>65.65</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7093.50	49.91	68.20	-18.29	66.26	35.69	12.58	64.62	0.00	--	--	Peak	2	10640.00	45.30	74.00	-28.70	57.59	37.65	15.71	65.65	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7093.50</td><td>52.07</td><td>68.20</td><td>-16.13</td><td>68.42</td><td>35.69</td><td>12.58</td><td>64.62</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>10640.00</td><td>44.93</td><td>74.00</td><td>-29.07</td><td>57.22</td><td>37.65</td><td>15.71</td><td>65.65</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7093.50	52.07	68.20	-16.13	68.42	35.69	12.58	64.62	0.00	--	--	Peak	2	10640.00	44.93	74.00	-29.07	57.22	37.65	15.71	65.65	0.00	--	--	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	7093.50	49.91	68.20	-18.29	66.26	35.69	12.58	64.62	0.00	--	--	Peak																																																																																																																																
2	10640.00	45.30	74.00	-28.70	57.59	37.65	15.71	65.65	0.00	--	--	PEAK																																																																																																																																
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	7093.50	52.07	68.20	-16.13	68.42	35.69	12.58	64.62	0.00	--	--	Peak																																																																																																																																
2	10640.00	44.93	74.00	-29.07	57.22	37.65	15.71	65.65	0.00	--	--	PEAK																																																																																																																																



Mode	7																																																																				
	Band Edge																																																																				
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																				
ANT	CDD 3+4																																																																				
Pol.	Horizontal						Fundamental																																																														
Peak																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5415.12</td><td>51.80</td><td>74.00</td><td>-22.20</td><td>42.77</td><td>34.52</td><td>10.79</td><td>36.28</td><td>0.00</td><td>305</td><td>250</td><td>PEAK</td></tr><tr><td>2</td><td>5468.88</td><td>49.19</td><td>68.20</td><td>-19.01</td><td>39.97</td><td>34.57</td><td>10.85</td><td>36.20</td><td>0.00</td><td>305</td><td>250</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5415.12	51.80	74.00	-22.20	42.77	34.52	10.79	36.28	0.00	305	250	PEAK	2	5468.88	49.19	68.20	-19.01	39.97	34.57	10.85	36.20	0.00	305	250	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5415.12	51.80	74.00	-22.20	42.77	34.52	10.79	36.28	0.00	305	250	PEAK																																																									
2	5468.88	49.19	68.20	-19.01	39.97	34.57	10.85	36.20	0.00	305	250	PEAK																																																									
Avg																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.92</td><td>37.96</td><td>54.00</td><td>-16.04</td><td>28.77</td><td>34.56</td><td>10.84</td><td>36.21</td><td>0.00</td><td>305</td><td>250</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	37.96	54.00	-16.04	28.77	34.56	10.84	36.21	0.00	305	250	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5459.92	37.96	54.00	-16.04	28.77	34.56	10.84	36.21	0.00	305	250	AVERAGE																																																									
Peak																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>106.61</td><td>-----</td><td>-----</td><td>97.28</td><td>34.60</td><td>10.89</td><td>36.16</td><td>0.00</td><td>305</td><td>250</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	106.61	-----	-----	97.28	34.60	10.89	36.16	0.00	305	250	PEAK													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5500.00	106.61	-----	-----	97.28	34.60	10.89	36.16	0.00	305	250	PEAK																																																									
Avg																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>98.69</td><td>-----</td><td>-----</td><td>89.36</td><td>34.60</td><td>10.89</td><td>36.16</td><td>0.00</td><td>305</td><td>250</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	98.69	-----	-----	89.36	34.60	10.89	36.16	0.00	305	250	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5500.00	98.69	-----	-----	89.36	34.60	10.89	36.16	0.00	305	250	AVERAGE																																																									





		7																																																															
Mode	Band Edge																																																																
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																
ANT	CDD 3+4																																																																
Pol.	Vertical																																																																
Peak																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5441.36</td><td>48.44</td><td>74.00</td><td>-25.56</td><td>39.32</td><td>34.54</td><td>10.82</td><td>36.24</td><td>0.00</td><td>140 167 PEAK</td></tr><tr><td>2</td><td>5469.84</td><td>50.44</td><td>68.20</td><td>-17.76</td><td>41.22</td><td>34.57</td><td>10.85</td><td>36.20</td><td>0.00</td><td>140 167 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5441.36	48.44	74.00	-25.56	39.32	34.54	10.82	36.24	0.00	140 167 PEAK	2	5469.84	50.44	68.20	-17.76	41.22	34.57	10.85	36.20	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5441.36	48.44	74.00	-25.56	39.32	34.54	10.82	36.24	0.00	140 167 PEAK																																																							
2	5469.84	50.44	68.20	-17.76	41.22	34.57	10.85	36.20	0.00	140 167 PEAK																																																							
Fundamental																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>106.43</td><td>-----</td><td>-----</td><td>97.10</td><td>34.60</td><td>10.89</td><td>36.16</td><td>0.00</td><td>140 167 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	106.43	-----	-----	97.10	34.60	10.89	36.16	0.00	140 167 PEAK										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5500.00	106.43	-----	-----	97.10	34.60	10.89	36.16	0.00	140 167 PEAK																																																							
Avg																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.60</td><td>38.46</td><td>54.00</td><td>-15.54</td><td>29.28</td><td>34.56</td><td>10.84</td><td>36.22</td><td>0.00</td><td>140 167 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.60	38.46	54.00	-15.54	29.28	34.56	10.84	36.22	0.00	140 167 AVERAGE										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5459.60	38.46	54.00	-15.54	29.28	34.56	10.84	36.22	0.00	140 167 AVERAGE																																																							
Fundamental																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>99.51</td><td>-----</td><td>-----</td><td>90.18</td><td>34.60</td><td>10.89</td><td>36.16</td><td>0.00</td><td>140 167 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	99.51	-----	-----	90.18	34.60	10.89	36.16	0.00	140 167 AVERAGE										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5500.00	99.51	-----	-----	90.18	34.60	10.89	36.16	0.00	140 167 AVERAGE																																																							





Mode	7																																																																																																																
	Harmonic																																																																																																																
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																																
ANT	CDD 3+4																																																																																																																
Pol.	Horizontal						Vertical																																																																																																										
Peak Avg																																																																																																																	
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11000.00</td><td>46.40</td><td>74.00</td><td>-27.60</td><td>57.93</td><td>37.90</td><td>16.04</td><td>65.47</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11000.00	46.40	74.00	-27.60	57.93	37.90	16.04	65.47	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11000.00</td><td>45.56</td><td>74.00</td><td>-28.44</td><td>57.09</td><td>37.90</td><td>16.04</td><td>65.47</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11000.00	45.56	74.00	-28.44	57.09	37.90	16.04	65.47	0.00	--	--
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	11000.00	46.40	74.00	-27.60	57.93	37.90	16.04	65.47	0.00	--	--	PEAK																																																																																																					
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	11000.00	45.56	74.00	-28.44	57.09	37.90	16.04	65.47	0.00	--	--	PEAK																																																																																																					






		8																																																															
Mode		Harmonic																																																															
		U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																															
ANT		CDD 3+4																																																															
Pol.		Horizontal						Vertical																																																									
Peak Avg																																																																	
																																																																	
		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11160.00</td><td>46.87</td><td>74.00</td><td>-27.13</td><td>58.09</td><td>38.03</td><td>16.15</td><td>65.40</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11160.00	46.87	74.00	-27.13	58.09	38.03	16.15	65.40	0.00	--	--	PEAK
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor			Remark																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																						
1	11160.00	46.87	74.00	-27.13	58.09	38.03	16.15	65.40	0.00	--	--	PEAK																																																					
		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11160.00</td><td>46.94</td><td>74.00</td><td>-27.06</td><td>58.16</td><td>38.03</td><td>16.15</td><td>65.40</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11160.00	46.94	74.00	-27.06	58.16	38.03	16.15	65.40	0.00	--	--	PEAK
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor			Remark																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																						
1	11160.00	46.94	74.00	-27.06	58.16	38.03	16.15	65.40	0.00	--	--	PEAK																																																					



Mode	9																																																							
	Band Edge																																																							
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																							
ANT	CDD 3+4																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5748.28</td><td>49.42</td><td>68.20</td><td>-18.78</td><td>41.13</td><td>34.74</td><td>11.21</td><td>37.66</td><td>0.00</td><td>352</td><td>235</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5748.28	49.42	68.20	-18.78	41.13	34.74	11.21	37.66	0.00	352	235	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5748.28	49.42	68.20	-18.78	41.13	34.74	11.21	37.66	0.00	352	235	PEAK																																												
Avg	Blank						 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C(AVG) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>94.53</td><td>-----</td><td>-----</td><td>85.66</td><td>34.60</td><td>11.14</td><td>36.87</td><td>0.00</td><td>352</td><td>235</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	94.53	-----	-----	85.66	34.60	11.14	36.87	0.00	352	235	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5700.00	94.53	-----	-----	85.66	34.60	11.14	36.87	0.00	352	235	AVERAGE																																												







Mode	9																																																																																																
	Band Edge																																																																																																
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																
ANT	CDD 3+4																																																																																																
Pol.	Vertical						Fundamental																																																																																										
Peak																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5726.60</td><td>49.08</td><td>68.20</td><td>-19.12</td><td>40.54</td><td>34.68</td><td>11.18</td><td>37.32</td><td>0.00</td><td>131</td><td>185</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5726.60	49.08	68.20	-19.12	40.54	34.68	11.18	37.32	0.00	131	185	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>102.23</td><td>-----</td><td>-----</td><td>93.36</td><td>34.60</td><td>11.14</td><td>36.87</td><td>0.00</td><td>131</td><td>185</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	102.23	-----	-----	93.36	34.60	11.14	36.87	0.00	131	185
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5726.60	49.08	68.20	-19.12	40.54	34.68	11.18	37.32	0.00	131	185	PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5700.00	102.23	-----	-----	93.36	34.60	11.14	36.87	0.00	131	185	PEAK																																																																																					
Avg	Blank																																																																																																
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>94.40</td><td>-----</td><td>-----</td><td>85.53</td><td>34.60</td><td>11.14</td><td>36.87</td><td>0.00</td><td>131</td><td>185</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	94.40	-----	-----	85.53	34.60	11.14	36.87	0.00	131	185	AVERAGE																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5700.00	94.40	-----	-----	85.53	34.60	11.14	36.87	0.00	131	185	AVERAGE																																																																																					







		9										
Mode		Harmonic										
		U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz										
ANT		CDD 3+4										
Pol.		Horizontal										
Peak Avg												





Mode	10																																																																																																												
	Band Edge																																																																																																												
	U-NII-1_5.15-5.25_802.11ac VHT20_CH36_Full_5180MHz																																																																																																												
ANT	CDD 3+4																																																																																																												
Pol.	Horizontal						Fundamental																																																																																																						
Peak																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>52.07</td><td>74.00</td><td>-21.93</td><td>43.96</td><td>34.15</td><td>10.61</td><td>36.65</td><td>0.00</td><td>129</td><td>30 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	52.07	74.00	-21.93	43.96	34.15	10.61	36.65	0.00	129	30 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>107.72</td><td>-----</td><td>-----</td><td>99.47</td><td>34.23</td><td>10.64</td><td>36.62</td><td>0.00</td><td>129</td><td>30 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	107.72	-----	-----	99.47	34.23	10.64	36.62	0.00	129
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5180.00	52.07	74.00	-21.93	43.96	34.15	10.61	36.65	0.00	129	30 PEAK																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5180.00	107.72	-----	-----	99.47	34.23	10.64	36.62	0.00	129	30 PEAK																																																																																																		
Avg																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.70</td><td>40.98</td><td>54.00</td><td>-13.02</td><td>32.87</td><td>34.15</td><td>10.61</td><td>36.65</td><td>0.00</td><td>129</td><td>30 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.70	40.98	54.00	-13.02	32.87	34.15	10.61	36.65	0.00	129	30 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>98.86</td><td>-----</td><td>-----</td><td>90.58</td><td>34.25</td><td>10.64</td><td>36.61</td><td>0.00</td><td>129</td><td>30 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	98.86	-----	-----	90.58	34.25	10.64	36.61	0.00	129
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5149.70	40.98	54.00	-13.02	32.87	34.15	10.61	36.65	0.00	129	30 AVERAGE																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5180.00	98.86	-----	-----	90.58	34.25	10.64	36.61	0.00	129	30 AVERAGE																																																																																																		






Mode	10																																																																																																														
	Band Edge																																																																																																														
	U-NII-1_5.15-5.25_802.11ac VHT20_CH36_Full_5180MHz																																																																																																														
ANT	CDD 3+4																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.30</td><td>51.43</td><td>74.00</td><td>-22.57</td><td>43.32</td><td>34.15</td><td>10.61</td><td>36.65</td><td>0.00</td><td>155</td><td>159</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.30	51.43	74.00	-22.57	43.32	34.15	10.61	36.65	0.00	155	159	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>109.75</td><td>-----</td><td>-----</td><td>101.47</td><td>34.25</td><td>10.64</td><td>36.61</td><td>0.00</td><td>155</td><td>159</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	109.75	-----	-----	101.47	34.25	10.64	36.61	0.00	155	159
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5149.30	51.43	74.00	-22.57	43.32	34.15	10.61	36.65	0.00	155	159	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5180.00	109.75	-----	-----	101.47	34.25	10.64	36.61	0.00	155	159	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5150.00</td><td>42.26</td><td>54.00</td><td>-11.74</td><td>34.15</td><td>34.15</td><td>10.61</td><td>36.65</td><td>0.00</td><td>155</td><td>159</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5150.00	42.26	54.00	-11.74	34.15	34.15	10.61	36.65	0.00	155	159	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>101.02</td><td>-----</td><td>-----</td><td>92.74</td><td>34.25</td><td>10.64</td><td>36.61</td><td>0.00</td><td>155</td><td>159</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	101.02	-----	-----	92.74	34.25	10.64	36.61	0.00	155	159
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5150.00	42.26	54.00	-11.74	34.15	34.15	10.61	36.65	0.00	155	159	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5180.00	101.02	-----	-----	92.74	34.25	10.64	36.61	0.00	155	159	AVERAGE																																																																																																			





Mode	10																																																																																			
	Harmonic																																																																																			
	U-NII-1_5.15-5.25_802.11ac VHT20_CH36_Full_5180MHz																																																																																			
ANT	CDD 3+4																																																																																			
Pol.	Horizontal						Vertical																																																																													
Peak Avg																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>10360.00</td><td>46.98</td><td>68.20</td><td>-21.22</td><td>59.86</td><td>37.45</td><td>15.45</td><td>65.78</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10360.00	46.98	68.20	-21.22	59.86	37.45	15.45	65.78	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>10360.00</td><td>46.36</td><td>68.20</td><td>-21.84</td><td>59.22</td><td>37.46</td><td>15.46</td><td>65.78</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10360.00	46.36	68.20	-21.84	59.22	37.46	15.46	65.78
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																												
1	10360.00	46.98	68.20	-21.22	59.86	37.45	15.45	65.78																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																												
1	10360.00	46.36	68.20	-21.84	59.22	37.46	15.46	65.78																																																																												
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>10360.00</td><td>46.98</td><td>68.20</td><td>-21.22</td><td>59.86</td><td>37.45</td><td>15.45</td><td>65.78</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10360.00	46.98	68.20	-21.22	59.86	37.45	15.45	65.78	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>10360.00</td><td>46.36</td><td>68.20</td><td>-21.84</td><td>59.22</td><td>37.46</td><td>15.46</td><td>65.78</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10360.00	46.36	68.20	-21.84	59.22	37.46	15.46	65.78	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																												
1	10360.00	46.98	68.20	-21.22	59.86	37.45	15.45	65.78																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																												
1	10360.00	46.36	68.20	-21.84	59.22	37.46	15.46	65.78																																																																												



Mode	11																																																																																			
	Harmonic																																																																																			
	U-NII-1_5.15-5.25_802.11ac VHT20_CH44_Full_5220MHz																																																																																			
ANT	CDD 3+4																																																																																			
Pol.	Horizontal						Vertical																																																																													
Peak Avg																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>10440.00</td><td>47.22</td><td>68.20</td><td>-20.98</td><td>59.93</td><td>37.51</td><td>15.52</td><td>65.74</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10440.00	47.22	68.20	-20.98	59.93	37.51	15.52	65.74	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>10440.00</td><td>45.77</td><td>68.20</td><td>-22.43</td><td>58.49</td><td>37.50</td><td>15.52</td><td>65.74</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10440.00	45.77	68.20	-22.43	58.49	37.50	15.52	65.74
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																												
1	10440.00	47.22	68.20	-20.98	59.93	37.51	15.52	65.74																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																												
1	10440.00	45.77	68.20	-22.43	58.49	37.50	15.52	65.74																																																																												
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>10440.00</td><td>47.22</td><td>68.20</td><td>-20.98</td><td>59.93</td><td>37.51</td><td>15.52</td><td>65.74</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10440.00	47.22	68.20	-20.98	59.93	37.51	15.52	65.74	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>10440.00</td><td>45.77</td><td>68.20</td><td>-22.43</td><td>58.49</td><td>37.50</td><td>15.52</td><td>65.74</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10440.00	45.77	68.20	-22.43	58.49	37.50	15.52	65.74	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																												
1	10440.00	47.22	68.20	-20.98	59.93	37.51	15.52	65.74																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																												
1	10440.00	45.77	68.20	-22.43	58.49	37.50	15.52	65.74																																																																												









Mode	13																																																																																																																																											
	Harmonic																																																																																																																																											
	U-NII-2A_5.25-5.35_802.11ac VHT20_CH52_Full_5280MHz																																																																																																																																											
ANT	CDD 3+4																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																					
Peak Avg																																																																																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7014.00</td><td>52.70</td><td>68.20</td><td>-15.50</td><td>69.09</td><td>35.61</td><td>12.47</td><td>64.47</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>10560.00</td><td>46.74</td><td>68.20</td><td>-21.46</td><td>59.19</td><td>37.59</td><td>15.64</td><td>65.68</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7014.00	52.70	68.20	-15.50	69.09	35.61	12.47	64.47	0.00	--	--	Peak	2	10560.00	46.74	68.20	-21.46	59.19	37.59	15.64	65.68	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7014.00</td><td>53.30</td><td>68.20</td><td>-14.90</td><td>69.69</td><td>35.61</td><td>12.47</td><td>64.47</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>10560.00</td><td>46.08</td><td>68.20</td><td>-22.12</td><td>58.53</td><td>37.59</td><td>15.64</td><td>65.68</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7014.00	53.30	68.20	-14.90	69.69	35.61	12.47	64.47	0.00	--	--	Peak	2	10560.00	46.08	68.20	-22.12	58.53	37.59	15.64	65.68	0.00	--	--	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	7014.00	52.70	68.20	-15.50	69.09	35.61	12.47	64.47	0.00	--	--	Peak																																																																																																																																
2	10560.00	46.74	68.20	-21.46	59.19	37.59	15.64	65.68	0.00	--	--	PEAK																																																																																																																																
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	7014.00	53.30	68.20	-14.90	69.69	35.61	12.47	64.47	0.00	--	--	Peak																																																																																																																																
2	10560.00	46.08	68.20	-22.12	58.53	37.59	15.64	65.68	0.00	--	--	PEAK																																																																																																																																







		14																																																																											
Mode		Harmonic																																																																											
		U-NII-2A_5.25-5.35_802.11ac VHT20_CH60_Full_5300MHz																																																																											
ANT		CDD 3+4																																																																											
Pol.		Horizontal						Vertical																																																																					
Peak Avg																																																																													
		<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7066.00</td><td>52.55</td><td>68.20</td><td>-15.65</td><td>68.91</td><td>35.67</td><td>12.54</td><td>64.57</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>10600.00</td><td>46.11</td><td>74.00</td><td>-27.89</td><td>58.48</td><td>37.62</td><td>15.67</td><td>65.66</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7066.00	52.55	68.20	-15.65	68.91	35.67	12.54	64.57	0.00	--	--	Peak	2	10600.00	46.11	74.00	-27.89	58.48	37.62	15.67	65.66	0.00	--	--	PEAK
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																		
1	7066.00	52.55	68.20	-15.65	68.91	35.67	12.54	64.57	0.00	--	--	Peak																																																																	
2	10600.00	46.11	74.00	-27.89	58.48	37.62	15.67	65.66	0.00	--	--	PEAK																																																																	
		<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7066.00</td><td>53.02</td><td>68.20</td><td>-15.18</td><td>69.38</td><td>35.67</td><td>12.54</td><td>64.57</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>10600.00</td><td>46.07</td><td>74.00</td><td>-27.93</td><td>58.45</td><td>37.62</td><td>15.67</td><td>65.67</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7066.00	53.02	68.20	-15.18	69.38	35.67	12.54	64.57	0.00	--	--	Peak	2	10600.00	46.07	74.00	-27.93	58.45	37.62	15.67	65.67	0.00	--	--	PEAK
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																		
1	7066.00	53.02	68.20	-15.18	69.38	35.67	12.54	64.57	0.00	--	--	Peak																																																																	
2	10600.00	46.07	74.00	-27.93	58.45	37.62	15.67	65.67	0.00	--	--	PEAK																																																																	



		15																																																
Mode		Band Edge																																																
		U-NII-2A_5.25-5.35_802.11ac VHT20_CH64_Full_5320MHz																																																
ANT		CDD 3+4																																																
Pol.		Horizontal																																																
Peak																																																		
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	5352.80	51.05	74.00	-22.95	42.17	34.50	10.75	36.37	0.00	315	252
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																								
1	5352.80	51.05	74.00	-22.95	42.17	34.50	10.75	36.37	0.00	315	252	PEAK																																						
Fundamental																																																		
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	5320.00	106.56	-----	-----	97.73	34.50	10.73	36.40	0.00	315	252
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																								
1	5320.00	106.56	-----	-----	97.73	34.50	10.73	36.40	0.00	315	252	PEAK																																						
Avg																																																		
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	5352.20	39.25	54.00	-14.75	30.37	34.50	10.75	36.37	0.00	315	252
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																								
1	5352.20	39.25	54.00	-14.75	30.37	34.50	10.75	36.37	0.00	315	252	AVERAGE																																						
Avg																																																		
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	5320.00	98.10	-----	-----	89.27	34.50	10.73	36.40	0.00	315	252
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																								
1	5320.00	98.10	-----	-----	89.27	34.50	10.73	36.40	0.00	315	252	AVERAGE																																						







Mode	15																																																																																																		
	Band Edge																																																																																																		
	U-NII-2A_5.25-5.35_802.11ac VHT20_CH64_Full_5320MHz																																																																																																		
ANT	CDD 3+4																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5352.40</td><td>50.54</td><td>74.00</td><td>-23.46</td><td>41.66</td><td>34.50</td><td>10.75</td><td>36.37</td><td>0.00</td><td>141</td><td>166</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5352.40	50.54	74.00	-23.46	41.66	34.50	10.75	36.37	0.00	141	166	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>107.36</td><td>-----</td><td>-----</td><td>98.54</td><td>34.50</td><td>10.73</td><td>36.41</td><td>0.00</td><td>141</td><td>166</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	107.36	-----	-----	98.54	34.50	10.73	36.41	0.00	141	166
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5352.40	50.54	74.00	-23.46	41.66	34.50	10.75	36.37	0.00	141	166	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5320.00	107.36	-----	-----	98.54	34.50	10.73	36.41	0.00	141	166	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.00</td><td>40.18</td><td>54.00</td><td>-13.82</td><td>31.30</td><td>34.50</td><td>10.75</td><td>36.37</td><td>0.00</td><td>141</td><td>166</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	40.18	54.00	-13.82	31.30	34.50	10.75	36.37	0.00	141	166	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>100.71</td><td>-----</td><td>-----</td><td>91.89</td><td>34.50</td><td>10.73</td><td>36.41</td><td>0.00</td><td>141</td><td>166</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	100.71	-----	-----	91.89	34.50	10.73	36.41	0.00	141	166
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5350.00	40.18	54.00	-13.82	31.30	34.50	10.75	36.37	0.00	141	166	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5320.00	100.71	-----	-----	91.89	34.50	10.73	36.41	0.00	141	166	AVERAGE																																																																																							







		15																																																																												
Mode		Harmonic																																																																												
		U-NII-2A_5.25-5.35_802.11ac VHT20_CH64_Full_5320MHz																																																																												
ANT		CDD 3+4																																																																												
Pol.		Horizontal						Vertical																																																																						
Peak Avg																																																																														
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7093.20</td><td>52.86</td><td>68.20</td><td>-15.34</td><td>69.21</td><td>35.69</td><td>12.58</td><td>64.62</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>10640.00</td><td>46.19</td><td>74.00</td><td>-27.81</td><td>58.48</td><td>37.65</td><td>15.71</td><td>65.65</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>																Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7093.20	52.86	68.20	-15.34	69.21	35.69	12.58	64.62	0.00	--	--	Peak	2	10640.00	46.19	74.00	-27.81	58.48	37.65	15.71	65.65	0.00	--	--	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																			
1	7093.20	52.86	68.20	-15.34	69.21	35.69	12.58	64.62	0.00	--	--	Peak																																																																		
2	10640.00	46.19	74.00	-27.81	58.48	37.65	15.71	65.65	0.00	--	--	PEAK																																																																		
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7093.20</td><td>53.84</td><td>68.20</td><td>-14.36</td><td>70.19</td><td>35.69</td><td>12.58</td><td>64.62</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>10640.00</td><td>46.59</td><td>74.00</td><td>-27.41</td><td>58.88</td><td>37.65</td><td>15.71</td><td>65.65</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>																Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7093.20	53.84	68.20	-14.36	70.19	35.69	12.58	64.62	0.00	--	--	Peak	2	10640.00	46.59	74.00	-27.41	58.88	37.65	15.71	65.65	0.00	--	--	PEAK	
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																			
1	7093.20	53.84	68.20	-14.36	70.19	35.69	12.58	64.62	0.00	--	--	Peak																																																																		
2	10640.00	46.59	74.00	-27.41	58.88	37.65	15.71	65.65	0.00	--	--	PEAK																																																																		




Mode	16																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH100_Full_5500MHz																																																																																																																																									
ANT	CDD 3+4																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5408.24</td><td>48.87</td><td>74.00</td><td>-25.13</td><td>39.87</td><td>34.51</td><td>10.78</td><td>36.29</td><td>0.00</td><td>306</td><td>242</td><td>PEAK</td></tr><tr><td>2</td><td>5465.36</td><td>49.20</td><td>68.20</td><td>-19.00</td><td>39.99</td><td>34.57</td><td>10.85</td><td>36.21</td><td>0.00</td><td>306</td><td>242</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5408.24	48.87	74.00	-25.13	39.87	34.51	10.78	36.29	0.00	306	242	PEAK	2	5465.36	49.20	68.20	-19.00	39.99	34.57	10.85	36.21	0.00	306	242	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>103.53</td><td>-----</td><td>-----</td><td>94.20</td><td>34.60</td><td>10.89</td><td>36.16</td><td>0.00</td><td>306</td><td>242</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5500.00	103.53	-----	-----	94.20	34.60	10.89	36.16	0.00	306	242
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5408.24	48.87	74.00	-25.13	39.87	34.51	10.78	36.29	0.00	306	242	PEAK																																																																																																																														
2	5465.36	49.20	68.20	-19.00	39.99	34.57	10.85	36.21	0.00	306	242	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5500.00	103.53	-----	-----	94.20	34.60	10.89	36.16	0.00	306	242	PEAK																																																																																																																														
Avg																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5459.60</td><td>37.90</td><td>54.00</td><td>-16.10</td><td>28.72</td><td>34.56</td><td>10.84</td><td>36.22</td><td>0.00</td><td>306</td><td>242</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5459.60	37.90	54.00	-16.10	28.72	34.56	10.84	36.22	0.00	306	242	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>96.85</td><td>-----</td><td>-----</td><td>87.52</td><td>34.60</td><td>10.89</td><td>36.16</td><td>0.00</td><td>306</td><td>242</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5500.00	96.85	-----	-----	87.52	34.60	10.89	36.16	0.00	306	242	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5459.60	37.90	54.00	-16.10	28.72	34.56	10.84	36.22	0.00	306	242	AVERAGE																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5500.00	96.85	-----	-----	87.52	34.60	10.89	36.16	0.00	306	242	AVERAGE																																																																																																																														





		16																																																						
Mode		Band Edge																																																						
		U-NII-2C_5.47-5.725_802.11ac VHT20_CH100_Full_5500MHz																																																						
ANT		CDD 3+4																																																						
Pol.		Vertical																																																						
Peak																																																								
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5389.68	48.76	74.00	-25.24	39.80	34.50	10.77	36.31	0.00	162	169	PEAK	2	5469.52	49.45	68.20	-18.75	40.23	34.57	10.85	36.20	0.00	162	169
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5389.68	48.76	74.00	-25.24	39.80	34.50	10.77	36.31	0.00	162	169	PEAK																																												
2	5469.52	49.45	68.20	-18.75	40.23	34.57	10.85	36.20	0.00	162	169	PEAK																																												
Fundamental																																																								
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	105.33	-----	-----	96.00	34.60	10.89	36.16	0.00	162	169	PEAK												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5500.00	105.33	-----	-----	96.00	34.60	10.89	36.16	0.00	162	169	PEAK																																												
Avg																																																								
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	38.49	54.00	-15.51	29.30	34.56	10.84	36.21	0.00	162	169	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5459.92	38.49	54.00	-15.51	29.30	34.56	10.84	36.21	0.00	162	169	AVERAGE																																												
AVERAGE																																																								
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	98.25	-----	-----	88.92	34.60	10.89	36.16	0.00	162	169	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5500.00	98.25	-----	-----	88.92	34.60	10.89	36.16	0.00	162	169	AVERAGE																																												






		16																																																				
Mode		Harmonic																																																				
		U-NII-2C_5.47-5.725_802.11ac VHT20_CH100_Full_5500MHz																																																				
ANT		CDD 3+4																																																				
Pol.		Horizontal					Vertical																																															
Peak Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11000.00</td><td>46.71</td><td>74.00</td><td>-27.29</td><td>58.24</td><td>37.90</td><td>16.04</td><td>65.47</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11000.00	46.71	74.00	-27.29	58.24	37.90	16.04	65.47	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	11000.00	46.71	74.00	-27.29	58.24	37.90	16.04	65.47	0.00	--	PEAK																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11000.00</td><td>46.06</td><td>74.00</td><td>-27.94</td><td>57.59</td><td>37.90</td><td>16.04</td><td>65.47</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11000.00	46.06	74.00	-27.94	57.59	37.90	16.04	65.47	0.00	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	11000.00	46.06	74.00	-27.94	57.59	37.90	16.04	65.47	0.00	--	PEAK																																											







Mode	17																																																																																																		
	Harmonic																																																																																																		
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH116_Full_5580MHz																																																																																																		
ANT	CDD 3+4																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11160.00</td><td>47.27</td><td>74.00</td><td>-26.73</td><td>58.49</td><td>38.03</td><td>16.15</td><td>65.40</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table> <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11160.00</td><td>46.70</td><td>74.00</td><td>-27.30</td><td>57.92</td><td>38.03</td><td>16.15</td><td>65.40</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11160.00	47.27	74.00	-26.73	58.49	38.03	16.15	65.40	0.00	--	--	PEAK		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11160.00	46.70	74.00	-27.30	57.92	38.03	16.15	65.40	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	11160.00	47.27	74.00	-26.73	58.49	38.03	16.15	65.40	0.00	--	--	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	11160.00	46.70	74.00	-27.30	57.92	38.03	16.15	65.40	0.00	--	--	PEAK																																																																																							



		18																																																				
Mode		Band Edge																																																				
		U-NII-2C_5.47-5.725_802.11ac VHT20_CH140_Full_5700MHz																																																				
ANT		CDD 3+4																																																				
Pol.		Horizontal					Fundamental																																															
Peak																																																						
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5725.16</td><td>50.85</td><td>68.20</td><td>-17.35</td><td>42.29</td><td>34.68</td><td>11.18</td><td>37.30</td><td>0.00</td><td>233</td><td>129</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5725.16	50.85	68.20	-17.35	42.29	34.68	11.18	37.30	0.00	233	129
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1	5725.16	50.85	68.20	-17.35	42.29	34.68	11.18	37.30	0.00	233	129	PEAK																																										
Avg																																																						
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>102.05</td><td>-----</td><td>-----</td><td>93.18</td><td>34.60</td><td>11.14</td><td>36.87</td><td>0.00</td><td>233</td><td>129</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	102.05	-----	-----	93.18	34.60	11.14	36.87	0.00	233	129
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1	5700.00	102.05	-----	-----	93.18	34.60	11.14	36.87	0.00	233	129	PEAK																																										
																																																						
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>94.05</td><td>-----</td><td>-----</td><td>85.18</td><td>34.60</td><td>11.14</td><td>36.87</td><td>0.00</td><td>233</td><td>129</td><td>AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	94.05	-----	-----	85.18	34.60	11.14	36.87	0.00	233	129
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1	5700.00	94.05	-----	-----	85.18	34.60	11.14	36.87	0.00	233	129	AVERAGE																																										







Mode	18																																																																																																	
	Band Edge																																																																																																	
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH140_Full_5700MHz																																																																																																	
ANT	CDD 3+4																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.56</td><td>49.52</td><td>68.20</td><td>-18.68</td><td>40.96</td><td>34.68</td><td>11.18</td><td>37.30</td><td>0.00</td><td>129</td><td>172</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.56	49.52	68.20	-18.68	40.96	34.68	11.18	37.30	0.00	129	172	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>102.23</td><td>-----</td><td>-----</td><td>93.36</td><td>34.60</td><td>11.14</td><td>36.87</td><td>0.00</td><td>129</td><td>172</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	102.23	-----	-----	93.36	34.60	11.14	36.87	0.00	129	172
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5725.56	49.52	68.20	-18.68	40.96	34.68	11.18	37.30	0.00	129	172	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5700.00	102.23	-----	-----	93.36	34.60	11.14	36.87	0.00	129	172	PEAK																																																																																						
Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>94.31</td><td>-----</td><td>-----</td><td>85.44</td><td>34.60</td><td>11.14</td><td>36.87</td><td>0.00</td><td>129</td><td>172</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	94.31	-----	-----	85.44	34.60	11.14	36.87	0.00	129	172	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>94.31</td><td>-----</td><td>-----</td><td>85.44</td><td>34.60</td><td>11.14</td><td>36.87</td><td>0.00</td><td>129</td><td>172</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	94.31	-----	-----	85.44	34.60	11.14	36.87	0.00	129	172
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5700.00	94.31	-----	-----	85.44	34.60	11.14	36.87	0.00	129	172	AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5700.00	94.31	-----	-----	85.44	34.60	11.14	36.87	0.00	129	172	AVERAGE																																																																																						





Mode	18																																																																																																			
	Harmonic																																																																																																			
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH140_Full_5700MHz																																																																																																			
ANT	CDD 3+4																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11400.00</td><td>46.45</td><td>74.00</td><td>-27.55</td><td>57.21</td><td>38.22</td><td>16.30</td><td>65.28</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11400.00	46.45	74.00	-27.55	57.21	38.22	16.30	65.28	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11400.00</td><td>46.81</td><td>74.00</td><td>-27.19</td><td>57.57</td><td>38.22</td><td>16.30</td><td>65.28</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11400.00	46.81	74.00	-27.19	57.57	38.22	16.30	65.28	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11400.00	46.45	74.00	-27.55	57.21	38.22	16.30	65.28	0.00	--	--	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11400.00	46.81	74.00	-27.19	57.57	38.22	16.30	65.28	0.00	--	--	PEAK																																																																																								







Mode	19																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-1_5.15-5.25_802.11ac VHT40_CH38_Full_5190MHz																																																																																																														
ANT	CDD 3+4																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.64</td><td>58.58</td><td>74.00</td><td>-15.42</td><td>50.48</td><td>34.15</td><td>10.61</td><td>36.66</td><td>0.00</td><td>100</td><td>28</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.64	58.58	74.00	-15.42	50.48	34.15	10.61	36.66	0.00	100	28	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>103.82</td><td>-----</td><td>-----</td><td>95.51</td><td>34.26</td><td>10.65</td><td>36.60</td><td>0.00</td><td>100</td><td>28</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	103.82	-----	-----	95.51	34.26	10.65	36.60	0.00	100	28
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5148.64	58.58	74.00	-15.42	50.48	34.15	10.61	36.66	0.00	100	28	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5190.00	103.82	-----	-----	95.51	34.26	10.65	36.60	0.00	100	28	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.48</td><td>47.17</td><td>54.00</td><td>-6.83</td><td>39.07</td><td>34.15</td><td>10.61</td><td>36.66</td><td>0.00</td><td>100</td><td>28</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.48	47.17	54.00	-6.83	39.07	34.15	10.61	36.66	0.00	100	28	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>96.29</td><td>-----</td><td>-----</td><td>87.98</td><td>34.26</td><td>10.65</td><td>36.60</td><td>0.00</td><td>100</td><td>28</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	96.29	-----	-----	87.98	34.26	10.65	36.60	0.00	100	28
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5148.48	47.17	54.00	-6.83	39.07	34.15	10.61	36.66	0.00	100	28	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5190.00	96.29	-----	-----	87.98	34.26	10.65	36.60	0.00	100	28	AVERAGE																																																																																																			





Mode	19																																														
	Band Edge - R																																														
	U-NII-1_5.15-5.25_802.11ac VHT40_CH38_Full_5190MHz																																														
ANT	CDD 3+4																																														
Pol.	Horizontal										Fundamental																																				
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5366.85</td><td>48.73</td><td>74.00</td><td>-25.27</td><td>39.82</td><td>34.50</td><td>10.76</td><td>36.35</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5366.85	48.73	74.00	-25.27	39.82	34.50	10.76	36.35	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																							
1	5366.85	48.73	74.00	-25.27	39.82	34.50	10.76	36.35																																							
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5351.46</td><td>37.01</td><td>54.00</td><td>-16.99</td><td>28.13</td><td>34.50</td><td>10.75</td><td>36.37</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5351.46	37.01	54.00	-16.99	28.13	34.50	10.75	36.37	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																							
1	5351.46	37.01	54.00	-16.99	28.13	34.50	10.75	36.37																																							



Mode	19																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-1_5.15-5.25_802.11ac VHT40_CH38_Full_5190MHz																																																																																																														
ANT	CDD 3+4																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.28</td><td>59.73</td><td>74.00</td><td>-14.27</td><td>51.62</td><td>34.15</td><td>10.61</td><td>36.65</td><td>0.00</td><td>156</td><td>151</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.28	59.73	74.00	-14.27	51.62	34.15	10.61	36.65	0.00	156	151	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>105.56</td><td>-----</td><td>-----</td><td>97.22</td><td>34.28</td><td>10.65</td><td>36.59</td><td>0.00</td><td>156</td><td>151</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	105.56	-----	-----	97.22	34.28	10.65	36.59	0.00	156	151
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5149.28	59.73	74.00	-14.27	51.62	34.15	10.61	36.65	0.00	156	151	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5190.00	105.56	-----	-----	97.22	34.28	10.65	36.59	0.00	156	151	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.92</td><td>48.46</td><td>54.00</td><td>-5.54</td><td>40.35</td><td>34.15</td><td>10.61</td><td>36.65</td><td>0.00</td><td>156</td><td>151</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.92	48.46	54.00	-5.54	40.35	34.15	10.61	36.65	0.00	156	151	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>97.73</td><td>-----</td><td>-----</td><td>89.39</td><td>34.28</td><td>10.65</td><td>36.59</td><td>0.00</td><td>156</td><td>151</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	97.73	-----	-----	89.39	34.28	10.65	36.59	0.00	156	151
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5149.92	48.46	54.00	-5.54	40.35	34.15	10.61	36.65	0.00	156	151	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5190.00	97.73	-----	-----	89.39	34.28	10.65	36.59	0.00	156	151	AVERAGE																																																																																																			



Mode	19																																																				
	Band Edge - R																																																				
	U-NII-1_5.15-5.25_802.11ac VHT40_CH38_Full_5190MHz																																																				
ANT	CDD 3+4																																																				
Pol.	Vertical										Fundamental																																										
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5354.43</td><td>48.35</td><td>74.00</td><td>-25.65</td><td>39.46</td><td>34.50</td><td>10.75</td><td>36.36</td><td>0.00</td><td>156</td><td>151 PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5354.43	48.35	74.00	-25.65	39.46	34.50	10.75	36.36	0.00	156	151 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5354.43	48.35	74.00	-25.65	39.46	34.50	10.75	36.36	0.00	156	151 PEAK																																										
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.11</td><td>37.64</td><td>54.00</td><td>-16.36</td><td>28.76</td><td>34.50</td><td>10.75</td><td>36.37</td><td>0.00</td><td>156</td><td>151 AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.11	37.64	54.00	-16.36	28.76	34.50	10.75	36.37	0.00	156	151 AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5350.11	37.64	54.00	-16.36	28.76	34.50	10.75	36.37	0.00	156	151 AVERAGE																																										