



SETUP PHOTO EXHIBIT

Report Number: R13172472-EP1

Applicant : Humanscale Corporation
1114 6th Ave, 15th Floor
New York, NY 10036, USA

Model : N


FCC ID : 2AMDTWCDB

EUT Description : Nova Series Model N with Wireless Charging Desktop Base

Test Standard(s) : FCC 47 CFR PART 15 SUBPART C

Date Of Issue:
2020-06-10

Prepared by:
UL LLC
12 Laboratory Dr.
Research Triangle Park, NC 27709 U.S.A.
TEL: (919) 549-1400



NVLAP Lab code: 200246-0

REVISION HISTORY

<u>Ver.</u>	<u>Issue Date</u>	<u>Revisions</u>	<u>Revised By</u>
<u>1</u>	<u>2020-06-10</u>	<u>Initial Issue</u>	<u>Brian T. Kiewra</u>

TABLE OF CONTENTS

REVISION HISTORY2

1. DESCRIPTION OF TEST SETUP4

2. SETUP PHOTOS.....5

END OF TEST REPORT8

1. DESCRIPTION OF TEST SETUP


SUPPORT EQUIPMENT

Support Equipment List				
Description	Manufacturer	Model	Serial Number	FCC ID
USB Resistive load	Humanscale	NA (for testing purposes only)	NA	NA
Qi Resistive Load	Richtek	NA (for testing purposes only)	NA	NA
Power Supply	Xing Yuan Elec. Co.	XY36S-2401500Q-UD	NA	NA

I/O CABLES

I/O Cable List						
Cable No.	Port	# of Identical Ports	Connector Type	Cable Type	Cable Length (m)	Remarks
1	1	1	Barrel	2 conductor wire	<3	Powers charger
2	1	1	Barrel	2 conductor wire	<1	Powers light



SETUP DIAGRAM





2. SETUP PHOTOS

RADIATED RF MEASUREMENT SETUP

NO LOAD (<1000MHz)




LOAD AT MAX OFFSET (<1000MHz)



AC MAINS LINE CONDUCTED MEASUREMENT SETUP



LOAD AT MAX OFFSET



END OF TEST REPORT