







China







China









China







China








China






China





Date: 29.NOV.2022 13:37:23



Date: 29.NOV.2022 13:39:47





China







China






China








China



Date: 6.DEC.2022 17:35:10





Date: 6.DEC.2022 18:04:47







China









China







China









China







China









China







China







China





4 Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	1.94	0.14	2.08	11	Pass
NVNT	a	5200	Ant1	2.24	0	2.24	11	Pass
NVNT	a	5240	Ant1	0.92	0.14	1.06	11	Pass
NVNT	a	5180	Ant2	3.02	0.14	3.16	11	Pass
NVNT	a	5200	Ant2	3.18	0	3.18	11	Pass
NVNT	a	5240	Ant2	3.13	0	3.13	11	Pass
NVNT	a	5745	Ant1	1.58	0.14	1.72	30	Pass
NVNT	a	5785	Ant1	1.05	0	1.05	30	Pass
NVNT	a	5825	Ant1	1.1	0	1.1	30	Pass
NVNT	a	5745	Ant2	-0.66	0.14	-0.52	30	Pass
NVNT	a	5785	Ant2	-0.97	0	-0.97	30	Pass
NVNT	a	5825	Ant2	-0.76	0	-0.76	30	Pass
NVNT	n20	5180	Ant1	1.22	0.15	1.37	11	Pass
NVNT	n20	5200	Ant1	1.29	0	1.29	11	Pass
NVNT	n20	5240	Ant1	0.98	0	0.98	11	Pass
NVNT	n20	5180	Ant2	1.8	0.15	1.95	11	Pass
NVNT	n20	5200	Ant2	2.6	0	2.6	11	Pass
NVNT	n20	5240	Ant2	2.42	0	2.42	11	Pass
NVNT	n20	5745	Ant1	-0.03	0.16	0.13	30	Pass
NVNT	n20	5785	Ant1	-0.21	0	-0.21	30	Pass
NVNT	n20	5825	Ant1	0.25	0	0.25	30	Pass
NVNT	n20	5745	Ant2	-1.43	0.15	-1.28	30	Pass
NVNT	n20	5785	Ant2	-2.25	0	-2.25	30	Pass
NVNT	n20	5825	Ant2	-2.48	0	-2.48	30	Pass
NVNT	n40	5190	Ant1	-2.39	0.3	-2.09	11	Pass
NVNT	n40	5230	Ant1	-2.42	0	-2.42	11	Pass
NVNT	n40	5190	Ant2	-2.16	0.3	-1.86	11	Pass
NVNT	n40	5230	Ant2	-1.71	0	-1.71	11	Pass
NVNT	n40	5755	Ant1	-3.64	0.29	-3.35	30	Pass
NVNT	n40	5795	Ant1	-3.35	0	-3.35	30	Pass
NVNT	n40	5755	Ant2	-6.96	0.3	-6.66	30	Pass
NVNT	n40	5795	Ant2	-5.69	0	-5.69	30	Pass
NVNT	ac20	5180	Ant1	-0.72	0.29	-0.43	11	Pass
NVNT	ac20	5200	Ant1	-0.32	0	-0.32	11	Pass
NVNT	ac20	5240	Ant1	0.34	0	0.34	11	Pass
NVNT	ac20	5180	Ant2	0.62	0.29	0.91	11	Pass
NVNT	ac20	5200	Ant2	-0.13	0	-0.13	11	Pass
NVNT	ac20	5240	Ant2	2.12	0	2.12	11	Pass
NVNT	ac20	5745	Ant1	-0.91	0.29	-0.62	30	Pass
NVNT	ac20	5785	Ant1	-1.46	0	-1.46	30	Pass
NVNT	ac20	5825	Ant1	-1.53	0	-1.53	30	Pass
NVNT	ac20	5745	Ant2	-2.63	0.28	-2.35	30	Pass
NVNT	ac20	5785	Ant2	-3.37	0	-3.37	30	Pass
NVNT	ac20	5825	Ant2	-3.05	0	-3.05	30	Pass
NVNT	ac40	5190	Ant1	-6.2	0.45	-5.75	11	Pass
NVNT	ac40	5230	Ant1	-5.85	0	-5.85	11	Pass
NVNT	ac40	5190	Ant2	-3.95	0.57	-3.38	11	Pass
NVNT	ac40	5230	Ant2	-3.91	0	-3.91	11	Pass
NVNT	ac40	5755	Ant1	-5.83	0.56	-5.27	30	Pass
NVNT	ac40	5795	Ant1	-5.81	0	-5.81	30	Pass
NVNT	ac40	5755	Ant2	-7.96	0.69	-7.27	30	Pass
NVNT	ac40	5795	Ant2	-7.4	0	-7.4	30	Pass
NVNT	ac80	5210	Ant1	-31.05	4.32	-26.73	11	Pass
NVNT	ac80	5210	Ant2	-32.96	4.41	-28.55	11	Pass
NVNT	ac80	5290	Ant1	-29	4.34	-24.66	11	Pass
NVNT	ac80	5290	Ant2	-27.95	4.5	-23.45	11	Pass
NVNT	ac80	5530	Ant1	-31.63	4.22	-27.41	11	Pass
NVNT	ac80	5610	Ant1	-28.17	0	-28.17	11	Pass
NVNT	ac80	5530	Ant2	-32.07	4.55	-27.52	11	Pass
NVNT	ac80	5610	Ant2	-31.9	0	-31.9	11	Pass
NVNT	ac80	5690	Ant1	-32.1	4.33	-27.77	30	Pass
NVNT	ac80	5690	Ant2	-35.81	4.55	-31.26	30	Pass
NVNT	ac80	5775	Ant1	-32.71	4.35	-28.36	30	Pass
NVNT	ac80	5775	Ant2	-35.17	4.51	-30.66	30	Pass
NVNT	ax20	5180	Ant1	-0.71	0.35	-0.36	11	Pass
NVNT	ax20	5200	Ant1	0.55	0	0.55	11	Pass



China

NVNT	ax20	5240	Ant1	-0.07	0	-0.07	11	Pass
NVNT	ax20	5180	Ant2	0.02	0.35	0.37	11	Pass
NVNT	ax20	5200	Ant2	0.11	0	0.11	11	Pass
NVNT	ax20	5240	Ant2	-0.63	0	-0.63	11	Pass
NVNT	ax20	5745	Ant1	-1.04	0.35	-0.69	30	Pass
NVNT	ax20	5785	Ant1	-1.88	0	-1.88	30	Pass
NVNT	ax20	5825	Ant1	-0.41	0	-0.41	30	Pass
NVNT	ax20	5745	Ant2	-2.3	0.36	-1.94	30	Pass
NVNT	ax20	5785	Ant2	-3.48	0	-3.48	30	Pass
NVNT	ax20	5825	Ant2	-4.01	0	-4.01	30	Pass
NVNT	ax40	5190	Ant1	-6.01	0.61	-5.4	11	Pass
NVNT	ax40	5230	Ant1	-6.32	0	-6.32	11	Pass
NVNT	ax40	5190	Ant2	-5.78	0.72	-5.06	11	Pass
NVNT	ax40	5230	Ant2	-5.69	0	-5.69	11	Pass
NVNT	ax40	5755	Ant1	-6.8	0.61	-6.19	30	Pass
NVNT	ax40	5795	Ant1	-7.04	0	-7.04	30	Pass
NVNT	ax40	5755	Ant2	-7.62	0.72	-6.9	30	Pass
NVNT	ax40	5795	Ant2	-9.82	0	-9.82	30	Pass
NVNT	ax80	5210	Ant1	-34.04	4.5	-29.54	11	Pass
NVNT	ax80	5210	Ant2	-32.28	4.62	-27.66	11	Pass
NVNT	ax80	5290	Ant1	-32.32	4.48	-27.84	11	Pass
NVNT	ax80	5290	Ant2	-34.85	4.67	-30.18	11	Pass
NVNT	ax80	5530	Ant1	-32.19	4.49	-27.7	11	Pass
NVNT	ax80	5610	Ant1	-28.27	0	-28.27	11	Pass
NVNT	ax80	5530	Ant2	-30.24	4.69	-25.55	11	Pass
NVNT	ax80	5610	Ant2	-32.23	0	-32.23	11	Pass
NVNT	ax80	5690	Ant1	-30.91	4.47	-26.44	30	Pass
NVNT	ax80	5690	Ant2	-36.85	4.68	-32.17	30	Pass
NVNT	ax80	5775	Ant1	-34.3	4.48	-29.82	30	Pass
NVNT	ax80	5775	Ant2	-37.34	4.69	-32.65	30	Pass
NVNT	a	5180	MIMO	5.52	0.14	5.66	11	Pass
NVNT	a	5200	MIMO	5.75	0	5.75	11	Pass
NVNT	a	5240	MIMO	5.17	0.14	5.23	11	Pass
NVNT	a	5745	MIMO	3.61	0.14	3.75	30	Pass
NVNT	a	5785	MIMO	3.17	0	3.17	30	Pass
NVNT	a	5825	MIMO	3.28	0	3.28	30	Pass
NVNT	n20	5180	MIMO	4.53	0.15	4.68	11	Pass
NVNT	n20	5200	MIMO	5.00	0	5.00	11	Pass
NVNT	n20	5240	MIMO	4.77	0	4.77	11	Pass
NVNT	n20	5745	MIMO	2.34	0.16	2.49	30	Pass
NVNT	n20	5785	MIMO	1.90	0	1.90	30	Pass
NVNT	n20	5825	MIMO	2.11	0	2.11	30	Pass
NVNT	n40	5190	MIMO	0.74	0.3	1.04	11	Pass
NVNT	n40	5230	MIMO	0.96	0	0.96	11	Pass
NVNT	n40	5755	MIMO	-1.98	0.29	-1.69	30	Pass
NVNT	n40	5795	MIMO	-1.35	0	-1.35	30	Pass
NVNT	ac20	5180	MIMO	3.01	0.29	3.30	11	Pass
NVNT	ac20	5200	MIMO	2.79	0	2.79	11	Pass
NVNT	ac20	5240	MIMO	4.33	0	4.33	11	Pass
NVNT	ac20	5745	MIMO	1.32	0.29	1.61	30	Pass
NVNT	ac20	5785	MIMO	0.70	0	0.70	30	Pass
NVNT	ac20	5825	MIMO	0.79	0	0.79	30	Pass
NVNT	ac40	5190	MIMO	-1.92	0.45	-1.39	11	Pass
NVNT	ac40	5230	MIMO	-1.76	0	-1.76	11	Pass
NVNT	ac40	5755	MIMO	-3.76	0.56	-3.15	30	Pass
NVNT	ac40	5795	MIMO	-3.52	0	-3.52	30	Pass
NVNT	ac80	5210	MIMO	-28.89	4.32	-24.54	11	Pass
NVNT	ac80	5290	MIMO	-25.43	4.34	-21.00	11	Pass
NVNT	ac80	5530	MIMO	-28.83	4.22	-24.45	11	Pass
NVNT	ac80	5610	MIMO	-26.64	0	-26.64	11	Pass
NVNT	ac80	5690	MIMO	-30.56	4.33	-26.16	30	Pass
NVNT	ac80	5775	MIMO	-30.76	4.35	-26.35	30	Pass
NVNT	ax20	5180	MIMO	2.68	0.35	3.03	11	Pass
NVNT	ax20	5200	MIMO	3.35	0	3.35	11	Pass
NVNT	ax20	5240	MIMO	2.67	0	2.67	11	Pass
NVNT	ax20	5745	MIMO	1.39	0.35	1.74	30	Pass
NVNT	ax20	5785	MIMO	0.40	0	0.40	30	Pass
NVNT	ax20	5825	MIMO	1.16	0	1.16	30	Pass
NVNT	ax40	5190	MIMO	-2.88	0.61	-2.22	11	Pass





China

NVNT	ax40	5230	MIMO	-2.98	0	-2.98	11	Pass
NVNT	ax40	5755	MIMO	-4.18	0.61	-3.52	30	Pass
NVNT	ax40	5795	MIMO	-5.20	0	-5.20	30	Pass
NVNT	ax80	5210	MIMO	-30.06	4.5	-25.49	11	Pass
NVNT	ax80	5290	MIMO	-30.39	4.48	-25.84	11	Pass
NVNT	ax80	5530	MIMO	-28.10	4.49	-23.48	11	Pass
NVNT	ax80	5610	MIMO	-26.80	0	-26.80	11	Pass
NVNT	ax80	5690	MIMO	-29.92	4.47	-25.41	30	Pass
NVNT	ax80	5775	MIMO	-32.55	4.48	-28.00	30	Pass





China







China







China







China







China







China







China







China







China







China







China







China





China





China

