






China






China




Date: 2.DEC.2022 15:39:41




Date: 2.DEC.2022 15:42:45



China




Date: 2.DEC.2022 15:45:17




Date: 2.DEC.2022 16:15:27



China




Date: 2.DEC.2022 16:17:54




Date: 2.DEC.2022 16:20:14



China



Date: 6 DEC 2022 15:59:35



Date: 6 DEC 2022 16:03:58



## 5 Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBm)	Limit (dBm)	Verdict
NVNT	a	5320	Ant1	-40.42	-27	Pass
NVNT	a	5320	Ant2	-40.77	-27	Pass
NVNT	a	5500	Ant1	-39.92	-27	Pass
NVNT	a	5700	Ant1	-34.16	-27	Pass
NVNT	a	5500	Ant2	-40.24	-27	Pass
NVNT	a	5700	Ant2	-37.61	-27	Pass
NVNT	a	5720	Ant1	-38.32	-27	Pass
NVNT	a	5720	Ant1	-41.1	-27	Pass
NVNT	a	5720	Ant2	-38.71	-27	Pass
NVNT	a	5720	Ant2	-40.7	-27	Pass
NVNT	n20	5320	Ant1	-40.07	-27	Pass
NVNT	n20	5320	Ant2	-39.77	-27	Pass
NVNT	n20	5500	Ant1	-39.78	-27	Pass
NVNT	n20	5700	Ant1	-37.47	-27	Pass
NVNT	n20	5500	Ant2	-39.95	-27	Pass
NVNT	n20	5700	Ant2	-37.52	-27	Pass
NVNT	n20	5720	Ant1	-38.18	-27	Pass
NVNT	n20	5720	Ant1	-40.47	-27	Pass
NVNT	n20	5720	Ant2	-39.01	-27	Pass
NVNT	n20	5720	Ant2	-40.58	-27	Pass
NVNT	n40	5310	Ant1	-37.39	-27	Pass
NVNT	n40	5310	Ant2	-39.5	-27	Pass
NVNT	n40	5510	Ant1	-36.98	-27	Pass
NVNT	n40	5670	Ant1	-38.11	-27	Pass
NVNT	n40	5510	Ant2	-40.01	-27	Pass
NVNT	n40	5670	Ant2	-38.74	-27	Pass
NVNT	n40	5710	Ant1	-37.93	-27	Pass
NVNT	n40	5710	Ant1	-40.2	-27	Pass
NVNT	n40	5710	Ant2	-39.73	-27	Pass
NVNT	n40	5710	Ant2	-40.97	-27	Pass
NVNT	ac20	5320	Ant1	-39.73	-27	Pass
NVNT	ac20	5320	Ant2	-39.16	-27	Pass
NVNT	ac20	5500	Ant1	-39.63	-27	Pass
NVNT	ac20	5700	Ant1	-36.08	-27	Pass
NVNT	ac20	5500	Ant2	-39.57	-27	Pass
NVNT	ac20	5700	Ant2	-35.54	-27	Pass
NVNT	ac20	5720	Ant1	-38.68	-27	Pass
NVNT	ac20	5720	Ant1	-40.23	-27	Pass
NVNT	ac20	5720	Ant2	-39.55	-27	Pass
NVNT	ac20	5720	Ant2	-40.91	-27	Pass
NVNT	ac40	5310	Ant1	-33.98	-27	Pass
NVNT	ac40	5310	Ant2	-37.17	-27	Pass
NVNT	ac40	5510	Ant1	-34.34	-27	Pass
NVNT	ac40	5670	Ant1	-36.45	-27	Pass
NVNT	ac40	5510	Ant2	-39.71	-27	Pass
NVNT	ac40	5670	Ant2	-39.48	-27	Pass
NVNT	ac40	5710	Ant1	-37.72	-27	Pass
NVNT	ac40	5710	Ant1	-40.35	-27	Pass
NVNT	ac40	5710	Ant2	-38.71	-27	Pass
NVNT	ac40	5710	Ant2	-40.97	-27	Pass
NVNT	ax20	5320	Ant1	-40.2	-27	Pass
NVNT	ax20	5320	Ant2	-39.87	-27	Pass
NVNT	ax20	5500	Ant1	-38.81	-27	Pass
NVNT	ax20	5700	Ant1	-38.01	-27	Pass
NVNT	ax20	5500	Ant2	-39.06	-27	Pass
NVNT	ax20	5700	Ant2	-34.93	-27	Pass
NVNT	ax20	5720	Ant1	-38.89	-27	Pass
NVNT	ax20	5720	Ant1	-40.86	-27	Pass
NVNT	ax20	5720	Ant2	-38.73	-27	Pass
NVNT	ax20	5720	Ant2	-41.42	-27	Pass
NVNT	ax40	5310	Ant1	-33.66	-27	Pass
NVNT	ax40	5310	Ant2	-36.02	-27	Pass
NVNT	ax40	5510	Ant1	-34.36	-27	Pass
NVNT	ax40	5670	Ant1	-38.24	-27	Pass
NVNT	ax40	5510	Ant2	-38.86	-27	Pass




China

NVNT	ax40	5670	Ant2	-39.26	-27	Pass
NVNT	ax40	5710	Ant1	-38.87	-27	Pass
NVNT	ax40	5710	Ant1	-40.65	-27	Pass
NVNT	ax40	5710	Ant2	-38.83	-27	Pass
NVNT	ax40	5710	Ant2	-41.63	-27	Pass




China








China




Date: 2.DEC.2022 14:39:13




Date: 2.DEC.2022 14:43:43



China




Date: 6 DEC 2022 14:41:10



Date: 6 DEC 2022 14:45:37




China






China






China




Date: 2.DEC.2022 11:21:47




Date: 2.DEC.2022 13:58:30



China




Date: 2.DEC.2022 14:47:04



Date: 2.DEC.2022 14:51:44




China






China








China




Date: 4.JAN 2023 20:17:35




Date: 4.JAN 2023 20:17:21



China




Date: 2.DEC.2022 11:44:12




Date: 2.DEC.2022 13:50:09



China




Date: 2.DEC.2022 15:23:18




Date: 2.DEC.2022 15:28:32



China




Date: 2.DEC.2022 16:35:35




Date: 2.DEC.2022 16:31:18



China




Date: 4. JAN 2023 20:20:59




Date: 4. JAN 2023 20:20:39



China




Date: 4.JAN 2023 20:23:20




Date: 4.JAN 2023 20:23:03



China




Date: 2.DEC.2022 11:29:23




Date: 2.DEC.2022 14:13:35



China



Date: 2.DEC.2022 14:54:42




Date: 2.DEC.2022 15:04:47






China




Date: 6.DEC.2022 14:56:21




Date: 6.DEC.2022 15:01:29



China




Date: 4.JAN 2023 20:15:19




Date: 4.JAN 2023 20:15:07



China




Date: 4.JAN 2023 20:18:15




Date: 4.JAN 2023 20:17:59



China




Date: 2.DEC.2022 13:13:07




Date: 2.DEC.2022 13:43:10



China




Date: 2.DEC.2022 15:31:23




Date: 2.DEC.2022 15:36:50



China




Date: 2.DEC.2022 16:23:23




Date: 2.DEC.2022 16:28:25



China




Date: 4.JAN 2023 20:21:42




Date: 4.JAN 2023 20:21:23



China



Date: 4.JAN 2023 20:23:57




Date: 4.JAN 2023 20:23:43






China



Date: 2.DEC.2022 11:37:34



Date: 2.DEC.2022 14:06:18



China






China




Date: 6.DEC.2022 15:05:23




Date: 6.DEC.2022 15:10:42



China




Date: 4.JAN 2023 20:16:09




Date: 4.JAN 2023 20:15:49



China




Date: 4.JAN 2023 20:19:08




Date: 4.JAN 2023 20:18:52



China




Date: 2.DEC.2022 13:18:18




Date: 2.DEC.2022 13:37:55



China




Date: 2.DEC.2022 15:39:48




Date: 2.DEC.2022 15:45:24



China



Date: 2.DEC.2022 16:15:32





Date: 2.DEC.2022 16:20:21






China






China



Date: 4. JAN 2023 20:24:44



Date: 4. JAN 2023 20:24:26



China

## 6 Frequency Stability

Condition	Mode	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
20C 102V	a	5260	Ant1	5259.98	-20000	-3.8	25	Pass
20C 120V	a	5260	Ant1	5259.96	-40000	-7.6	25	Pass
20C 138V	a	5260	Ant1	5259.98	-20000	-3.8	25	Pass
10C 120V	a	5260	Ant1	5259.98	-20000	-3.8	25	Pass
30C 120V	a	5260	Ant1	5259.98	-20000	-3.8	25	Pass
40C 120V	a	5260	Ant1	5259.96	-40000	-7.6	25	Pass
20C 102V	a	5300	Ant1	5300	0	0	25	Pass
20C 120V	a	5300	Ant1	5299.98	-20000	-3.77	25	Pass
20C 138V	a	5300	Ant1	5300	0	0	25	Pass
-20C 120V	a	5300	Ant1	5300.02	20000	3.77	25	Pass
10C 120V	a	5300	Ant1	5299.98	-20000	-3.77	25	Pass
30C 120V	a	5300	Ant1	5299.98	-20000	-3.77	25	Pass
40C 120V	a	5300	Ant1	5299.98	-20000	-3.77	25	Pass
20C 102V	a	5320	Ant1	5319.98	-20000	-3.76	25	Pass
20C 120V	a	5320	Ant1	5319.98	-20000	-3.76	25	Pass
20C 138V	a	5320	Ant1	5319.98	-20000	-3.76	25	Pass
10C 120V	a	5320	Ant1	5319.98	-20000	-3.76	25	Pass
30C 120V	a	5320	Ant1	5319.98	-20000	-3.76	25	Pass
40C 120V	a	5320	Ant1	5319.98	-20000	-3.76	25	Pass
20C 102V	a	5260	Ant2	5259.98	-20000	-3.8	25	Pass
20C 120V	a	5260	Ant2	5259.98	-20000	-3.8	25	Pass
20C 138V	a	5260	Ant2	5259.96	-40000	-7.6	25	Pass
10C 120V	a	5260	Ant2	5259.98	-20000	-3.8	25	Pass
30C 120V	a	5260	Ant2	5259.98	-20000	-3.8	25	Pass
40C 120V	a	5260	Ant2	5259.98	-20000	-3.8	25	Pass
20C 102V	a	5300	Ant2	5299.96	-40000	-7.55	25	Pass
20C 120V	a	5300	Ant2	5299.98	-20000	-3.77	25	Pass
20C 138V	a	5300	Ant2	5299.98	-20000	-3.77	25	Pass
10C 120V	a	5300	Ant2	5299.98	-20000	-3.77	25	Pass
30C 120V	a	5300	Ant2	5299.98	-20000	-3.77	25	Pass
40C 120V	a	5300	Ant2	5299.94	-60000	-11.32	25	Pass
20C 102V	a	5320	Ant2	5319.98	-20000	-3.76	25	Pass
20C 120V	a	5320	Ant2	5319.98	-20000	-3.76	25	Pass
20C 138V	a	5320	Ant2	5319.98	-20000	-3.76	25	Pass
10C 120V	a	5320	Ant2	5319.98	-20000	-3.76	25	Pass
30C 120V	a	5320	Ant2	5320	0	0	25	Pass
40C 120V	a	5320	Ant2	5320	0	0	25	Pass
20C 102V	a	5500	Ant1	5500	0	0	25	Pass
20C 120V	a	5500	Ant1	5499.98	-20000	-3.64	25	Pass
20C 138V	a	5500	Ant1	5499.98	-20000	-3.64	25	Pass
10C 120V	a	5500	Ant1	5499.96	-40000	-7.27	25	Pass
30C 120V	a	5500	Ant1	5499.98	-20000	-3.64	25	Pass
40C 120V	a	5500	Ant1	5500	0	0	25	Pass
20C 102V	a	5600	Ant1	5599.98	-20000	-3.57	25	Pass
20C 120V	a	5600	Ant1	5599.96	-40000	-7.14	25	Pass
20C 138V	a	5600	Ant1	5599.98	-20000	-3.57	25	Pass
10C 120V	a	5600	Ant1	5599.98	-20000	-3.57	25	Pass
30C 120V	a	5600	Ant1	5599.98	-20000	-3.57	25	Pass
40C 120V	a	5600	Ant1	5599.96	-40000	-7.14	25	Pass
20C 102V	a	5700	Ant1	5699.98	-20000	-3.51	25	Pass
20C 120V	a	5700	Ant1	5699.98	-20000	-3.51	25	Pass
20C 138V	a	5700	Ant1	5699.98	-20000	-3.51	25	Pass
10C 120V	a	5700	Ant1	5700	0	0	25	Pass
30C 120V	a	5700	Ant1	5700	0	0	25	Pass
40C 120V	a	5700	Ant1	5700	0	0	25	Pass
20C 102V	a	5500	Ant2	5500	0	0	25	Pass
20C 120V	a	5500	Ant2	5499.98	-20000	-3.64	25	Pass
20C 138V	a	5500	Ant2	5499.98	-20000	-3.64	25	Pass
10C 120V	a	5500	Ant2	5499.96	-40000	-7.27	25	Pass
30C 120V	a	5500	Ant2	5499.98	-20000	-3.64	25	Pass
40C 120V	a	5500	Ant2	5499.98	-20000	-3.64	25	Pass
20C 102V	a	5600	Ant2	5599.98	-20000	-3.57	25	Pass
20C 120V	a	5600	Ant2	5599.98	-20000	-3.57	25	Pass
20C 138V	a	5600	Ant2	5600	0	0	25	Pass
10C 120V	a	5600	Ant2	5599.98	-20000	-3.57	25	Pass



China

30C 120V	a	5600	Ant2	5600	0	0	25	Pass
40C 120V	a	5600	Ant2	5600	0	0	25	Pass
20C 102V	a	5700	Ant2	5699.98	-20000	-3.51	25	Pass
20C 120V	a	5700	Ant2	5699.98	-20000	-3.51	25	Pass
20C 138V	a	5700	Ant2	5699.98	-20000	-3.51	25	Pass
10C 120V	a	5700	Ant2	5700	0	0	25	Pass
30C 120V	a	5700	Ant2	5699.96	-40000	-7.02	25	Pass
40C 120V	a	5700	Ant2	5699.98	-20000	-3.51	25	Pass
20C 102V	a	5720	Ant1	5719.98	-20000	-3.5	25	Pass
20C 120V	a	5720	Ant1	5719.96	-40000	-6.99	25	Pass
20C 138V	a	5720	Ant1	5719.96	-40000	-6.99	25	Pass
10C 120V	a	5720	Ant1	5720	0	0	25	Pass
30C 120V	a	5720	Ant1	5719.98	-20000	-3.5	25	Pass
40C 120V	a	5720	Ant1	5719.96	-40000	-6.99	25	Pass
20C 102V	a	5720	Ant2	5719.98	-20000	-3.5	25	Pass
20C 120V	a	5720	Ant2	5719.98	-20000	-3.5	25	Pass
20C 138V	a	5720	Ant2	5719.96	-40000	-6.99	25	Pass
10C 120V	a	5720	Ant2	5719.98	-20000	-3.5	25	Pass
30C 120V	a	5720	Ant2	5719.96	-40000	-6.99	25	Pass
40C 120V	a	5720	Ant2	5719.94	-60000	-10.49	25	Pass
20C 102V	n20	5260	Ant1	5259.98	-20000	-3.8	25	Pass
20C 120V	n20	5260	Ant1	5259.98	-20000	-3.8	25	Pass
20C 138V	n20	5260	Ant1	5259.98	-20000	-3.8	25	Pass
10C 120V	n20	5260	Ant1	5259.96	-40000	-7.6	25	Pass
30C 120V	n20	5260	Ant1	5259.96	-40000	-7.6	25	Pass
40C 120V	n20	5260	Ant1	5259.96	-40000	-7.6	25	Pass
20C 102V	n20	5300	Ant1	5299.96	-40000	-7.55	25	Pass
20C 120V	n20	5300	Ant1	5299.96	-40000	-7.55	25	Pass
20C 138V	n20	5300	Ant1	5300	0	0	25	Pass
10C 120V	n20	5300	Ant1	5299.98	-20000	-3.77	25	Pass
30C 120V	n20	5300	Ant1	5299.98	-20000	-3.77	25	Pass
40C 120V	n20	5300	Ant1	5299.96	-40000	-7.55	25	Pass
20C 102V	n20	5320	Ant1	5319.98	-20000	-3.76	25	Pass
20C 120V	n20	5320	Ant1	5319.96	-40000	-7.52	25	Pass
20C 138V	n20	5320	Ant1	5319.98	-20000	-3.76	25	Pass
10C 120V	n20	5320	Ant1	5320	0	0	25	Pass
30C 120V	n20	5320	Ant1	5320	0	0	25	Pass
40C 120V	n20	5320	Ant1	5319.96	-40000	-7.52	25	Pass
20C 102V	n20	5260	Ant2	5259.98	-20000	-3.8	25	Pass
20C 120V	n20	5260	Ant2	5259.98	-20000	-3.8	25	Pass
20C 138V	n20	5260	Ant2	5259.98	-20000	-3.8	25	Pass
10C 120V	n20	5260	Ant2	5260.02	20000	3.8	25	Pass
30C 120V	n20	5260	Ant2	5259.96	-40000	-7.6	25	Pass
40C 120V	n20	5260	Ant2	5259.98	-20000	-3.8	25	Pass
20C 102V	n20	5300	Ant2	5299.98	-20000	-3.77	25	Pass
20C 120V	n20	5300	Ant2	5299.98	-20000	-3.77	25	Pass
20C 138V	n20	5300	Ant2	5300	0	0	25	Pass
10C 120V	n20	5300	Ant2	5299.98	-20000	-3.77	25	Pass
30C 120V	n20	5300	Ant2	5300.02	20000	3.77	25	Pass
40C 120V	n20	5300	Ant2	5299.98	-20000	-3.77	25	Pass
20C 102V	n20	5320	Ant2	5319.98	-20000	-3.76	25	Pass
20C 120V	n20	5320	Ant2	5319.98	-20000	-3.76	25	Pass
20C 138V	n20	5320	Ant2	5319.98	-20000	-3.76	25	Pass
10C 120V	n20	5320	Ant2	5319.98	-20000	-3.76	25	Pass
30C 120V	n20	5320	Ant2	5320	0	0	25	Pass
40C 120V	n20	5320	Ant2	5319.96	-40000	-7.52	25	Pass
20C 102V	n20	5500	Ant1	5499.96	-40000	-7.27	25	Pass
20C 120V	n20	5500	Ant1	5499.96	-40000	-7.27	25	Pass
20C 138V	n20	5500	Ant1	5500	0	0	25	Pass
10C 120V	n20	5500	Ant1	5500	0	0	25	Pass
30C 120V	n20	5500	Ant1	5500	0	0	25	Pass
40C 120V	n20	5500	Ant1	5499.98	-20000	-3.64	25	Pass
20C 102V	n20	5600	Ant1	5599.98	-20000	-3.57	25	Pass
20C 120V	n20	5600	Ant1	5599.96	-40000	-7.14	25	Pass
20C 138V	n20	5600	Ant1	5599.94	-60000	-10.71	25	Pass
10C 120V	n20	5600	Ant1	5599.98	-20000	-3.57	25	Pass
30C 120V	n20	5600	Ant1	5599.96	-40000	-7.14	25	Pass
40C 120V	n20	5600	Ant1	5599.96	-40000	-7.14	25	Pass
20C 102V	n20	5700	Ant1	5699.98	-20000	-3.51	25	Pass



China

20C 120V	n20	5700	Ant1	5699.94	-60000	-10.53	25	Pass
20C 138V	n20	5700	Ant1	5700	0	0	25	Pass
10C 120V	n20	5700	Ant1	5699.96	-40000	-7.02	25	Pass
30C 120V	n20	5700	Ant1	5699.96	-40000	-7.02	25	Pass
40C 120V	n20	5700	Ant1	5699.96	-40000	-7.02	25	Pass
20C 102V	n20	5500	Ant2	5499.98	-20000	-3.64	25	Pass
20C 120V	n20	5500	Ant2	5500	0	0	25	Pass
20C 138V	n20	5500	Ant2	5499.98	-20000	-3.64	25	Pass
10C 120V	n20	5500	Ant2	5500	0	0	25	Pass
30C 120V	n20	5500	Ant2	5499.98	-20000	-3.64	25	Pass
40C 120V	n20	5500	Ant2	5499.98	-20000	-3.64	25	Pass
20C 102V	n20	5600	Ant2	5599.98	-20000	-3.57	25	Pass
20C 120V	n20	5600	Ant2	5599.98	-20000	-3.57	25	Pass
20C 138V	n20	5600	Ant2	5599.98	-20000	-3.57	25	Pass
10C 120V	n20	5600	Ant2	5599.96	-40000	-7.14	25	Pass
30C 120V	n20	5600	Ant2	5599.98	-20000	-3.57	25	Pass
40C 120V	n20	5600	Ant2	5599.98	-20000	-3.57	25	Pass
20C 102V	n20	5700	Ant2	5699.96	-40000	-7.02	25	Pass
20C 120V	n20	5700	Ant2	5700	0	0	25	Pass
20C 138V	n20	5700	Ant2	5699.96	-40000	-7.02	25	Pass
10C 120V	n20	5700	Ant2	5700	0	0	25	Pass
30C 120V	n20	5700	Ant2	5699.98	-20000	-3.51	25	Pass
40C 120V	n20	5700	Ant2	5699.98	-20000	-3.51	25	Pass
20C 102V	n20	5720	Ant1	5719.98	-20000	-3.5	25	Pass
20C 120V	n20	5720	Ant1	5720	0	0	25	Pass
20C 138V	n20	5720	Ant1	5720	0	0	25	Pass
10C 120V	n20	5720	Ant1	5719.98	-20000	-3.5	25	Pass
30C 120V	n20	5720	Ant1	5719.96	-40000	-6.99	25	Pass
40C 120V	n20	5720	Ant1	5719.98	-20000	-3.5	25	Pass
20C 102V	n20	5720	Ant2	5719.98	-20000	-3.5	25	Pass
20C 120V	n20	5720	Ant2	5719.96	-40000	-6.99	25	Pass
20C 138V	n20	5720	Ant2	5719.96	-40000	-6.99	25	Pass
10C 120V	n20	5720	Ant2	5719.98	-20000	-3.5	25	Pass
30C 120V	n20	5720	Ant2	5719.96	-40000	-6.99	25	Pass
40C 120V	n20	5720	Ant2	5719.98	-20000	-3.5	25	Pass
20C 102V	n40	5270	Ant1	5269.96	-40000	-7.59	25	Pass
20C 120V	n40	5270	Ant1	5269.96	-40000	-7.59	25	Pass
20C 138V	n40	5270	Ant1	5270	0	0	25	Pass
10C 120V	n40	5270	Ant1	5270.28	280000	53.13	25	Pass
30C 120V	n40	5270	Ant1	5269.96	-40000	-7.59	25	Pass
40C 120V	n40	5270	Ant1	5269.96	-40000	-7.59	25	Pass
20C 102V	n40	5310	Ant1	5310	0	0	25	Pass
20C 120V	n40	5310	Ant1	5309.96	-40000	-7.53	25	Pass
20C 138V	n40	5310	Ant1	5309.96	-40000	-7.53	25	Pass
10C 120V	n40	5310	Ant1	5310.04	40000	7.53	25	Pass
30C 120V	n40	5310	Ant1	5309.96	-40000	-7.53	25	Pass
40C 120V	n40	5310	Ant1	5309.96	-40000	-7.53	25	Pass
20C 102V	n40	5270	Ant2	5270	0	0	25	Pass
20C 120V	n40	5270	Ant2	5270	0	0	25	Pass
20C 138V	n40	5270	Ant2	5269.96	-40000	-7.59	25	Pass
10C 120V	n40	5270	Ant2	5270	0	0	25	Pass
30C 120V	n40	5270	Ant2	5270	0	0	25	Pass
40C 120V	n40	5270	Ant2	5270	0	0	25	Pass
20C 102V	n40	5310	Ant2	5309.96	-40000	-7.53	25	Pass
20C 120V	n40	5310	Ant2	5309.96	-40000	-7.53	25	Pass
20C 138V	n40	5310	Ant2	5310	0	0	25	Pass
10C 120V	n40	5310	Ant2	5310	0	0	25	Pass
30C 120V	n40	5310	Ant2	5309.96	-40000	-7.53	25	Pass
40C 120V	n40	5310	Ant2	5310	0	0	25	Pass
20C 102V	n40	5510	Ant1	5509.96	-40000	-7.26	25	Pass
20C 120V	n40	5510	Ant1	5509.68	-320000	-58.08	25	Pass
20C 138V	n40	5510	Ant1	5509.92	-80000	-14.52	25	Pass
10C 120V	n40	5510	Ant1	5509.96	-40000	-7.26	25	Pass
30C 120V	n40	5510	Ant1	5509.92	-80000	-14.52	25	Pass
40C 120V	n40	5510	Ant1	5509.96	-40000	-7.26	25	Pass
20C 102V	n40	5590	Ant1	5590	0	0	25	Pass
20C 120V	n40	5590	Ant1	5589.96	-40000	-7.16	25	Pass
20C 138V	n40	5590	Ant1	5589.96	-40000	-7.16	25	Pass
10C 120V	n40	5590	Ant1	5590	0	0	25	Pass



China

30C 120V	n40	5590	Ant1	5590	0	0	25	Pass
40C 120V	n40	5590	Ant1	5589.92	-80000	-14.31	25	Pass
20C 102V	n40	5670	Ant1	5670	0	0	25	Pass
20C 120V	n40	5670	Ant1	5670	0	0	25	Pass
20C 138V	n40	5670	Ant1	5669.96	-40000	-7.05	25	Pass
10C 120V	n40	5670	Ant1	5669.96	-40000	-7.05	25	Pass
30C 120V	n40	5670	Ant1	5669.96	-40000	-7.05	25	Pass
40C 120V	n40	5670	Ant1	5669.96	-40000	-7.05	25	Pass
20C 102V	n40	5510	Ant2	5509.92	-80000	-14.52	25	Pass
20C 120V	n40	5510	Ant2	5509.8	-200000	-36.3	25	Pass
20C 138V	n40	5510	Ant2	5509.96	-40000	-7.26	25	Pass
10C 120V	n40	5510	Ant2	5509.96	-40000	-7.26	25	Pass
30C 120V	n40	5510	Ant2	5509.96	-40000	-7.26	25	Pass
40C 120V	n40	5510	Ant2	5509.96	-40000	-7.26	25	Pass
20C 102V	n40	5590	Ant2	5590	0	0	25	Pass
20C 120V	n40	5590	Ant2	5590	0	0	25	Pass
20C 138V	n40	5590	Ant2	5590	0	0	25	Pass
10C 120V	n40	5590	Ant2	5590	0	0	25	Pass
30C 120V	n40	5590	Ant2	5590	0	0	25	Pass
40C 120V	n40	5590	Ant2	5590	0	0	25	Pass
20C 102V	n40	5670	Ant2	5670.04	40000	7.05	25	Pass
20C 120V	n40	5670	Ant2	5670	0	0	25	Pass
20C 138V	n40	5670	Ant2	5669.96	-40000	-7.05	25	Pass
10C 120V	n40	5670	Ant2	5669.96	-40000	-7.05	25	Pass
30C 120V	n40	5670	Ant2	5670	0	0	25	Pass
40C 120V	n40	5670	Ant2	5670	0	0	25	Pass
20C 102V	n40	5710	Ant1	5710.32	320000	56.04	25	Pass
20C 120V	n40	5710	Ant1	5710.36	360000	63.05	25	Pass
20C 138V	n40	5710	Ant1	5710.6	600000	105.08	25	Pass
10C 120V	n40	5710	Ant1	5710.64	640000	112.08	25	Pass
30C 120V	n40	5710	Ant1	5710.28	280000	49.04	25	Pass
40C 120V	n40	5710	Ant1	5710.04	40000	7.01	25	Pass
20C 102V	n40	5710	Ant2	5709.96	-40000	-7.01	25	Pass
20C 120V	n40	5710	Ant2	5709.96	-40000	-7.01	25	Pass
20C 138V	n40	5710	Ant2	5709.92	-80000	-14.01	25	Pass
10C 120V	n40	5710	Ant2	5709.96	-40000	-7.01	25	Pass
30C 120V	n40	5710	Ant2	5709.92	-80000	-14.01	25	Pass
40C 120V	n40	5710	Ant2	5709.96	-40000	-7.01	25	Pass
20C 102V	ac20	5260	Ant1	5259.96	-40000	-7.6	25	Pass
20C 120V	ac20	5260	Ant1	5259.98	-20000	-3.8	25	Pass
20C 138V	ac20	5260	Ant1	5259.98	-20000	-3.8	25	Pass
10C 120V	ac20	5260	Ant1	5259.98	-20000	-3.8	25	Pass
30C 120V	ac20	5260	Ant1	5259.96	-40000	-7.6	25	Pass
40C 120V	ac20	5260	Ant1	5259.94	-60000	-11.41	25	Pass
20C 102V	ac20	5300	Ant1	5299.94	-60000	-11.32	25	Pass
20C 120V	ac20	5300	Ant1	5299.96	-40000	-7.55	25	Pass
20C 138V	ac20	5300	Ant1	5299.96	-40000	-7.55	25	Pass
10C 120V	ac20	5300	Ant1	5299.96	-40000	-7.55	25	Pass
30C 120V	ac20	5300	Ant1	5299.98	-20000	-3.77	25	Pass
40C 120V	ac20	5300	Ant1	5300	0	0	25	Pass
20C 102V	ac20	5320	Ant1	5320	0	0	25	Pass
20C 120V	ac20	5320	Ant1	5319.96	-40000	-7.52	25	Pass
20C 138V	ac20	5320	Ant1	5319.98	-20000	-3.76	25	Pass
10C 120V	ac20	5320	Ant1	5319.98	-20000	-3.76	25	Pass
30C 120V	ac20	5320	Ant1	5319.98	-20000	-3.76	25	Pass
40C 120V	ac20	5320	Ant1	5319.96	-40000	-7.52	25	Pass
20C 102V	ac20	5260	Ant2	5259.98	-20000	-3.8	25	Pass
20C 120V	ac20	5260	Ant2	5260	0	0	25	Pass
20C 138V	ac20	5260	Ant2	5260.02	20000	3.8	25	Pass
10C 120V	ac20	5260	Ant2	5259.96	-40000	-7.6	25	Pass
30C 120V	ac20	5260	Ant2	5259.98	-20000	-3.8	25	Pass
40C 120V	ac20	5260	Ant2	5260	0	0	25	Pass
20C 102V	ac20	5300	Ant2	5299.96	-40000	-7.55	25	Pass
20C 120V	ac20	5300	Ant2	5300.02	20000	3.77	25	Pass
20C 138V	ac20	5300	Ant2	5299.98	-20000	-3.77	25	Pass
10C 120V	ac20	5300	Ant2	5299.94	-60000	-11.32	25	Pass
30C 120V	ac20	5300	Ant2	5299.96	-40000	-7.55	25	Pass
40C 120V	ac20	5300	Ant2	5299.96	-40000	-7.55	25	Pass
20C 102V	ac20	5320	Ant2	5319.94	-60000	-11.28	25	Pass



China

20C 120V	ac20	5320	Ant2	5319.98	-20000	-3.76	25	Pass
20C 138V	ac20	5320	Ant2	5320	0	0	25	Pass
10C 120V	ac20	5320	Ant2	5319.96	-40000	-7.52	25	Pass
30C 120V	ac20	5320	Ant2	5319.98	-20000	-3.76	25	Pass
40C 120V	ac20	5320	Ant2	5319.96	-40000	-7.52	25	Pass
20C 102V	ac20	5500	Ant1	5499.96	-40000	-7.27	25	Pass
20C 120V	ac20	5500	Ant1	5499.96	-40000	-7.27	25	Pass
20C 138V	ac20	5500	Ant1	5499.98	-20000	-3.64	25	Pass
10C 120V	ac20	5500	Ant1	5499.96	-40000	-7.27	25	Pass
30C 120V	ac20	5500	Ant1	5499.96	-40000	-7.27	25	Pass
40C 120V	ac20	5500	Ant1	5499.96	-40000	-7.27	25	Pass
20C 102V	ac20	5600	Ant1	5600	0	0	25	Pass
20C 120V	ac20	5600	Ant1	5599.96	-40000	-7.14	25	Pass
20C 138V	ac20	5600	Ant1	5599.96	-40000	-7.14	25	Pass
10C 120V	ac20	5600	Ant1	5599.96	-40000	-7.14	25	Pass
30C 120V	ac20	5600	Ant1	5600	0	0	25	Pass
40C 120V	ac20	5600	Ant1	5599.96	-40000	-7.14	25	Pass
20C 102V	ac20	5700	Ant1	5699.96	-40000	-7.02	25	Pass
20C 120V	ac20	5700	Ant1	5699.96	-40000	-7.02	25	Pass
20C 138V	ac20	5700	Ant1	5699.98	-20000	-3.51	25	Pass
10C 120V	ac20	5700	Ant1	5699.98	-20000	-3.51	25	Pass
30C 120V	ac20	5700	Ant1	5699.98	-20000	-3.51	25	Pass
40C 120V	ac20	5700	Ant1	5700	0	0	25	Pass
20C 102V	ac20	5500	Ant2	5499.98	-20000	-3.64	25	Pass
20C 120V	ac20	5500	Ant2	5499.96	-40000	-7.27	25	Pass
20C 138V	ac20	5500	Ant2	5499.98	-20000	-3.64	25	Pass
10C 120V	ac20	5500	Ant2	5499.96	-40000	-7.27	25	Pass
30C 120V	ac20	5500	Ant2	5499.98	-20000	-3.64	25	Pass
40C 120V	ac20	5500	Ant2	5499.96	-40000	-7.27	25	Pass
20C 102V	ac20	5600	Ant2	5600	0	0	25	Pass
20C 120V	ac20	5600	Ant2	5599.98	-20000	-3.57	25	Pass
20C 138V	ac20	5600	Ant2	5599.98	-20000	-3.57	25	Pass
10C 120V	ac20	5600	Ant2	5599.96	-40000	-7.14	25	Pass
30C 120V	ac20	5600	Ant2	5599.98	-20000	-3.57	25	Pass
40C 120V	ac20	5600	Ant2	5599.98	-20000	-3.57	25	Pass
20C 102V	ac20	5700	Ant2	5699.96	-40000	-7.02	25	Pass
20C 120V	ac20	5700	Ant2	5699.94	-60000	-10.53	25	Pass
20C 138V	ac20	5700	Ant2	5699.96	-40000	-7.02	25	Pass
10C 120V	ac20	5700	Ant2	5699.98	-20000	-3.51	25	Pass
30C 120V	ac20	5700	Ant2	5699.98	-20000	-3.51	25	Pass
40C 120V	ac20	5700	Ant2	5699.96	-40000	-7.02	25	Pass
20C 102V	ac20	5720	Ant1	5719.98	-20000	-3.5	25	Pass
20C 120V	ac20	5720	Ant1	5719.96	-40000	-6.99	25	Pass
20C 138V	ac20	5720	Ant1	5719.98	-20000	-3.5	25	Pass
10C 120V	ac20	5720	Ant1	5720	0	0	25	Pass
30C 120V	ac20	5720	Ant1	5719.98	-20000	-3.5	25	Pass
40C 120V	ac20	5720	Ant1	5719.96	-40000	-6.99	25	Pass
20C 102V	ac20	5720	Ant2	5720	0	0	25	Pass
20C 120V	ac20	5720	Ant2	5719.96	-40000	-6.99	25	Pass
20C 138V	ac20	5720	Ant2	5719.98	-20000	-3.5	25	Pass
10C 120V	ac20	5720	Ant2	5719.96	-40000	-6.99	25	Pass
30C 120V	ac20	5720	Ant2	5719.98	-20000	-3.5	25	Pass
40C 120V	ac20	5720	Ant2	5719.96	-40000	-6.99	25	Pass
20C 102V	ac40	5270	Ant1	5270	0	0	25	Pass
20C 120V	ac40	5270	Ant1	5270.12	120000	22.77	25	Pass
20C 138V	ac40	5270	Ant1	5269.96	-40000	-7.59	25	Pass
10C 120V	ac40	5270	Ant1	5269.96	-40000	-7.59	25	Pass
30C 120V	ac40	5270	Ant1	5269.92	-80000	-15.18	25	Pass
40C 120V	ac40	5270	Ant1	5270	0	0	25	Pass
20C 102V	ac40	5310	Ant1	5309.96	-40000	-7.53	25	Pass
20C 120V	ac40	5310	Ant1	5309.96	-40000	-7.53	25	Pass
20C 138V	ac40	5310	Ant1	5310	0	0	25	Pass
10C 120V	ac40	5310	Ant1	5309.96	-40000	-7.53	25	Pass
30C 120V	ac40	5310	Ant1	5309.96	-40000	-7.53	25	Pass
40C 120V	ac40	5310	Ant1	5309.96	-40000	-7.53	25	Pass
20C 102V	ac40	5270	Ant2	5269.96	-40000	-7.59	25	Pass
20C 120V	ac40	5270	Ant2	5270	0	0	25	Pass
20C 138V	ac40	5270	Ant2	5270.28	280000	53.13	25	Pass
10C 120V	ac40	5270	Ant2	5270	0	0	25	Pass



China

30C 120V	ac40	5270	Ant2	5270	0	0	25	Pass
40C 120V	ac40	5270	Ant2	5270	0	0	25	Pass
20C 102V	ac40	5310	Ant2	5310	0	0	25	Pass
20C 120V	ac40	5310	Ant2	5309.68	-320000	-60.26	25	Pass
20C 138V	ac40	5310	Ant2	5309.64	-360000	-67.8	25	Pass
10C 120V	ac40	5310	Ant2	5309.96	-40000	-7.53	25	Pass
30C 120V	ac40	5310	Ant2	5309.96	-40000	-7.53	25	Pass
40C 120V	ac40	5310	Ant2	5310	0	0	25	Pass
20C 102V	ac40	5510	Ant1	5509.96	-40000	-7.26	25	Pass
20C 120V	ac40	5510	Ant1	5510	0	0	25	Pass
20C 138V	ac40	5510	Ant1	5509.96	-40000	-7.26	25	Pass
10C 120V	ac40	5510	Ant1	5510	0	0	25	Pass
30C 120V	ac40	5510	Ant1	5509.96	-40000	-7.26	25	Pass
40C 120V	ac40	5510	Ant1	5509.92	-80000	-14.52	25	Pass
20C 102V	ac40	5590	Ant1	5589.96	-40000	-7.16	25	Pass
20C 120V	ac40	5590	Ant1	5589.92	-80000	-14.31	25	Pass
20C 138V	ac40	5590	Ant1	5589.84	-160000	-28.62	25	Pass
10C 120V	ac40	5590	Ant1	5589.92	-80000	-14.31	25	Pass
30C 120V	ac40	5590	Ant1	5590	0	0	25	Pass
40C 120V	ac40	5590	Ant1	5589.96	-40000	-7.16	25	Pass
20C 102V	ac40	5670	Ant1	5669.64	-360000	-63.49	25	Pass
20C 120V	ac40	5670	Ant1	5669.96	-40000	-7.05	25	Pass
20C 138V	ac40	5670	Ant1	5669.96	-40000	-7.05	25	Pass
10C 120V	ac40	5670	Ant1	5669.92	-80000	-14.11	25	Pass
30C 120V	ac40	5670	Ant1	5669.96	-40000	-7.05	25	Pass
40C 120V	ac40	5670	Ant1	5669.92	-80000	-14.11	25	Pass
20C 102V	ac40	5510	Ant2	5509.92	-80000	-14.52	25	Pass
20C 120V	ac40	5510	Ant2	5509.96	-40000	-7.26	25	Pass
20C 138V	ac40	5510	Ant2	5509.92	-80000	-14.52	25	Pass
10C 120V	ac40	5510	Ant2	5509.96	-40000	-7.26	25	Pass
30C 120V	ac40	5510	Ant2	5509.68	-320000	-58.08	25	Pass
40C 120V	ac40	5510	Ant2	5510.12	120000	21.78	25	Pass
20C 102V	ac40	5590	Ant2	5589.88	-120000	-21.47	25	Pass
20C 120V	ac40	5590	Ant2	5589.96	-40000	-7.16	25	Pass
20C 138V	ac40	5590	Ant2	5589.92	-80000	-14.31	25	Pass
10C 120V	ac40	5590	Ant2	5589.96	-40000	-7.16	25	Pass
30C 120V	ac40	5590	Ant2	5589.96	-40000	-7.16	25	Pass
40C 120V	ac40	5590	Ant2	5589.68	-320000	-57.25	25	Pass
20C 102V	ac40	5670	Ant2	5669.96	-40000	-7.05	25	Pass
20C 120V	ac40	5670	Ant2	5669.96	-40000	-7.05	25	Pass
20C 138V	ac40	5670	Ant2	5669.96	-40000	-7.05	25	Pass
10C 120V	ac40	5670	Ant2	5669.96	-40000	-7.05	25	Pass
30C 120V	ac40	5670	Ant2	5669.96	-40000	-7.05	25	Pass
40C 120V	ac40	5670	Ant2	5670	0	0	25	Pass
20C 102V	ac40	5710	Ant1	5710.16	160000	28.02	25	Pass
20C 120V	ac40	5710	Ant1	5711.08	1080000	189.14	25	Pass
20C 138V	ac40	5710	Ant1	5710.32	320000	56.04	25	Pass
10C 120V	ac40	5710	Ant1	5710	0	0	25	Pass
30C 120V	ac40	5710	Ant1	5710.16	160000	28.02	25	Pass
40C 120V	ac40	5710	Ant1	5710.36	360000	63.05	25	Pass
20C 102V	ac40	5710	Ant2	5709.96	-40000	-7.01	25	Pass
20C 120V	ac40	5710	Ant2	5709.92	-80000	-14.01	25	Pass
20C 138V	ac40	5710	Ant2	5710	0	0	25	Pass
10C 120V	ac40	5710	Ant2	5709.96	-40000	-7.01	25	Pass
30C 120V	ac40	5710	Ant2	5710.28	280000	49.04	25	Pass
40C 120V	ac40	5710	Ant2	5709.96	-40000	-7.01	25	Pass
20C 102V	ax20	5260	Ant1	5259.98	-20000	-3.8	25	Pass
20C 120V	ax20	5260	Ant1	5259.96	-40000	-7.6	25	Pass
20C 138V	ax20	5260	Ant1	5259.98	-20000	-3.8	25	Pass
10C 120V	ax20	5260	Ant1	5259.98	-20000	-3.8	25	Pass
30C 120V	ax20	5260	Ant1	5259.98	-20000	-3.8	25	Pass
40C 120V	ax20	5260	Ant1	5259.98	-20000	-3.8	25	Pass
20C 102V	ax20	5300	Ant1	5299.96	-40000	-7.55	25	Pass
20C 120V	ax20	5300	Ant1	5299.96	-40000	-7.55	25	Pass
20C 138V	ax20	5300	Ant1	5299.96	-40000	-7.55	25	Pass
10C 120V	ax20	5300	Ant1	5299.98	-20000	-3.77	25	Pass
30C 120V	ax20	5300	Ant1	5299.98	-20000	-3.77	25	Pass
40C 120V	ax20	5300	Ant1	5299.96	-40000	-7.55	25	Pass
20C 102V	ax20	5320	Ant1	5319.96	-40000	-7.52	25	Pass





China

20C 120V	ax20	5320	Ant1	5319.98	-20000	-3.76	25	Pass
20C 138V	ax20	5320	Ant1	5319.98	-20000	-3.76	25	Pass
10C 120V	ax20	5320	Ant1	5319.98	-20000	-3.76	25	Pass
30C 120V	ax20	5320	Ant1	5319.98	-20000	-3.76	25	Pass
40C 120V	ax20	5320	Ant1	5319.98	-20000	-3.76	25	Pass
20C 102V	ax20	5260	Ant2	5259.98	-20000	-3.8	25	Pass
20C 120V	ax20	5260	Ant2	5259.98	-20000	-3.8	25	Pass
20C 138V	ax20	5260	Ant2	5259.98	-20000	-3.8	25	Pass
10C 120V	ax20	5260	Ant2	5259.98	-20000	-3.8	25	Pass
30C 120V	ax20	5260	Ant2	5259.98	-20000	-3.8	25	Pass
40C 120V	ax20	5260	Ant2	5259.98	-20000	-3.8	25	Pass
20C 102V	ax20	5300	Ant2	5299.96	-40000	-7.55	25	Pass
20C 120V	ax20	5300	Ant2	5299.98	-20000	-3.77	25	Pass
20C 138V	ax20	5300	Ant2	5299.96	-40000	-7.55	25	Pass
10C 120V	ax20	5300	Ant2	5299.98	-20000	-3.77	25	Pass
30C 120V	ax20	5300	Ant2	5299.98	-20000	-3.77	25	Pass
40C 120V	ax20	5300	Ant2	5299.98	-20000	-3.77	25	Pass
20C 102V	ax20	5320	Ant2	5319.98	-20000	-3.76	25	Pass
20C 120V	ax20	5320	Ant2	5319.96	-40000	-7.52	25	Pass
20C 138V	ax20	5320	Ant2	5319.98	-20000	-3.76	25	Pass
10C 120V	ax20	5320	Ant2	5319.98	-20000	-3.76	25	Pass
30C 120V	ax20	5320	Ant2	5319.98	-20000	-3.76	25	Pass
40C 120V	ax20	5320	Ant2	5319.96	-40000	-7.52	25	Pass
20C 102V	ax20	5500	Ant1	5499.98	-20000	-3.64	25	Pass
20C 120V	ax20	5500	Ant1	5499.98	-20000	-3.64	25	Pass
20C 138V	ax20	5500	Ant1	5499.98	-20000	-3.64	25	Pass
10C 120V	ax20	5500	Ant1	5499.98	-20000	-3.64	25	Pass
30C 120V	ax20	5500	Ant1	5499.98	-20000	-3.64	25	Pass
40C 120V	ax20	5500	Ant1	5499.98	-20000	-3.64	25	Pass
20C 102V	ax20	5600	Ant1	5599.98	-20000	-3.57	25	Pass
20C 120V	ax20	5600	Ant1	5599.96	-40000	-7.14	25	Pass
20C 138V	ax20	5600	Ant1	5599.98	-20000	-3.57	25	Pass
10C 120V	ax20	5600	Ant1	5599.98	-20000	-3.57	25	Pass
30C 120V	ax20	5600	Ant1	5599.98	-20000	-3.57	25	Pass
40C 120V	ax20	5600	Ant1	5599.96	-40000	-7.14	25	Pass
20C 102V	ax20	5700	Ant1	5699.98	-20000	-3.51	25	Pass
20C 120V	ax20	5700	Ant1	5699.98	-20000	-3.51	25	Pass
20C 138V	ax20	5700	Ant1	5699.98	-20000	-3.51	25	Pass
10C 120V	ax20	5700	Ant1	5699.98	-20000	-3.51	25	Pass
30C 120V	ax20	5700	Ant1	5699.96	-40000	-7.02	25	Pass
40C 120V	ax20	5700	Ant1	5699.98	-20000	-3.51	25	Pass
20C 102V	ax20	5500	Ant2	5499.98	-20000	-3.64	25	Pass
20C 120V	ax20	5500	Ant2	5499.98	-20000	-3.64	25	Pass
20C 138V	ax20	5500	Ant2	5499.98	-20000	-3.64	25	Pass
10C 120V	ax20	5500	Ant2	5499.98	-20000	-3.64	25	Pass
30C 120V	ax20	5500	Ant2	5499.96	-40000	-7.27	25	Pass
40C 120V	ax20	5500	Ant2	5499.98	-20000	-3.64	25	Pass
20C 102V	ax20	5600	Ant2	5599.98	-20000	-3.57	25	Pass
20C 120V	ax20	5600	Ant2	5599.96	-40000	-7.14	25	Pass
20C 138V	ax20	5600	Ant2	5599.98	-20000	-3.57	25	Pass
10C 120V	ax20	5600	Ant2	5599.96	-40000	-7.14	25	Pass
30C 120V	ax20	5600	Ant2	5599.96	-40000	-7.14	25	Pass
40C 120V	ax20	5600	Ant2	5599.96	-40000	-7.14	25	Pass
20C 102V	ax20	5700	Ant2	5699.96	-40000	-7.02	25	Pass
20C 120V	ax20	5700	Ant2	5699.98	-20000	-3.51	25	Pass
20C 138V	ax20	5700	Ant2	5699.96	-40000	-7.02	25	Pass
10C 120V	ax20	5700	Ant2	5699.96	-40000	-7.02	25	Pass
30C 120V	ax20	5700	Ant2	5699.98	-20000	-3.51	25	Pass
40C 120V	ax20	5700	Ant2	5699.96	-40000	-7.02	25	Pass
20C 102V	ax20	5720	Ant1	5719.98	-20000	-3.5	25	Pass
20C 120V	ax20	5720	Ant1	5719.98	-20000	-3.5	25	Pass
20C 138V	ax20	5720	Ant1	5719.98	-20000	-3.5	25	Pass
10C 120V	ax20	5720	Ant1	5719.98	-20000	-3.5	25	Pass
30C 120V	ax20	5720	Ant1	5719.98	-20000	-3.5	25	Pass
40C 120V	ax20	5720	Ant1	5719.98	-20000	-3.5	25	Pass
20C 102V	ax20	5720	Ant2	5719.98	-20000	-3.5	25	Pass
20C 120V	ax20	5720	Ant2	5719.98	-20000	-3.5	25	Pass
20C 138V	ax20	5720	Ant2	5719.98	-20000	-3.5	25	Pass
10C 120V	ax20	5720	Ant2	5719.98	-20000	-3.5	25	Pass



China

30C 120V	ax20	5720	Ant2	5719.96	-40000	-6.99	25	Pass
40C 120V	ax20	5720	Ant2	5719.98	-20000	-3.5	25	Pass
20C 102V	ax40	5270	Ant1	5270	0	0	25	Pass
20C 120V	ax40	5270	Ant1	5269.96	-40000	-7.59	25	Pass
20C 138V	ax40	5270	Ant1	5269.96	-40000	-7.59	25	Pass
10C 120V	ax40	5270	Ant1	5270	0	0	25	Pass
30C 120V	ax40	5270	Ant1	5270	0	0	25	Pass
40C 120V	ax40	5270	Ant1	5270	0	0	25	Pass
20C 102V	ax40	5310	Ant1	5310	0	0	25	Pass
20C 120V	ax40	5310	Ant1	5309.96	-40000	-7.53	25	Pass
20C 138V	ax40	5310	Ant1	5309.96	-40000	-7.53	25	Pass
10C 120V	ax40	5310	Ant1	5309.96	-40000	-7.53	25	Pass
30C 120V	ax40	5310	Ant1	5309.96	-40000	-7.53	25	Pass
40C 120V	ax40	5310	Ant1	5309.96	-40000	-7.53	25	Pass
20C 102V	ax40	5270	Ant2	5270	0	0	25	Pass
20C 120V	ax40	5270	Ant2	5269.92	-80000	-15.18	25	Pass
20C 138V	ax40	5270	Ant2	5269.96	-40000	-7.59	25	Pass
10C 120V	ax40	5270	Ant2	5269.96	-40000	-7.59	25	Pass
30C 120V	ax40	5270	Ant2	5270	0	0	25	Pass
40C 120V	ax40	5270	Ant2	5269.96	-40000	-7.59	25	Pass
20C 102V	ax40	5310	Ant2	5309.96	-40000	-7.53	25	Pass
20C 120V	ax40	5310	Ant2	5310	0	0	25	Pass
20C 138V	ax40	5310	Ant2	5310	0	0	25	Pass
10C 120V	ax40	5310	Ant2	5309.96	-40000	-7.53	25	Pass
30C 120V	ax40	5310	Ant2	5309.96	-40000	-7.53	25	Pass
40C 120V	ax40	5310	Ant2	5309.96	-40000	-7.53	25	Pass
20C 102V	ax40	5510	Ant1	5509.96	-40000	-7.26	25	Pass
20C 120V	ax40	5510	Ant1	5509.96	-40000	-7.26	25	Pass
20C 138V	ax40	5510	Ant1	5509.96	-40000	-7.26	25	Pass
10C 120V	ax40	5510	Ant1	5509.96	-40000	-7.26	25	Pass
30C 120V	ax40	5510	Ant1	5509.96	-40000	-7.26	25	Pass
40C 120V	ax40	5510	Ant1	5509.96	-40000	-7.26	25	Pass
20C 102V	ax40	5590	Ant1	5589.96	-40000	-7.16	25	Pass
20C 120V	ax40	5590	Ant1	5589.96	-40000	-7.16	25	Pass
20C 138V	ax40	5590	Ant1	5589.96	-40000	-7.16	25	Pass
10C 120V	ax40	5590	Ant1	5589.96	-40000	-7.16	25	Pass
30C 120V	ax40	5590	Ant1	5590	0	0	25	Pass
40C 120V	ax40	5590	Ant1	5589.96	-40000	-7.16	25	Pass
20C 102V	ax40	5670	Ant1	5669.96	-40000	-7.05	25	Pass
20C 120V	ax40	5670	Ant1	5669.96	-40000	-7.05	25	Pass
20C 138V	ax40	5670	Ant1	5669.96	-40000	-7.05	25	Pass
10C 120V	ax40	5670	Ant1	5670	0	0	25	Pass
30C 120V	ax40	5670	Ant1	5669.96	-40000	-7.05	25	Pass
40C 120V	ax40	5670	Ant1	5670	0	0	25	Pass
20C 102V	ax40	5510	Ant2	5509.96	-40000	-7.26	25	Pass
20C 120V	ax40	5510	Ant2	5510	0	0	25	Pass
20C 138V	ax40	5510	Ant2	5510	0	0	25	Pass
10C 120V	ax40	5510	Ant2	5509.6	-400000	-72.6	25	Pass
30C 120V	ax40	5510	Ant2	5509.96	-40000	-7.26	25	Pass
40C 120V	ax40	5510	Ant2	5510	0	0	25	Pass
20C 102V	ax40	5590	Ant2	5589.96	-40000	-7.16	25	Pass
20C 120V	ax40	5590	Ant2	5589.96	-40000	-7.16	25	Pass
20C 138V	ax40	5590	Ant2	5589.96	-40000	-7.16	25	Pass
10C 120V	ax40	5590	Ant2	5589.96	-40000	-7.16	25	Pass
30C 120V	ax40	5590	Ant2	5589.96	-40000	-7.16	25	Pass
40C 120V	ax40	5590	Ant2	5589.96	-40000	-7.16	25	Pass
20C 102V	ax40	5670	Ant2	5670	0	0	25	Pass
20C 120V	ax40	5670	Ant2	5669.96	-40000	-7.05	25	Pass
20C 138V	ax40	5670	Ant2	5670	0	0	25	Pass
10C 120V	ax40	5670	Ant2	5669.96	-40000	-7.05	25	Pass
30C 120V	ax40	5670	Ant2	5669.96	-40000	-7.05	25	Pass
40C 120V	ax40	5670	Ant2	5669.96	-40000	-7.05	25	Pass
20C 102V	ax40	5710	Ant1	5710	0	0	25	Pass
20C 120V	ax40	5710	Ant1	5710.72	720000	126.09	25	Pass
20C 138V	ax40	5710	Ant1	5710.12	120000	21.02	25	Pass
10C 120V	ax40	5710	Ant1	5710	0	0	25	Pass
30C 120V	ax40	5710	Ant1	5710	0	0	25	Pass
40C 120V	ax40	5710	Ant1	5709.96	-40000	-7.01	25	Pass
20C 102V	ax40	5710	Ant2	5710.08	80000	14.01	25	Pass



China

20C 120V	ax40	5710	Ant2	5710.04	40000	7.01	25	Pass
20C 138V	ax40	5710	Ant2	5710	0	0	25	Pass
10C 120V	ax40	5710	Ant2	5710.04	40000	7.01	25	Pass
30C 120V	ax40	5710	Ant2	5709.96	-40000	-7.01	25	Pass
40C 120V	ax40	5710	Ant2	5710.16	160000	28.02	25	Pass



China

## 7 Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Range	Max Value (dBm)	Limit (dBm)	Verdict
NVNT	a	5260	Ant1	30-1000	-42.22	-27	Pass
NVNT	a	5260	Ant1	1000-5000	-40.19	-27	Pass
NVNT	a	5260	Ant1	5000-40000	-32.32	-27	Pass
NVNT	a	5300	Ant1	30-1000	-42.25	-27	Pass
NVNT	a	5300	Ant1	1000-5000	-40.29	-27	Pass
NVNT	a	5300	Ant1	5000-40000	-31.89	-27	Pass
NVNT	a	5320	Ant1	30-1000	-41.55	-27	Pass
NVNT	a	5320	Ant1	1000-5000	-39.67	-27	Pass
NVNT	a	5320	Ant1	5000-40000	-32.26	-27	Pass
NVNT	a	5260	Ant2	30-1000	-42.75	-27	Pass
NVNT	a	5260	Ant2	1000-5000	-40.46	-27	Pass
NVNT	a	5260	Ant2	5000-40000	-32.37	-27	Pass
NVNT	a	5300	Ant2	30-1000	-42.02	-27	Pass
NVNT	a	5300	Ant2	1000-5000	-40.7	-27	Pass
NVNT	a	5300	Ant2	5000-40000	-32.33	-27	Pass
NVNT	a	5320	Ant2	30-1000	-42.14	-27	Pass
NVNT	a	5320	Ant2	1000-5000	-39.93	-27	Pass
NVNT	a	5320	Ant2	5000-40000	-33.24	-27	Pass
NVNT	a	5500	Ant1	30-1000	-42.01	-27	Pass
NVNT	a	5500	Ant1	1000-5000	-40.13	-27	Pass
NVNT	a	5500	Ant1	5000-40000	-32.68	-27	Pass
NVNT	a	5600	Ant1	30-1000	-41.85	-27	Pass
NVNT	a	5600	Ant1	1000-5000	-39.54	-27	Pass
NVNT	a	5600	Ant1	5000-40000	-32.72	-27	Pass
NVNT	a	5700	Ant1	30-1000	-42.18	-27	Pass
NVNT	a	5700	Ant1	1000-5000	-40.31	-27	Pass
NVNT	a	5700	Ant1	5000-40000	-32.63	-27	Pass
NVNT	a	5500	Ant2	30-1000	-42.37	-27	Pass
NVNT	a	5500	Ant2	1000-5000	-39.98	-27	Pass
NVNT	a	5500	Ant2	5000-40000	-32.77	-27	Pass
NVNT	a	5600	Ant2	30-1000	-41.25	-27	Pass
NVNT	a	5600	Ant2	1000-5000	-40.15	-27	Pass
NVNT	a	5600	Ant2	5000-40000	-32.52	-27	Pass
NVNT	a	5700	Ant2	30-1000	-41.84	-27	Pass
NVNT	a	5700	Ant2	1000-5000	-39.95	-27	Pass
NVNT	a	5700	Ant2	5000-40000	-32.48	-27	Pass
NVNT	a	5720	Ant1	30-1000	-42.25	-27	Pass
NVNT	a	5720	Ant1	1000-5000	-40.5	-27	Pass
NVNT	a	5720	Ant1	5000-40000	-32.51	-27	Pass
NVNT	a	5720	Ant2	30-1000	-41.54	-27	Pass
NVNT	a	5720	Ant2	1000-5000	-39.56	-27	Pass
NVNT	a	5720	Ant2	5000-40000	-32.57	-27	Pass
NVNT	n20	5260	Ant1	30-1000	-42.74	-27	Pass
NVNT	n20	5260	Ant1	1000-5000	-40.09	-27	Pass
NVNT	n20	5260	Ant1	5000-40000	-32.9	-27	Pass
NVNT	n20	5300	Ant1	30-1000	-41.93	-27	Pass
NVNT	n20	5300	Ant1	1000-5000	-39.22	-27	Pass
NVNT	n20	5300	Ant1	5000-40000	-32.87	-27	Pass
NVNT	n20	5320	Ant1	30-1000	-42.02	-27	Pass
NVNT	n20	5320	Ant1	1000-5000	-40.38	-27	Pass
NVNT	n20	5320	Ant1	5000-40000	-32.74	-27	Pass
NVNT	n20	5260	Ant2	30-1000	-42.41	-27	Pass
NVNT	n20	5260	Ant2	1000-5000	-40.51	-27	Pass
NVNT	n20	5260	Ant2	5000-40000	-32.88	-27	Pass
NVNT	n20	5300	Ant2	30-1000	-42.53	-27	Pass
NVNT	n20	5300	Ant2	1000-5000	-40.08	-27	Pass
NVNT	n20	5300	Ant2	5000-40000	-32.58	-27	Pass
NVNT	n20	5320	Ant2	30-1000	-42.42	-27	Pass
NVNT	n20	5320	Ant2	1000-5000	-39.79	-27	Pass
NVNT	n20	5320	Ant2	5000-40000	-32.59	-27	Pass
NVNT	n20	5500	Ant1	30-1000	-42.12	-27	Pass
NVNT	n20	5500	Ant1	1000-5000	-40.57	-27	Pass
NVNT	n20	5500	Ant1	5000-40000	-32.47	-27	Pass
NVNT	n20	5600	Ant1	30-1000	-41.68	-27	Pass
NVNT	n20	5600	Ant1	1000-5000	-39.14	-27	Pass
NVNT	n20	5600	Ant1	5000-40000	-31.81	-27	Pass



China

NVNT	n20	5700	Ant1	30-1000	-42.41	-27	Pass
NVNT	n20	5700	Ant1	1000-5000	-40.13	-27	Pass
NVNT	n20	5700	Ant1	5000-40000	-32.28	-27	Pass
NVNT	n20	5500	Ant2	30-1000	-42.18	-27	Pass
NVNT	n20	5500	Ant2	1000-5000	-40.06	-27	Pass
NVNT	n20	5500	Ant2	5000-40000	-32.65	-27	Pass
NVNT	n20	5600	Ant2	30-1000	-42.41	-27	Pass
NVNT	n20	5600	Ant2	1000-5000	-40.2	-27	Pass
NVNT	n20	5600	Ant2	5000-40000	-32.35	-27	Pass
NVNT	n20	5700	Ant2	30-1000	-42.74	-27	Pass
NVNT	n20	5700	Ant2	1000-5000	-40.2	-27	Pass
NVNT	n20	5700	Ant2	5000-40000	-32.52	-27	Pass
NVNT	n20	5720	Ant1	30-1000	-42.38	-27	Pass
NVNT	n20	5720	Ant1	1000-5000	-39.69	-27	Pass
NVNT	n20	5720	Ant1	5000-40000	-32.21	-27	Pass
NVNT	n20	5720	Ant2	30-1000	-42.41	-27	Pass
NVNT	n20	5720	Ant2	1000-5000	-40.04	-27	Pass
NVNT	n20	5720	Ant2	5000-40000	-32.62	-27	Pass
NVNT	n40	5270	Ant1	30-1000	-42.27	-27	Pass
NVNT	n40	5270	Ant1	1000-5000	-39.74	-27	Pass
NVNT	n40	5270	Ant1	5000-40000	-32.83	-27	Pass
NVNT	n40	5310	Ant1	30-1000	-42.33	-27	Pass
NVNT	n40	5310	Ant1	1000-5000	-40.1	-27	Pass
NVNT	n40	5310	Ant1	5000-40000	-31.76	-27	Pass
NVNT	n40	5270	Ant2	30-1000	-42.39	-27	Pass
NVNT	n40	5270	Ant2	1000-5000	-38.51	-27	Pass
NVNT	n40	5270	Ant2	5000-40000	-32.69	-27	Pass
NVNT	n40	5310	Ant2	30-1000	-42.78	-27	Pass
NVNT	n40	5310	Ant2	1000-5000	-40.36	-27	Pass
NVNT	n40	5310	Ant2	5000-40000	-32.41	-27	Pass
NVNT	n40	5510	Ant1	30-1000	-42.52	-27	Pass
NVNT	n40	5510	Ant1	1000-5000	-40.06	-27	Pass
NVNT	n40	5510	Ant1	5000-40000	-32.28	-27	Pass
NVNT	n40	5590	Ant1	30-1000	-41.85	-27	Pass
NVNT	n40	5590	Ant1	1000-5000	-40.26	-27	Pass
NVNT	n40	5590	Ant1	5000-40000	-32.44	-27	Pass
NVNT	n40	5670	Ant1	30-1000	-41.64	-27	Pass
NVNT	n40	5670	Ant1	1000-5000	-40.19	-27	Pass
NVNT	n40	5670	Ant1	5000-40000	-32.26	-27	Pass
NVNT	n40	5510	Ant2	30-1000	-42.41	-27	Pass
NVNT	n40	5510	Ant2	1000-5000	-40.4	-27	Pass
NVNT	n40	5510	Ant2	5000-40000	-32.54	-27	Pass
NVNT	n40	5590	Ant2	30-1000	-42.32	-27	Pass
NVNT	n40	5590	Ant2	1000-5000	-39.51	-27	Pass
NVNT	n40	5590	Ant2	5000-40000	-32.29	-27	Pass
NVNT	n40	5670	Ant2	30-1000	-41.74	-27	Pass
NVNT	n40	5670	Ant2	1000-5000	-40	-27	Pass
NVNT	n40	5670	Ant2	5000-40000	-32.47	-27	Pass
NVNT	n40	5710	Ant1	30-1000	-42.52	-27	Pass
NVNT	n40	5710	Ant1	1000-5000	-39.83	-27	Pass
NVNT	n40	5710	Ant1	5000-40000	-32.73	-27	Pass
NVNT	n40	5710	Ant2	30-1000	-42.28	-27	Pass
NVNT	n40	5710	Ant2	1000-5000	-39.83	-27	Pass
NVNT	n40	5710	Ant2	5000-40000	-32.34	-27	Pass
NVNT	ac20	5260	Ant1	30-1000	-42.78	-27	Pass
NVNT	ac20	5260	Ant1	1000-5000	-39.94	-27	Pass
NVNT	ac20	5260	Ant1	5000-40000	-33.03	-27	Pass
NVNT	ac20	5300	Ant1	30-1000	-41.76	-27	Pass
NVNT	ac20	5300	Ant1	1000-5000	-39.91	-27	Pass
NVNT	ac20	5300	Ant1	5000-40000	-33.26	-27	Pass
NVNT	ac20	5320	Ant1	30-1000	-42.52	-27	Pass
NVNT	ac20	5320	Ant1	1000-5000	-40.18	-27	Pass
NVNT	ac20	5320	Ant1	5000-40000	-31.99	-27	Pass
NVNT	ac20	5260	Ant2	30-1000	-41.92	-27	Pass
NVNT	ac20	5260	Ant2	1000-5000	-39.94	-27	Pass
NVNT	ac20	5260	Ant2	5000-40000	-32.72	-27	Pass
NVNT	ac20	5300	Ant2	30-1000	-41.84	-27	Pass
NVNT	ac20	5300	Ant2	1000-5000	-40.21	-27	Pass
NVNT	ac20	5300	Ant2	5000-40000	-30.99	-27	Pass



China

NVNT	ac20	5320	Ant2	30-1000	-42.21	-27	Pass
NVNT	ac20	5320	Ant2	1000-5000	-40.41	-27	Pass
NVNT	ac20	5320	Ant2	5000-40000	-31.65	-27	Pass
NVNT	ac20	5500	Ant1	30-1000	-41.96	-27	Pass
NVNT	ac20	5500	Ant1	1000-5000	-40.28	-27	Pass
NVNT	ac20	5500	Ant1	5000-40000	-33.07	-27	Pass
NVNT	ac20	5600	Ant1	30-1000	-41.79	-27	Pass
NVNT	ac20	5600	Ant1	1000-5000	-40.18	-27	Pass
NVNT	ac20	5600	Ant1	5000-40000	-32.2	-27	Pass
NVNT	ac20	5700	Ant1	30-1000	-42.22	-27	Pass
NVNT	ac20	5700	Ant1	1000-5000	-39.98	-27	Pass
NVNT	ac20	5700	Ant1	5000-40000	-32.73	-27	Pass
NVNT	ac20	5500	Ant2	30-1000	-42.54	-27	Pass
NVNT	ac20	5500	Ant2	1000-5000	-38.61	-27	Pass
NVNT	ac20	5500	Ant2	5000-40000	-32.6	-27	Pass
NVNT	ac20	5600	Ant2	30-1000	-41.94	-27	Pass
NVNT	ac20	5600	Ant2	1000-5000	-40.33	-27	Pass
NVNT	ac20	5600	Ant2	5000-40000	-32.36	-27	Pass
NVNT	ac20	5700	Ant2	30-1000	-42.51	-27	Pass
NVNT	ac20	5700	Ant2	1000-5000	-39.91	-27	Pass
NVNT	ac20	5700	Ant2	5000-40000	-32.38	-27	Pass
NVNT	ac20	5720	Ant1	30-1000	-42.08	-27	Pass
NVNT	ac20	5720	Ant1	1000-5000	-40.7	-27	Pass
NVNT	ac20	5720	Ant1	5000-40000	-32.86	-27	Pass
NVNT	ac20	5720	Ant2	30-1000	-42.11	-27	Pass
NVNT	ac20	5720	Ant2	1000-5000	-40.13	-27	Pass
NVNT	ac20	5720	Ant2	5000-40000	-32.45	-27	Pass
NVNT	ac40	5270	Ant1	30-1000	-42.21	-27	Pass
NVNT	ac40	5270	Ant1	1000-5000	-40.15	-27	Pass
NVNT	ac40	5270	Ant1	5000-40000	-32.13	-27	Pass
NVNT	ac40	5310	Ant1	30-1000	-42.73	-27	Pass
NVNT	ac40	5310	Ant1	1000-5000	-39.63	-27	Pass
NVNT	ac40	5310	Ant1	5000-40000	-31.97	-27	Pass
NVNT	ac40	5270	Ant2	30-1000	-42.77	-27	Pass
NVNT	ac40	5270	Ant2	1000-5000	-40.34	-27	Pass
NVNT	ac40	5270	Ant2	5000-40000	-32.87	-27	Pass
NVNT	ac40	5310	Ant2	30-1000	-42.34	-27	Pass
NVNT	ac40	5310	Ant2	1000-5000	-39.83	-27	Pass
NVNT	ac40	5310	Ant2	5000-40000	-31.98	-27	Pass
NVNT	ac40	5510	Ant1	30-1000	-42.19	-27	Pass
NVNT	ac40	5510	Ant1	1000-5000	-39.38	-27	Pass
NVNT	ac40	5510	Ant1	5000-40000	-32.77	-27	Pass
NVNT	ac40	5590	Ant1	30-1000	-41.38	-27	Pass
NVNT	ac40	5590	Ant1	1000-5000	-39.62	-27	Pass
NVNT	ac40	5590	Ant1	5000-40000	-32.49	-27	Pass
NVNT	ac40	5670	Ant1	30-1000	-42.06	-27	Pass
NVNT	ac40	5670	Ant1	1000-5000	-39.79	-27	Pass
NVNT	ac40	5670	Ant1	5000-40000	-32.78	-27	Pass
NVNT	ac40	5510	Ant2	30-1000	-42.62	-27	Pass
NVNT	ac40	5510	Ant2	1000-5000	-39.53	-27	Pass
NVNT	ac40	5510	Ant2	5000-40000	-33.12	-27	Pass
NVNT	ac40	5590	Ant2	30-1000	-42.45	-27	Pass
NVNT	ac40	5590	Ant2	1000-5000	-39.28	-27	Pass
NVNT	ac40	5590	Ant2	5000-40000	-31.69	-27	Pass
NVNT	ac40	5670	Ant2	30-1000	-41.87	-27	Pass
NVNT	ac40	5670	Ant2	1000-5000	-39.18	-27	Pass
NVNT	ac40	5670	Ant2	5000-40000	-31.96	-27	Pass
NVNT	ac40	5710	Ant1	30-1000	-42.6	-27	Pass
NVNT	ac40	5710	Ant1	1000-5000	-40.16	-27	Pass
NVNT	ac40	5710	Ant1	5000-40000	-32.82	-27	Pass
NVNT	ac40	5710	Ant2	30-1000	-42.3	-27	Pass
NVNT	ac40	5710	Ant2	1000-5000	-40.62	-27	Pass
NVNT	ac40	5710	Ant2	5000-40000	-32.61	-27	Pass
NVNT	ax20	5260	Ant1	30-1000	-42.67	-27	Pass
NVNT	ax20	5260	Ant1	1000-5000	-40.15	-27	Pass
NVNT	ax20	5260	Ant1	5000-40000	-32.58	-27	Pass
NVNT	ax20	5300	Ant1	30-1000	-42.73	-27	Pass
NVNT	ax20	5300	Ant1	1000-5000	-40.46	-27	Pass
NVNT	ax20	5300	Ant1	5000-40000	-32.24	-27	Pass



China

NVNT	ax20	5320	Ant1	30-1000	-42.63	-27	Pass
NVNT	ax20	5320	Ant1	1000-5000	-40.18	-27	Pass
NVNT	ax20	5320	Ant1	5000-40000	-33.06	-27	Pass
NVNT	ax20	5260	Ant2	30-1000	-42.74	-27	Pass
NVNT	ax20	5260	Ant2	1000-5000	-40.47	-27	Pass
NVNT	ax20	5260	Ant2	5000-40000	-32.79	-27	Pass
NVNT	ax20	5300	Ant2	30-1000	-42.52	-27	Pass
NVNT	ax20	5300	Ant2	1000-5000	-40.23	-27	Pass
NVNT	ax20	5300	Ant2	5000-40000	-32.46	-27	Pass
NVNT	ax20	5320	Ant2	30-1000	-42.17	-27	Pass
NVNT	ax20	5320	Ant2	1000-5000	-40.49	-27	Pass
NVNT	ax20	5320	Ant2	5000-40000	-32.92	-27	Pass
NVNT	ax20	5500	Ant1	30-1000	-42.45	-27	Pass
NVNT	ax20	5500	Ant1	1000-5000	-39.33	-27	Pass
NVNT	ax20	5500	Ant1	5000-40000	-32.9	-27	Pass
NVNT	ax20	5600	Ant1	30-1000	-42.45	-27	Pass
NVNT	ax20	5600	Ant1	1000-5000	-39.75	-27	Pass
NVNT	ax20	5600	Ant1	5000-40000	-32.49	-27	Pass
NVNT	ax20	5700	Ant1	30-1000	-42.25	-27	Pass
NVNT	ax20	5700	Ant1	1000-5000	-40.24	-27	Pass
NVNT	ax20	5700	Ant1	5000-40000	-32.7	-27	Pass
NVNT	ax20	5500	Ant2	30-1000	-42.17	-27	Pass
NVNT	ax20	5500	Ant2	1000-5000	-40.03	-27	Pass
NVNT	ax20	5500	Ant2	5000-40000	-32.57	-27	Pass
NVNT	ax20	5600	Ant2	30-1000	-41.4	-27	Pass
NVNT	ax20	5600	Ant2	1000-5000	-40.21	-27	Pass
NVNT	ax20	5600	Ant2	5000-40000	-32.24	-27	Pass
NVNT	ax20	5700	Ant2	30-1000	-42.21	-27	Pass
NVNT	ax20	5700	Ant2	1000-5000	-39.66	-27	Pass
NVNT	ax20	5700	Ant2	5000-40000	-32.75	-27	Pass
NVNT	ax20	5720	Ant1	30-1000	-42.71	-27	Pass
NVNT	ax20	5720	Ant1	1000-5000	-40.18	-27	Pass
NVNT	ax20	5720	Ant1	5000-40000	-32.9	-27	Pass
NVNT	ax20	5720	Ant2	30-1000	-42.49	-27	Pass
NVNT	ax20	5720	Ant2	1000-5000	-40.26	-27	Pass
NVNT	ax20	5720	Ant2	5000-40000	-32.63	-27	Pass
NVNT	ax40	5270	Ant1	30-1000	-42.58	-27	Pass
NVNT	ax40	5270	Ant1	1000-5000	-40.18	-27	Pass
NVNT	ax40	5270	Ant1	5000-40000	-32.58	-27	Pass
NVNT	ax40	5310	Ant1	30-1000	-41.92	-27	Pass
NVNT	ax40	5310	Ant1	1000-5000	-39.54	-27	Pass
NVNT	ax40	5310	Ant1	5000-40000	-31.85	-27	Pass
NVNT	ax40	5270	Ant2	30-1000	-42.01	-27	Pass
NVNT	ax40	5270	Ant2	1000-5000	-39.95	-27	Pass
NVNT	ax40	5270	Ant2	5000-40000	-32.9	-27	Pass
NVNT	ax40	5310	Ant2	30-1000	-42.17	-27	Pass
NVNT	ax40	5310	Ant2	1000-5000	-40.52	-27	Pass
NVNT	ax40	5310	Ant2	5000-40000	-31.79	-27	Pass
NVNT	ax40	5510	Ant1	30-1000	-42.5	-27	Pass
NVNT	ax40	5510	Ant1	1000-5000	-40.25	-27	Pass
NVNT	ax40	5510	Ant1	5000-40000	-32.64	-27	Pass
NVNT	ax40	5590	Ant1	30-1000	-42.08	-27	Pass
NVNT	ax40	5590	Ant1	1000-5000	-40.15	-27	Pass
NVNT	ax40	5590	Ant1	5000-40000	-32.6	-27	Pass
NVNT	ax40	5670	Ant1	30-1000	-41.66	-27	Pass
NVNT	ax40	5670	Ant1	1000-5000	-39.91	-27	Pass
NVNT	ax40	5670	Ant1	5000-40000	-32.2	-27	Pass
NVNT	ax40	5510	Ant2	30-1000	-42.01	-27	Pass
NVNT	ax40	5510	Ant2	1000-5000	-40.57	-27	Pass
NVNT	ax40	5510	Ant2	5000-40000	-31.63	-27	Pass
NVNT	ax40	5590	Ant2	30-1000	-41.97	-27	Pass
NVNT	ax40	5590	Ant2	1000-5000	-39.57	-27	Pass
NVNT	ax40	5590	Ant2	5000-40000	-32.77	-27	Pass
NVNT	ax40	5670	Ant2	30-1000	-42.59	-27	Pass
NVNT	ax40	5670	Ant2	1000-5000	-39.4	-27	Pass
NVNT	ax40	5670	Ant2	5000-40000	-31.94	-27	Pass
NVNT	ax40	5710	Ant1	30-1000	-42.39	-27	Pass
NVNT	ax40	5710	Ant1	1000-5000	-40.35	-27	Pass
NVNT	ax40	5710	Ant1	5000-40000	-32.77	-27	Pass




China

NVNT	ax40	5710	Ant2	30-1000	-42.22	-27	Pass
NVNT	ax40	5710	Ant2	1000-5000	-40.62	-27	Pass
NVNT	ax40	5710	Ant2	5000-40000	-32.33	-27	Pass






China






China




Date: 2.DEC.2022 11:07:46




Date: 2.DEC.2022 11:09:01



China




Date: 2.DEC.2022 11:09:08




Date: 2.DEC.2022 11:09:52



China




Date: 2.DEC.2022 11:11:15




Date: 2.DEC.2022 11:11:22



China




Date: 2.DEC.2022 11:12:06




Date: 2.DEC.2022 14:17:11



China




Date: 2.DEC.2022 14:17:18




Date: 2.DEC.2022 14:18:02



China




Date: 2.DEC.2022 14:19:35




Date: 2.DEC.2022 14:19:42



China



Date: 2.DEC.2022 14:20:26




Date: 2.DEC.2022 14:22:12






China




Date: 2.DEC.2022 14:22:18




Date: 2.DEC.2022 14:23:02



China




Date: 2.DEC.2022 14:39:23




Date: 2.DEC.2022 14:39:29



China




Date: 2.DEC.2022 14:40:13




Date: 2.DEC.2022 14:41:38



China




Date: 2.DEC.2022 14:41:44




Date: 2.DEC.2022 14:42:28



China




Date: 2.DEC.2022 14:43:53




Date: 2.DEC.2022 14:44:00



China




Date: 2.DEC.2022 14:44:43




Date: 6.DEC.2022 14:41:19



China




Date: 6 DEC 2022 14:41:26




Date: 6 DEC 2022 14:42:10



China



Date: 6 DEC 2022 14:43:31




Date: 6 DEC 2022 14:43:38






China




Date: 6 DEC 2022 14:44:21




Date: 6 DEC 2022 14:45:48



China




Date: 6 DEC 2022 14:45:54




Date: 6 DEC 2022 14:46:38



China




Date: 6 DEC 2022 15:18:34




Date: 6 DEC 2022 15:18:41



China




Date: 6 DEC 2022 15:19:25




Date: 6 DEC 2022 15:38:18



China





Date: 6 DEC 2022 15:38:25



Date: 6 DEC 2022 15:39:09




China






China






China



Date: 2.DEC.2022 11:19:32




Date: 2.DEC.2022 11:20:16






China




Date: 2.DEC.2022 11:21:59



Date: 2.DEC.2022 11:22:05




China






China




Date: 2.DEC.2022 13:53:37




Date: 2.DEC.2022 13:54:21



China




Date: 2.DEC.2022 13:55:59




Date: 2.DEC.2022 13:56:06



China




Date: 2.DEC.2022 13:56:50




Date: 2.DEC.2022 13:58:44



China




Date: 2.DEC.2022 13:58:51




Date: 2.DEC.2022 13:59:35



China




Date: 2.DEC.2022 14:47:15




Date: 2.DEC.2022 14:47:22



China



Date: 2.DEC.2022 14:48:06




Date: 2.DEC.2022 14:49:32






China



Date: 2.DEC.2022 14:49:39



Date: 2.DEC.2022 14:50:22