



EX3DV4- SN:3898

June 27, 2017

| | | | | | | | | |
|-----------|--|---|-------|-------|-------|------|-------|---------|
| 10274-CAB | UMTS-FDD (HSUPA, Subtest 5, 3GPP Rel8.10) | X | 2.47 | 66.92 | 14.90 | 0.00 | 150.0 | ± 9.6 % |
| | | Y | 2.52 | 67.22 | 15.16 | | 150.0 | |
| | | Z | 2.46 | 66.92 | 14.87 | | 150.0 | |
| 10275-CAB | UMTS-FDD (HSUPA, Subtest 5, 3GPP Rel8.4) | X | 1.51 | 67.86 | 15.29 | 0.00 | 150.0 | ± 9.6 % |
| | | Y | 1.59 | 68.65 | 15.81 | | 150.0 | |
| | | Z | 1.51 | 67.83 | 15.27 | | 150.0 | |
| 10277-CAA | PHS (QPSK) | X | 1.93 | 60.30 | 5.80 | 9.03 | 50.0 | ± 9.6 % |
| | | Y | 1.90 | 60.39 | 5.82 | | 50.0 | |
| | | Z | 1.85 | 60.15 | 5.70 | | 50.0 | |
| 10278-CAA | PHS (QPSK, BW 884MHz, Rolloff 0.5) | X | 2.95 | 64.62 | 10.30 | 9.03 | 50.0 | ± 9.6 % |
| | | Y | 2.95 | 64.90 | 10.48 | | 50.0 | |
| | | Z | 2.89 | 64.62 | 10.32 | | 50.0 | |
| 10279-CAA | PHS (QPSK, BW 884MHz, Rolloff 0.38) | X | 3.00 | 64.77 | 10.42 | 9.03 | 50.0 | ± 9.6 % |
| | | Y | 3.00 | 65.06 | 10.62 | | 50.0 | |
| | | Z | 2.93 | 64.75 | 10.45 | | 50.0 | |
| 10290-AAB | CDMA2000, RC1, SO55, Full Rate | X | 0.97 | 65.51 | 10.99 | 0.00 | 150.0 | ± 9.6 % |
| | | Y | 1.07 | 66.68 | 11.73 | | 150.0 | |
| | | Z | 0.93 | 65.15 | 10.70 | | 150.0 | |
| 10291-AAB | CDMA2000, RC3, SO55, Full Rate | X | 0.65 | 64.31 | 10.33 | 0.00 | 150.0 | ± 9.6 % |
| | | Y | 0.71 | 65.39 | 11.08 | | 150.0 | |
| | | Z | 0.64 | 64.16 | 10.15 | | 150.0 | |
| 10292-AAB | CDMA2000, RC3, SO32, Full Rate | X | 0.98 | 69.87 | 13.37 | 0.00 | 150.0 | ± 9.6 % |
| | | Y | 1.27 | 73.08 | 14.92 | | 150.0 | |
| | | Z | 0.97 | 69.74 | 13.20 | | 150.0 | |
| 10293-AAB | CDMA2000, RC3, SO3, Full Rate | X | 3.47 | 85.51 | 19.51 | 0.00 | 150.0 | ± 9.6 % |
| | | Y | 8.72 | 97.43 | 23.23 | | 150.0 | |
| | | Z | 3.75 | 86.24 | 19.59 | | 150.0 | |
| 10295-AAB | CDMA2000, RC1, SO3, 1/8th Rate 25 fr. | X | 9.05 | 80.79 | 19.88 | 9.03 | 50.0 | ± 9.6 % |
| | | Y | 10.39 | 83.34 | 20.97 | | 50.0 | |
| | | Z | 10.43 | 83.10 | 20.75 | | 50.0 | |
| 10297-AAB | LTE-FDD (SC-FDMA, 50% RB, 20 MHz, QPSK) | X | 2.52 | 69.33 | 16.53 | 0.00 | 150.0 | ± 9.6 % |
| | | Y | 2.60 | 69.81 | 16.85 | | 150.0 | |
| | | Z | 2.51 | 69.27 | 16.53 | | 150.0 | |
| 10298-AAC | LTE-FDD (SC-FDMA, 50% RB, 3 MHz, QPSK) | X | 1.13 | 65.04 | 11.44 | 0.00 | 150.0 | ± 9.6 % |
| | | Y | 1.21 | 65.84 | 12.00 | | 150.0 | |
| | | Z | 1.10 | 64.74 | 11.18 | | 150.0 | |
| 10299-AAC | LTE-FDD (SC-FDMA, 50% RB, 3 MHz, 16-QAM) | X | 1.48 | 63.88 | 9.66 | 0.00 | 150.0 | ± 9.6 % |
| | | Y | 1.56 | 64.58 | 10.18 | | 150.0 | |
| | | Z | 1.37 | 63.27 | 9.22 | | 150.0 | |
| 10300-AAC | LTE-FDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM) | X | 1.17 | 61.20 | 7.51 | 0.00 | 150.0 | ± 9.6 % |
| | | Y | 1.21 | 61.53 | 7.83 | | 150.0 | |
| | | Z | 1.11 | 60.84 | 7.18 | | 150.0 | |
| 10301-AAA | IEEE 802.16e WiMAX (29:18, 5ms, 10MHz, QPSK, PUSC) | X | 4.17 | 64.58 | 16.68 | 4.17 | 50.0 | ± 9.6 % |
| | | Y | 4.21 | 64.70 | 16.82 | | 50.0 | |
| | | Z | 4.18 | 64.69 | 16.72 | | 50.0 | |
| 10302-AAA | IEEE 802.16e WiMAX (29:18, 5ms, 10MHz, QPSK, PUSC, 3 CTRL symbols) | X | 4.78 | 65.73 | 17.66 | 4.96 | 50.0 | ± 9.6 % |
| | | Y | 4.81 | 65.86 | 17.81 | | 50.0 | |
| | | Z | 4.78 | 65.91 | 17.76 | | 50.0 | |



EX3DV4- SN:3898

June 27, 2017

| | | | | | | | | |
|-----------|---|---|------|-------|-------|-------|-------|---------|
| 10303-AAA | IEEE 802.16e WiMAX (31:15, 5ms, 10MHz, 64QAM, PUSC) | X | 4.55 | 65.41 | 17.46 | 4.96 | 50.0 | ± 9.6 % |
| | | Y | 4.58 | 65.52 | 17.61 | | 50.0 | |
| | | Z | 4.56 | 65.64 | 17.60 | | 50.0 | |
| 10304-AAA | IEEE 802.16e WiMAX (29:18, 5ms, 10MHz, 64QAM, PUSC) | X | 4.38 | 65.40 | 17.04 | 4.17 | 50.0 | ± 9.6 % |
| | | Y | 4.41 | 65.50 | 17.18 | | 50.0 | |
| | | Z | 4.35 | 65.34 | 16.99 | | 50.0 | |
| 10305-AAA | IEEE 802.16e WiMAX (31:15, 10ms, 10MHz, 64QAM, PUSC, 15 symbols) | X | 4.06 | 67.11 | 18.40 | 6.02 | 35.0 | ± 9.6 % |
| | | Y | 4.05 | 67.17 | 18.58 | | 35.0 | |
| | | Z | 4.03 | 67.01 | 18.26 | | 35.0 | |
| 10306-AAA | IEEE 802.16e WiMAX (29:18, 10ms, 10MHz, 64QAM, PUSC, 18 symbols) | X | 4.35 | 66.21 | 18.28 | 6.02 | 35.0 | ± 9.6 % |
| | | Y | 4.35 | 66.28 | 18.44 | | 35.0 | |
| | | Z | 4.33 | 66.18 | 18.21 | | 35.0 | |
| 10307-AAA | IEEE 802.16e WiMAX (29:18, 10ms, 10MHz, QPSK, PUSC, 18 symbols) | X | 4.24 | 66.25 | 18.19 | 6.02 | 35.0 | ± 9.6 % |
| | | Y | 4.24 | 66.31 | 18.35 | | 35.0 | |
| | | Z | 4.22 | 66.21 | 18.11 | | 35.0 | |
| 10308-AAA | IEEE 802.16e WiMAX (29:18, 10ms, 10MHz, 16QAM, PUSC) | X | 4.22 | 66.45 | 18.33 | 6.02 | 35.0 | ± 9.6 % |
| | | Y | 4.22 | 66.51 | 18.50 | | 35.0 | |
| | | Z | 4.20 | 66.39 | 18.25 | | 35.0 | |
| 10309-AAA | IEEE 802.16e WiMAX (29:18, 10ms, 10MHz, 16QAM, AMC 2x3, 18 symbols) | X | 4.35 | 66.23 | 18.34 | 6.02 | 35.0 | ± 9.6 % |
| | | Y | 4.36 | 66.31 | 18.52 | | 35.0 | |
| | | Z | 4.33 | 66.20 | 18.27 | | 35.0 | |
| 10310-AAA | IEEE 802.16e WiMAX (29:18, 10ms, 10MHz, QPSK, AMC 2x3, 18 symbols) | X | 4.30 | 66.28 | 18.28 | 6.02 | 35.0 | ± 9.6 % |
| | | Y | 4.31 | 66.35 | 18.44 | | 35.0 | |
| | | Z | 4.29 | 66.25 | 18.21 | | 35.0 | |
| 10311-AAB | LTE-FDD (SC-FDMA, 100% RB, 15 MHz, QPSK) | X | 2.88 | 68.59 | 16.20 | 0.00 | 150.0 | ± 9.6 % |
| | | Y | 2.96 | 69.02 | 16.48 | | 150.0 | |
| | | Z | 2.87 | 68.53 | 16.21 | | 150.0 | |
| 10313-AAA | iDEN 1:3 | X | 2.75 | 69.55 | 14.37 | 6.99 | 70.0 | ± 9.6 % |
| | | Y | 2.79 | 70.41 | 14.91 | | 70.0 | |
| | | Z | 2.48 | 69.40 | 14.66 | | 70.0 | |
| 10314-AAA | iDEN 1:6 | X | 3.88 | 75.45 | 19.52 | 10.00 | 30.0 | ± 9.6 % |
| | | Y | 4.05 | 76.79 | 20.24 | | 30.0 | |
| | | Z | 4.02 | 76.95 | 20.46 | | 30.0 | |
| 10315-AAB | IEEE 802.11b WiFi 2.4 GHz (DSSS, 1 Mbps, 96pc duty cycle) | X | 1.08 | 63.66 | 14.90 | 0.17 | 150.0 | ± 9.6 % |
| | | Y | 1.10 | 63.98 | 15.23 | | 150.0 | |
| | | Z | 1.08 | 63.57 | 14.89 | | 150.0 | |
| 10316-AAB | IEEE 802.11g WiFi 2.4 GHz (ERP-OFDM, 6 Mbps, 96pc duty cycle) | X | 4.34 | 66.68 | 16.09 | 0.17 | 150.0 | ± 9.6 % |
| | | Y | 4.37 | 66.78 | 16.20 | | 150.0 | |
| | | Z | 4.33 | 66.69 | 16.11 | | 150.0 | |
| 10317-AAB | IEEE 802.11a WiFi 5 GHz (OFDM, 6 Mbps, 96pc duty cycle) | X | 4.34 | 66.68 | 16.09 | 0.17 | 150.0 | ± 9.6 % |
| | | Y | 4.37 | 66.78 | 16.20 | | 150.0 | |
| | | Z | 4.33 | 66.69 | 16.11 | | 150.0 | |
| 10400-AAC | IEEE 802.11ac WiFi (20MHz, 64-QAM, 99pc duty cycle) | X | 4.42 | 67.04 | 16.19 | 0.00 | 150.0 | ± 9.6 % |
| | | Y | 4.45 | 67.14 | 16.30 | | 150.0 | |
| | | Z | 4.40 | 67.03 | 16.20 | | 150.0 | |
| 10401-AAC | IEEE 802.11ac WiFi (40MHz, 64-QAM, 99pc duty cycle) | X | 5.09 | 66.82 | 16.20 | 0.00 | 150.0 | ± 9.6 % |
| | | Y | 5.11 | 66.90 | 16.30 | | 150.0 | |
| | | Z | 5.07 | 66.79 | 16.21 | | 150.0 | |



EX3DV4- SN:3898

June 27, 2017

| | | | | | | | | |
|-----------|--|---|--------|--------|-------|------|-------|---------|
| 10402-AAC | IEEE 802.11ac WiFi (80MHz, 64-QAM, 99pc duty cycle) | X | 5.45 | 67.43 | 16.42 | 0.00 | 150.0 | ± 9.6 % |
| | | Y | 5.48 | 67.49 | 16.50 | | 150.0 | |
| | | Z | 5.45 | 67.42 | 16.44 | | 150.0 | |
| 10403-AAB | CDMA2000 (1xEV-DO, Rev. 0) | X | 0.97 | 65.51 | 10.99 | 0.00 | 115.0 | ± 9.6 % |
| | | Y | 1.07 | 66.68 | 11.73 | | 115.0 | |
| | | Z | 0.93 | 65.15 | 10.70 | | 115.0 | |
| 10404-AAB | CDMA2000 (1xEV-DO, Rev. A) | X | 0.97 | 65.51 | 10.99 | 0.00 | 115.0 | ± 9.6 % |
| | | Y | 1.07 | 66.68 | 11.73 | | 115.0 | |
| | | Z | 0.93 | 65.15 | 10.70 | | 115.0 | |
| 10406-AAB | CDMA2000, RC3, SO32, SCH0, Full Rate | X | 100.00 | 114.78 | 26.32 | 0.00 | 100.0 | ± 9.6 % |
| | | Y | 100.00 | 116.57 | 27.06 | | 100.0 | |
| | | Z | 100.00 | 115.47 | 26.53 | | 100.0 | |
| 10410-AAB | LTE-TDD (SC-FDMA, 1 RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9) | X | 4.10 | 80.03 | 17.90 | 3.23 | 80.0 | ± 9.6 % |
| | | Y | 6.73 | 87.51 | 20.67 | | 80.0 | |
| | | Z | 3.49 | 79.61 | 18.20 | | 80.0 | |
| 10415-AAA | IEEE 802.11b WiFi 2.4 GHz (DSSS, 1 Mbps, 99pc duty cycle) | X | 1.03 | 63.15 | 14.59 | 0.00 | 150.0 | ± 9.6 % |
| | | Y | 1.05 | 63.48 | 14.92 | | 150.0 | |
| | | Z | 1.03 | 63.15 | 14.60 | | 150.0 | |
| 10416-AAA | IEEE 802.11g WiFi 2.4 GHz (ERP-OFDM, 6 Mbps, 99pc duty cycle) | X | 4.33 | 66.85 | 16.18 | 0.00 | 150.0 | ± 9.6 % |
| | | Y | 4.36 | 66.92 | 16.27 | | 150.0 | |
| | | Z | 4.32 | 66.85 | 16.19 | | 150.0 | |
| 10417-AAA | IEEE 802.11a/h WiFi 5 GHz (OFDM, 6 Mbps, 99pc duty cycle) | X | 4.33 | 66.85 | 16.18 | 0.00 | 150.0 | ± 9.6 % |
| | | Y | 4.36 | 66.92 | 16.27 | | 150.0 | |
| | | Z | 4.32 | 66.85 | 16.19 | | 150.0 | |
| 10418-AAA | IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 6 Mbps, 99pc duty cycle, Long preamble) | X | 4.33 | 67.06 | 16.24 | 0.00 | 150.0 | ± 9.6 % |
| | | Y | 4.35 | 67.14 | 16.34 | | 150.0 | |
| | | Z | 4.32 | 67.07 | 16.26 | | 150.0 | |
| 10419-AAA | IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 6 Mbps, 99pc duty cycle, Short preamble) | X | 4.34 | 66.99 | 16.22 | 0.00 | 150.0 | ± 9.6 % |
| | | Y | 4.37 | 67.06 | 16.32 | | 150.0 | |
| | | Z | 4.33 | 67.00 | 16.24 | | 150.0 | |
| 10422-AAA | IEEE 802.11n (HT Greenfield, 7.2 Mbps, BPSK) | X | 4.44 | 66.96 | 16.23 | 0.00 | 150.0 | ± 9.6 % |
| | | Y | 4.47 | 67.03 | 16.33 | | 150.0 | |
| | | Z | 4.44 | 66.97 | 16.25 | | 150.0 | |
| 10423-AAA | IEEE 802.11n (HT Greenfield, 43.3 Mbps, 16-QAM) | X | 4.56 | 67.20 | 16.31 | 0.00 | 150.0 | ± 9.6 % |
| | | Y | 4.59 | 67.28 | 16.41 | | 150.0 | |
| | | Z | 4.55 | 67.20 | 16.33 | | 150.0 | |
| 10424-AAA | IEEE 802.11n (HT Greenfield, 72.2 Mbps, 64-QAM) | X | 4.49 | 67.15 | 16.29 | 0.00 | 150.0 | ± 9.6 % |
| | | Y | 4.52 | 67.23 | 16.39 | | 150.0 | |
| | | Z | 4.48 | 67.15 | 16.30 | | 150.0 | |
| 10425-AAA | IEEE 802.11n (HT Greenfield, 15 Mbps, BPSK) | X | 5.12 | 67.29 | 16.47 | 0.00 | 150.0 | ± 9.6 % |
| | | Y | 5.15 | 67.38 | 16.57 | | 150.0 | |
| | | Z | 5.11 | 67.27 | 16.48 | | 150.0 | |
| 10426-AAA | IEEE 802.11n (HT Greenfield, 90 Mbps, 16-QAM) | X | 5.14 | 67.37 | 16.51 | 0.00 | 150.0 | ± 9.6 % |
| | | Y | 5.17 | 67.45 | 16.59 | | 150.0 | |
| | | Z | 5.13 | 67.38 | 16.53 | | 150.0 | |



EX3DV4- SN:3898

June 27, 2017

| | | | | | | | | |
|-----------|--|---|------|-------|-------|------|-------|---------|
| 10427-AAA | IEEE 802.11n (HT Greenfield, 150 Mbps, 64-QAM) | X | 5.10 | 67.17 | 16.41 | 0.00 | 150.0 | ± 9.6 % |
| | | Y | 5.13 | 67.24 | 16.49 | | 150.0 | |
| | | Z | 5.10 | 67.18 | 16.43 | | 150.0 | |
| 10430-AAA | LTE-FDD (OFDMA, 5 MHz, E-TM 3.1) | X | 4.45 | 73.55 | 18.83 | 0.00 | 150.0 | ± 9.6 % |
| | | Y | 4.36 | 73.07 | 18.66 | | 150.0 | |
| | | Z | 4.51 | 73.93 | 18.97 | | 150.0 | |
| 10431-AAA | LTE-FDD (OFDMA, 10 MHz, E-TM 3.1) | X | 3.93 | 67.43 | 16.02 | 0.00 | 150.0 | ± 9.6 % |
| | | Y | 3.96 | 67.55 | 16.14 | | 150.0 | |
| | | Z | 3.91 | 67.44 | 16.01 | | 150.0 | |
| 10432-AAA | LTE-FDD (OFDMA, 15 MHz, E-TM 3.1) | X | 4.25 | 67.26 | 16.21 | 0.00 | 150.0 | ± 9.6 % |
| | | Y | 4.29 | 67.35 | 16.32 | | 150.0 | |
| | | Z | 4.24 | 67.26 | 16.22 | | 150.0 | |
| 10433-AAA | LTE-FDD (OFDMA, 20 MHz, E-TM 3.1) | X | 4.51 | 67.19 | 16.32 | 0.00 | 150.0 | ± 9.6 % |
| | | Y | 4.54 | 67.26 | 16.41 | | 150.0 | |
| | | Z | 4.50 | 67.19 | 16.33 | | 150.0 | |
| 10434-AAA | W-CDMA (BS Test Model 1, 64 DPCH) | X | 4.61 | 74.53 | 18.61 | 0.00 | 150.0 | ± 9.6 % |
| | | Y | 4.51 | 74.05 | 18.47 | | 150.0 | |
| | | Z | 4.68 | 74.88 | 18.71 | | 150.0 | |
| 10435-AAB | LTE-TDD (SC-FDMA, 1 RB, 20 MHz, QPSK, UL Subframe=2,3,4,7,8,9) | X | 3.91 | 79.35 | 17.61 | 3.23 | 80.0 | ± 9.6 % |
| | | Y | 6.25 | 86.43 | 20.28 | | 80.0 | |
| | | Z | 3.34 | 78.94 | 17.91 | | 80.0 | |
| 10447-AAA | LTE-FDD (OFDMA, 5 MHz, E-TM 3.1, Clipping 44%) | X | 3.14 | 67.14 | 14.75 | 0.00 | 150.0 | ± 9.6 % |
| | | Y | 3.20 | 67.36 | 14.95 | | 150.0 | |
| | | Z | 3.12 | 67.09 | 14.67 | | 150.0 | |
| 10448-AAA | LTE-FDD (OFDMA, 10 MHz, E-TM 3.1, Clipping 44%) | X | 3.80 | 67.24 | 15.90 | 0.00 | 150.0 | ± 9.6 % |
| | | Y | 3.84 | 67.36 | 16.03 | | 150.0 | |
| | | Z | 3.79 | 67.24 | 15.90 | | 150.0 | |
| 10449-AAA | LTE-FDD (OFDMA, 15 MHz, E-TM 3.1, Clipping 44%) | X | 4.10 | 67.10 | 16.12 | 0.00 | 150.0 | ± 9.6 % |
| | | Y | 4.13 | 67.19 | 16.22 | | 150.0 | |
| | | Z | 4.09 | 67.10 | 16.13 | | 150.0 | |
| 10450-AAA | LTE-FDD (OFDMA, 20 MHz, E-TM 3.1, Clipping 44%) | X | 4.32 | 66.97 | 16.18 | 0.00 | 150.0 | ± 9.6 % |
| | | Y | 4.35 | 67.05 | 16.27 | | 150.0 | |
| | | Z | 4.31 | 66.97 | 16.19 | | 150.0 | |
| 10451-AAA | W-CDMA (BS Test Model 1, 64 DPCH, Clipping 44%) | X | 2.91 | 66.74 | 13.90 | 0.00 | 150.0 | ± 9.6 % |
| | | Y | 2.97 | 67.02 | 14.13 | | 150.0 | |
| | | Z | 2.87 | 66.63 | 13.77 | | 150.0 | |
| 10456-AAA | IEEE 802.11ac WiFi (160MHz, 64-QAM, 99pc duty cycle) | X | 6.05 | 67.79 | 16.62 | 0.00 | 150.0 | ± 9.6 % |
| | | Y | 6.07 | 67.84 | 16.68 | | 150.0 | |
| | | Z | 6.06 | 67.83 | 16.67 | | 150.0 | |
| 10457-AAA | UMTS-FDD (DC-HSDPA) | X | 3.72 | 65.65 | 15.92 | 0.00 | 150.0 | ± 9.6 % |
| | | Y | 3.74 | 65.71 | 16.01 | | 150.0 | |
| | | Z | 3.72 | 65.68 | 15.93 | | 150.0 | |
| 10458-AAA | CDMA2000 (1xEV-DO, Rev. B, 2 carriers) | X | 2.56 | 65.08 | 12.43 | 0.00 | 150.0 | ± 9.6 % |
| | | Y | 2.62 | 65.37 | 12.69 | | 150.0 | |
| | | Z | 2.50 | 64.84 | 12.20 | | 150.0 | |
| 10459-AAA | CDMA2000 (1xEV-DO, Rev. B, 3 carriers) | X | 3.65 | 64.11 | 14.09 | 0.00 | 150.0 | ± 9.6 % |
| | | Y | 3.72 | 64.38 | 14.32 | | 150.0 | |
| | | Z | 3.61 | 64.01 | 13.94 | | 150.0 | |



EX3DV4- SN:3898

June 27, 2017

| | | | | | | | | |
|-----------|---|---|------|-------|-------|------|-------|---------|
| 10460-AAA | UMTS-FDD (WCDMA, AMR) | X | 0.87 | 67.88 | 15.88 | 0.00 | 150.0 | ± 9.6 % |
| | | Y | 0.94 | 69.24 | 16.74 | | 150.0 | |
| | | Z | 0.87 | 67.84 | 15.86 | | 150.0 | |
| 10461-AAA | LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, QPSK, UL Subframe=2,3,4,7,8,9) | X | 1.73 | 71.22 | 15.78 | 3.29 | 80.0 | ± 9.6 % |
| | | Y | 2.48 | 76.95 | 18.34 | | 80.0 | |
| | | Z | 1.60 | 71.21 | 16.16 | | 80.0 | |
| 10462-AAA | LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) | X | 0.76 | 60.00 | 7.08 | 3.23 | 80.0 | ± 9.6 % |
| | | Y | 0.72 | 60.00 | 7.19 | | 80.0 | |
| | | Z | 0.71 | 60.00 | 7.22 | | 80.0 | |
| 10463-AAA | LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) | X | 0.78 | 60.00 | 6.47 | 3.23 | 80.0 | ± 9.6 % |
| | | Y | 0.74 | 60.00 | 6.54 | | 80.0 | |
| | | Z | 0.73 | 60.00 | 6.57 | | 80.0 | |
| 10464-AAA | LTE-TDD (SC-FDMA, 1 RB, 3 MHz, QPSK, UL Subframe=2,3,4,7,8,9) | X | 1.37 | 68.23 | 13.96 | 3.23 | 80.0 | ± 9.6 % |
| | | Y | 1.86 | 72.93 | 16.20 | | 80.0 | |
| | | Z | 1.28 | 68.36 | 14.37 | | 80.0 | |
| 10465-AAA | LTE-TDD (SC-FDMA, 1 RB, 3 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) | X | 0.76 | 60.00 | 7.02 | 3.23 | 80.0 | ± 9.6 % |
| | | Y | 0.72 | 60.00 | 7.12 | | 80.0 | |
| | | Z | 0.71 | 60.00 | 7.16 | | 80.0 | |
| 10466-AAA | LTE-TDD (SC-FDMA, 1 RB, 3 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) | X | 0.78 | 60.00 | 6.44 | 3.23 | 80.0 | ± 9.6 % |
| | | Y | 0.74 | 60.00 | 6.50 | | 80.0 | |
| | | Z | 0.73 | 60.00 | 6.53 | | 80.0 | |
| 10467-AAB | LTE-TDD (SC-FDMA, 1 RB, 5 MHz, QPSK, UL Subframe=2,3,4,7,8,9) | X | 1.41 | 68.72 | 14.20 | 3.23 | 80.0 | ± 9.6 % |
| | | Y | 1.97 | 73.73 | 16.55 | | 80.0 | |
| | | Z | 1.32 | 68.86 | 14.63 | | 80.0 | |
| 10468-AAB | LTE-TDD (SC-FDMA, 1 RB, 5 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) | X | 0.76 | 60.00 | 7.04 | 3.23 | 80.0 | ± 9.6 % |
| | | Y | 0.72 | 60.00 | 7.14 | | 80.0 | |
| | | Z | 0.71 | 60.00 | 7.18 | | 80.0 | |
| 10469-AAB | LTE-TDD (SC-FDMA, 1 RB, 5 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) | X | 0.78 | 60.00 | 6.44 | 3.23 | 80.0 | ± 9.6 % |
| | | Y | 0.74 | 60.00 | 6.50 | | 80.0 | |
| | | Z | 0.73 | 60.00 | 6.54 | | 80.0 | |
| 10470-AAB | LTE-TDD (SC-FDMA, 1 RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9) | X | 1.41 | 68.72 | 14.19 | 3.23 | 80.0 | ± 9.6 % |
| | | Y | 1.97 | 73.75 | 16.55 | | 80.0 | |
| | | Z | 1.32 | 68.86 | 14.63 | | 80.0 | |
| 10471-AAB | LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) | X | 0.76 | 60.00 | 7.02 | 3.23 | 80.0 | ± 9.6 % |
| | | Y | 0.72 | 60.00 | 7.13 | | 80.0 | |
| | | Z | 0.71 | 60.00 | 7.17 | | 80.0 | |
| 10472-AAB | LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) | X | 0.78 | 60.00 | 6.42 | 3.23 | 80.0 | ± 9.6 % |
| | | Y | 0.74 | 60.00 | 6.48 | | 80.0 | |
| | | Z | 0.73 | 60.00 | 6.52 | | 80.0 | |
| 10473-AAB | LTE-TDD (SC-FDMA, 1 RB, 15 MHz, QPSK, UL Subframe=2,3,4,7,8,9) | X | 1.41 | 68.68 | 14.18 | 3.23 | 80.0 | ± 9.6 % |
| | | Y | 1.96 | 73.71 | 16.53 | | 80.0 | |
| | | Z | 1.31 | 68.82 | 14.61 | | 80.0 | |
| 10474-AAB | LTE-TDD (SC-FDMA, 1 RB, 15 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) | X | 0.76 | 60.00 | 7.02 | 3.23 | 80.0 | ± 9.6 % |
| | | Y | 0.72 | 60.00 | 7.13 | | 80.0 | |
| | | Z | 0.71 | 60.00 | 7.17 | | 80.0 | |
| 10475-AAB | LTE-TDD (SC-FDMA, 1 RB, 15 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) | X | 0.78 | 60.00 | 6.42 | 3.23 | 80.0 | ± 9.6 % |
| | | Y | 0.74 | 60.00 | 6.48 | | 80.0 | |
| | | Z | 0.73 | 60.00 | 6.52 | | 80.0 | |



EX3DV4- SN:3898

June 27, 2017

| | | | | | | | | |
|-----------|---|---|------|-------|-------|------|------|---------|
| 10477-AAB | LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) | X | 0.76 | 60.00 | 7.00 | 3.23 | 80.0 | ± 9.6 % |
| | | Y | 0.72 | 60.00 | 7.10 | | 80.0 | |
| | | Z | 0.71 | 60.00 | 7.14 | | 80.0 | |
| 10478-AAB | LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) | X | 0.78 | 60.00 | 6.41 | 3.23 | 80.0 | ± 9.6 % |
| | | Y | 0.74 | 60.00 | 6.47 | | 80.0 | |
| | | Z | 0.73 | 60.00 | 6.51 | | 80.0 | |
| 10479-AAA | LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, QPSK, UL Subframe=2,3,4,7,8,9) | X | 3.51 | 75.91 | 18.12 | 3.23 | 80.0 | ± 9.6 % |
| | | Y | 4.65 | 80.42 | 20.02 | | 80.0 | |
| | | Z | 3.35 | 76.12 | 18.41 | | 80.0 | |
| 10480-AAA | LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) | X | 2.06 | 66.11 | 12.01 | 3.23 | 80.0 | ± 9.6 % |
| | | Y | 2.44 | 68.39 | 13.17 | | 80.0 | |
| | | Z | 2.00 | 66.36 | 12.23 | | 80.0 | |
| 10481-AAA | LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) | X | 1.64 | 63.45 | 10.41 | 3.23 | 80.0 | ± 9.6 % |
| | | Y | 1.83 | 64.88 | 11.25 | | 80.0 | |
| | | Z | 1.57 | 63.52 | 10.52 | | 80.0 | |
| 10482-AAA | LTE-TDD (SC-FDMA, 50% RB, 3 MHz, QPSK, UL Subframe=2,3,4,7,8,9) | X | 1.34 | 62.39 | 10.63 | 2.23 | 80.0 | ± 9.6 % |
| | | Y | 1.43 | 63.31 | 11.29 | | 80.0 | |
| | | Z | 1.27 | 62.21 | 10.58 | | 80.0 | |
| 10483-AAA | LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) | X | 1.46 | 60.79 | 8.98 | 2.23 | 80.0 | ± 9.6 % |
| | | Y | 1.54 | 61.54 | 9.56 | | 80.0 | |
| | | Z | 1.36 | 60.41 | 8.74 | | 80.0 | |
| 10484-AAA | LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) | X | 1.45 | 60.53 | 8.83 | 2.23 | 80.0 | ± 9.6 % |
| | | Y | 1.53 | 61.21 | 9.38 | | 80.0 | |
| | | Z | 1.36 | 60.16 | 8.59 | | 80.0 | |
| 10485-AAB | LTE-TDD (SC-FDMA, 50% RB, 5 MHz, QPSK, UL Subframe=2,3,4,7,8,9) | X | 1.93 | 66.25 | 13.91 | 2.23 | 80.0 | ± 9.6 % |
| | | Y | 2.08 | 67.57 | 14.73 | | 80.0 | |
| | | Z | 1.84 | 66.09 | 13.95 | | 80.0 | |
| 10486-AAB | LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) | X | 1.94 | 63.48 | 11.80 | 2.23 | 80.0 | ± 9.6 % |
| | | Y | 2.04 | 64.22 | 12.34 | | 80.0 | |
| | | Z | 1.86 | 63.28 | 11.73 | | 80.0 | |
| 10487-AAB | LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) | X | 1.96 | 63.26 | 11.66 | 2.23 | 80.0 | ± 9.6 % |
| | | Y | 2.04 | 63.94 | 12.17 | | 80.0 | |
| | | Z | 1.87 | 63.04 | 11.57 | | 80.0 | |
| 10488-AAB | LTE-TDD (SC-FDMA, 50% RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9) | X | 2.53 | 67.95 | 16.02 | 2.23 | 80.0 | ± 9.6 % |
| | | Y | 2.66 | 68.95 | 16.66 | | 80.0 | |
| | | Z | 2.42 | 67.64 | 16.03 | | 80.0 | |
| 10489-AAB | LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) | X | 2.77 | 66.35 | 15.13 | 2.23 | 80.0 | ± 9.6 % |
| | | Y | 2.84 | 66.94 | 15.57 | | 80.0 | |
| | | Z | 2.67 | 66.13 | 15.12 | | 80.0 | |
| 10490-AAB | LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) | X | 2.85 | 66.30 | 15.10 | 2.23 | 80.0 | ± 9.6 % |
| | | Y | 2.92 | 66.85 | 15.53 | | 80.0 | |
| | | Z | 2.75 | 66.08 | 15.09 | | 80.0 | |
| 10491-AAB | LTE-TDD (SC-FDMA, 50% RB, 15 MHz, QPSK, UL Subframe=2,3,4,7,8,9) | X | 2.93 | 67.67 | 16.24 | 2.23 | 80.0 | ± 9.6 % |
| | | Y | 3.03 | 68.38 | 16.73 | | 80.0 | |
| | | Z | 2.81 | 67.35 | 16.23 | | 80.0 | |
| 10492-AAB | LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) | X | 3.21 | 66.36 | 15.71 | 2.23 | 80.0 | ± 9.6 % |
| | | Y | 3.26 | 66.76 | 16.05 | | 80.0 | |
| | | Z | 3.11 | 66.10 | 15.68 | | 80.0 | |

Certificate No: EX3-3898_Jun17

Page 28 of 38



EX3DV4- SN:3898

June 27, 2017

| | | | | | | | | |
|-----------|--|---|------|-------|-------|------|------|---------|
| 10493-AAB | LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) | X | 3.27 | 66.30 | 15.68 | 2.23 | 80.0 | ± 9.6 % |
| | | Y | 3.32 | 66.68 | 16.01 | | 80.0 | |
| | | Z | 3.17 | 66.04 | 15.65 | | 80.0 | |
| 10494-AAB | LTE-TDD (SC-FDMA, 50% RB, 20 MHz, QPSK, UL Subframe=2,3,4,7,8,9) | X | 3.07 | 68.52 | 16.54 | 2.23 | 80.0 | ± 9.6 % |
| | | Y | 3.18 | 69.34 | 17.07 | | 80.0 | |
| | | Z | 2.94 | 68.19 | 16.54 | | 80.0 | |
| 10495-AAB | LTE-TDD (SC-FDMA, 50% RB, 20 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) | X | 3.24 | 66.58 | 15.93 | 2.23 | 80.0 | ± 9.6 % |
| | | Y | 3.29 | 66.98 | 16.26 | | 80.0 | |
| | | Z | 3.13 | 66.30 | 15.90 | | 80.0 | |
| 10496-AAB | LTE-TDD (SC-FDMA, 50% RB, 20 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) | X | 3.33 | 66.50 | 15.93 | 2.23 | 80.0 | ± 9.6 % |
| | | Y | 3.38 | 66.87 | 16.25 | | 80.0 | |
| | | Z | 3.23 | 66.23 | 15.91 | | 80.0 | |
| 10497-AAA | LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, QPSK, UL Subframe=2,3,4,7,8,9) | X | 1.02 | 60.00 | 7.99 | 2.23 | 80.0 | ± 9.6 % |
| | | Y | 1.01 | 60.00 | 8.17 | | 80.0 | |
| | | Z | 0.98 | 60.00 | 7.95 | | 80.0 | |
| 10498-AAA | LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) | X | 1.18 | 60.00 | 6.81 | 2.23 | 80.0 | ± 9.6 % |
| | | Y | 1.17 | 60.00 | 6.95 | | 80.0 | |
| | | Z | 1.14 | 60.00 | 6.72 | | 80.0 | |
| 10499-AAA | LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) | X | 1.20 | 60.00 | 6.66 | 2.23 | 80.0 | ± 9.6 % |
| | | Y | 1.19 | 60.00 | 6.79 | | 80.0 | |
| | | Z | 1.16 | 60.00 | 6.55 | | 80.0 | |
| 10500-AAA | LTE-TDD (SC-FDMA, 100% RB, 3 MHz, QPSK, UL Subframe=2,3,4,7,8,9) | X | 2.18 | 67.02 | 14.79 | 2.23 | 80.0 | ± 9.6 % |
| | | Y | 2.32 | 68.22 | 15.55 | | 80.0 | |
| | | Z | 2.08 | 66.80 | 14.82 | | 80.0 | |
| 10501-AAA | LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) | X | 2.31 | 64.90 | 13.20 | 2.23 | 80.0 | ± 9.6 % |
| | | Y | 2.41 | 65.65 | 13.74 | | 80.0 | |
| | | Z | 2.22 | 64.72 | 13.17 | | 80.0 | |
| 10502-AAA | LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) | X | 2.34 | 64.77 | 13.06 | 2.23 | 80.0 | ± 9.6 % |
| | | Y | 2.43 | 65.49 | 13.58 | | 80.0 | |
| | | Z | 2.25 | 64.59 | 13.02 | | 80.0 | |
| 10503-AAB | LTE-TDD (SC-FDMA, 100% RB, 5 MHz, QPSK, UL Subframe=2,3,4,7,8,9) | X | 2.51 | 67.79 | 15.92 | 2.23 | 80.0 | ± 9.6 % |
| | | Y | 2.63 | 68.78 | 16.57 | | 80.0 | |
| | | Z | 2.39 | 67.48 | 15.93 | | 80.0 | |
| 10504-AAB | LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) | X | 2.75 | 66.25 | 15.06 | 2.23 | 80.0 | ± 9.6 % |
| | | Y | 2.83 | 66.84 | 15.51 | | 80.0 | |
| | | Z | 2.66 | 66.03 | 15.05 | | 80.0 | |
| 10505-AAB | LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) | X | 2.83 | 66.21 | 15.04 | 2.23 | 80.0 | ± 9.6 % |
| | | Y | 2.91 | 66.76 | 15.47 | | 80.0 | |
| | | Z | 2.73 | 65.99 | 15.02 | | 80.0 | |
| 10506-AAB | LTE-TDD (SC-FDMA, 100% RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9) | X | 3.05 | 68.40 | 16.47 | 2.23 | 80.0 | ± 9.6 % |
| | | Y | 3.16 | 69.22 | 17.00 | | 80.0 | |
| | | Z | 2.92 | 68.07 | 16.47 | | 80.0 | |
| 10507-AAB | LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) | X | 3.22 | 66.51 | 15.89 | 2.23 | 80.0 | ± 9.6 % |
| | | Y | 3.27 | 66.92 | 16.22 | | 80.0 | |
| | | Z | 3.12 | 66.24 | 15.86 | | 80.0 | |



EX3DV4- SN:3898

June 27, 2017

| | | | | | | | | |
|-----------|---|---|------|-------|-------|------|-------|---------|
| 10508-AAB | LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) | X | 3.32 | 66.43 | 15.89 | 2.23 | 80.0 | ± 9.6 % |
| | | Y | 3.37 | 66.80 | 16.20 | | 80.0 | |
| | | Z | 3.21 | 66.16 | 15.86 | | 80.0 | |
| 10509-AAB | LTE-TDD (SC-FDMA, 100% RB, 15 MHz, QPSK, UL Subframe=2,3,4,7,8,9) | X | 3.55 | 68.19 | 16.49 | 2.23 | 80.0 | ± 9.6 % |
| | | Y | 3.64 | 68.78 | 16.90 | | 80.0 | |
| | | Z | 3.42 | 67.89 | 16.49 | | 80.0 | |
| 10510-AAB | LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) | X | 3.74 | 66.59 | 16.18 | 2.23 | 80.0 | ± 9.6 % |
| | | Y | 3.77 | 66.88 | 16.45 | | 80.0 | |
| | | Z | 3.63 | 66.30 | 16.15 | | 80.0 | |
| 10511-AAB | LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) | X | 3.82 | 66.51 | 16.18 | 2.23 | 80.0 | ± 9.6 % |
| | | Y | 3.85 | 66.78 | 16.44 | | 80.0 | |
| | | Z | 3.71 | 66.23 | 16.15 | | 80.0 | |
| 10512-AAB | LTE-TDD (SC-FDMA, 100% RB, 20 MHz, QPSK, UL Subframe=2,3,4,7,8,9) | X | 3.53 | 68.87 | 16.64 | 2.23 | 80.0 | ± 9.6 % |
| | | Y | 3.65 | 69.60 | 17.11 | | 80.0 | |
| | | Z | 3.39 | 68.55 | 16.65 | | 80.0 | |
| 10513-AAB | LTE-TDD (SC-FDMA, 100% RB, 20 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9) | X | 3.62 | 66.62 | 16.20 | 2.23 | 80.0 | ± 9.6 % |
| | | Y | 3.66 | 66.94 | 16.48 | | 80.0 | |
| | | Z | 3.51 | 66.32 | 16.17 | | 80.0 | |
| 10514-AAB | LTE-TDD (SC-FDMA, 100% RB, 20 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) | X | 3.68 | 66.43 | 16.16 | 2.23 | 80.0 | ± 9.6 % |
| | | Y | 3.72 | 66.71 | 16.42 | | 80.0 | |
| | | Z | 3.58 | 66.13 | 16.13 | | 80.0 | |
| 10515-AAA | IEEE 802.11b WiFi 2.4 GHz (DSSS, 2 Mbps, 99pc duty cycle) | X | 0.99 | 63.31 | 14.64 | 0.00 | 150.0 | ± 9.6 % |
| | | Y | 1.01 | 63.68 | 14.99 | | 150.0 | |
| | | Z | 0.99 | 63.31 | 14.65 | | 150.0 | |
| 10516-AAA | IEEE 802.11b WiFi 2.4 GHz (DSSS, 5.5 Mbps, 99pc duty cycle) | X | 0.57 | 68.71 | 16.68 | 0.00 | 150.0 | ± 9.6 % |
| | | Y | 0.65 | 71.13 | 18.13 | | 150.0 | |
| | | Z | 0.57 | 68.55 | 16.63 | | 150.0 | |
| 10517-AAA | IEEE 802.11b WiFi 2.4 GHz (DSSS, 11 Mbps, 99pc duty cycle) | X | 0.82 | 64.86 | 15.16 | 0.00 | 150.0 | ± 9.6 % |
| | | Y | 0.85 | 65.57 | 15.72 | | 150.0 | |
| | | Z | 0.83 | 64.83 | 15.16 | | 150.0 | |
| 10518-AAA | IEEE 802.11a/h WiFi 5 GHz (OFDM, 9 Mbps, 99pc duty cycle) | X | 4.32 | 66.96 | 16.17 | 0.00 | 150.0 | ± 9.6 % |
| | | Y | 4.35 | 67.04 | 16.27 | | 150.0 | |
| | | Z | 4.31 | 66.97 | 16.19 | | 150.0 | |
| 10519-AAA | IEEE 802.11a/h WiFi 5 GHz (OFDM, 12 Mbps, 99pc duty cycle) | X | 4.46 | 67.11 | 16.26 | 0.00 | 150.0 | ± 9.6 % |
| | | Y | 4.49 | 67.19 | 16.35 | | 150.0 | |
| | | Z | 4.45 | 67.12 | 16.27 | | 150.0 | |
| 10520-AAA | IEEE 802.11a/h WiFi 5 GHz (OFDM, 18 Mbps, 99pc duty cycle) | X | 4.32 | 67.04 | 16.17 | 0.00 | 150.0 | ± 9.6 % |
| | | Y | 4.35 | 67.12 | 16.27 | | 150.0 | |
| | | Z | 4.31 | 67.04 | 16.19 | | 150.0 | |
| 10521-AAA | IEEE 802.11a/h WiFi 5 GHz (OFDM, 24 Mbps, 99pc duty cycle) | X | 4.25 | 66.99 | 16.15 | 0.00 | 150.0 | ± 9.6 % |
| | | Y | 4.28 | 67.08 | 16.25 | | 150.0 | |
| | | Z | 4.24 | 66.99 | 16.16 | | 150.0 | |
| 10522-AAA | IEEE 802.11a/h WiFi 5 GHz (OFDM, 36 Mbps, 99pc duty cycle) | X | 4.29 | 67.08 | 16.22 | 0.00 | 150.0 | ± 9.6 % |
| | | Y | 4.32 | 67.17 | 16.32 | | 150.0 | |
| | | Z | 4.27 | 67.07 | 16.22 | | 150.0 | |



EX3DV4- SN:3898

June 27, 2017

| | | | | | | | | |
|-----------|--|---|------|-------|-------|------|-------|---------|
| 10523-AAA | IEEE 802.11a/h WiFi 5 GHz (OFDM, 48 Mbps, 99pc duty cycle) | X | 4.24 | 67.16 | 16.19 | 0.00 | 150.0 | ± 9.6 % |
| | | Y | 4.27 | 67.25 | 16.30 | | 150.0 | |
| | | Z | 4.23 | 67.18 | 16.21 | | 150.0 | |
| 10524-AAA | IEEE 802.11a/h WiFi 5 GHz (OFDM, 54 Mbps, 99pc duty cycle) | X | 4.25 | 67.08 | 16.24 | 0.00 | 150.0 | ± 9.6 % |
| | | Y | 4.28 | 67.17 | 16.34 | | 150.0 | |
| | | Z | 4.24 | 67.08 | 16.25 | | 150.0 | |
| 10525-AAA | IEEE 802.11ac WiFi (20MHz, MCS0, 99pc duty cycle) | X | 4.30 | 66.23 | 15.88 | 0.00 | 150.0 | ± 9.6 % |
| | | Y | 4.32 | 66.32 | 15.98 | | 150.0 | |
| | | Z | 4.29 | 66.24 | 15.90 | | 150.0 | |
| 10526-AAA | IEEE 802.11ac WiFi (20MHz, MCS1, 99pc duty cycle) | X | 4.40 | 66.47 | 15.98 | 0.00 | 150.0 | ± 9.6 % |
| | | Y | 4.43 | 66.56 | 16.08 | | 150.0 | |
| | | Z | 4.39 | 66.47 | 15.99 | | 150.0 | |
| 10527-AAA | IEEE 802.11ac WiFi (20MHz, MCS2, 99pc duty cycle) | X | 4.34 | 66.45 | 15.93 | 0.00 | 150.0 | ± 9.6 % |
| | | Y | 4.37 | 66.54 | 16.03 | | 150.0 | |
| | | Z | 4.33 | 66.45 | 15.94 | | 150.0 | |
| 10528-AAA | IEEE 802.11ac WiFi (20MHz, MCS3, 99pc duty cycle) | X | 4.35 | 66.46 | 15.96 | 0.00 | 150.0 | ± 9.6 % |
| | | Y | 4.38 | 66.56 | 16.06 | | 150.0 | |
| | | Z | 4.34 | 66.46 | 15.97 | | 150.0 | |
| 10529-AAA | IEEE 802.11ac WiFi (20MHz, MCS4, 99pc duty cycle) | X | 4.35 | 66.46 | 15.96 | 0.00 | 150.0 | ± 9.6 % |
| | | Y | 4.38 | 66.56 | 16.06 | | 150.0 | |
| | | Z | 4.34 | 66.46 | 15.97 | | 150.0 | |
| 10531-AAA | IEEE 802.11ac WiFi (20MHz, MCS6, 99pc duty cycle) | X | 4.31 | 66.46 | 15.92 | 0.00 | 150.0 | ± 9.6 % |
| | | Y | 4.34 | 66.56 | 16.03 | | 150.0 | |
| | | Z | 4.30 | 66.45 | 15.93 | | 150.0 | |
| 10532-AAA | IEEE 802.11ac WiFi (20MHz, MCS7, 99pc duty cycle) | X | 4.20 | 66.33 | 15.86 | 0.00 | 150.0 | ± 9.6 % |
| | | Y | 4.23 | 66.43 | 15.96 | | 150.0 | |
| | | Z | 4.19 | 66.33 | 15.87 | | 150.0 | |
| 10533-AAA | IEEE 802.11ac WiFi (20MHz, MCS8, 99pc duty cycle) | X | 4.35 | 66.55 | 15.96 | 0.00 | 150.0 | ± 9.6 % |
| | | Y | 4.39 | 66.64 | 16.06 | | 150.0 | |
| | | Z | 4.34 | 66.55 | 15.98 | | 150.0 | |
| 10534-AAA | IEEE 802.11ac WiFi (40MHz, MCS0, 99pc duty cycle) | X | 4.92 | 66.42 | 16.02 | 0.00 | 150.0 | ± 9.6 % |
| | | Y | 4.95 | 66.49 | 16.11 | | 150.0 | |
| | | Z | 4.91 | 66.42 | 16.04 | | 150.0 | |
| 10535-AAA | IEEE 802.11ac WiFi (40MHz, MCS1, 99pc duty cycle) | X | 4.95 | 66.52 | 16.07 | 0.00 | 150.0 | ± 9.6 % |
| | | Y | 4.98 | 66.59 | 16.16 | | 150.0 | |
| | | Z | 4.94 | 66.51 | 16.09 | | 150.0 | |
| 10536-AAA | IEEE 802.11ac WiFi (40MHz, MCS2, 99pc duty cycle) | X | 4.85 | 66.53 | 16.05 | 0.00 | 150.0 | ± 9.6 % |
| | | Y | 4.87 | 66.61 | 16.14 | | 150.0 | |
| | | Z | 4.84 | 66.52 | 16.07 | | 150.0 | |
| 10537-AAA | IEEE 802.11ac WiFi (40MHz, MCS3, 99pc duty cycle) | X | 4.92 | 66.56 | 16.07 | 0.00 | 150.0 | ± 9.6 % |
| | | Y | 4.95 | 66.63 | 16.16 | | 150.0 | |
| | | Z | 4.92 | 66.56 | 16.10 | | 150.0 | |
| 10538-AAA | IEEE 802.11ac WiFi (40MHz, MCS4, 99pc duty cycle) | X | 4.97 | 66.48 | 16.07 | 0.00 | 150.0 | ± 9.6 % |
| | | Y | 5.00 | 66.56 | 16.15 | | 150.0 | |
| | | Z | 4.96 | 66.47 | 16.09 | | 150.0 | |
| 10540-AAA | IEEE 802.11ac WiFi (40MHz, MCS6, 99pc duty cycle) | X | 4.90 | 66.44 | 16.07 | 0.00 | 150.0 | ± 9.6 % |
| | | Y | 4.93 | 66.52 | 16.16 | | 150.0 | |
| | | Z | 4.90 | 66.43 | 16.09 | | 150.0 | |