

SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220800031803 Page: 1 of 10

RF EXPOSURE EVALUATION REPORT

Application No.:	FYCR2208000318AT			
Applicant:	Radio Flyer Inc.			
Address of Applicant:	6515 West grand Ave, Chicago, USA IL 60707			
Manufacturer:	Radio Flyer Inc.			
Address of Manufacturer:	6515 West grand Ave, Chicago, USA IL 60707			
Factory:	Aigeni Technology Co., Ltd			
Address of Factory:	Area A, Donggang industrial park, Xishan district, Wuxi city, Jiangsu Province, China			
Equipment Under Test (EUT):			
EUT Name:	850BK/850S Mid-step Cruiser; 851W/851R/851G/851BL Step Thru Cruiser			
Model No.:	850BK, 850S, 851W, 851R, 851G, 851BL 🔹			
.	Please refer to section 2 of this report which indicates which model was actually tested and which were electrically identical.			
Trade Mark:	FLYER			
FCC ID:	2AMIG-85022			
Standard(s) :	FCC Rules 47 CFR §2.1093			
	KDB 447498 D04 interim General RF Exposure Guidance v01			
Date of Receipt:	2022-08-21			
Date of Evaluation:	2022-08-22 to 2022-08-24			
Date of Issue:	2022-08-30			
Evaluation Result:	Pass*			

* In the configuration evaluated, the EUT complied with the standards specified above.

WinkeyWang

Winkey Wang EMC Technical Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Conditions

Fuyong lab. Xiniong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao'an, Sherzhen, China 518103 tt (86-755) 88663988 ft (86-755) 26710594 www.sgsgroup.com.cn 中国・深圳・宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 tt (86-755) 88663988 ft (86-755) 26710594 sgs.china@sgs.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220800031803 Page: 2 of 10

	Revision Record							
Version	Chapter	Date	Modifier	Remark				
01		2022-08-30		Original				

Authorized for issue by:		
	Jower Bao	
	Powell Bao/Project Engineer	-
	WinkeyWang	
	Winkey Wang/Reviewer	-



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawiful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To breek the authenticity of testing finaspection reports a certificate, please contact us at telephone: (86-755) 8307 1443,

Fuyong lab. Xiniong TechnoPark, Fengtang Read, Fuyong Subdistrict, Barian, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国・深圳・宝安区福永街道凤墉大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220800031803 Page: 3 of 10

2 Contents

			Page
1	Cov	ver Page	1
2	Cor	ntents	3
3	Ger	neral Information	4
	3.1	General Description of E.U.T.	4
	3.2	Details of E.U.T.	
	3.3	Separation Distance	
	3.4	Test Location	
	3.5	Test Facility	5
	3.6	Deviation from Standards	
	3.7	Abnormalities from Standard Conditions	5
4	FCC	C Radiofrequency radiation exposure limits	6
	4.1	Blanket 1 mW Blanket Exemption	6
	4.2	MPE-based Exemption	
	4.3	SAR-based Exemption	
5	Mea	asurement and Calculation	10
	5.1	Maximum transmit power	10
	5.2	RF Exposure Calculation	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Countients, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Countients, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Countients, subject to Terms and Conditions/Terms-end-Countients, subject to Terms and Conditions/Terms-end-Countients, approximation contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: Chapters and Chap

Fuyong lab. Xiniong TechnoPark, Fengtang Read, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国・深圳・宝安区福永街道昆塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220800031803 Page: 4 of 10

3 General Information

3.1 General Description of E.U.T.

	⊠ Portable device
Product Type:	Mobile device
	Fixed device

3.2 Details of E.U.T.

Power supply:	Powered by DC42V and can be charged by adapter	
	Adapter:model:BC311480020-T	
	Input: AC100-240V, 50/60Hz, 1.8A MAX	
	Output:DC54.6V, 2.0A 109.2W	
Cable(s):	Battery charger AC input cable: 150cm unshielded	
	Battery charger DC output cable: 120cm unshielded	
Operation Frequency:	2402MHz to 2480MHz	
Bluetooth Version:	V5.0 LE	
Modulation Type:	GFSK	
Number of Channels:	40	
Channel Spacing:	2MHz	
Antenna Type:	PCB Antenna	
Antenna Gain:	3dBi	

Remark: The information in this section is provided by the applicant or manufacturer, CCS is not liable to the accuracy, suitability, reliability or/and integrity of the information.

Declaration of EUT Family Grouping:

Model No.: 850BK, 850S, 851W, 851R, 851G, 851BL

Only the model 850BK was tested, since according to the declaration from the applicant, the electrical circuit design, PCB layout, components used and internal wiring and functions were identical for the above models, with only difference on color and frame.

3.3 Separation Distance

Minimum test separation distance:	5mm			
Remark: This minimum test separation distance is determined by the smallest distance from the antenna and radiating structures or outer surface of the device, according to the host form factor, exposure conditions and				
platform requirements, to any part of the body or extremity of a user or bystander.				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or faisification of the content or appearance of this document is uniawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CM.Doccheck@sgs.com

Fuyong lab. Xinlong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bavian, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国・深圳・宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220800031803 Page: 5 of 10

3.4 Test Location

All tests were performed at:

Compliance Certification Services (Kunshan) Inc. Shenzhen branch.

Fuyong lab. Xinlong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China Tel: +86 755 8866 3988 Fax: +86 755 2671 0594 No tests were sub-contracted.

3.5 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

A2LA (Certificate No. 6606.01)

Compliance Certification Services (Kunshan) Inc. Shenzhen branch is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6606.01.

• FCC – Designation Number: CN1322

Compliance Certification Services (Kunshan) Inc. Shenzhen branch has been recognized as an accredited testing laboratory.

Designation Number: CN1322. Test Firm Registration Number: 718073

• Innovation, Science and Economic Development Canada

Compliance Certification Services (Kunshan) Inc. Shenzhen branch has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0129.

IC#: 28189.

3.6 Deviation from Standards

None

3.7 Abnormalities from Standard Conditions



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein, Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. <u>Attention: O check the authenticity of testing finspection report & certificate, please contact us at telephone</u>; (86-755) 8307 1443,

Fuyong lab. Xinlong TechnoPark, Fengtang Road, Fuyong Subdishid, Bao'an, Shenzhen, China 518103 t (86–755) 88663988 f (86–755) 26710594 www.sgsgroup.com.cn 中国・深圳・宝安区福永街道风塘大道鑫龙科技园福永实验室 邮编: 518103 t (86–755) 88663988 f (86–755) 26710594 sgs.china@sgs.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220800031803 Page: 6 of 10

4 FCC Radiofrequency radiation exposure limits

Test exemptions apply for devices used in general population/uncontrolled exposure environments, according to the SAR-based, or MPE-based exemption thresholds.

4.1 Blanket 1 mW Blanket Exemption

The 1 mW Blanket Exemption of §1.1307(b)(3)(i)(A) applies for single fixed, mobile, and portable RF sources with available maximum time-averaged power of no more than 1 mW, regardless of separation distance.

The 1-mW blanket exemption applies at separation distances less than 0.5 cm, including where there is no separation. This exemption shall not be used in conjunction with other exemption criteria other than those for multiple RF sources in paragraph §1.1307(b)(3)(ii)(A).

The 1-mW exemption is independent of service type and covers the full range of 100 kHz to 100 GHz, but it shall not be used in conjunction with other exemption criteria or in devices with higher-power transmitters operating in the same time-averaging period. Exposure from such higher-power transmitters would invalidate the underlying assumption that exposure from the lower-power transmitter is the only contributor to SAR in the relevant volume of tissue.

4.2 MPE-based Exemption

General frequency and separation-distance dependent MPE-based effective radiated power (ERP) thresholds are in Table B.1 [Table 1 of §1.1307(b)(1)(i)(C)] to support an exemption from further evaluation from 300 kHz through 100 GHz.

RF Source Frequency		Minimum Distance			Threshold ERP		
<i>f</i> ∟ MHz		<i>f</i> ⊦ MHz	λ∟ / 2π		λ _Η / 2π	W	
0.3	_	1.34	159 m	_	35.6 m	1,920 R ²	
1.34	_	30	35.6 m	_	1.6 m	3,450 R²/f ²	
30	_	300	1.6 m	_	159 mm	3.83 R ²	
300	_	1,500	159 mm	_	31.8 mm	0.0128 R ² f	
1,500	1,500 – 100,000 31.8 mm – 0.5 mm 19.2R ²						
Subscripts L and H are low and high; λ is wavelength.							
From §1.1307(b)(3)(i)(C), modified by adding Minimum Distance columns.							

Table B.1—Thresholds For Single RF Sources Subject to Routine Environmental Evaluation

The table applies to any RF source (i.e. single fixed, mobile, and portable transmitters) and specifies power and distance criteria for each of the five frequency ranges used for the MPE limits. These criteria apply at separation distances from any part of the radiating structure of at least $\lambda/2\pi$. The thresholds are



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Ocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alleration, forgery or faisification of the content or appears nor until and offenders may be prodecuted to the fullest extent of the law. Unless otherwise stated ther or minits of the subjection of the site of the site of the total. The total of are contact us at telephone: (86-75) 8307 1443, or email: CN Doccheck the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CN Doccheck the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CN Doccheck the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CN Doccheck the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CN Doccheck the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CN Doccheck the authenticity of testing /inspect

 Fuyong lab. Xinlong TechnoPark, Fengtang Road, Fuyong Subdishit, Barlan, Shenzhen, China
 518103
 t
 (86–755) 88663988
 f
 (86–755) 26710594
 www.sgsgroup.com.cn

 中国・深圳・宝安区福永街道凤塘大道鑫龙科技园福永实验室
 邮编: 518103
 t
 (86–755) 88663988
 f
 (86–755) 26710594
 www.sgsgroup.com.cn



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220800031803 Page: 7 of 10

based on the general population MPE limits with a single perfect reflection, outside of the reactive near-field, and in the main beam of the radiator.

For mobile devices that are not exempt per Table B.1 [Table 1 of (1,1)(i)(C)] at distances from 20 cm to 40 cm and in 0.3 GHz to 6 GHz, evaluation of compliance with the exposure limits in 1.1310 is necessary if the ERP of the device is greater than *ERP*_{20cm} in Formula (B.1) [repeated from 2.1091(c)(1); also in 1.1307(b)(1)(i)(B)].

 $P_{\rm th} (\rm mW) = ERP_{20 \,\rm cm} (\rm mW) = \begin{cases} 2040f & 0.3 \,\rm GHz \le f < 1.5 \,\rm GHz \\ \\ 3060 & 1.5 \,\rm GHz \le f \le 6 \,\rm GHz \end{cases}$ (B.1)

If the ERP is not easily obtained, then the available maximum time-averaged power may be used (i.e., without consideration of ERP only if the physical dimensions of the radiating structure(s) do not exceed the electrical length of $\lambda/4$ or if the antenna gain is less than that of a half-wave dipole.

SAR-based exemptions are constant at separation distances between 20 cm and 40 cm to avoid discontinuities in the threshold when transitioning between SAR-based and MPE-based exemption criteria at 40 cm, considering the importance of reflections.

Limit calculation					
Frequency range	Frequency(MHz)	R(λ/2π)(m)	Threshold ERP(W)		
300~1500MHz	915	0.0522	0.032		
1500~100000MHz	2480	0.0193	0.007		

4.3 SAR-based Exemption

SAR-based thresholds are derived based on frequency, power, and separation distance of the RF source. The formula defines the thresholds in general for either available maximum time-averaged power or maximum time-averaged ERP, whichever is greater.

If the ERP of a device is not easily determined, such as for a portable device with a small form factor, the applicant may use the available maximum time-averaged power exclusively if the device antenna or radiating structure does not exceed an electrical length of $\lambda/4$.

As for devices with antennas of length greater than $\lambda/4$ where the gain is not well defined, but always less than that of a half-wave dipole (length $\lambda/2$), the available maximum time-averaged power generated by the device may be used in place of the maximum time-averaged ERP, where that value is not known.

The separation distance is the smallest distance from any part of the antenna or radiating structure for all persons, during operation at the applicable ERP. In the case of mobile or portable devices, the separation distance is from the outer housing of the device where it is closest to the antenna.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forger or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the iaw. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are restard for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: Ch.Doccheck@sgs.com

Fuyong lab. Xiniong TechnoPark, Fengtang Road, Fuyong Subdistriat, Baolan, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国・深圳・宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220800031803 Page: 8 of 10

The SAR-based exemption formula of \$1.1307(b)(3)(i)(B), repeated here as Formula (B.2), applies for single fixed, mobile, and portable RF sources with available maximum time-averaged power or effective radiated power (ERP), whichever is greater, of less than or equal to the threshold P_{th} (mW).

This method shall only be used at separation distances from 0.5 cm to 40 cm and at frequencies from 0.3 GHz to 6 GHz (inclusive). P_{th} is given by Formula (B.2).

$$P_{\rm th} \,({\rm mW}) = \begin{cases} ERP_{20\,\rm cm} (d/20\,\rm cm)^x & d \le 20\,\rm cm \\ \\ ERP_{20\,\rm cm} & 20\,\rm cm < d \le 40\,\rm cm \end{cases}$$
(B.2)

where

$$x = -\log_{10}\left(\frac{60}{ERP_{20}\operatorname{cm}\sqrt{f}}\right)$$

and f is in GHz, d is the separation distance (cm), and ERP_{20cm} is per Formula (B.1).



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Conditions/Terms-and-Conditions</u>, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

Fuyong kai. Xinlong TechnoPark, Fengtang Read, Fuyong Subdistict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国・深圳・宝安区福永街道昆塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220800031803 Page: 9 of 10

Example values shown in Table B.2 are for illustration only.

	Distance(mm)								
5	10	15	20	25	30	35	40	45	50
39	65	88	110	129	148	166	184	201	217
22	44	67	89	112	135	158	180	203	226
9	25	44	66	90	116	145	175	207	240
3	12	26	44	66	92	122	157	195	236
3	10	22	38	59	83	111	143	179	219
2	8	18	32	49	71	96	125	158	195
1	6	14	25	40	58	80	106	136	169
	39 22 9 3 3	39 65 22 44 9 25 3 12 3 10 2 8	39 65 88 22 44 67 9 25 44 3 12 26 3 10 22 2 8 18	39 65 88 110 22 44 67 89 9 25 44 66 3 12 26 44 3 10 22 38 2 8 18 32	5101520253965881101292244678911292544669031226446631022385928183249	5 10 15 20 25 30 39 65 88 110 129 148 22 44 67 89 112 135 9 25 44 66 90 116 3 12 26 44 66 92 3 10 22 38 59 83 2 8 18 32 49 71	5 10 15 20 25 30 35 39 65 88 110 129 148 166 22 44 67 89 112 135 158 9 25 44 66 90 116 145 3 12 26 44 66 92 122 3 10 22 38 59 83 111 2 8 18 32 49 71 96	510152025303540396588110129148166184224467891121351581809254466901161451753122644669212215731022385983111143281832497196125	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$

Table B.2—Example Power Thresholds (mW)

Limit calculation						
Frequency range(GHz)	Frequency(GHz)	Х	Distance(cm)	Pth (mW)		
0.3~1.5	0.915	1.474	0.5	8.133		
1.5~6	2.48	1.905	0.5	2.717		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions, Terms-en-Cournent.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend for 30 days only. Attention: D oncek the authentiony of testing fingection report a certificate, please contact us at telephone: (86-75) 8307 1443, Attention: D oncek the authentiony of testing fingection report a certificate, please contact us at telephone:

Fuyong lab. Xiniong TechnoPark, Fengtang Read, Fuyong Subdistrict, Barian, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国・深圳・宝安区福永街道凤墉大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220800031803 Page: 10 of 10

5 Measurement and Calculation

5.1 Maximum transmit power

For BLE:

The Power Data is based on the RF Test Report FYCR220800031802.

Antenna Gain: 3dBi

Output Power Into Antenna & RF Exposure Evaluation Distance:

Frequency	Maximum Conducted Power [dBm]	Maximum Conducted Power (mW)
2402	0.89	1.23

Note: Refer to report No. FYCR220800031802 for EUT test Max Power Value.

The distance r (4th column) calculated from the Fries transmission formula is far greater than 20 cm separation requirement.

5.2 RF Exposure Calculation

Remark: we used the maximum power between the conducted power and ERP/EIRP to perform RF exposure exemption evaluation.

For BT transmitter:

The Max Power is 2.45mW. The best case gain of the antenna is 3dBi.

	Evaluation method	Exempt Limit(mW)	Verdict
	Blanket 1 mW Blanket Exemption	1mW	N/A
	MPE-based Exemption(ERP)	7mW(ERP)	N/A
\boxtimes	SAR-based Exemption(<i>P</i> th)	2.7	Yes

So, the device is to qualify for SAR test exemption, the exemption report is in lieu of the SAR report.

--End of the Report--



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Courema.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawill and offenders may be prosecuted to the fullest extend for 30 days only. Attention: Dereck the authenticity of testing fingeria dand such sample(s) are retained for 30 days only. Attention: Dereck the authenticity of testing fingeria dand such sample(s) are retained for 30 days only.

Fuyong lab. Xiniong TechnoPark, Fengtang Road, Fuyong Subdistrict, Baolan, Shenzhen, China 518103 tt (86–755) 88663988 ft (86–755) 26710594 www.sgsgroup.com.cn 中国・深圳・宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 tt (86–755) 88663988 ft (86–755) 26710594 sgs.china@sgs.com