

SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

Report No.: SHEM201201071102 Page: 1 of 68

TEST REPORT

Application No.:	SHEM2012010711CR
FCC ID:	2AMIN-TW100ZM
Applicant:	Zimi Corporation
Address of Applicant:	Room A913, No.159 Chengjiang Road, Jiangyin ,China
Manufacturer:	Zimi Corporation
Address of Manufacturer:	Room A913, No.159 Chengjiang Road, Jiangyin ,China
Factory:	1.HUIZHOU LYAND ACOUSTIC TECHNOLOGY CO., LTD
	2.Inventec Appliances(Jiangning) Corporation
Address of Factory:	1.NO.45,Xiangda Road, Xiaojinkou, Huizhou City, Guangdong Province, P.R.China
	 No.133, Jiang Jun Road, Jiangning Economic and Technological Development Zone, Nanjing City, P.R.China
Equipment Under Test (EU	т):
EUT Name:	ZMI PurPods Pro Wireless Noise Cancelling Earphone,ZMI PurPods True
	Wireless Earbuds
Model No.:	TW100ZM; TW101ZM¤
¤	Please refer to section 2 of this report which indicates which model was actually tested and which were electrically identical.
Standard(s) :	47 CFR Part 15, Subpart C 15.247
Date of Receipt:	2020-12-29
Date of Test:	2020-12-30 to 2021-01-28
Date of Issue:	2021-01-29
Test Result:	Pass*

* In the configuration tested, the EUT complied with the standards specified above.

parlan share

Parlam Zhan E&E Section Manager

The manufacturer should ensure that all products in series production are in conformity with the product sample detailed in this report. If the product in this report is used in any configuration other than that detailed in the report, the manufacturer must ensure the new system complies with all relevant standards. Any mention of SGS International Electrical Approvals or testing done by SGS International Electrical Approvals in connection with, distribution or use of the product described in this report must be approved by SGS International Electrical Approvals in writing.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed
overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents,
subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is
advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of
Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a
transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced
except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or
appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the
results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,
in the second se

)Co.,Ltd. NO.588 West Jindu Road,Songjiang District,Shanghai,China 201612 中国・上海・松江区金都西路588号 邮编: 201612



Report No.: SHEM201201071102 Page: 2 of 68

Revision Record						
Version Description Date Remark						
00	Original	2021-01-29	/			

Authorized for issue by:		
	pichal Nil	
	Micheal Niu / Project Engineer	
	Parlam zhan	
	Parlam Zhan / Reviewer	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemrification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or rappearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephoner. (86-75) 8307 1443, or email: CN_Doccheck@sgs.com

NO.588 West Jindu Road, Songjiang District, Shanghai, China	201612
中国・上海・松江区金都西路588号 邮编:	201612

t(86-21) 61915666 f(86-21) 61915678 www.sgsgroup.com.cn t(86-21) 61915666 f(86-21) 61915678 e sgs.china@sgs.com



Report No.: SHEM201201071102 Page: 3 of 68

Test Summary 2

Radio Spectrum Technical Requirement					
Item	Standard	Method	Requirement	Result	
Antenna Requirement	47 CFR Part 15, Subpart C 15.247	N/A	47 CFR Part 15, Subpart C 15.203 & 15.247(b)(4)	Pass	

Radio Spectrum Matter Part					
ltem	Standard	Method	Requirement	Result	
Conducted Emissions at AC Power Line (150kHz-30MHz)	47 CFR Part 15, Subpart C 15.247	ANSI C63.10 (2013) Section 6.2	47 CFR Part 15, Subpart C 15.207	Pass	
Minimum 6dB Bandwidth	47 CFR Part 15, Subpart C 15.247	ANSI C63.10 (2013) Section 11.8.1	47 CFR Part 15, Subpart C 15.247a(2)	Pass	
Conducted Peak Output Power	47 CFR Part 15, Subpart C 15.247	ANSI C63.10 (2013) Section 11.9.1	47 CFR Part 15, Subpart C 15.247(b)(3)	Pass	
Power Spectrum Density	47 CFR Part 15, Subpart C 15.247	ANSI C63.10 (2013) Section 11.10.2	47 CFR Part 15, Subpart C 15.247(e)	Pass	
Conducted Band Edges Measurement	47 CFR Part 15, Subpart C 15.247	ANSI C63.10 (2013) Section 11.13.3.2	47 CFR Part 15, Subpart C 15.247(d)	Pass	
Conducted Spurious Emissions	47 CFR Part 15, Subpart C 15.247	ANSI C63.10 (2013) Section 11.11	47 CFR Part 15, Subpart C 15.247(d)	Pass	
Radiated Emissions which fall in the restricted bands	47 CFR Part 15, Subpart C 15.247	ANSI C63.10 (2013) Section 6.10.5	47 CFR Part 15, Subpart C 15.205 & 15.209	Pass	
Radiated Spurious Emissions	47 CFR Part 15, Subpart C 15.247	ANSI C63.10 (2013) Section 6.4,6.5,6.6	47 CFR Part 15, Subpart C 15.205 & 15.209	Pass	

Declaration of EUT Family Grouping:

Note: There are series models mentioned in this report, and they are the similar in electrical and electronic characters. Only the model TW100ZM was tested since their differences were the model number ,product name and appearance.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exoenteat parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755)8307 1443, or email: CN_Doccheck@sgs.com (NO.588 West Jindu Road.Songiiand District.Shanghai,China 201612 (86-21)61915668 (86-21)61915678 www.sgsgroup.com.cn

NO.588 West Jindu Road, Songjiang District, Shanghai, China	201612
中国・上海・松江区金都西路588号 邮编	201612



SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

Report No.: SHEM201201071102 Page: 4 of 68

3 **Contents**

		Page
1 (COVER PAGE	1
2 1	TEST SUMMARY	3
3 (CONTENTS	4
4 (GENERAL INFORMATION	5
4.1	DETAILS OF E.U.T	
4.2		
4.3	MEASUREMENT UNCERTAINTY	6
4.4	TEST LOCATION	7
4.5	TEST FACILITY	
4.6	DEVIATION FROM STANDARDS	
4.7	ABNORMALITIES FROM STANDARD CONDITIONS	7
5 E	EQUIPMENT LIST	8
6 F	RADIO SPECTRUM TECHNICAL REQUIREMENT	9
6.1	ANTENNA REQUIREMENT	9
7 F	RADIO SPECTRUM MATTER TEST RESULTS	10
7.1	MINIMUM 6DB BANDWIDTH	10
7.2	CONDUCTED PEAK OUTPUT POWER	11
7.3	Power Spectrum Density	13
7.4		
7.5		
7.6		
7.7	RADIATED SPURIOUS EMISSIONS	
8 F	PHOTOGRAPHS	68
9 E	EUT CONSTRUCTIONAL DETAILS	68



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: Mterterms.cm. (169/15666 file-21)61915678 www.sustorup.com.cm.

NO.588 West Jir	ndu Road, Songjiang District, Sha	nghai,China	201612	
中国・上海・	松江区金都西路588号	邮编:	201612	

SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.



Report No.: SHEM201201071102 Page: 5 of 68

General Information 4

4.1 Details of E.U.T.

Power supply: Test voltage:	DC 3.7V by Rechargeable Lithium-ion Coin Cell DC 3.7V
Antenna Gain:	Left earbuds 0.75dBi(Provided by client)
	Right earbuds 0.75dBi(Provided by client)
Antenna Type:	Integral Antenna
Bluetooth Version:	V5.2 LE
Data Rate:	1Mbps&2Mbps
Channel Spacing:	2MHz
Modulation Type:	GFSK
Number of Channels:	40
Operation Frequency:	2402MHz to 2480MHz

4.2 Description of Support Units

Description	Manufacturer	Model No.	Serial No.
Laptop	Lenovo	ThinkPad X100e	/



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: Mterterms.cm. (169/15666 file-21)61915678 www.sustorup.com.cm.

NO.588 West	Jindu Road, Songjiang District, Sha	nghai,China 201	1612
中国・上海	・松江区金都西路588号	邮编: 201	1612



Report No.: SHEM201201071102 Page: 6 of 68

4.3 Measurement Uncertainty

No.	Item	Measurement Uncertainty
1	Radio Frequency	8.4 x 10 ⁻⁸
2	Timeout	2s
3	Duty Cycle	0.37%
4	Occupied Bandwidth	3%
5	RF Conducted Power	0.6dB
6	RF Power Density	2.9dB
7	Conducted Spurious Emissions	0.75dB
0	DE Dedicted Dever	5.1dB (Below 1GHz)
8	RF Radiated Power	4.9dB (Above 1GHz)
		4.2dB (Below 30MHz)
9		4.5dB (30MHz-1GHz)
9	Radiated Spurious Emission Test	5.1dB (1GHz-18GHz)
		5.4dB (Above 18GHz)
10	Temperature Test	1°C
11	Humidity Test	3%
12	Supply Voltages	1.5%
13	Time	3%

Note: The measurement uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: Cheat_Cheat_Songiane (86-75) 8307 1443, Or email: Cheat_Cheat_Songiane (86-75) 8307 1443, Or email: Cheat_Cheat_Ch

NO.588 West Jindu Road, Songjiang District, Shanghai, China	201612
中国・上海・松江区金都西路588号 邮编:	201612



Report No.: SHEM201201071102 Page: 7 of 68

4.4 Test Location

All tests were performed at:

Compliance Certification Services (Kunshan) Inc.

No.10 Weiye Rd, Innovation park, Eco&Tec, Development Zone, Kunshan City, Jiangsu, China. Tel: +86 512 5735 5888 Fax: +86 512 5737 0818

No tests were sub-contracted.

4.5 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

• CNAS (No. CNAS L4354)

CNAS has accredited Compliance Certification Services (Kunshan) Inc. to ISO/IEC 17025:2017 General Requirements for the Competence of Testing and Calibration Laboratories (CNAS-CL01 Accreditation Criteria for the Competence of Testing and Calibration Laboratories) for the competence in the field of testing.

• A2LA (Certificate No. 2541.01)

Compliance Certification Services (Kunshan) Inc. is accredited by the American Association for Laboratory Accreditation (A2LA). Certificate No. 2541.01.

• FCC (Designation Number: CN1172)

Compliance Certification Services Inc. has been recognized as an accredited testing laboratory. Designation Number: CN1172.

• ISED (CAB identifier: CN0072)

Compliance Certification Services (Kunshan) Inc. has been recognized by Innovation, Science and Economic Development Canada (ISED) as an accredited testing laboratory.

Company Number: 2324E

• VCCI (Member No.: 1938)

The 3m and 10m Semi-anechoic chamber and Shielded Room of Compliance Certification Services (Kunshan) Inc. has been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: R-1600, C-1707, T-1499, G-10216 respectively.

4.6 Deviation from Standards

None

4.7 Abnormalities from Standard Conditions

None



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions_aspx and, for electronic format documents, subject to Terms and Conditions of Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exoenerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@gs.com

NO.588 West Ji	ndu Road,Songjiang District,Shan	ghai,China	201612
中国・上海・	松江区金都西路588号	邮编:	201612



Report No.: SHEM201201071102 Page: 8 of 68

5 Equipment List

Item	Equipment	Manufacturer	Model	Serial Number	Cal Date	Cal. Due Date
1	Test Software	BST	TST PASS	V 1.1.0	N.C.R	N.C.R
2	Spectrum Analyzer	Agilent	E4446A	MY44020154	04/22/2020	04/21/2021
3	Spectrum Analyzer	Keysight	N9020A	MY53420174	09/25/2020	09/24/2021
4	Spectrum Analyzer	Keysight	N9020A	MY55370209	10/19/2020	10/18/2021
5	Signal Generator	Agilent	E8257C	MY43321570	10/10/2020	10/18/2021
6	MXG Vector Signal Generator	Agilent	N5182A	MY50142015	09/25/2020	09/24/2021
7	Universal Radio Communication Tester	R&S	CMU200	109525	10/19/2020	10/18/2021
8	Universal Radio Communication Tester	R&S	CMW500	159275	10/19/2020	10/18/2021
9	Power Meter	Anritsu	ML2495A	1445010	04/21/2020	04/20/2021
10	Switcher	CCSRF	FY562	KS301219	10/19/2020	10/18/2021
11	AC Power Source	EXTECH	6605	1570106	N.C.R	N.C.R
12	DC Power Supply	Aglient	E3632A	MY50340053	N.C.R	N.C.R
13	6dB Attenuator	Mini-Circuits	NAT-6-2W	15542-1	N.C.R	N.C.R
14	Power Divider	AISI	IOWOPE2068	PE2068	N.C.R	N.C.R
15	Filter	MICRO-TRONICS	BRM50701	5	N.C.R	N.C.R
16	Conducted test cable	1	RF01-RF04	/	04/21/2020	04/22/2021
17	Temp. / Humidity Chamber	TERCHY	MHK-120AK	X30109	04/21/2020	04/20/2021
16	Software	SGS	TST-PASS	N/A	N/A	N/A
RF Ra	adiated Test					
Item	Equipment	Manufacturer	Model	Serial Number	Cal Date	Cal. Due Date
1	Test Software	Farad	EZ-EMC	CCS-03A1	N/A	N/A
2	Spectrum Analyzer	R&S	FSV40	101493	01/08/2020	01/07/2021
3	Signal Generator	Agilent	E8257C	MY43321570	10/10/2020	10/18/2021
4	Loop Antenna	COM-POWER	AL-130R	10160008	04/29/2019	04/28/2021
5	Bilog Antenna	TESEQ	CBL 6112D	35403	06/22/2019	06/21/2021
6	Bilog Antenna	SCHWARZBECK	VULB9160	9160-3342	04/29/2019	04/28/2021
7	Horn-antenna(1-18GHz)	Schwarzbeck	BBHA9120D	267	10/26/2020	10/25/2022
8	Horn-antenna(1-18GHz)	ETS-LINDGREN	3117	00143290	02/25/2019	02/24/2021
9	Horn Antenna(18-40GHz)	Schwarzbeck	BBHA9170	BBHA9170171	02/27/2018	02/26/2021
10	Pre-Amplifier(30MHz~18GHz)	CCSRF	AMP1277	1	10/19/2020	10/18/2021
11	Pre-Amplifier(0.1~26.5GHz)	EMCI	EMC012645	980060	04/21/2020	04/20/2021
12	Low Pass Filter	MICRO-TRONICS	VLFX-950	RV142900829	N.C.R	N.C.R
13	High Pass Filter	Mini-Circuits	VHF-1200	15542	N.C.R	N.C.R
14	Filter (5450MHz~5770 MHz)	MICRO-TRONICS	BRC50704-01	2	N.C.R	N.C.R
15	Filter (5690 MHz~5930 MHz)	MICRO-TRONICS	BRC50705-01	4	N.C.R	N.C.R
16	Filter (5150 MHz~5350 MHz)	MICRO-TRONICS	BRC50703-01	2	N.C.R	N.C.R
17	Filter (885 MHz~915 MHz)	MICRO-TRONICS	BRM14698	1	N.C.R	N.C.R
18	Filter (815 MHz~860 MHz)	MICRO-TRONICS	BRM14697	1	N.C.R	N.C.R
19	Filter (1745 MHz~1910 MHz)	MICRO-TRONICS	BRM14700	1	N.C.R	N.C.R
20	Filter (1922 MHz~1977 MHz)	MICRO-TRONICS	BRM50715	1	N.C.R	N.C.R
21	Filter (2550 MHz)	MICRO-TRONICS	HPM13362	5	N.C.R	N.C.R
22	Filter (1532 MHz~1845 MHz)	MICRO-TRONICS	BRM50713	1	N.C.R	N.C.R
23	Filter (2.4GHz)	MICRO-TRONICS	BRM50701	5	N.C.R	N.C.R
24	RE test cable	/	RE01-RE04	/	04/21/2020	04/22/2021
25	Software	Fard technology co.,ltd	EZ-EMC	1.1.1.2	N/A	N/A



检验检测专用章 资 Inspection & Testing Services -CSTO Services S

oremail: <u>CN.Doccheck@sgs.com</u> NO.588 West Jindu Road,Songjiang District,Shanghai,China 201612 中国・上海・松江区金都西路588号 邮编: 201612

t(86-21)61915666 f(86-21)61915678 www.sgsgroup.com.cn t(86-21)61915666 f(86-21)61915678 e sgs.china@sgs.com





Report No.: SHEM201201071102 Page: 9 of 68

6 Radio Spectrum Technical Requirement

6.1 Antenna Requirement

6.1.1 Test Requirement:

47 CFR Part 15, Subpart C 15.203 & 15.247(b)(4)

6.1.2 Conclusion

Standard Requirement:

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator, the manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

15.247(b) (4) requirement:

The conducted output power limit specified in paragraph (b) of this section is based on the use of antennas with directional gains that do not exceed 6 dBi. Except as shown in paragraph (c) of this section, if transmitting antennas of directional gain greater than 6 dBi are used, the conducted output power from the intentional radiator shall be reduced below the stated values in paragraphs (b)(1), (b)(2), and (b)(3) of this section, as appropriate, by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

EUT Antenna:

The antenna is Integral Antenna and no consideration of replacement. The best case gain of the antenna is 0.75dBi.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions_aspx and, for electronic format documents, subject to Terms and Conditions of Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions_aspx and, for electronic format documents, subject to Terms and Conditions of Islotic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this decument is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@esgs.com

NO.588 West Jindu Road, Songjiang District, Shanghai, China	201612
中国・上海・松江区金都西路588号 邮编:	201612



Report No.: SHEM201201071102 Page: 10 of 68

7 Radio Spectrum Matter Test Results

7.1 Minimum 6dB Bandwidth


Test Requirement	47 CFR Part 15, Subpart C 15.247a(2)
Test Method:	ANSI C63.10 (2013) Section 11.8.1
Limit:	≥500 kHz

7.1.1 E.U.T. Operation

Operating Environment:

Temperature:25 °CHumidity:49 % RHAtmospheric Pressure:1004 mbarTest modec:TX mode_Keep the EUT in continuously transmitting mode with GFSK
modulation

7.1.2 Test Setup Diagram



Ground Reference Plane

7.1.3 Measurement Procedure and Data

The detailed test data see: Appendix for SHEM2012010711CR-BLE-L Appendix for SHEM2012010711CR- BLE-R



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Conditions
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN.Doccheck@sgs.com

NO.588 M	lest Jindu	i Road,Songjiang District,Shai	nghai,China	201612	
中国・上	海・松	江区金都西路588号	邮编:	201612	



Report No.: SHEM201201071102 Page: 11 of 68

7.2 Conducted Peak Output Power

Test Requirement47 CFR Part 15, Subpart C 15.247(b)(3)Test Method:ANSI C63.10 (2013) Section 11.9.1Limit:Limit:

Frequency range(MHz)	Output power of the intentional radiator(watt)
	1 for ≥50 hopping channels
902-928	0.25 for 25≤ hopping channels <50
	1 for digital modulation
	1 for ≥75 non-overlapping hopping channels
2400-2483.5	0.125 for all other frequency hopping systems
	1 for digital modulation
5725-5850	1 for frequency hopping systems and digital modulation



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is advised and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

NO.588 West Jindu Road, Songjiang District, Shanghai, China	201612
中国・上海・松江区金都西路588号 邮编:	201612

t(86-21) 61915666 f(86-21) 61915678 www.sgsgroup.com.cn t(86-21) 61915666 f(86-21) 61915678 e sgs.china@sgs.com




Report No.: SHEM201201071102 Page: 12 of 68

7.2.1 E.U.T. Operation

Operating Environment:

Temperature:	25 °C	Humidity:	49	% RH	Atmospheric Pressure: 1005	mbar
Test mode	c:TX mode_Ke modulation	ep the EUT i	n cor	ntinuously ti	ransmitting mode with GFSK	

7.2.2 Test Setup Diagram



Ground Reference Plane

7.2.3 Measurement Procedure and Data

The detailed test data see: Appendix for SHEM2012010711CR-BLE-L Appendix for SHEM2012010711CR- BLE-R



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: Mterterms.cm. (169/15666 file-21)61915678 www.sustorup.com.cm.

NO.588 West Jindu Road, Songjiang Di	strict, Shanghai, China 201612
中国・上海・松江区金都西路58	3号 邮编: 201612



 Report No.:
 SHEM201201071102

 Page:
 13 of 68

7.3 Power Spectrum Density


Test Requirement	47 CFR Part 15, Subpart C 15.247(e)
Test Method:	ANSI C63.10 (2013) Section 11.10.2
Limit:	${\leq}8\text{dBm}$ in any 3 kHz band during any time interval of continuous transmission

7.3.1 E.U.T. Operation

Operating Environment:

Temperature:25 °CHumidity:49 % RHAtmospheric Pressure:1005 mbarTest modec:TX mode_Keep the EUT in continuously transmitting mode with GFSK
modulation

7.3.2 Test Setup Diagram



Ground Reference Plane

7.3.3 Measurement Procedure and Data

The detailed test data see: Appendix for SHEM2012010711CR-BLE-L Appendix for SHEM2012010711CR- BLE-R



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to its to its collegations under the transaction from exercising all their rights and obligations under the transaction documents. This document is approace of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@esg.com

NO.588 West Jir	ndu Road, Songjiang District, Shan	ghai,China	201612
中国・上海・	松江区金都西路588号	邮编:	201612



SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

Report No.: SHEM201201071102 Page: 14 of 68

7.4 Conducted Band Edges Measurement

47 CFR Part 15, Subpart C 15.247(d) **Test Requirement** Test Method: ANSI C63.10 (2013) Section 11.13.3.2 Limit: In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. If the transmitter complies with the conducted power limits based on the use of RMS averaging over a time interval, as permitted under paragraph (b)(3) of this section, the attenuation required under this paragraph shall be 30 dB instead of 20 dB. Attenuation below the general limits specified in §15.209(a) is not required. In addition, radiated emissions which fall in the restricted bands, as defined in §15.205(a), must also comply with the radiated emission limits specified in §15.209(a) (see §15.205(c)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions of Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation or liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN.Doccheck@esgs.com

			ndu Road, Songjiang District, Shan	ghai,China	201612	
中国・	上海	•	松江区金都西路588号	邮编:	201612	




Report No.: SHEM201201071102 Page: 15 of 68

7.4.1 E.U.T. Operation

Operating Environment:

Temperature:	25 °	С	Humidity:	49	% RH	Atmospheric Pressure:	1004	mbar
Test mode		mode_Kee Ilation	ep the EUT i	n cor	ntinuously tra	ansmitting mode with GFS	SK	

7.4.2 Test Setup Diagram



Ground Reference Plane

7.4.3 Measurement Procedure and Data

The detailed test data see: Appendix for SHEM2012010711CR-BLE-L Appendix for SHEM2012010711CR- BLE-R



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: Mterterms.cm. (169/15666 file-21)61915678 www.sustorup.com.cm.

NO.58	8 West	Jir	idu Road,Songjiang District,Shar	nghai,China	201612	
中国	・上海	•	松江区金都西路588号	邮编:	201612	



Report No.: SHEM201201071102 Page: 16 of 68

7.5 Conducted Spurious Emissions

Test Requirement	47 CFR Part 15, Subpart C 15.247(d)
Test Method:	ANSI C63.10 (2013) Section 11.11
Limit:	In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. If the transmitter complies with the conducted power limits based on the use of RMS averaging over a time interval, as permitted under paragraph (b)(3) of this section, the attenuation required under this paragraph shall be 30 dB instead of 20 dB. Attenuation below the general limits specified in §15.209(a) is not required. In addition, radiated emissions which fall in the restricted bands, as defined in §15.205(a), must also comply with the radiated emission limits specified in §15.209(a) (see §15.205(c)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: Mterterms.cm. (169/15666 file-21)61915678 www.sustorup.com.cm.

NO.588 West	Jindu Road, Songjiang District, Sha	nghai,China 201612	
中国・上海	・松江区金都西路588号	邮编: 201612	




Report No.: SHEM201201071102 Page: 17 of 68

7.5.1 E.U.T. Operation

Operating Environment:

Temperature:	25 °C	Humidity:	49 % RH	Atmospheric Pressure: 1005	mbar
Test mode	c:TX mode_Ke modulation	ep the EUT ir	n continuously tr	ansmitting mode with GFSK	

7.5.2 Test Setup Diagram



Ground Reference Plane

7.5.3 Measurement Procedure and Data

The detailed test data see: Appendix for SHEM2012010711CR-BLE-L Appendix for SHEM2012010711CR- BLE-R



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: Mterterms.cm. (169/15666 file-21)61915678 www.sustorup.com.cm.

NO.58	8 West	Jir	idu Road,Songjiang District,Shar	nghai,China	201612	
中国	・上海	•	松江区金都西路588号	邮编:	201612	



Report No.: SHEM201201071102 Page: 18 of 68

7.6 Radiated Emissions which fall in the restricted bands

47 CFR Part 15, Subpart C 15.205 & 15.209 **Test Requirement** ANSI C63.10 (2013) Section 6.10.5 Test Method: Limit:

Frequency(MHz)	Field strength(microvolts/meter)	Measurement distance(meters)
0.009-0.490	2400/F(kHz)	300
0.490-1.705	24000/F(kHz)	30
1.705-30.0	30	30
30-88	100	3
88-216	150	3
216-960	200	3
Above 960	500	3

Remark: The emission limits shown in the above table are based on measurements employing a CISPR quasi-peak detector except for the frequency bands 9-90kHz, 110-490kHz and above 1000 MHz. Radiated emission limits in these three bands are based on measurements employing an average detector, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755)8307 1443, or email: Mtesting /inspection report & certificate, please contact us at telephone: (86-755)8307 1443, or email: Mtesting /inspection report & certificate, please contact us at telephone: (86-75)8307 1443, or email: http://www.sogsroup.com.cm (86-7161915666 (186-21)61915678 www.sogsroup.com.cm

NO.588 West Jindu Road, Songjiang District, Shanghai, China	201612
中国・上海・松江区金都西路588号 邮编:	201612

t(86-21) 61915666 f(86-21) 61915678 www.sgsgroup.com.cn t(86-21) 61915666 f(86-21) 61915678 e sgs.china@sgs.com




Report No.: SHEM201201071102 Page: 19 of 68


7.6.1 E.U.T. Operation


Operating Environment:

Temperature:25 °CHumidity:49 % RHAtmospheric Pressure:1004 mbarTest modec:TX mode_Keep the EUT in continuously transmitting mode with GFSK
modulation

7.6.2 Test Setup Diagram









Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-enDocument.subject to Terms and Conditions/Terms-enDocument.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document is drawn to the vortage all their rights and obligations under the transaction droment. This document cannot be reproduced except in full, without prior writen approval of the Company. Any unauthorized alteration, forgery or falsification of the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@esg.com

			Road, Songjiang District,	,Shanghai,China	201612
中国・」	L海	• 松	江区金都西路588号	邮编:	201612

t(86-21) 61915666 f(86-21)61915678 www.sgsgroup.com.cn t(86-21) 61915666 f(86-21)61915678 e sgs.china@sgs.com

SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.



Report No.: SHEM201201071102 Page: 20 of 68

7.6.3 Measurement Procedure and Data

a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.

b. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter fully-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.

c. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.

d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.

e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.

f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.

g. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using peak, quasi-peak or average method as specified and then reported in a data sheet.

h. Test the EUT in the lowest channel, the middle channel, the Highest channel.

i. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is the worst case.

j. Repeat above procedures until all frequencies measured was complete.

Remark 1: Level= Read Level+ Cable Loss+ Antenna Factor- Preamp Factor

Remark 2: For frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. For the emissions whose peak level is lower than the average limit, only the peak measurement is shown in the report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions of Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions of Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions of Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing linspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@egs.com

NO.588 West Ji	ndu Road,Songjiang District,Shar	nghai,China	201612
中国・上海・	松江区金都西路588号	邮编:	201612



Report No.: SHEM201201071102 Page: 21 of 68

Left Ear

Mode:c; Polarization:Horizontal; Modulation:GFSK; Channel:Low; Data rate:1Mbps

									Limi Limi	
+										3
$\left \right $										
70										
~	nanderskansportlandfe	W	ndannaa	national	www.www	hondrownon	harmon	underman	www.webereterwee	when
0.0	10.000 231		9.00 233	8.50 234	8.00 235	7.50 236	7.00 237	6.50 2386		2405.00 N

No.	Frequency	Reading	Correct	Result	Limit	Margin	Remark
	(MHz) (dBuV)		Factor(dB/m) (dBuV/m)		(dB/m) (dBuV/m) (dBuV/m)		
1	2349.425	52.05	-4.35	47.70	74.00	-26.30	peak
2	2390.000	50.51	-4.24	46.27	74.00	-27.73	peak
3	2401.865	96.24	-4.21	92.03	74.00	18.03	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitato Company's sole responsibility is to its Cilent's and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-756) 8307 1443, or email: CN_Doccheck@sgs.com (100.588 West Jindu Road.Songiand District.Shanghai,China 201612 (186-21)61915666 file-21)61915678 www.sgsgroup.com.cn

d.	NO.588 West Ji	ndu Road,Songjiang District,Sha	inghai,China	201612
	中国・上海・	松江区金都西路588号	邮编:	201612



Report No.: SHEM201201071102 Page: 22 of 68

120.0	dBuV/m		_							
									Lim Lim	
										3
70										
					1					
4	nautotation and	milinarianta	Marine and the second	a month in original for the	and some markers	normalian	muternuch		warder and warder	may
0.0										
23	10.000231	9.50 232	9.00 233	8.50 234	8.00 235	7.50 236	7.00 237	6.50 2386	6.00	2405.00 MH

Mode:c; Polarization:Vertical; Modulation:GFSK; Channel:Low; Data rate:1 Mbps

No.	Frequency	Reading	Correct	Result	Limit	Margin	Remark
	(MHz) (dBuV)		Factor(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
1	2350.755	2350.755 51.75		47.41	74.00	-26.59	peak
2	2390.000 48.70		-4.24	44.46	74.00	-29.54	peak
3	2401.580	96.19	-4.21	91.98	74.00	17.98	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitato Company's sole responsibility is to its Cilent's and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-756) 8307 1443, or email: CN_Doccheck@sgs.com (100.588 West Jindu Road.Songiand District.Shanghai,China 201612 (186-21)61915666 file-21)61915678 www.sgsgroup.com.cn

Į	NO.588 West	Jindu Road, Songjiang District, Shangha	i,China	201612	
	中国・上海	・松江区金都西路588号	邮编:	201612	



Report No.: SHEM201201071102 Page: 23 of 68

120.0) d	Bu'	√/m											<u> </u>					,											_
																											imi imi		_	
-	;	1 ¥																												
	\downarrow	$\left\ \right\ $							_															_			_			
70	+																							-						
	+																													
-	und	ł	enn	, ,	without	w	elwyndru	www.by+	whe	When	- Mereo		there	e anna	~~~	mden	, march	~~~~	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	~~~~	hiym	T WM	M.New	Lintya	wt-ywr-	mhun	work	monday	manaha	
20.0																														
24	75.0)00	248	7.50) 2	2500	0.00	2	512	.50	2	525	5.00	2	253	7.50		255	0.00	2	56	2.50	2	575	5.00			26	00.00	MHz

Mode:c; Polarization:Horizontal; Modulation:GFSK; Channel:High; Data rate:1 Mbps

No.	Frequency	Reading	Correct	Result	Limit	Margin	Remark
	(MHz)	(dBuV)	Factor(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
1	2480.250	92.57	.57 -4.01 88.56		74.00	14.56	peak
2	2483.500	48.58	-4.00	44.58	74.00	-29.42	peak
3	2490.750	50.98	-3.98	47.00	74.00	-27.00	peak
4	2500.000	48.17	-3.96	44.21	74.00	-29.79	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions of Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-enDocument.aspx. Attention is drawn to the limitation or liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document. does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@esg.com

d.	NO.588 West	lindu Road, Songjiang District, Shanghai, Chir	na	201612	
	中国・上海	・松江区金都西路588号 邮络	à :	201612	



Report No.: SHEM201201071102 Page: 24 of 68

120.0) dl	Bu\	√/m													-		-			
																			Limit Limit		
	-	1																			
	+																		_		_
70	+																				
	+	\square																			
]	}		ma	3	erunal.	vanne	ww	9°91-114	Antonia	hander of the second	www.	water	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	white	when	~~~~	antalan tana	naman -	Vyharman	www
20.0																					
24	75.0	00	248	7.50	250	0.00	251	2.50	252	5.00	253	7.50	255	0.00	256	2.50	257	5.00		2600	.00 MHz

Mode:c; Polarization:Vertical; Modulation:GFSK; Channel:High; Data rate:1 Mbps

No.	Frequency	Reading	Correct	Result	Limit	Margin	Remark
	(MHz)	(dBuV)	Factor(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
1	2480.500	92.79	-4.01	88.78	74.00	14.78	peak
2	2483.500	49.25	-4.00	45.25	74.00	-28.75	peak
3	2495.250	49.67	-3.97	45.70	74.00	-28.30	peak
4	2500.000	48.53	-3.96	44.57	74.00	-29.43	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing linspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CN_Doccheck@sgs.com

			du Road, Songjiang District, S	hanghai,China	201612
中国・	上海	٠	松江区金都西路588号	邮编:	201612



 Report No.:
 SHEM201201071102

 Page:
 25 of 68

120.0 dBuV/m Limit1: Limit2: 70 2 mound web.in Wedgen mour 20.0 2310.000 2319.50 2329.00 2338.50 2348.00 2357.50 2367.00 2376.50 2386.00 2405.00 MHz

Mode:c; Polarization:Horizontal; Modulation:GFSK; Channel:Low; Data rate:2 Mbps

No.	Frequency	Reading	Correct	Result	Limit	Margin	Remark
	(MHz)	(dBuV)	Factor(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
1	2350.755	51.75	-4.34	47.41	74.00	-26.59	peak
2	2390.000	48.70	-4.24	44.46	74.00	-29.54	peak
3	2401.580	96.19	-4.21	91.98	74.00	17.98	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</u>. Attention is drawn to the limitation of liability, indemrification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-716)8307 1443, or email: CN_Doccheck@gs.com

	Jindu Road,Songjiang District,Shanghai,Chi	ina 201612	
中国・上海	・松江区金都西路588号 邮約	编: 201612	



Report No.: SHEM201201071102 Page: 26 of 68

120.0	0 dBuV/m		-							
									Limit	
									Limit	2: —
ł										3
										ľΝ
70										
						1				
	di di manan se		an and the second	- march - was an	n taka mbarak	A water	L. Company	mithematic	- Zentrend	
	and the second	- Patratic and Adding of	entrol control fundation	A COMPANY OF THE OWNER		And a New Address of Long	والاريوس يحدثه للقد بريطرا	a an shahara a sakili a sa	1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.	
20.0										
23	10.000 231	9.50 232	9.00 233	8.50 234	8.00 235	7.50 236	7.00 237	6.50 2386	i.00	2405.00 MHz

Mode:c; Polarization:Vertical; Modulation:GFSK; Channel:Low; Data rate:2 Mbps

No.	Frequency Readin		Correct	Result	Limit	Margin	Remark
	(MHz)	(dBuV)	Factor(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
1	2359.590	52.00	-4.32	47.68	74.00	-26.32	peak
2	2390.000	48.53	-4.24	44.29	74.00	-29.71	peak
3	2401.580	100.14	-4.21	95.93	74.00	21.93	peak




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: Mtertion company (86-71)61915666 (86-71)61915678 www.sustorup.com.cm

NO.588 West	Jindu Road, Songjiang District, Shanghai, Chin	a 201612
中国・上海	・松江区金都西路588号 邮编	: 201612

t(86-21) 61915666 f(86-21) 61915678 www.sgsgroup.com.cn t(86-21) 61915666 f(86-21) 61915678 e sgs.china@sgs.com



Report No.: SHEM201201071102 Page: 27 of 68



Mode:c; Polarization:Horizontal; Modulation:GFSK; Channel:High; Data rate:2 Mbps

No.	Frequency Reading		Correct	Result	Limit	Margin	Remark
	(MHz)	(dBuV)	Factor(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
1	2480.500	92.79	-4.01	88.78	74.00	14.78	peak
2	2483.500	49.25	-4.00	45.25	74.00	-28.75	peak
3	2495.250	49.67	-3.97	45.70	74.00	-28.30	peak
4	2500.000	48.53	-3.96	44.57	74.00	-29.43	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitato Company's sole responsibility is to its Cilent's and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-756) 8307 1443, or email: CN_Doccheck@sgs.com (100.588 West Jindu Road.Songiand District.Shanghai,China 201612 (186-21)61915666 file-21)61915678 www.sgsgroup.com.cn

NO.588 West J	indu Road, Songjiang District, Shar	nghai,China	201612	
中国・上海	・松江区金都西路588号	邮编:	201612	



Report No.: SHEM201201071102 Page: 28 of 68

120.0) dE	3u∀/r	n																		
																		Limi Limi		_	
	1	<																			
70-		$\left\{ \right\}$																			
-		8	mun			whende	Unitroph	unterner,	mm		polymon	more	and and the	many	waterally	Wereprov	humm	mmat	nt-mated	whenpor	
ł																					
																				-+	
20.0	25.00		07.50			051		050		050	2 5 0	000	0.00	950	0.50	053			000		
- 24	75.00	UU 24	87.50	250	00.00	2513	2.50	252	5.00	253	7.50	255	0.00	256	2.50	257	5.00		260)0.00 N	ИНz

Mode:c; Polarization:Vertical; Modulation:GFSK; Channel:High; Data rate:2 Mbps

No.	Frequency	Reading	Correct	Result	Limit	Margin	Remark
	(MHz)	(dBuV)	Factor(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
1	2480.500	96.46	-4.01	92.45	74.00	18.45	peak
2	2483.500	51.21	-4.00	47.21	74.00	-26.79	peak
3	2496.875	50.91	-3.97	46.94	74.00	-27.06	peak
4	2500.000	48.51	-3.96	44.55	74.00	-29.45	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitato Company's sole responsibility is to its Cilent's and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-756) 8307 1443, or email: CN_Doccheck@sgs.com (100.588 West Jindu Road.Songiand District.Shanghai,China 201612 (186-21)61915666 file-21)61915678 www.sgsgroup.com.cn

NO.588 West	Jindu Road, Songjiang District, Shanghai, Chi	na 201612
中国・上海	・松江区金都西路588号 邮約	扁: 201612



Report No.: SHEM201201071102 Page: 29 of 68

Right Ear

Mode:c; Polarization:Horizontal; Modulation:GFSK; Channel:Low; Data rate:1 Mbps

120.0) dBuV/m										
ſ									Lim		-
ŀ									Lim	it2: -	
ŀ											
ļ										3	
] [
ŀ											\mathbf{H}
70											
ŀ											+
ŀ						1					
	malunana	abornadaraa	-	mondelalence	Maderlund	malindely	Alexandra	makeria	- Franker	wanter	7
ŀ											_
ľ											
20.0											
23	10.000231	9.50 232	9.00 233	8.50 234	8.00 235	7.50 236	67.00 237	6.50 238	6.00	2405	.00 MH:

No.	Frequency	Reading	Correct	Result	Limit	Margin	Remark
	(MHz)	(dBuV)	Factor(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
1	2361.490	52.90	-4.32	48.58	74.00	-25.42	peak
2	2390.000	49.11	-4.24	44.87	74.00	-29.13	peak
3	2401.865	93.49	-4.21	89.28	74.00	15.28	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitato Company's sole responsibility is to its Cilent's and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-756) 8307 1443, or email: CN_Doccheck@sgs.com (100.588 West Jindu Road.Songiand District.Shanghai,China 201612 (186-21)61915666 file-21)61915678 www.sgsgroup.com.cn

d.	NO.588 West Ji	ndu Road,Songjiang District,Sha	anghai,China	201612
	中国・上海・	松江区金都西路588号	邮编:	201612



Report No.: SHEM201201071102 Page: 30 of 68

									Limit1: Limit2:	_
-										
ŀ										
70										
	angelinger	www.angradiater	theman the start of the	manufarale	hatma, hotalatidgi	Manhanana	n mar mar	g and the second second	ub Zenner	
).0	10.000231	9.50 232		8.50 234	8.00 235	7.50 2367		6.50 2386.		105.00 M

Mode:c; Polarization:Vertical; Modulation:GFSK; Channel:Low; Data rate:1 Mbps

No.	Frequency	Reading	Correct	Result	Limit	Margin	Remark
	(MHz)	(dBuV)	Factor(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
1	2369.090	52.82	-4.30	48.52	74.00	-25.48	peak
2	2390.000	48.95	-4.24	44.71	74.00	-29.29	peak
3	2402.340	101.40	-4.21	97.19	74.00	23.19	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing linspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CN.Doccheck@gs.com

NO.588 West	Ji	ndu Road, Songjiang District, Shar	nghai,China	201612
中国・上海	•	松江区金都西路588号	邮编:	201612

t(86-21)61915666 f(86-21)61915678 www.sgsgroup.com.cn t(86-21)61915666 f(86-21)61915678 e sgs.china@sgs.com



 Report No.:
 SHEM201201071102

 Page:
 31 of 68

) df																		Limi Limi		_
						_					_		_								_
	1	{	_			+							_								_
	+		_			+															_
70																					
ŀ																					
•	al I	3	unu	³	henno	Sec.	ngah	or had a	han	وادي دوعانياتنى	min	man	horn	Horner	- m	 men	n Manghad Ma	uterrecht	nolunseral	and seen on	manate
0.0																					

Mode:c; Polarization:Horizontal; Modulation:GFSK; Channel:High; Data rate:1 Mbps

No.	Frequency	Reading	Correct	Result	Limit	Margin	Remark
	(MHz)	(dBuV)	Factor(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
1	2480.250	95.43	-4.01	91.42	74.00	17.42	peak
2	2483.500	49.22	-4.00	45.22	74.00	-28.78	peak
3	2491.625	51.40	-3.98	47.42	74.00	-26.58	peak
4	2500.000	48.92	-3.96	44.96	74.00	-29.04	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</u>. Attention is drawn to the limitation of liability, indemrification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: <u>CN.Doccheck@sgs.com</u>

d.	NO.588 West	lindu Road, Songjiang District, Shanghai	,China	201612	
	中国・上海	・松江区金都西路588号	邮编:	201612	

t(86-21) 61915666 f(86-21) 61915678 www.sgsgroup.com.cn t(86-21) 61915666 f(86-21) 61915678 e sgs.china@sgs.com



Report No.: SHEM201201071102 Page: 32 of 68

120.	0	dB	lu∨	/m				_																						_		_
																														nit1: nit2:		
		-+																														
		Å																														
70		4																						+								-
70			T					T																T								
			ļ																													
	٦	T	Ş	4 m	, n	3 5		*	aker daa	~4~	~~~~	*****	Anna	ollow	m	hinde	num	•	mul	pagearen .	han			~~	modes	HALW N	mm	~~~~	~~ ~ ~~~	4,~4 . 4	ntherest trave	44.
		T																						1								1
20.0			T																													
24	175	.00	0 2	48	7.5	0	25	00.	00	2	2512	2.50		252	5.00)	253	7.5	0	25!	50.	00	25	62	.50	25	75.	00			2600.0	D MH:

Mode:c; Polarization:Vertical; Modulation:GFSK; Channel:High; Data rate:1 Mbps

No.	Frequency	Reading	Correct	Result	Limit	Margin	Remark
	(MHz)	(dBuV)	Factor(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
1	2480.125	100.27	-4.01	96.26	74.00	22.26	peak
2	2483.500	49.45	-4.00	45.45	74.00	-28.55	peak
3	2491.125	50.02	-3.98	46.04	74.00	-27.96	peak
4	2500.000	48.45	-3.96	44.49	74.00	-29.51	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: Mtertion company (86-71)61915666 (86-71)61915678 www.sustorup.com.cm

Į	NO.588 West	Jindu Road, Songjiang District, Shanghai, China	201612
	中国・上海	 ・松江区金都西路588号 邮编: 	201612



 Report No.:
 SHEM201201071102

 Page:
 33 of 68

									Limi Limi	
+										
70										=
						<u>1</u>				
	gulandor Manaranan	numentedation	or not such a subs	water	John Anton Antoly	angensterler freedom to sous	Unit makentalen	ourse our with the dist	nenstanoon	wind
- 1.0										

Mode:c; Polarization:Horizontal; Modulation:GFSK; Channel:Low; Data rate:2 Mbps

No.	Frequency	Reading	Correct	Result	Limit	Margin	Remark
	(MHz)	(dBuV)	Factor(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
1	2363.390	51.89	-4.31	47.58	74.00	-26.42	peak
2	2390.000	49.14	-4.24	44.90	74.00	-29.10	peak
3	2401.580	91.52	-4.21	87.31	74.00	13.31	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing linspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CN.Doccheck@gs.com

d.	NO.588 West	Jindu Road, Songjiang District, Shangl	hai,China	201612	
	中国・上海	・松江区金都西路588号	邮编:	201612	

t(86-21) 61915666 f(86-21) 61915678 www.sgsgroup.com.cn t(86-21) 61915666 f(86-21) 61915678 e sgs.china@sgs.com



Report No.: SHEM201201071102 Page: 34 of 68

120.0) dBuV/m									
									Limit1:	
ļ									Limit2:	
ŀ										
ľ										
70										
ŀ										
ŀ						1				
ľ	en energiand	u abala a manana	na sta manati		بريقير بالتبير كالأرز	h Kalendar	d durath wet the	and a second	- E	
	we wanted a state of the state	and a state of the		N NUMBER OF STREET	ALL STREET, SALES THE STREET, SALES	and on the second s	a series dame a conce	ana sala ta salah da a	which a proved in the second se	
ŀ										
20.0										
	10.000231	9.50 232	9.00 233	8.50 234	8.00 235	7.50 236	7.00 237	6.50 2386.	.00	2405.00 MHz

Mode:c; Polarization:Vertical; Modulation:GFSK; Channel:Low; Data rate:2 Mbps

No.	Frequency	Reading	Correct	Result	Limit	Margin	Remark
	(MHz)	(dBuV)	Factor(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
1	2359.970	52.17	-4.32	47.85	74.00	-26.15	peak
2	2390.000	49.29	-4.24	45.05	74.00	-28.95	peak
3	2401.580	102.67	-4.21	98.46	74.00	24.46	peak




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: Mtertion company (86-71)61915666 (86-71)61915678 www.sustorup.com.cm

NO.588 West	Jindu Road, Songjiang District, Sha	anghai,China 201612
中国・上海	・松江区金都西路588号	邮编: 201612



 Report No.:
 SHEM201201071102

 Page:
 35 of 68



Mode:c; Polarization:Horizontal; Modulation:GFSK; Channel:High; Data rate:2 Mbps

No.	Frequency	Reading	Correct	Result	Limit	Margin	Remark
	(MHz)	(dBuV)	Factor(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
1	2480.500	93.03	-4.01	89.02	74.00	15.02	peak
2	2483.500	48.81	-4.00	44.81	74.00	-29.19	peak
3	2489.500	50.19	-3.99	46.20	74.00	-27.80	peak
4	2500.000	48.32	-3.96	44.36	74.00	-29.64	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</u>. Attention is drawn to the limitation of liability, indemrification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: <u>CN.Doccheck@sgs.com</u>

			du Road, Songjiang District, S	hanghai,China	201612
中国・	上海	٠	松江区金都西路588号	邮编:	201612



Report No.: SHEM201201071102 Page: 36 of 68

120.	D 0	dΒι	ıV/r	n																										
																											mit1: mit2:		_	
		_																												
		ĥ																												
70							-																							
	+			_			_															_								
			8		3		. 4										1.000			1				14			 		word Wee	
	~						*	CADA (C	JPQ-PP		******		~~~~~	ar mar	·· • · · ·	v~~qu				4)******				~~~~	****		 		Wessel Mer	
				+			+																		+		 			
20.0 24	175.)24	 87.!	50	2	500	.00		2512	2.50	;	252	5.00		253	7.50	2	2550	D.00	2	562	2.50	25	575	.00		260	0.00	MHz

Mode:c; Polarization:Vertical; Modulation:GFSK; Channel:High; Data rate:2 Mbps

No.	Frequency	Reading	Correct	Result	Limit	Margin	Remark
	(MHz)	(dBuV)	Factor(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
1	2479.500	98.99	-4.01	94.98	74.00	20.98	peak
2	2483.500	51.67	-4.00	47.67	74.00	-26.33	peak
3	2489.875	49.96	-3.99	45.97	74.00	-28.03	peak
4	2500.000	48.11	-3.96	44.15	74.00	-29.85	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing linspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CN.Doccheck@gs.com

d.	NO.588 West	Jir	du Road, Songjiang District, Shan	ghai,China	201612
	中国・上海	•	松江区金都西路588号	邮编:	201612



Report No.: SHEM201201071102 Page: 37 of 68

7.7 Radiated Spurious Emissions

Test Requirement	47 CFR Part 15, Subpart C 15.205 & 15.209
Test Method:	ANSI C63.10 (2013) Section 6.4,6.5,6.6
Limit:	

Frequency(MHz)	Field strength(microvolts/meter)	Measurement distance(meters)
0.009-0.490	2400/F(kHz)	300
0.490-1.705	24000/F(kHz)	30
1.705-30.0	30	30
30-88	100	3
88-216	150	3
216-960	200	3
Above 960	500	3

Remark: The emission limits shown in the above table are based on measurements employing a CISPR quasi-peak detector except for the frequency bands 9-90kHz, 110-490kHz and above 1000 MHz. Radiated emission limits in these three bands are based on measurements employing an average detector, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions of Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing linspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ess.com

NO.588 West Jindu Road, Songjiang District, Shanghai, China	201612
中国・上海・松江区金都西路588号 邮编:	201612




Report No.: SHEM201201071102 Page: 38 of 68


7.7.1 E.U.T. Operation


Operating Environment:

Temperature: 25 °C Humidity: 49 % RH Atmospheric Pressure: 1004 mbar c:TX mode Keep the EUT in continuously transmitting mode with GFSK Test mode modulation

7.7.2 Test Setup Diagram









Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: Mtertion company (86-71)61915666 (86-71)61915678 www.sustorup.com.cm

	Jindu Road, Songjiang District, Sha	nghai,China	201612
中国・上海	・松江区金都西路588号	邮编:	201612

t(86-21) 61915666 f(86-21) 61915678 www.sgsgroup.com.cn t(86-21) 61915666 f(86-21) 61915678 e sgs.china@sgs.com

SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.



Report No.: SHEM201201071102 Page: 39 of 68

7.7.3 Measurement Procedure and Data

a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.

b. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter fully-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.

c. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.

d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.

e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.

f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.

g. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using peak, quasi-peak or average method as specified and then reported in a data sheet.

h. Test the EUT in the lowest channel, the middle channel, the Highest channel.

i. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is the worst case.

j. Repeat above procedures until all frequencies measured was complete.

Remark:

1) For emission below 1GHz, through pre-scan found the worst case is the lowest channel. Only the worst case is recorded in the report.

2) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:

Final Test Level =Receiver Reading + Antenna Factor + Cable Factor – Preamplifier Factor

3) Scan from 9kHz to 25GHz, the disturbance above 18GHz and below 30MHz was very low. The points marked on above plots are the highest emissions could be found when testing, so only above points had been displayed. The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.

4) For frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. For the emissions whose peak level is lower than the average limit, only the peak measurement is shown in the report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ggs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions of Electronic Documents at http://www.ggs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions of Isbility, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company, and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this est report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

NO.588 West Jindu Road, Songjiang District, Shanghai, China	a 201612
中国・上海・松江区金都西路588号 邮编	: 201612




SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

Report No.: SHEM201201071102 Page: 40 of 68

Left Ear Below 1GHz

Mode:c; Polarization:Horizontal;



No.	Frequency	Reading	Correct	Result	Limit	Margin	Height	Degree	Remark
	(MHz)	(dBuV)	Factor(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	(cm)	(deg.)	
1	30.0000	-1.41	25.93	24.52	40.00	-15.48	200	114	QP
2	141.5500	1.16	19.86	21.02	43.50	-22.48	200	254	QP
3	338.4600	1.39	21.97	23.36	46.00	-22.64	100	129	QP
4	562.5300	0.01	26.00	26.01	46.00	-19.99	300	74	QP
5	745.8600	-0.04	27.48	27.44	46.00	-18.56	300	306	QP
6	894.2700	0.14	28.60	28.74	46.00	-17.26	200	311	QP



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitato Company's sole responsibility is to its Cilent's and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-756) 8307 1443, or email: CN_Doccheck@sgs.com (100.588 West Jindu Road.Songiand District.Shanghai,China 201612 (186-21)61915666 file-21)61915678 www.sgsgroup.com.cn


	Jindu Road, Songjiang District, Shanghai, Chi	na	201612
中国・上海	•松江区金都西路588号 邮约	編:	201612

t(86-21) 61915666 f(86-21) 61915678 www.sgsgroup.com.cn t(86-21) 61915666 f(86-21) 61915678 e sgs.china@sgs.com



Report No.: SHEM201201071102 Page: 41 of 68

Mode:c; Polarization:Vertical;



No.	Frequency	Reading	Correct	Result	Limit	Margin	Height	Degree	Remark
	(MHz)	(dBuV)	Factor(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	(cm)	(deg.)	
1	31.9400	3.87	24.82	28.69	40.00	-11.31	100	159	QP
2	159.9800	0.66	19.36	20.02	43.50	-23.48	300	67	QP
3	286.0800	1.15	20.26	21.41	46.00	-24.59	100	342	QP
4	604.2400	1.56	26.56	28.12	46.00	-17.88	200	152	QP
5	778.8400	2.34	27.68	30.02	46.00	-15.98	200	205	QP
6	954.4100	0.85	29.29	30.14	46.00	-15.86	100	41	QP



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitato Company's sole responsibility is to its Cilent's and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-756) 8307 1443, or email: CN_Doccheck@sgs.com (100.588 West Jindu Road.Songiand District.Shanghai,China 201612 (186-21)61915666 file-21)61915678 www.sgsgroup.com.cn


d.	NO.588 West Ji	ndu Road, Songjiang District, Shangl	nai,China	201612
	中国・上海・	松江区金都西路588号	邮编:	201612



SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

Report No.: SHEM201201071102 Page: 42 of 68

Right Ear Below 1GHz



No.	Frequency	Reading	Correct	Result	Limit	Margin	Height	Degree	Remark
	(MHz)	(dBuV)	Factor(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	(cm)	(deg.)	
1	30.9700	-2.02	25.38	23.36	40.00	-16.64	300	223	QP
2	153.1900	0.52	19.89	20.41	43.50	-23.09	200	118	QP
3	425.7600	2.18	23.96	26.14	46.00	-19.86	200	39	QP
4	664.3800	0.63	27.22	27.85	46.00	-18.15	100	94	QP
5	711.9100	2.24	27.50	29.74	46.00	-16.26	100	205	QP
6	858.3800	1.23	28.18	29.41	46.00	-16.59	200	338	QP



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com


ł.	NO.588 West	Jir	du Road, Songjiang District	,Shanghai,China	201612
	中国・上海	•	松江区金都西路588号	邮编:	201612

t(86-21) 61915666 f(86-21)61915678 www.sgsgroup.com.cn t(86-21) 61915666 f(86-21)61915678 e sgs.china@sgs.com



Report No.: SHEM201201071102 Page: 43 of 68

Mode:c; Polarization:Vertical;



No.	Frequency	Reading	Correct	Result	Limit	Margin	Height	Degree	Remark
	(MHz)	(dBuV)	Factor(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	(cm)	(deg.)	
1	31.9400	3.87	24.82	28.69	40.00	-11.31	100	159	QP
2	159.9800	0.66	19.36	20.02	43.50	-23.48	300	67	QP
3	286.0800	1.15	20.26	21.41	46.00	-24.59	100	342	QP
4	604.2400	1.56	26.56	28.12	46.00	-17.88	200	152	QP
5	778.8400	2.34	27.68	30.02	46.00	-15.98	200	205	QP
6	954.4100	0.85	29.29	30.14	46.00	-15.86	100	41	QP



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitato Company's sole responsibility is to its Cilent's and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-756) 8307 1443, or email: CN_Doccheck@sgs.com (100.588 West Jindu Road.Songiand District.Shanghai,China 201612 (186-21)61915666 file-21)61915678 www.sgsgroup.com.cn

d.	NO.588 West Ji	ndu Road, Songjiang District, Shangl	nai,China	201612
	中国・上海・	松江区金都西路588号	邮编:	201612



Report No.: SHEM201201071102 Page: 44 of 68

Left Ear

Above 1GHz

Mode:c; Polarization:Horizontal; Modulation:GFSK; Channel:Low; Data rate:1 Mbps

1	100.0 dBuV/m														
								-							+
	50			4		2			,						
				×		Î		ľ	l l						
	• •														1
	0.0 11	100.000 2700).00 11 00).00 610	 0.00	780	 0.00 9	500).00 12	 :00.00 2	900.00	146	00.00	 8000.04	j 0MHz
No.	F	requency	Reading	Correc	tion	R	esult	Γ	Limit	Margin			Rema	ark	
NO.		(MHz)	(dBuV)	factor(d	lB/m)	(dE	BuV/m)	((dBuV/m)	(dB)			Rena	an	
1		4804.000	57.53	-10.3			7.25		74.00	-26.75			pea		
2		7206.000	56.32	-7.1			9.22		74.00	-24.78			pea	k	
3	9	9608.000	51.96	-4.9)6	4	7.00		74.00	-27.00			pea	k	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: Mtertion company (86-71)61915666 (86-71)61915678 www.sustorup.com.cm

d.	NO.588 West	indu Road,Songjiang Dis	trict,Shanghai,China	201612
	中国・上海	松江区金都西路588	号 邮编:	201612



Report No.: SHEM201201071102 Page: 45 of 68

1	00.0	dBu∀/m		_															
																	Limiti Limită		
	H			+														<u>. </u>	
	L																		
				+									+		-+		+		
	50			┼╁			¥-			₽			+		\rightarrow		+		
	Γ																		
	\vdash			+											_		_		
	0.0																		
	100	0. 000 270 0	0.00 11	00.00	0 610	0.00	780	0.00	950	0.00	112	00.00	1290	0.00	1460	0.00		18000.00	MHz
No.	Fre	quency	Readi		Correc			Result	Τ	Lim		Marg	gin			Re	marl	k	
	(MHz)	(dBu\		factor(d			BuV/m)		dBuV		(dB)						
1		04.000	57.83		-10.2			7.55	\perp	74.0		-26.					eak		
2		06.000	55.5		-7.1			8.45		74.0		-25.					eak		
3			53.5	1	-4.9	6	4	8.55		74.0	00	-25.	45			р	eak		

Mode:c; Polarization:Vertical; Modulation:GFSK; Channel:Low; Data rate:1 Mbps



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: Mtertion company (86-71)61915666 (86-71)61915678 www.sustorup.com.cm

Į	NO.588 West	Jindu Road, Songjiang District, Shangh	hai,China	201612	
	中国・上海	 ・松江区金都西路588号 	邮编:	201612	



Report No.: SHEM201201071102 Page: 46 of 68

1	00.0) dBu∀/m																			
	[Γ								nitl: nit2:		
	ł										\vdash		+				+				
	ļ																				
																			_		
											╞								+		
	50				5	<u>k</u>		ŝ			3		+						+		
								T													
	ł							+			H		+				+		+		
	0.0																				
	10	00.0002700	0.00	110	0.0	0 610	0.00	780	0.00	950	0.1	00 ;	200.	.00 129	0.00	0 11	600.00		I	8 000.0 0	MHz
No.	Fr	requency		ading		Correc			esult			Limit		Margin	T			Rem	ark		
		(MHz)		BuV)		factor(d			BuV/m) (BuV/m)		(dB)	\perp						
1		880.000		.24		-9.9			7.25			74.00		-26.75				pea			
2		320.000		3.79		-6.9			6.88			74.00		-27.12				pea	ak		
3	9	760.000	53	8.68		-4.2	5	4	9.43		1	74.00		-24.57				pea	ak		

Mode:c; Polarization:Horizontal; Modulation:GFSK; Channel:middle; Data rate:1 Mbps



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions of Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-enDocument.aspx. Attention is drawn to the limitation or liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document. does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@esg.com

td.	NO.588 West Ji	ndu Road, Songjiang District, Shangha	i,China	201612	
	中国・上海・	松江区金都西路588号	邮编:	201612	

t(86-21) 61915666 f(86-21)61915678 www.sgsgroup.com.cn t(86-21) 61915666 f(86-21)61915678 e sgs.china@sgs.com



Report No.: SHEM201201071102 Page: 47 of 68

1	00.0	0 dBu∀/m																			
																			nitl: nit2:		
	Ī																				
	ł																			_	
	50				5	k		ž			E	:									
	ł							+			$\left \right $										
								_									<u> </u>				
	0.0																				
		00.0002700	0.00	110	0.0	0 610	0.00	780	0.00	950	0.0	00 12	200.0	0 129	00.00	146	500.00		18	000.00	MHz
No.	F	requency		ading		Correc			lesult			Limit	Ν	Aargin				Rem	ark		
1		(MHz) 4880.000		3uV) 6.54		factor(d -9.9			BuV/m) 6.55) (3uV/m) 74.00		(dB) 27.45	_				le.		
										_					_			pea			
2		7320.000		5.68		-6.9			8.77	_		74.00		-25.23	_			pea			
3		9760.000	50).42		-4.2	5	4	6.17		1	74.00	-	-27.83				pea	IK		

Mode:c; Polarization:Vertical; Modulation:GFSK; Channel:middle; Data rate:1 Mbps



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Condition</u>

NO.588 We	st Ji	ndu Road, Songjiang District	,Shanghai,China	201612
中国・上潟	₽ •	松江区金都西路588号	邮编:	201612

t(86-21) 61915666 f(86-21)61915678 www.sgsgroup.com.cn t(86-21) 61915666 f(86-21)61915678 e sgs.china@sgs.com



Report No.: SHEM201201071102 Page: 48 of 68

1	I O O . I	0 dBu∀/m																	
																	imitl		
																L	imit2:		
									_								+		1
																	+		
	50				J		,			X									
				'	¥		Ť			$$									
							-										-		
	0.0	100.000 2700).00 110	<u>с</u> п	 0 610	0 0 0	780	 0.00	<u>arn</u>	0.00	112	00.00	1290	0.00	146	00.00		18000.00	1143
		100.0002100		0.0	0 010	0.00	ruu	0.00	330	0.00	112	00.00	1230	0.00	1-104	00.00		10000.00	M112
No.	F	requency	Reading		Correc			lesult	Τ	Limi		Mar	gin			Rei	mark		
4		(MHz)	(dBuV)		factor(d			BuV/m)	+	(dBuV		(dE							
1		1960.000	57.45		-9.6			7.77	+	74.0		-26					eak		
2		7440.000	53.94		-6.7			7.22	\perp	74.0		-26					eak		
3		9920.000	52.07		-3.5	0	4	8.57		74.0	0	-25	.43			pe	eak		

Mode:c; Polarization:Horizontal; Modulation:GFSK; Channel:High; Data rate:1 Mbps



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions of Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document. Snot exonerale parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results hown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing linspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@esp.com

d.	NO.588 West Ji	ndu Road, Songjiang District, Shangh	ai,China	201612	
	中国・上海・	松江区金都西路588号	邮编:	201612	

t(86-21) 61915666 f(86-21)61915678 www.sgsgroup.com.cn t(86-21) 61915666 f(86-21)61915678 e sgs.china@sgs.com



Report No.: SHEM201201071102 Page: 49 of 68

1	100.0	dB u∀/m																	
																	Limiti Limiti		
	F 0			1	1					1									
	50-			7	k i i i		Ŷ			¥									
	F																		
	0.0																		
		0.0002700).00 440	0.00) 610	0.00	780	0.00	950	0.00	112	00.00	1290	0.00	1460	00.00		18000.00	MHz
No.	Fre	equency MHz)	Reading (dBuV)		Correct factor(d			lesult BuV/m)		Lim (dBuV		Mar (df	gin			Re	emarl	k	
1		960.000	58.30		-9.6			8.62	+	74.0		-25				р	eak		
2	74	140.000	53.91		-6.7	2	4	7.19		74.0	0	-26	.81			p	eak		
3	99	920.000	52.12		-3.5	0	4	8.62		74.0	0	-25	.38			р	eak		

Mode:c; Polarization:Vertical; Modulation:GFSK; Channel:High; Data rate:1 Mbps



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions/Ferms-and-Co

	du Road, Songjiang District, Shanghai	,China	201612
中国・上海・	松江区金都西路588号	邮编:	201612

t(86-21) 61915666 f(86-21)61915678 www.sgsgroup.com.cn t(86-21) 61915666 f(86-21)61915678 e sgs.china@sgs.com



Report No.: SHEM201201071102 Page: 50 of 68

										imitl: — imit2: —
	50			1	2		3			
				×						
	ł				-+					
	0.0									
	L	00.0002700	.00 1100.	.00 6100.0	JO 7	7800.00 9	500.00 12	00.00 290	0.00 1600.00	18000.00MH
0.	F	requency	Reading	Correctio	on	Result	Limit	Margin	Ren	nark
		(MHz)	(dBuV)	factor(dB/	/m) ((dBuV/m)	(dBuV/m)	(dB)		
		1804.000	58.04	-10.28		47.76	74.00	-26.24		ak
	1	7206.000	54.95	-7.10		47.85	74.00	-26.15	ре	ak
	9	9608.000	55.71	-4.96		50.75	74.00	-23.25	pe	ak

Mode:c; Polarization:Horizontal; Modulation:GFSK; Channel:Low; Data rate:2 Mbps



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-enDocument.systep: Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document is atransaction from exercising all their rights and obligations under the transaction documents. This document is encoded of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ess.com

NO.588	8 West	Jiı	ndu Road, Songjiang District, Sha	anghai,China	201612	
中国・	上海	•	松江区金都西路588号	邮编:	201612	

t(86-21)61915666 f(86-21)61915678 www.sgsgroup.com.cn t(86-21)61915666 f(86-21)61915678 e sgs.china@sgs.com



Report No.: SHEM201201071102 Page: 51 of 68

										_imit1: — _imit2: —
	50-			1×	ş		3			
				^						
	0.0									
	10	00.0002700	.00 1100.	.00 6100.00	78	10.00 9	500.00 2	200.00 1290	0.00 1600.00	18000.00MH;
0.	Fi	requency (MHz)	Reading (dBuV)	Correction factor(dB/r		Result BuV/m)	Limit (dBuV/m)	Margin (dB)	Re	mark
	4	1804.000	58.29	-10.28		48.01	74.00	-25.99	p	eak
	7	7206.000	56.97	-7.10		49.87	74.00	-24.13	p	eak
	9	9608.000	54.63	-4.96		49.67	74.00	-24.33	p	eak

Mode:c; Polarization:Vertical; Modulation:GFSK; Channel:Low; Data rate:2 Mbps



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions/Ferms-and-Co

	or eman. on.boccheck@sgs.com			
d.	NO.588 West Jindu Road, Songjiang District, Shanghai, Chin	а	201612	
	中国・上海・松江区金都西路588号 邮编	:	201612	



 Report No.:
 SHEM201201071102

 Page:
 52 of 68

1	00.0	0 dBu∀/m													
													.imitl: .imit2:		
													_		
							+						+		
								_							
	50			<u>}</u>	¥			3					+		
													_		
	0.0														
	10	100.0002700).00 11 00.	00 6100.00	7800.	.00 99	500	.00 12	00.00 12	900.00	1 146	500.00		8000.00k	ИНz
No.	F	requency (MHz)	Reading (dBuV)	Correctio factor(dB/r		sult JV/m)	(d	Limit IBuV/m)	Margin (dB)			Re	mark		
1	4	1880.000	57.58	-9.99		.59		74.00	-26.41			р	eak		
2	1	7320.000	55.58	-6.91	48	.67		74.00	-25.33			р	eak		
3	9	9760.000	53.54	-4.25	49	.29		74.00	-24.71			р	eak		

Mode:c; Polarization:Horizontal; Modulation:GFSK; Channel:middle; Data rate:2 Mbps



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-enDocument.systep: Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document is atransaction from exercising all their rights and obligations under the transaction documents. This document is encoded of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ess.com

	Jindu Road, Songjiang District, Shanghai	,China	201612
中国・上海	・松江区金都西路588号	邮编:	201612



 Report No.:
 SHEM201201071102

 Page:
 53 of 68

1	00.	0 dBu∀/m							
									nit1: — nit2: —
	50			¥	2	¥			
	0.0								
	IÖ	100.000 2700).00 1100.1	00 6100.00	7800.00	9500.00 12	00.00 290	0.00 1600.00	18000.00MHz
No.	F	requency (MHz)	Reading (dBuV)	Correction factor(dB/m	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Rem	ark
1	4	4880.000	57.63	-9.99	47.64	74.00	-26.36	pea	k
2	Ī	7320.000	56.92	-6.91	50.01	74.00	-23.99	pea	k
3	9	9760.000	52.94	-4.25	48.69	74.00	-25.31	pea	k

Mode:c; Polarization:Vertical; Modulation:GFSK; Channel:middle; Data rate:2 Mbps



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-enDocument.spx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document is a transaction from exercising all their rights and obligations under the transaction documents. This document is enproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@esg.com

	of email. of Doccheck@aga.com	
td.	NO.588 West Jindu Road, Songjiang District, Shanghai, China	201612
	中国・上海・松江区金都西路588号 邮编:	201612



Report No.: SHEM201201071102 Page: 54 of 68

													Limitl Limit2		
	50			1	Z		3								
				¥	T										
	ſ														
	ł									+			+		
	0.0														
	10	00.0002700	.00 1100.	00 6100.00	7800	.00 9	500.00	112	00.00	2900	.00 14	500.00		18 00 .00	ΜН
).	F	requency	Reading	Correction		esult	Limi		Margi	n		R	lemark		
		(MHz)	(dBuV)	factor(dB/r		uV/m)	(dBuV	_	(dB)						
		960.000	57.37	-9.68		7.69	74.0		-26.3				peak		
	7	440.000	56.39	-6.72	49	9.67	74.0	0	-24.3	3			peak		
		920.000	53.36	-3.50		9.86	74.0		-24.1				peak		

Mode:c; Polarization:Horizontal; Modulation:GFSK; Channel:High; Data rate:2 Mbps



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions of Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document. Snot exonerale parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results hown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing linspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@esp.com

NO.588 West Jindu Road, Songjiang District, Shanghai, China	201612
中国・上海・松江区金都西路588号 邮编:	201612



 Report No.:
 SHEM201201071102

 Page:
 55 of 68

									nit1: — nit2: —
	50-								
	50			ı		3			
				Î	Ť.				
	0.0 10	00.000 2700	.00 1100.1	0 6100.00	7800.00 9)500.00 12	00.00 290	0.00 14600.00	
D.	F	requency (MHz)	Reading (dBuV)	Correction factor(dB/m	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Rem	ark
	4	4960.000	57.95	-9.68	48.27	74.00	-25.73	pea	k
	1	7440.000	54.30	-6.72	47.58	74.00	-26.42	pea	k
		920.000	52.46	-3.50	48.96	74.00	-25.04	pea	

Mode:c; Polarization:Vertical; Modulation:GFSK; Channel:High; Data rate:2 Mbps



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions of Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document. Snot exonerale parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results hown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing linspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@esp.com


NO.588 West Jindu Road, Songjiang District, Shanghai, China	201612
中国・上海・松江区金都西路588号 邮编:	201612



Report No.: SHEM201201071102 Page: 56 of 68

Right Ear

Mode:c; Polarization:Horizontal; Modulation:GFSK; Channel:Low; Data rate:1 Mbps





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, NO 658 West lindu Pade Sonnian District Shanghai Ching. 201641

td.	NO.588 West Jindu Road, Songjiang District, Shanghai, China	201612	
	中国・上海・松江区金都西路588号 邮编:	201612	



Report No.: SHEM201201071102 Page: 57 of 68

1	0.00	dB u∀/m															
	Γ														imitl:	-	
	\vdash									+					imit2:	_	
								ſ									
															-		
								ſ									
										+					_		
	50			1		Z			3								
				×		ŕ			ľ								
								ſ									
								ſ									
								ſ									
	L																
								ſ									
	H					+				+					_		
	0.0							ſ									
	0.0 000.0002700.00		0.00 110	0.00	6100.00	780	0.00	950	0.00	120	0.00 129	00.00	146	00.00	I	8000.00	MHz
No.	Fre	quency	Readin		rrection		Result	$\overline{\top}$	Limit		Margin			Rer	nark		
	(MHz) (dBuV)			or(dB/m)		3uV/m)	(dBuV/m	i)	(dB)							
1		04.000	58.00		10.28	<u> </u>	7.72	\perp	74.00		-26.28				ak		
2		06.000	55.92		-7.10	<u> </u>	8.82	\perp	74.00		-25.18				ak		
3	96	08.000	54.18		-4.96	4	9.22		74.00		-24.78			pe	ak		

Mode:c; Polarization:Vertical; Modulation:GFSK; Channel:Low; Data rate:1 Mbps



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing linspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CN.Doccheck@gs.com

i.j	NO.588 We	st Ji	ndu Road,So	ngjiang District, Shangh	ai,China	201612
	中国・上潟	ş •	松江区金都	都西路588号	邮编:	201612

t(86-21) 61915666 f(86-21)61915678 www.sgsgroup.com.cn t(86-21) 61915666 f(86-21)61915678 e sgs.china@sgs.com



Report No.: SHEM201201071102 Page: 58 of 68

1	100.0 dBuY/m																		
																	itl: it2:		
	50				1		\$			1									
	50				ř		Ĩ			X	5								
	0.0																		
			100.00 6100		0.00	780	0.00	950(D .(00 12	00.00	1290	0.00	146	00.00	18	000.00	MHz	
No.	. Frequency Reading (MHz) (dBuV)		9	Corrector(c			lesult BuV/m)	6	Limit (dBuV/m)		Margin (dB)			Rem		ark			
1	4880.000 57.27			factor(dB/m) -9.99			47.28		74.0				F F		pea	k			
2	1	7320.000	54.83		-6.9)1	4	7.92		1	74.00	-26	.08			pea	k		
3	9760.000 51.57			-4.2	25	4	7.32		1	74.00	-26	.68			pea	k			

Mode:c; Polarization:Horizontal; Modulation:GFSK; Channel:middle; Data rate:1 Mbps



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions/Ferms-and-Co

	du Road, Songjiang District, Shanghai	,China	201612
中国・上海・	松江区金都西路588号	邮编:	201612

t(86-21) 61915666 f(86-21)61915678 www.sgsgroup.com.cn t(86-21) 61915666 f(86-21)61915678 e sgs.china@sgs.com



 Report No.:
 SHEM201201071102

 Page:
 59 of 68

1	100.0 dBuV/m																		
																	imitl: imit2:		
	50									3									
				;	ŕ		ź.			1	¢								
	0.0																		
	1000.0002700.00		.00 1100.00		0 610	0.00	780	0.00	950(0.1	00 12	00.00	1290	0.00	146	00.00		18000.00	MHz
No.	Fr	requency (MHz)	Reading (dBuV)		Corrector(c			lesult BuV/m)	6		Limit BuV/m)	Ma (d	rgin B)			Ren	nark		
1	4880.000 56.83					6.84			74.00	-27.16		peak							
2	7	7320.000	53.56		-6.9	1	- 4	6.65		1	74.00	-27	.35			pe	ak		
3	9	9760.000	52.47		-4.2	25	4	8.22		1	74.00	-25	.78			pe	ak		

Mode:c; Polarization:Vertical; Modulation:GFSK; Channel:middle; Data rate:1 Mbps



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions/Ferms-and-Co

	du Road, Songjiang District, Shanghai	,China	201612
中国・上海・	松江区金都西路588号	邮编:	201612

t(86-21) 61915666 f(86-21)61915678 www.sgsgroup.com.cn t(86-21) 61915666 f(86-21)61915678 e sgs.china@sgs.com



 Report No.:
 SHEM201201071102

 Page:
 60 of 68

1	100.0 dBuY/m																		
																	Limit Limit		
							2			-									
	50				l M		¥			X									ĺ
	0.0																		
	L	00.0002700).00 110	0.0	0 610	0.00	780	0.00 (9500	0.00	112	00.00	1290	0.00	1460	00.00		18000.00	MHz
No.	F	requency (MHz)	Reading (dBuV)		Correct factor(d			esult BuV/m)	6	Limi dBuV		Mar (dE	gin			Re	emarl	k	
1	4	1960.000	55.93		-9.6			6.25	+	74.0		-27				p	eak		
2	7	7440.000	55.30		-6.7	2	4	8.58	\top	74.0	0	-25	42			p	eak		
3	9	920.000	51.70		-3.5	0	4	8.20		74.0	0	-25	80			p	eak		

Mode:c; Polarization:Horizontal; Modulation:GFSK; Channel:High; Data rate:1 Mbps



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions of Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document. Snot exonerale parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results hown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing linspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@esp.com

d.	NO.588 West	Jir	ndu Road, Songjiang District, Sha	nghai,China	201612	
	中国・上海	•	松江区金都西路588号	邮编:	201612	

t(86-21) 61915666 f(86-21)61915678 www.sgsgroup.com.cn t(86-21) 61915666 f(86-21)61915678 e sgs.china@sgs.com



Report No.: SHEM201201071102 Page: 61 of 68

1	00.0 dBuV/m																		
																	Limit Limit		
															_		_		
	50				l K		¥			¥			\neg						
													_		_		_		
	0.0																		
	0.0		.00 11 00.0(0 610	0.00	780	0.00	950	0.00	112	00.00	1290	0.00	1460	00.00		18000.00	MHz
No.	F	requency (MHz)	Reading (dBuV)		Correct factor(d			lesult BuV/m)		Limi dBuV/		Mar (dE	gin			Re	emar	k	
1	4	1960.000	56.95		-9.6			7.27	-	74.0		-26.				p	eak		
2	1	7440.000	55.47		-6.7	2	4	8.75		74.0	0	-25.	25			p	eak		
3	9	9920.000	52.07		-3.5	0	4	8.57		74.0	0	-25.	43			p	eak		

Mode:c; Polarization:Vertical; Modulation:GFSK; Channel:High; Data rate:1 Mbps



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions of Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document. Snot exonerale parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results hown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing linspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@esp.com

d.j	NO.588	West	Jind	u Road,Sor	ngjiang District	,Shanghai,China	201612	
	中国・	上海	・材	公江区金都	『西路588号	邮编:	201612	




 Report No.:
 SHEM201201071102

 Page:
 62 of 68

Right Ear

Mode:c; Polarization:Horizontal; Modulation:GFSK; Channel:Low; Data rate:2 Mbps





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</u>. Attention is drawn to the elimitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the full list extend for 30 days only. Attention: To check the authenticity of testing linspection reports certificate, please contact us at telephone: (86-755) 83071443, or email: CN_Doccheck@gs.com

td.	NO.588 West Jindu Road, Songjiang District, Shanghai, China	201612	
	中国・上海・松江区金都西路588号 邮编:	201612	



Report No.: SHEM201201071102 Page: 63 of 68

										imitl: — imit2: —
	50			1 X	ŝ		2			
				^	Î		ſ			
	0.0									
		100.0002700	.00 1100	.00 6100.0]0 7	/800.00 9!	 500.00 2	00.00 290	 0.00 1600.00	18000.00MH;
0.	F		Reading	Correctio		Result	Limit	Margin	Rei	mark
	4	(MHz) 4804.000	(dBuV) 57.93	factor(dB/ -10.28		(dBuV/m) 47.65	(dBuV/m) 74.00	(dB) -26.35	pe	eak
		7206.000	54.78	-7.10		47.68	74.00	-26.32		eak
	9	9608.000	53.71	-4.96		48.75	74.00	-25.25	pe	eak

Mode:c; Polarization:Vertical; Modulation:GFSK; Channel:Low; Data rate:2 Mbps



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-enDocument.systep: Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document is atransaction from exercising all their rights and obligations under the transaction documents. This document is encoded of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ess.com

			Road, Songjiang Distri	ct,Shanghai,China	201612
中国・」	L海	• 松	江区金都西路588号	邮编:	201612

t(86-21) 61915666 f(86-21) 61915678 www.sgsgroup.com.cn t(86-21) 61915666 f(86-21) 61915678 e sgs.china@sgs.com



Report No.: SHEM201201071102 Page: 64 of 68

1	00.0	0 dBu∀/m													
													Limi Limi		
							+			+					-
							+			+					+
	50			¥	ş		+	7							1
							1								1
	0.0]
	I	100.0002700	0.00 1100	00 6100.1	00 780	10.00 9	500	0.00	200.00	2901	0. 0 0	1600.00		18000.0	ŌMHz
No.	F	requency (MHz)	Reading (dBuV)	Correcti factor(dB		Result BuV/m)	(0	Limit dBuV/m)	Marg (dB	in)		F	Remai	rk	
1	4	1880.000	57.57	-9.99		47.58		74.00	-26.4				peak	:	
2	7	7320.000	54.60	-6.91	4	47.69		74.00	-26.3	31			peak		
3	9	9760.000	53.52	-4.25	4	19.27		74.00	-24.7	73			peak		

Mode:c; Polarization:Horizontal; Modulation:GFSK; Channel:middle; Data rate: 2Mbps



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-enDocument.systep: Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document is atransaction from exercising all their rights and obligations under the transaction documents. This document is encoded of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ess.com

			Road, Songjiang Distri	ct,Shanghai,China	201612
中国・」	L海	• 松	江区金都西路588号	邮编:	201612

t(86-21) 61915666 f(86-21)61915678 www.sgsgroup.com.cn t(86-21) 61915666 f(86-21)61915678 e sgs.china@sgs.com



Report No.: SHEM201201071102 Page: 65 of 68

1	00.	0 dBu∀/m							
									nit1: — nit2: —
	50			<u>}</u>	2	- F			
				Î					
	0.0								
	IČ	100.000 2700).00 1100.	0 6100.00	7800.00	9500.00 12	00.00 1290	0.00 1600.00	18000.00MHz
No.	F	requency	Reading (dBuV)	Correction factor(dB/m		Limit (dBuV/m)	Margin (dB)	Rem	ark
1	4	(MHz) 4880.000	57.55	-9.99	47.56	74.00	-26.44	pea	ik
2		7320.000	56.16	-6.91	49.25	74.00	-24.75	pea	
3		9760.000	53.89	-4.25	49.64	74.00	-24.36	pea	ik

Mode:c; Polarization:Vertical; Modulation:GFSK; Channel:middle; Data rate:2 Mbps



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-enDocument.spx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document is a transaction from exercising all their rights and obligations under the transaction documents. This document is enproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@esg.com

	of email. of Doccheck@aga.com	
td.	NO.588 West Jindu Road, Songjiang District, Shanghai, China	201612
	中国・上海・松江区金都西路588号 邮编:	201612



Report No.: SHEM201201071102 Page: 66 of 68

													Limi Limi		
	50			1	*		- š								
					Ť										
							_			_					+
										+					$\left \right $
	0.0	00.000.0770												10000.0	
		00.0002700	.00 1100.1	00 6100.00	7800.0	10 31	500.00	112	00.00	12901	U.UU	14600.00		18000.0	UMH
D.	F	requency (MHz)	Reading (dBuV)	Correction factor(dB/n			Lim (dBuV		Març (dE	gin 3)			Rema	rk	
	4	1960.000	58.35	-9.68	48.		74.0		-25.	4			peak		
	1	7440.000	54.31	-6.72	47.	59	74.0	0	-26.	41			peak	[
-		920.000	52.37	-3.50	48.	07	74.0	0	-25.	40			peak		

Mode:c; Polarization:Horizontal; Modulation:GFSK; Channel:High; Data rate:2 Mbps



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions of Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document. Snot exonerale parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results hown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing linspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@esp.com

NO.588 West Jindu Road, Songjiang District, Shanghai, China	201612
中国・上海・松江区金都西路588号 邮编:	201612



Report No.: SHEM201201071102 Page: 67 of 68

									nit1: — nit2: —
	50			1	ž	3			
				Ϋ́	Î I				
	ł								
	0.0								
	10	00.0002700	.00 1100.1	10 6100.00	7800.00	9500.00 12	:00.00 290	0.00 1600.00	18000.00MH
D.	F	requency	Reading	Correction		Limit	Margin	Rem	ark
		(MHz)	(dBuV)	factor(dB/m		(dBuV/m)	(dB)		
		1960.000	56.66	-9.68	46.98	74.00	-27.02	pea	
	7	7440.000	55.48	-6.72	48.76	74.00	-25.24	pea	k

Mode:c; Polarization:Vertical; Modulation:GFSK; Channel:High; Data rate:2 Mbps



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions of Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document. Snot exonerale parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results hown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing linspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@esp.com

NO.588 West Jindu Road, Songjiang District, Shanghai, Cl	hina	201612
中国・上海・松江区金都西路588号 邮	编:	201612



Report No.: SHEM201201071102 Page: 68 of 68

8 Photographs

Refer to the < Test Setup photos-FCC>.

9 EUT Constructional Details

Refer to the < External Photos > & < Internal Photos >.

- End of the Report -



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions of Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document. This document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing linspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@esp.com

NO.588 West	Jindu Road, Songjiang District, Shangh	ai,China	201612	
中国・上海	・松江区金都西路588号	邮编:	201612	