

Appendix A

RF Test Data for BT V4.2 (BDR/EDR) (Conducted Measurement)

Product Name: AR BOW

Trade Mark: N/A


Test Model: BW2

Environmental Conditions

Temperature:	23.4 ° C
Relative Humidity:	53.2%
ATM Pressure:	100.0 kPa
Test Engineer:	Mina.Xu
Supervised by:	Jayden.Zhuo


A.1 Duty Cycle

Test Mode	Test Channel	Ant	Duty Cycle[%]	Verdict
BT LE	2440	Ant1	100	PASS




A.2 Maximum Conducted Peak Output Power

Mode	Channel	Conduct Peak Power[dBm]	Limit [dBm]	Verdict
BT LE	LCH	1.621	30	PASS
BT LE	MCH	0.862	30	PASS
BT LE	HCH	1.023	30	PASS





HCH




A.3 Maximum Power Spectral Density

Mode	Channel	PSD [dBm/3KHz]	Limit [dBm/3KHz]	Verdict
BT LE	LCH	-14.035	8	PASS
BT LE	MCH	-14.559	8	PASS
BT LE	HCH	-14.090	8	PASS

Test Graphs





HCH




A.4 6dB Bandwidth

Mode	Channel	6dB Bandwidth [MHz]	Limit [MHz]	Verdict
BT LE	LCH	0.7035	≥0.5	PASS
BT LE	MCH	0.7104	≥0.5	PASS
BT LE	HCH	0.7004	≥0.5	PASS

Test Graphs

LCH	<p style="font-size: small; margin: 0;">Agilent Spectrum Analyzer - Occupied BW</p> <p style="font-size: x-small; margin: 0;">RL RF 50 Ω AC SENSE:PULSE ALIGN: AUTO 03:00:30 PM Oct 23, 2018</p> <p style="font-size: small; margin: 0;">Center Freq 2.402000000 GHz Center Freq: 2.402000000 GHz Radio Std: None</p> <p style="font-size: x-small; margin: 0;">Trig: Free Run AvgHold: 1/1</p> <p style="font-size: x-small; margin: 0;">#IFGain: Low #Atten: 30 dB Radio Device: BTS</p> <div style="border: 1px solid black; padding: 2px;"> <p style="font-size: x-small; margin: 0;">10 dB/div Ref Offset 7.84 dB Mkr1 2.4019951 GHz</p> <p style="font-size: x-small; margin: 0;">Log Ref 20.00 dBm 0.73574 dBm</p>  </div> <p style="font-size: x-small; margin: 0;">Center 2.402 GHz Span 3 MHz</p> <p style="font-size: x-small; margin: 0;">#Res BW 100 kHz #VBW 300 kHz Sweep 1.067 ms</p> <table style="width: 100%; font-size: x-small; border-collapse: collapse;"> <tr> <td>Occupied Bandwidth</td> <td>Total Power</td> <td>7.90 dBm</td> </tr> <tr> <td style="text-align: center;">1.0439 MHz</td> <td></td> <td></td> </tr> <tr> <td>Transmit Freq Error</td> <td>1.187 kHz</td> <td>OBW Power 99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>703.5 kHz</td> <td>x dB -6.00 dB</td> </tr> </table> <p style="font-size: x-small; margin: 0;">MSG STATUS</p>	Occupied Bandwidth	Total Power	7.90 dBm	1.0439 MHz			Transmit Freq Error	1.187 kHz	OBW Power 99.00 %	x dB Bandwidth	703.5 kHz	x dB -6.00 dB	<p>Frequency</p> <hr/> <p>Center Freq 2.402000000 GHz</p> <hr/> <p>CF Step 300.000 kHz Auto Man</p> <hr/> <p>Freq Offset 0 Hz</p>
	Occupied Bandwidth	Total Power	7.90 dBm											
	1.0439 MHz													
	Transmit Freq Error	1.187 kHz	OBW Power 99.00 %											
x dB Bandwidth	703.5 kHz	x dB -6.00 dB												
<p style="font-size: x-small; margin: 0;">Agilent Spectrum Analyzer - Occupied BW</p> <p style="font-size: x-small; margin: 0;">RL RF 50 Ω AC SENSE:PULSE ALIGN: AUTO 03:03:12 PM Oct 23, 2018</p> <p style="font-size: small; margin: 0;">Center Freq 2.440000000 GHz Center Freq: 2.440000000 GHz Radio Std: None</p> <p style="font-size: x-small; margin: 0;">Trig: Free Run AvgHold: 1/1</p> <p style="font-size: x-small; margin: 0;">#IFGain: Low #Atten: 30 dB Radio Device: BTS</p> <div style="border: 1px solid black; padding: 2px;"> <p style="font-size: x-small; margin: 0;">10 dB/div Ref Offset 7.7 dB Mkr1 2.4399903 GHz</p> <p style="font-size: x-small; margin: 0;">Log Ref 20.00 dBm -0.020559 dBm</p>  </div> <p style="font-size: x-small; margin: 0;">Center 2.44 GHz Span 3 MHz</p> <p style="font-size: x-small; margin: 0;">#Res BW 100 kHz #VBW 300 kHz Sweep 1.067 ms</p> <table style="width: 100%; font-size: x-small; border-collapse: collapse;"> <tr> <td>Occupied Bandwidth</td> <td>Total Power</td> <td>7.14 dBm</td> </tr> <tr> <td style="text-align: center;">1.0493 MHz</td> <td></td> <td></td> </tr> <tr> <td>Transmit Freq Error</td> <td>2.297 kHz</td> <td>OBW Power 99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>710.4 kHz</td> <td>x dB -6.00 dB</td> </tr> </table> <p style="font-size: x-small; margin: 0;">MSG STATUS</p>		Occupied Bandwidth	Total Power	7.14 dBm	1.0493 MHz			Transmit Freq Error	2.297 kHz	OBW Power 99.00 %	x dB Bandwidth	710.4 kHz	x dB -6.00 dB	<p>Frequency</p> <hr/> <p>Center Freq 2.440000000 GHz</p> <hr/> <p>CF Step 300.000 kHz Auto Man</p> <hr/> <p>Freq Offset 0 Hz</p>
Occupied Bandwidth	Total Power	7.14 dBm												
1.0493 MHz														
Transmit Freq Error	2.297 kHz	OBW Power 99.00 %												
x dB Bandwidth	710.4 kHz	x dB -6.00 dB												




A.5 RF Conducted Spurious Emissions


Mode	Channel	Pref [dBm]	Max. Level [dBm]	Limit [dBm]	Verdict
BT LE	LCH	0.476	-43.496	-19.524	PASS
BT LE	MCH	0.019	-44.367	-19.981	PASS
BT LE	HCH	0.608	-44.891	-19.392	PASS

BT LE_LCH_Graphs

Pref/BT LE/LCH




Puw/BT LE/LCH




BT LE_MCH_Graphs

Pref/BT LE/MCH




Puw/BT LE/MCH




BT LE_HCH_Graphs

Pref/BT LE/HCH



Puw/BT LE/HCH



A.6 Band-edge for RF Conducted Emissions

Mode	Channel	Carrier Power[dBm]	Max.Spurious Level [dBm]	Limit [dBm]	Verdict
BT LE	LCH	0.636	-50.228	-19.36	PASS
BT LE	HCH	0.825	-50.420	-19.18	PASS


Test Graphs

LCH	<p>Agilent Spectrum Analyzer - Swept SA Center Freq 2.35700000 GHz Mkr4 2.388 937 GHz -50.228 dBm Start 2.31000 GHz Stop 2.40400 GHz #Res BW 100 kHz #VBW 300 kHz Sweep 9.067 ms (8001 pts)</p> <table border="1" style="width: 100%; font-size: small;"> <thead> <tr> <th>MKR</th> <th>MODE</th> <th>TRC</th> <th>SCL</th> <th>X</th> <th>Y</th> <th>FUNCTION</th> <th>FUNCTION WIDTH</th> <th>FUNCTION VALUE</th> </tr> </thead> <tbody> <tr><td>1</td><td>N</td><td></td><td>f</td><td>2.402 003 GHz</td><td>0.636 dBm</td><td></td><td></td><td></td></tr> <tr><td>2</td><td>N</td><td></td><td>f</td><td>2.400 000 GHz</td><td>-54.469 dBm</td><td></td><td></td><td></td></tr> <tr><td>3</td><td>N</td><td></td><td>f</td><td>2.390 000 GHz</td><td>-53.543 dBm</td><td></td><td></td><td></td></tr> <tr><td>4</td><td>N</td><td></td><td>f</td><td>2.388 937 GHz</td><td>-50.228 dBm</td><td></td><td></td><td></td></tr> </tbody> </table>	MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	N		f	2.402 003 GHz	0.636 dBm				2	N		f	2.400 000 GHz	-54.469 dBm				3	N		f	2.390 000 GHz	-53.543 dBm				4	N		f	2.388 937 GHz	-50.228 dBm				Frequency Auto Tune Center Freq 2.35700000 GHz Start Freq 2.310000000 GHz Stop Freq 2.404000000 GHz CF Step 9.400000 MHz Freq Offset 0 Hz
MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																																							
1	N		f	2.402 003 GHz	0.636 dBm																																										
2	N		f	2.400 000 GHz	-54.469 dBm																																										
3	N		f	2.390 000 GHz	-53.543 dBm																																										
4	N		f	2.388 937 GHz	-50.228 dBm																																										
HCH	<p>Agilent Spectrum Analyzer - Swept SA Center Freq 2.489000000 GHz Mkr4 2.486 151 00 GHz -50.420 dBm Start 2.47800 GHz Stop 2.50000 GHz #Res BW 100 kHz #VBW 300 kHz Sweep 2.133 ms (8001 pts)</p> <table border="1" style="width: 100%; font-size: small;"> <thead> <tr> <th>MKR</th> <th>MODE</th> <th>TRC</th> <th>SCL</th> <th>X</th> <th>Y</th> <th>FUNCTION</th> <th>FUNCTION WIDTH</th> <th>FUNCTION VALUE</th> </tr> </thead> <tbody> <tr><td>1</td><td>N</td><td></td><td>f</td><td>2.480 246 75 GHz</td><td>0.825 dBm</td><td></td><td></td><td></td></tr> <tr><td>2</td><td>N</td><td></td><td>f</td><td>2.483 500 00 GHz</td><td>-52.986 dBm</td><td></td><td></td><td></td></tr> <tr><td>3</td><td>N</td><td></td><td>f</td><td>2.500 000 00 GHz</td><td>-52.764 dBm</td><td></td><td></td><td></td></tr> <tr><td>4</td><td>N</td><td></td><td>f</td><td>2.486 151 00 GHz</td><td>-50.420 dBm</td><td></td><td></td><td></td></tr> </tbody> </table>	MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	N		f	2.480 246 75 GHz	0.825 dBm				2	N		f	2.483 500 00 GHz	-52.986 dBm				3	N		f	2.500 000 00 GHz	-52.764 dBm				4	N		f	2.486 151 00 GHz	-50.420 dBm				Frequency Auto Tune Center Freq 2.489000000 GHz Start Freq 2.478000000 GHz Stop Freq 2.500000000 GHz CF Step 2.200000 MHz Freq Offset 0 Hz
MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																																							
1	N		f	2.480 246 75 GHz	0.825 dBm																																										
2	N		f	2.483 500 00 GHz	-52.986 dBm																																										
3	N		f	2.500 000 00 GHz	-52.764 dBm																																										
4	N		f	2.486 151 00 GHz	-50.420 dBm																																										


A.7 Restrict-band band-edge measurements

Test Mode	Test Channel	Ant	Freq.	Power [dBm]	Gain	Ground Factor	E [dBuV/m]	Detector	Limit [dBuV/m]	Verdi
BT LE	2402	Ant1	2310.0	-43.34	2.0	0	53.92	PEAK	74	PASS
		Ant1	2310.0	-53.93	2.0	0	43.33	AV	54	PASS
		Ant1	2390.0	-43.66	2.0	0	53.59	PEAK	74	PASS
		Ant1	2390.0	-53.59	2.0	0	43.67	AV	54	PASS
	2480	Ant1	2483.5	-43.71	2.0	0	53.55	PEAK	74	PASS
		Ant1	2483.5	-53.41	2.0	0	43.85	AV	54	PASS
		Ant1	2500.0	-43.57	2.0	0	53.69	PEAK	74	PASS
		Ant1	2500.0	-53.32	2.0	0	43.94	AV	54	PASS


Restrict-band band-edge measurements_BT LE_2402_Ant1_PEAK



Restrict-band band-edge measurements_BT LE_2402_Ant1_AV



Restrict-band band-edge measurements_BT LE_2480_Ant1_PEAK



Restrict-band band-edge measurements_BT LE_2480_Ant1_AV

