

FCC Radio Test Report

FCC ID: XMR202112EC200AAU

This report concerns: Original Grant

Project No. : 2110H020
Equipment : LTE Module
Brand Name : Quectel
Test Model : EC200A-AU
Series Model : N/A
Applicant : Quectel Wireless Solutions Co., Ltd
Address : Building 5, Shanghai Business Park Phase III (Area B), No.1016 Tianlin Road, Minhang District, Shanghai, China 200233.
Manufacturer : Quectel Wireless Solutions Co., Ltd
Address : Building 5, Shanghai Business Park Phase III (Area B), No.1016 Tianlin Road, Minhang District, Shanghai, China 200233.
Date of Receipt : Nov. 15, 2021
Date of Test : Nov. 16, 2021 ~ Dec. 06, 2021
Issued Date : Dec. 09, 2021
Report Version : R00
Test Sample : Engineering Sample No.: SH20211115155 for EUT, SH20211115153-3 for adapter.
Standard(s) : 47 CFR FCC Part 27 Subpart L
47 CFR FCC Part 27 Subpart M
ANSI/TIA/EIA-603-E-2016
FCC KDB 971168 D01 Power Meas License Digital Systems v03r01

The above equipment has been tested and found compliance with the requirement of the relative standards by BTL Inc.

Maker Qi
Prepared by : Maker Qi
Ryan Wang
Approved by : Ryan Wang



Add: No. 29, Jintang Road, Tangzhen Industry Park, Pudong New Area, Shanghai 201210, China
TEL: +86-021-61765666
Web: www.newbtl.com

Declaration

BTL represents to the client that testing is done in accordance with standard procedures as applicable and that test instruments used has been calibrated with standards traceable to international standard(s) and/or national standard(s).

BTL's reports apply only to the specific samples tested under conditions. It is manufacture's responsibility to ensure that additional production units of this model are manufactured with the identical electrical and mechanical components. **BTL** shall have no liability for any declarations, inferences or generalizations drawn by the client or others from **BTL** issued reports.

The report must not be used by the client to claim product certification, approval, or endorsement by NIST, A2LA, or any agency of the U.S. Government.

This report is the confidential property of the client. As a mutual protection to the clients, the public and ourselves, the test report shall not be reproduced, except in full, without our written approval.

BTL's laboratory quality assurance procedures are in compliance with the **ISO/IEC 17025** requirements, and accredited by the conformity assessment authorities listed in this test report.

BTL is not responsible for the sampling stage, so the results only apply to the sample as received.

The information, data and test plan are provided by manufacturer which may affect the validity of results, so it is manufacturer's responsibility to ensure that the apparatus meets the essential requirements of applied standards and in all the possible configurations as representative of its intended use.

Limitation

For the use of the authority's logo is limited unless the Test Standard(s)/Scope(s)/Item(s) mentioned in this test report is (are) included in the conformity assessment authorities acceptance respective.

Please note that the measurement uncertainty is provided for informational purpose only and is not use in determining the Pass/Fail results.

Table of Contents	Page
REPORT ISSUED HISTORY	5
1 . SUMMARY OF TEST RESULTS	6
1.1 TEST FACILITY	7
1.2 MEASUREMENT UNCERTAINTY	7
1.3 TEST ENVIRONMENT CONDITIONS	7
2 . GENERAL INFORMATION	8
2.1 GENERAL DESCRIPTION OF EUT	8
2.2 DESCRIPTION OF TEST MODES AND TEST CONDITION	10
2.3 BLOCK DIGRAM SHOWING THECONFIGURATIONOFSYSTEMTESTED	15
2.4 DESCRIPTION OF SUPPORT UNITS	15
3 . TEST RESULT	16
3.1 OUTPUT POWER MEASUREMENT	16
3.1.1 LIMIT	16
3.1.2 TEST PROCEDURE	16
3.1.3 TEST SETUP LAYOUT	16
3.1.4 TEST DEVIATION	16
3.1.5 TEST RESULTS	16
3.2 OCCUPIED BANDWIDTH MEASUREMENT	17
3.2.1 TEST PROCEDURE	17
3.2.2 TEST SETUP LAYOUT	17
3.2.3 TEST DEVIATION	17
3.2.4 TEST RESULTS	17
3.3 CONDUCTED EMISSIONS MEASUREMENT	18
3.3.1 LIMIT	18
3.3.2 TEST PROCEDURES	18
3.3.3 TEST SETUP LAYOUT	18
3.3.4 TEST DEVIATION	18
3.3.5 TEST RESULTS	18
3.4 RADIATED EMISSIONS MEASUREMENT	19
3.4.1 LIMIT	19
3.4.2 TEST PROCEDURES	19
3.4.3 TEST SETUP LAYOUT	20
3.4.4 TEST RESULTS (9KHZ TO 30MHZ)	21
3.4.5 TEST RESULTS (30MHZ TO 1000MHZ)	21
3.4.6 TEST RESULTS (ABOVE 1000MHZ)	21
3.5 BAND EDGE MEASUREMENT	22
3.5.1 LIMIT	22
3.5.2 TEST PROCEDURES	22

Table of Contents	Page
3.5.3 TEST SETUP LAYOUT	23
3.5.4 TEST DEVIATION	23
3.5.5 TEST RESULTS	23
3.6 PEAK TO AVERAGE RATIO MEASUREMENT	24
3.6.1 LIMIT	24
3.6.2 TEST PROCEDURES	24
3.6.3 TEST SETUP LAYOUT	24
3.6.4 TEST DEVIATION	24
3.6.5 TEST RESULTS	24
3.7 FREQUENCY STABILITY MEASUREMENT	25
3.7.1 LIMIT	25
3.7.2 TEST PROCEDURES	25
3.7.3 TEST SETUP LAYOUT	25
3.7.4 TEST DEVIATION	25
3.7.5 TEST RESULTS	25
4. LIST OF MEASUREMENT EQUIPMENTS	26
5. EUT TEST PHOTO	28
APPENDIX A - OUTPUT POWER	30
APPENDIX B - OCCUPIED BANDWIDTH	48
APPENDIX C - CONDUCTED EMISSIONS	82
APPENDIX D - RADIATED SPURIOUS EMISSION (9KHZ TO 30MHZ)	93
APPENDIX E - RADIATED EMISSION (30MHZ TO 1GHZ)	94
APPENDIX F - RADIATED EMISSION (ABOVE 1GHZ)	103
APPENDIX G - BAND EDGE	112
APPENDIX H - PEAK TO AVERAGE RATIO	130
APPENDIX I - FREQUENCY STABILITY	148

REPORT ISSUED HISTORY

Report Version	Description	Issued Date
R00	Original Issue.	Dec. 09, 2021

1. SUMMARY OF TEST RESULTS

Test procedures according to the technical standard(s):

FCC Part 27 Subpart L,M,H,E			
Standard(s) Section	Test Item	Judgment	Remark
2.1046 27.50(d)(4) 27.50(h)(2) 27.50(b)(10) 27.50(c)(10)	Effective Radiated Power & Equivalent Isotropic Radiated Power	PASS	-----
2.1049	Occupied Bandwidth	PASS	-----
2.1051 27.53(c)(2)(4) 27.53(g) 27.53(h) 27.53(m)(4)	Conducted Spurious Emissions	PASS	-----
2.1053 27.53(c)(2) 27.53(f) 27.53(g) 27.53(h) 27.53(m)(4)	Radiated Spurious Emissions	PASS	-----
2.1051 27.53(c)(2)(4) 27.53(g) 27.53(h) 27.53(m)(4)	Band Edge Measurements	PASS	-----
-	Peak To Average Ratio	PASS	-----
2.1055 27.54	Frequency Stability	PASS	-----

Note:

For the verdict, the “N/A” denotes “not applicable”, the “N/T” denotes “not tested”.

1.1 TEST FACILITY

The test facilities used to collect the test data in this report is at the location of No. 29, Jintang Road, Tangzhen Industry Park, Pudong New Area, Shanghai 201210, China.

BTL's Test Firm Registration Number for FCC: 476765

BTL's Designation Number for FCC: CN1241

1.2 MEASUREMENT UNCERTAINTY

The measurement uncertainty figures shall be calculated according the methods described in the ETSI TR 100 028 and shall correspond to an expansion factor (coverage factor) $k=1.96$ or $k=2$ (which provide confidence levels of respectively 90% and 95.45% in the case where the distributions characterizing the actual measurement uncertainties are normal (Gaussian)).

Measurement Uncertainty for a Level of Confidence of 95 %, $U=2 \times U_c(y)$.

The BTL measurement uncertainty as below table:

A. Radiated Measurement :

Test Site	Method	Measurement Frequency Range	Ant. H / V	U,(dB)
SH-CB02	CISPR	9 KHz~30 MHz	-	2.16
		30 MHz~200 MHz	V	4.04
		30 MHz~200 MHz	H	2.90
		200 MHz~1,000 MHz	V	3.76
		200 MHz~1,000 MHz	H	3.82

Test Site	Method	Measurement Frequency Range	U,(dB)
SH-CB02 (3m)	CISPR	1GHz ~ 6GHz	4.56
		6GHz ~ 18GHz	4.14

Note: Unless specifically mentioned, the uncertainty of measurement has not been taken into account to declare the compliance or non-compliance to the specification.

1.3 TEST ENVIRONMENT CONDITIONS

Test Item	Temperature	Humidity	Test Voltage	Tested By
Output Power & ERP	24℃	35%	DC 3.8V	Danny Dang
Occupied Bandwidth	24℃	35%	DC 3.8V	Danny Dang
Conducted Spurious Emissions	24℃	35%	DC 3.8V	Danny Dang
Radiated Spurious Emissions	26℃	61%	DC 3.8V	Jane Wang
Band Edge	24℃	35%	DC 3.8V	Danny Dang
Peak to Average Ratio	24℃	35%	DC 3.8V	Danny Dang
Frequency Stability	Normal and Extreme			Danny Dang

2. GENERAL INFORMATION

2.1 GENERAL DESCRIPTION OF EUT

Equipment	LTE Module	
Brand Name	Quectel	
Test Model	EC200A-AU	
Series Model	N/A	
Model Difference(s)	N/A	
Software Version	EC200AAUHAR01A01M16	
Hardware Version	R1.0	
Power Source	DC Voltage supplied from AC/DC adapter(support unit)	
Power Rating	Supply voltage: 3.4–4.5V, Typical supply voltage: 3.8 V	
Antenna Type	Dipole	
Antenna Gain	WCDMA IV	2 dBi
	LTE Band 4 & 66	
	LTE Band 7	3 dBi
Modulation Type	WCDMA	UL: QPSK DL: QPSK,16QAM
	WCDMA(HSDPA/HSUPA/DC-HSDPA/HSPA+)	16QAM
	LTE	UL: QPSK,16QAM DL: QPSK,16QAM, 64QAM
Operation Frequency	WCDMA IV	1712.4MHz ~ 1752.6MHz
	LTE Band 4 (Channel Bandwidth: 1.4MHz)	1710.7MHz ~ 1754.3MHz
	LTE Band 4 (Channel Bandwidth: 3MHz)	1711.5MHz ~ 1753.5MHz
	LTE Band 4 (Channel Bandwidth: 5MHz)	1712.5MHz ~ 1752.5MHz
	LTE Band 4 (Channel Bandwidth: 10MHz)	1715.0MHz ~ 1750.0MHz
	LTE Band 4 (Channel Bandwidth: 15MHz)	1717.5MHz ~ 1747.5MHz
	LTE Band 4 (Channel Bandwidth: 20MHz)	1720.0MHz ~ 1745.0MHz
	LTE Band 7 (Channel Bandwidth: 5MHz)	2502.5MHz ~ 2567.5MHz
	LTE Band 7 (Channel Bandwidth: 10MHz)	2505.0MHz ~ 2565.0MHz
	LTE Band 7 (Channel Bandwidth: 15MHz)	2507.5MHz ~ 2562.5MHz
	LTE Band 7 (Channel Bandwidth: 20MHz)	2510.0MHz ~ 2560.0MHz
	LTE Band 66 (Channel Bandwidth: 1.4MHz)	1710.7MHz ~ 1779.5MHz
	LTE Band 66 (Channel Bandwidth: 3MHz)	1711.5MHz ~ 1778.5MHz
	LTE Band 66 (Channel Bandwidth: 5MHz)	1712.5MHz ~ 1777.5MHz
	LTE Band 66 (Channel Bandwidth: 10MHz)	1715.0MHz ~ 1775.0MHz
	LTE Band 66 (Channel Bandwidth: 15MHz)	1717.5MHz ~ 1772.5MHz
	LTE Band 66 (Channel Bandwidth: 20MHz)	1720.0MHz ~ 1770.0MHz

EIRP	WCDMA	QPSK	24.85	dBm
	WCDMA_HSDPA	16QAM	25.87	dBm
	WCDMA_HSUPA	16QAM	25.97	dBm
	LTE Band 4 (Channel Bandwidth: 1.4MHz)	QPSK	26.80	dBm
		16QAM	25.20	dBm
	LTE Band 4 (Channel Bandwidth: 3MHz)	QPSK	25.50	dBm
		16QAM	25.00	dBm
	LTE Band 4 (Channel Bandwidth: 5MHz)	QPSK	25.50	dBm
		16QAM	25.00	dBm
	LTE Band 4 (Channel Bandwidth: 10MHz)	QPSK	25.80	dBm
		16QAM	25.50	dBm
	LTE Band 4 (Channel Bandwidth: 15MHz)	QPSK	25.60	dBm
		16QAM	25.20	dBm
	LTE Band 4 (Channel Bandwidth: 20MHz)	QPSK	25.70	dBm
		16QAM	25.30	dBm
	LTE Band 7 (Channel Bandwidth: 5MHz)	QPSK	27.57	dBm
		16QAM	27.49	dBm
	LTE Band 7 (Channel Bandwidth: 10MHz)	QPSK	27.88	dBm
		16QAM	27.14	dBm
	LTE Band 7 (Channel Bandwidth: 15MHz)	QPSK	27.50	dBm
		16QAM	27.36	dBm
	LTE Band 7 (Channel Bandwidth: 20MHz)	QPSK	28.27	dBm
		16QAM	27.26	dBm
	LTE Band 66 (Channel Bandwidth: 1.4MHz)	QPSK	26.42	dBm
		16QAM	25.81	dBm
	LTE Band 66 (Channel Bandwidth: 3MHz)	QPSK	26.50	dBm
		16QAM	25.84	dBm
	LTE Band 66 (Channel Bandwidth: 5MHz)	QPSK	26.66	dBm
		16QAM	25.96	dBm
	LTE Band 66 (Channel Bandwidth: 10MHz)	QPSK	26.36	dBm
		16QAM	25.75	dBm
	LTE Band 66 (Channel Bandwidth: 15MHz)	QPSK	26.38	dBm
		16QAM	25.67	dBm
	LTE Band 66 (Channel Bandwidth: 20MHz)	QPSK	26.62	dBm
		16QAM	25.90	dBm

Note:

1. For a more detailed features description, please refer to the manufacturer's specifications or the user's manual.
2. LTE (UL:QPSK; DL: QPSK) mode was found to be the worst case and recorded.

2.2 DESCRIPTION OF TEST MODES AND TEST CONDITION

Following channel(s) was (were) selected for the final test as listed below:

WCDMA MODE			
Test Item	Available Channel	Tested Channel	Mode
EIRP	1312 to 1513	1312, 1413, 1513	WCDMA,HSDPA, HSUPA
Output Power	1312 to 1513	1312, 1413, 1513	WCDMA,HSDPA, HSUPA
Occupied Bandwidth	1312 to 1513	1312, 1413, 1513	WCDMA,HSDPA, HSUPA
Conducted Emission	1312 to 1513	1413	WCDMA
Radiated Emission	1312 to 1513	1413	WCDMA
Band Edge	1312 to 1513	1312, 1513	WCDMA
Peak to Average Ratio	1312 to 1513	1312, 1413, 1513	WCDMA
Frequency Stability	1312 to 1513	1413	WCDMA

LTE BAND 4 MODE					
Test Item	Available Channel	Tested Channel	Channel Bandwidth	Modulation	Mode
Output Power & EIRP	19957 to 20393	19957, 20175, 20393	1.4MHz	QPSK, 16QAM	1RB/3RB/6RB
	19965 to 20385	19965, 20175, 20385	3MHz	QPSK, 16QAM	1RB/8RB/15RB
	19975 to 20375	19975, 20175, 20375	5MHz	QPSK, 16QAM	1RB/12RB/25RB
	20000 to 20350	20000, 20175, 20350	10MHz	QPSK, 16QAM	1RB/25RB/50RB
	20025 to 20325	20025, 20175, 20325	15MHz	QPSK, 16QAM	1RB/36RB/75RB
	20050 to 20300	20050, 20175, 20300	20MHz	QPSK, 16QAM	1RB/50RB/100RB
Occupied Bandwidth	19957 to 20393	19957, 20175, 20393	1.4MHz	QPSK, 16QAM	6RB
	19965 to 20385	19965, 20175, 20385	3MHz	QPSK, 16QAM	15RB
	19975 to 20375	19975, 20175, 20375	5MHz	QPSK, 16QAM	25RB
	20000 to 20350	20000, 20175, 20350	10MHz	QPSK, 16QAM	50RB
	20025 to 20325	20025, 20175, 20325	15MHz	QPSK, 16QAM	75 RB
	20050 to 20300	20050, 20175, 20300	20MHz	QPSK, 16QAM	100RB
Conducted Spurious Emission	19957 to 20393	20175	1.4MHz	QPSK	1RB
	19975 to 20375	20175	5MHz	QPSK	1RB
	20050 to 20300	20175	20MHz	QPSK	1RB
Radiated Spurious Emission	19957 to 20393	20175	1.4MHz	QPSK	1RB
	19975 to 20375	20175	5MHz	QPSK	1RB
	20050 to 20300	20175	20MHz	QPSK	1RB

LTE BAND 4 MODE					
Test Item	Available Channel	Tested Channel	Channel Bandwidth	Modulation	Mode
Band Edge	19957 to 20393	19957	1.4MHz	QPSK	1RB/6RB
		20393	1.4MHz	QPSK	
	19965 to 20385	19965	3MHz	QPSK	1RB/15RB
		20385	3MHz	QPSK	
	19975 to 20375	19975	5MHz	QPSK	1RB/25RB
		20375	5MHz	QPSK	
	20000 to 20350	20000	10MHz	QPSK	1RB/50RB
		20350	10MHz	QPSK	
	20025 to 20325	20025	15MHz	QPSK	1RB/75RB
		20325	15MHz	QPSK	
	20050 to 20300	20050	20MHz	QPSK	1RB/100RB
		20300	20MHz	QPSK	
Peak To Average Ratio	19957 to 20393	19957, 20175, 20393	1.4MHz	QPSK, 16QAM	6RB
	19965 to 20385	19965, 20175, 20385	3MHz	QPSK, 16QAM	15RB
	19975 to 20375	19975, 20175, 20375	5MHz	QPSK, 16QAM	25RB
	20000 to 20350	20000, 20175, 20350	10MHz	QPSK, 16QAM	50RB
	20025 to 20325	20025, 20175, 20325	15MHz	QPSK, 16QAM	75 RB
	20050 to 20300	20050, 20175, 20300	20MHz	QPSK, 16QAM	100RB
Frequency Stability	19957 to 20393	20175	1.4MHz	QPSK	1RB
	19965 to 20385	20175	3MHz	QPSK	1RB
	19975 to 20375	20175	5MHz	QPSK	1RB
	20000 to 20350	20175	10MHz	QPSK	1RB
	20025 to 20325	20175	15MHz	QPSK	1RB
	20050 to 20300	20175	20MHz	QPSK	1RB


LTE BAND 7 MODE					
Test Item	Available Channel	Tested Channel	Channel Bandwidth	Modulation	Mode
Output Power & EIRP	20775 to 21425	20775, 21100, 21425	5MHz	QPSK, 16QAM	1RB/12RB/25RB
	20800 to 21400	20800, 21100, 21400	10MHz	QPSK, 16QAM	1RB/25RB/50RB
	20825 to 21375	20825, 21100, 21375	15MHz	QPSK, 16QAM	1RB/36RB/75RB
	20850 to 21350	20850, 21100, 21350	20MHz	QPSK, 16QAM	1RB/50RB/100RB
Occupied Bandwidth	20775 to 21425	20775, 21100, 21425	5MHz	QPSK, 16QAM	25RB
	20800 to 21400	20800, 21100, 21400	10MHz	QPSK, 16QAM	50RB
	20825 to 21375	20825, 21100, 21375	15MHz	QPSK, 16QAM	75RB
	20850 to 21350	20850, 21100, 21350	20MHz	QPSK, 16QAM	100RB
Conducted Spurious Emission	20775 to 21425	21100	5MHz	QPSK	1 RB
	20850 to 21350	21100	20MHz	QPSK	1 RB
Radiated Spurious Emission	20775 to 21425	21100	5MHz	QPSK	1 RB
	20850 to 21350	21100	20MHz	QPSK	1 RB
Band Edge	20775 to 21425	20775	5MHz	QPSK	1RB/25RB
		21425	5MHz	QPSK	
	20800 to 21400	20800	10MHz	QPSK	1RB/50RB
		21400	10MHz	QPSK	
	20825 to 21375	20825	15MHz	QPSK	1RB/75RB
		21375	15MHz	QPSK	
	20850 to 21350	20850	20MHz	QPSK	1RB/100RB
		21350	20MHz	QPSK	
Peak To Average Ratio	20775 to 21425	20775, 21100, 21425	5MHz	QPSK, 16QAM	25RB
	20800 to 21400	20800, 21100, 21400	10MHz	QPSK, 16QAM	50RB
	20825 to 21375	20825, 21100, 21375	15MHz	QPSK, 16QAM	75RB
	20850 to 21350	20850, 21100, 21350	20MHz	QPSK, 16QAM	100RB
Frequency Stability	20775 to 21425	21100	5MHz	QPSK	1RB
	20800 to 21400	21100	10MHz	QPSK	1RB
	20825 to 21375	21100	15MHz	QPSK	1RB
	20850 to 21350	21100	20MHz	QPSK	1RB

LTE BAND 66 MODE					
Test Item	Available Channel	Tested Channel	Channel Bandwidth	Modulation	Mode
Output Power & EIRP	131979 to 132665	131979, 132322, 132665	1.4MHz	QPSK, 16QAM	1RB/3RB/6RB
	131987 to 132657	131987, 132322, 132657	3MHz	QPSK, 16QAM	1RB/8RB/15RB
	131997 to 132647	131997, 132322, 132647	5MHz	QPSK, 16QAM	1RB/12RB/25RB
	132022 to 132622	132022, 132322, 132622	10MHz	QPSK, 16QAM	1RB/25RB/50RB
	132047 to 132597	132047, 132322, 132597	15MHz	QPSK, 16QAM	1RB/36RB/75RB
	132072 to 132572	132072, 132322, 132572	20MHz	QPSK, 16QAM	1RB/50RB/100RB
Occupied Bandwidth	131979 to 132665	131979, 132322, 132665	1.4MHz	QPSK, 16QAM	6RB
	131987 to 132657	131987, 132322, 132657	3MHz	QPSK, 16QAM	15RB
	131997 to 132647	131997, 132322, 132647	5MHz	QPSK, 16QAM	25RB
	132022 to 132622	132022, 132322, 132622	10MHz	QPSK, 16QAM	50RB
	132047 to 132597	132047, 132322, 132597	15MHz	QPSK, 16QAM	75 RB
	132072 to 132572	132072, 132322, 132572	20MHz	QPSK, 16QAM	100RB
Conducted Spurious Emission	131979 to 132665	132322	1.4MHz	QPSK	1RB
	131997 to 132647	132322	5MHz	QPSK	1RB
	132072 to 132572	132322	20MHz	QPSK	1RB
Radiated Spurious Emission	131979 to 132665	132665	1.4MHz	QPSK	1RB
	131997 to 132647	132647	5MHz	QPSK	1RB
	132072 to 132572	132572	20MHz	QPSK	1RB

LTE BAND 66 MODE					
Test Item	Available Channel	Tested Channel	Channel Bandwidth	Modulation	Mode
Band Edge	131979 to 132665	131979	1.4MHz	QPSK	1RB/6RB
		132665	1.4MHz	QPSK	
	131987 to 132657	131987	3MHz	QPSK	1RB/15RB
		132657	3MHz	QPSK	
	131997 to 132647	131997	5MHz	QPSK	1RB/25RB
		132647	5MHz	QPSK	
	132022 to 132622	132022	10MHz	QPSK	1RB/50RB
		132622	10MHz	QPSK	
	132047 to 132597	132047	15MHz	QPSK	1RB/75RB
		132597	15MHz	QPSK	
	132072 to 132572	132072	20MHz	QPSK	1RB/100RB
		132572	20MHz	QPSK	
Peak To Average Ratio	131979 to 132665	131979, 132322, 132665	1.4MHz	QPSK, 16QAM	1RB
	131987 to 132657	131987, 132322, 132657	3MHz	QPSK, 16QAM	1RB
	131997 to 132647	131997, 132322, 132647	5MHz	QPSK, 16QAM	1RB
	132022 to 132622	132022, 132322, 132622	10MHz	QPSK, 16QAM	1RB
	132047 to 132597	132047, 132322, 132597	15MHz	QPSK, 16QAM	1RB
	132072 to 132572	132072, 132322, 132572	20MHz	QPSK, 16QAM	1RB
Frequency Stability	131979 to 132665	132322	1.4MHz	QPSK	1RB
	131987 to 132657	132322	3MHz	QPSK	1RB
	131997 to 132647	132322	5MHz	QPSK	1RB
	132022 to 132622	132322	10MHz	QPSK	1RB
	132047 to 132597	132322	15MHz	QPSK	1RB
	132072 to 132572	132322	20MHz	QPSK	1RB

Note: The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit line was not reported.

2.3 BLOCK DIGRAM SHOWING THECONFIGURATIONOFSYSTEMTESTED



2.4 DESCRIPTION OF SUPPORT UNITS

The EUT has been tested as an independent unit together with other necessary accessories or support units. The following support units or accessories were used to form a representative test configuration during the tests.

Item	Equipment	Mfr/Brand	Model/Type No.	Series No.
A	CMW500	N/A	N/A	129246

Item	Cable Type	Shielded Type	Ferrite Core	Length
1	DC	N/A	N/A	1m

3. TEST RESULT

3.1 OUTPUT POWER MEASUREMENT

3.1.1 LIMIT

Mobile / Portable station are limited to 1 watts e.i.r.p. (WCDMA Band IV & LTE Band 4 & LTE Band 66)

Mobile / Portable station are limited to 2 watts e.i.r.p. (LTE Band 7)

3.1.2 TEST PROCEDURE

The testing follows FCC KDB 971168 v03r01 Section 5.

EIRP/ERP:

EIRP= Conducted Power +Antenan gain

ERP power=EIPR power-2.15dBi.

Output Power:

The EUT was set up for the maximum power with LTE link data modulation and link up with simulator.

Set the EUT to transmit under low, middle and high channel and record the power level shown on simulator.

3.1.3 TEST SETUP LAYOUT

Conducted Power Measurement



3.1.4 TEST DEVIATION

No deviation

3.1.5 TEST RESULTS

Please refer to the Appendix A.


3.2 OCCUPIED BANDWIDTH MEASUREMENT

3.2.1 TEST PROCEDURE

The testing follows FCC KDB 971168 v03r01 Section 4.

The EUT makes a call to the communication simulator. All measurements were done at low, middle and high operational frequency range. The communication simulator station system controlled a EUT to export maximum output power under transmission mode and specific channel frequency. Use OBW measurement function of Spectrum analyzer to measure 99 % occupied bandwidth and 26dB bandwidth.

3.2.2 TEST SETUP LAYOUT



3.2.3 TEST DEVIATION

No deviation

3.2.4 TEST RESULTS

Please refer to the Appendix B.

3.3 CONDUCTED EMISSIONS MEASUREMENT

3.3.1 LIMIT


The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB. The emission limit equal to -13dBm. (WCDMA Band IV, LTE Band 4, Band 66.)

The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $55 + 10 \log(P)$ dB. The emission limit equal to -25dBm. (LTE Band 7)

3.3.2 TEST PROCEDURES

1. The testing follows FCC KDB 971168 v03r01 Section 6.0.
2. The EUT was connected to spectrum analyzer and system simulator via a power divider.
3. The band edges of low and high channels for the highest RF powers were measured. Set RBW $\geq 1\%$ EBW in the 1MHz band immediately outside and adjacent to the band edge.
4. Set spectrum analyzer with RMS detector.
5. The RF fundamental frequency should be excluded against the limit line in the operating frequency band.

3.3.3 TEST SETUP LAYOUT



3.3.4 TEST DEVIATION

No deviation

3.3.5 TEST RESULTS

Please refer to the Appendix C.

3.4 RADIATED EMISSIONS MEASUREMENT

3.4.1 LIMIT

The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB. The emission limit equal to -13dBm.

(WCDMA Band IV, LTE Band 4, Band 66.)

The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $55 + 10 \log(P)$ dB. The emission limit equal to -25dBm. (LTE Band 7.)


3.4.2 TEST PROCEDURES

The testing follows FCC KDB 971168 v03r01 Section 6.2.


1. In the semi-anechoic chamber, EUT placed on the 0.8m height of Turn Table, rotated the table around 360 degrees to search the maximum radiation power and receiver antenna shall be rotated vertical and horizontal polarization and moved height from 1m to 4m to find the maximum polar radiated power. The "Read Value" is the spectrum reading the maximum power value.
2. The substitution horn antenna is substituted for EUT at the same position and signals generator export the CW signal to the substitution antenna via a TX cable. Rotated the Turn Table and moved receiving antenna to find the maximum radiation power. Adjust output power level of S.G to get a Value of spectrum reading equal to "Read Value" of step a. Record the power level of S.G
3. $EIRP = \text{Output power level of S.G} - \text{TX cable loss} + \text{Antenna gain of substitution horn}.$
4. E.R.P power can be calculated form E.I.R.P power by subtracting the gain of dipole, $E.R.P \text{ power} = E.I.P.R \text{ power} - 2.15\text{dBi}.$
5. The resolution bandwidth and video bandwidth of test receiver/spectrum analyzer is 1MHz/3MHz.


3.4.3 TEST SETUP LAYOUT

Below 30MHz



30MHz to 1GHz





3.4.4 TEST RESULTS (9KHZ TO 30MHZ)

Please refer to the APPENDIX D.

3.4.5 TEST RESULTS (30MHZ TO 1000MHZ)

Please refer to the APPENDIX E.

3.4.6 TEST RESULTS (ABOVE 1000MHZ)

Please refer to the APPENDIX F.

3.5 BAND EDGE MEASUREMENT

3.5.1 LIMIT

The power of any emission outside a licensee's frequency band(s) of operation shall be attenuated below the transmitter power (P) within the licensed band(s) of operation, measured in watts, by at least $43 + 10 \log (P)$ dB. Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kilohertz or greater. However, in the 100 kilohertz bands immediately outside and adjacent to a licensee's frequency block, a resolution bandwidth of at least 30 kHz may be employed. (LTE Band 4, Band 66.)


For mobile digital stations, the attenuation factor shall be not less than $40 + 10 \log (P)$ dB on all frequencies between the channel edge and 5 megahertz from the channel edge, $43 + 10 \log (P)$ dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and $55 + 10 \log (P)$ dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(6) of this section. In addition, the attenuation factor shall not be less than $43 + 10 \log (P)$ dB on all frequencies between 2490.5 MHz and 2496 MHz and $55 + 10 \log (P)$ dB at or below 2490.5 MHz. Mobile Satellite Service licensees operating on frequencies below 2495 MHz may also submit a documented interference complaint against BRS licensees operating on channel BRS Channel 1 on the same terms and conditions as adjacent channel BRS or EBS licensees. (LTE Band 7)

3.5.2 TEST PROCEDURES

The testing follows FCC KDB 971168 v03r01 Section 6.

1. All measurements were done at low and high operational frequency range.
2. The center frequency of spectrum is the band edge frequency and span is 2MHz. RB of the spectrum is 15kHz and VB of the spectrum is 43kHz (LTE Bandwidth 1.4MHz).
3. The center frequency of spectrum is the band edge frequency and span is 2MHz. RB of the spectrum is 30kHz and VB of the spectrum is 91kHz (LTE Bandwidth 3MHz).
4. The center frequency of spectrum is the band edge frequency and span is 2MHz. RB of the spectrum is 51kHz and VB of the spectrum is 150kHz (LTE Bandwidth 5MHz).
5. The center frequency of spectrum is the band edge frequency and span is 2MHz. RB of the spectrum is 100kHz and VB of the spectrum is 300kHz (LTE Bandwidth 10MHz).
6. The center frequency of spectrum is the band edge frequency and span is 2MHz. RB of the spectrum is 150kHz and VB of the spectrum is 470kHz (LTE Bandwidth 15MHz).
7. The center frequency of spectrum is the band edge frequency and span is 2MHz. RB of the spectrum is 200kHz and VB of the spectrum is 620kHz (LTE Bandwidth 20MHz).
8. Record the max trace plot into the test report.

3.5.3 TEST SETUP LAYOUT



3.5.4 TEST DEVIATION

No deviation

3.5.5 TEST RESULTS

Please refer to the Appendix G.

3.6 PEAK TO AVERAGE RATIO MEASUREMENT

3.6.1 LIMIT


In measuring transmissions in this band using an average power technique, the peak to-average ratio (PAR) of the transmission may not exceed 13 dB.

3.6.2 TEST PROCEDURES

The testing follows FCC KDB 971168 v03r01 Section 5.7.

1. Set resolution/measurement bandwidth $\geq$ signal's occupied bandwidth;
2. Set the number of counts to a value that stabilizes the measured CCDF curve;
3. Record the maximum PAPR level associated with a probability of 0.1%.

3.6.3 TEST SETUP LAYOUT



3.6.4 TEST DEVIATION

No deviation

3.6.5 TEST RESULTS

Please refer to the Appendix H.

3.7 FREQUENCY STABILITY MEASUREMENT

3.7.1 LIMIT


± 1.5 ppm is for base and fixed station. ± 2.5 ppm is for mobile station.

3.7.2 TEST PROCEDURES

The testing follows FCC KDB 971168 v03r01 Section 9.

1. Device is placed at the oven room. The oven room could control the temperatures and humidity. Power warm up is at least 15 min and power applied should perform before recording frequency error.
2. EUT is connected the external power supply to control the DC input power. The test voltage range is from minimum to maximum working voltage. Each step shall be record the frequency error rate.
3. The temperature range step is 10 degrees in this test items. All temperature levels shall be hold the $\pm 0.5^\circ\text{C}$ during the measurement testing. The each temperature step shall be at least 0.5 hours, consider the EUT could be test under the stability condition.
4. The frequency error was recorded frequency error from the communication simulator.

3.7.3 TEST SETUP LAYOUT



3.7.4 TEST DEVIATION

No deviation

3.7.5 TEST RESULTS

Please refer to the Appendix I.

4. LIST OF MEASUREMENT EQUIPMENTS

Radiated Emission Measurement(9K-30M)					
Item	Kind of Equipment	Manufacturer	Type No.	Serial No.	Calibrated until
1	Loop Antenna	EMCI	EMCI LPA600	275	May. 20, 2022
2	MXE EMI Receiver	Keysight	N9038A	MY56400088	Mar. 21, 2022
3	Measurement Software	Farad	EZ-EMC Ver.NB-03A1-01	N/A	N/A
4	Wideband Radio Communication Test	R&S	CMW500	129246	Aug. 23, 2022

Radiated Emission Measurement(30M-1G)					
Item	Kind of Equipment	Manufacturer	Type No.	Serial No.	Calibrated until
1	TRILOG Broadband Antenna	Schwarzbeck	VULB 9160	9160-3233	Mar. 26, 2022
2	Pre-Amplifier	emci	EMC9135	980401	Mar. 20, 2022
3	MXE EMI Receiver	Keysight	N9038A	MY56400088	Mar. 21, 2022
4	Test Cable	emci	EMC104-SM-SM-7000	181020	Apr. 11, 2022
5	Test Cable	emci	EMC104-SM-SM-2500	170618	Apr. 11, 2022
6	Test Cable	emci	EMC104-SM-SM-800	170647	Apr. 11, 2022
7	Measurement Software	Farad	EZ-EMC Ver.NB-03A1-01	N/A	N/A
8	Wideband Radio Communication Test	R&S	CMW500	129246	Aug. 23, 2022

Radiated Emission Measurement(1G-18G)					
Item	Kind of Equipment	Manufacturer	Type No.	Serial No.	Calibrated until
1	Double Ridged Broadband Horn Antenna	Schwarzbeck	BBHA 9120D	9120D-1817	Mar. 26, 2022
2	Pre-Amplifier	emci	EMC051845SE	980725	Aug. 23, 2022
3	EXA Spectrum Analyzer	Keysight	N9010A	MY56480579	Mar. 21, 2022
4	Test Cable	emci	EMC104-SM-SM-7000	181020	Apr. 11, 2022
5	Test Cable	emci	EMC104-SM-SM-2500	170618	Apr. 11, 2022
6	Test Cable	emci	EMC104-SM-SM-800	170647	Apr. 11, 2022
7	Measurement Software	Farad	EZ-EMC Ver.NB-03A1-01	N/A	N/A
8	Wideband Radio Communication Test	R&S	CMW500	129246	Aug. 23, 2022

Conducted Emission & Band Edge & Occupied Bandwidth Measurement					
Item	Kind of Equipment	Manufacturer	Type No.	Serial No.	Calibrated until
1	Wideband Radio Communication Test	R&S	CMW500	129246	Aug. 23, 2022
2	EXA Spectrum Analyzer	Keysight	N9010A	MY56480579	Mar. 21, 2022
3	Power Divider	JUK	PD-2SF-2060	N/A	N/A

Frequency Stability Measurement					
Item	Kind of Equipment	Manufacturer	Type No.	Serial No.	Calibrated until
1	Wideband Radio Communication Test	R&S	CMW500	129246	Aug. 23, 2022
2	EXA Spectrum Analyzer	Keysight	N9010A	MY56480579	Mar. 21, 2022
3	Power Divider	JUK	PD-2SF-2060	N/A	N/A
4	Temperature And Humidity Box	Blue pand	BPHS-120B	170616454	Aug. 23, 2022


Remark: "N/A" denotes no model name, serial no. or calibration specified.

All calibration period of equipment list is one year.

5. EUT TEST PHOTO


Radiated Emissions Test Photos

30 MHz to 1000 MHz



Radiated Emissions Test Photos

Above 1 GHz



APPENDIX A - OUTPUT POWER

Output Power (dBm):

Modulation	Band	WCDMA Band IV		
	Tx Channel	1312CH	1413CH	1513CH
	Frequency	1712.4MHz	1732.6MHz	1752.6MHz
QPSK	RMC 12.2K	22.19	22.48	22.25
	RMC 64K	22.38	21.99	21.94
	RMC 144K	22.85	22.13	22.84
	RMC 384K	22.37	21.15	22.82
	HSDPA Subtest-1	23.55	23.87	23.43
	HSDPA Subtest-2	23.05	23.35	22.96
	HSDPA Subtest-3	22.54	22.8	22.5
	HSDPA Subtest-4	22.51	22.8	22.48
	HSUPA Subtest-1	23.49	23.87	23.54
	HSUPA Subtest-2	23.44	23.84	23.49
	HSUPA Subtest-3	23.01	23.34	23.02
	HSUPA Subtest-4	23.45	23.88	23.45
	HSUPA Subtest-5	22.98	23.33	23.97

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				19957CH	20175CH	20393CH
				1710.7MHz	1732.5MHz	1754.3MHz
4 / 1.4M	QPSK	1	0	23.60	23.50	23.20
		1	2	23.40	23.30	23.00
		1	5	23.60	23.50	23.30
		3	0	23.50	23.40	22.90
		3	1	23.50	23.40	24.80
		3	2	23.50	23.30	23.00
		6	0	22.40	22.40	22.00
	16QAM	1	0	23.20	23.10	22.90
		1	2	22.80	22.90	22.50
		1	5	23.20	23.10	22.80
		3	0	22.60	22.50	22.10
		3	1	22.60	22.50	22.10
		3	2	22.50	22.50	22.10
		6	0	21.80	21.80	21.30

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				19965CH	20175CH	20385CH
				1711.5MHz	1732.5MHz	1753.5MHz
4 / 3M	QPSK	1	0	23.30	23.50	22.90
		1	7	23.30	23.30	22.90
		1	14	23.20	23.30	23.00
		8	0	22.40	22.40	21.90
		8	4	22.40	22.40	22.10
		8	7	22.40	22.30	22.00
		15	0	22.40	22.40	22.00
	16QAM	1	0	23.00	23.00	22.40
		1	7	22.90	22.80	22.50
		1	14	22.90	22.90	22.50
		8	0	21.40	21.50	21.00
		8	4	21.40	21.40	21.10
		8	7	21.40	21.50	21.00
		15	0	21.40	21.50	21.00

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				19975CH	20175CH	20375CH
				1712.5MHz	1732.5MHz	1752.5MHz
4 / 5M	QPSK	1	0	23.50	23.50	23.10
		1	13	23.20	23.30	22.90
		1	24	23.20	23.20	23.20
		12	0	22.40	22.50	21.90
		12	6	22.40	22.40	23.30
		12	11	22.90	22.30	22.00
		25	0	22.30	22.40	22.00
	16QAM	1	0	23.00	23.00	22.60
		1	13	22.80	22.90	22.60
		1	24	22.90	22.80	22.70
		12	0	21.40	21.60	21.20
		12	6	21.40	21.60	21.10
		12	11	21.30	21.40	21.20
		25	0	21.20	21.50	21.00

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				20000CH	20175CH	20350CH
				1715MHz	1732.5MHz	1750MHz
4 / 10M	QPSK	1	0	23.60	23.50	22.60
		1	25	23.80	23.20	22.80
		1	49	22.80	23.00	23.10
		25	0	22.10	22.30	21.60
		25	13	23.10	22.20	21.80
		25	25	22.70	21.90	21.80
		50	0	23.00	22.10	21.70
	16QAM	1	0	23.00	23.10	22.30
		1	25	23.50	22.70	22.30
		1	49	22.40	22.60	22.70
		25	0	21.00	21.30	20.70
		25	13	21.90	21.40	20.80
		25	25	21.60	21.10	20.80
		50	0	21.80	21.30	20.80

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				20025CH	20175CH	20325CH
				1717.5MHz	1732.5MHz	1747.5MHz
4 / 15M	QPSK	1	0	23.30	23.30	22.20
		1	38	23.60	23.20	22.70
		1	74	23.50	22.50	23.00
		36	0	23.10	22.40	21.40
		36	18	22.80	22.40	21.70
		36	39	22.60	21.90	21.80
		75	0	22.70	22.10	21.80
	16QAM	1	0	22.90	22.80	21.70
		1	38	23.20	22.80	22.30
		1	74	23.10	21.90	22.60
		36	0	21.90	21.30	20.50
		36	18	21.80	21.40	20.80
		36	39	21.50	21.00	20.90
		75	0	21.60	21.30	20.80

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				20050CH	20175CH	20300CH
				1720MHz	1732.5MHz	1745MHz
4 / 20M	QPSK	1	0	23.50	23.50	23.20
		1	50	23.40	23.20	22.50
		1	99	23.70	22.60	23.20
		50	0	22.90	22.30	20.80
		50	25	22.70	22.30	21.50
		50	50	22.40	21.50	21.80
		100	0	22.70	22.00	21.30
	16QAM	1	0	23.10	23.20	22.70
		1	50	23.10	22.80	22.00
		1	99	23.30	22.20	22.80
		50	0	21.70	21.20	20.00
		50	25	21.60	21.40	20.60
		50	50	21.40	20.70	20.90
		100	0	21.60	21.20	20.50

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				20775CH	21100CH	21425CH
				2502.5MHz	2535MHz	2567.5MHz
7 / 5M	QPSK	1	0	24.57	24.53	24.18
		1	13	24.51	24.07	24.45
		1	24	24.38	24.00	24.14
		12	0	23.63	23.42	24.16
		12	6	23.69	23.22	23.89
		12	11	23.54	23.17	23.67
		25	0	23.58	23.15	23.80
	16QAM	1	0	23.78	23.83	24.18
		1	13	23.67	23.22	24.49
		1	24	23.43	23.26	24.05
		12	0	22.80	22.57	24.01
		12	6	22.80	22.38	23.68
		12	11	22.66	22.25	23.63
		25	0	22.63	22.27	23.78

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				20800CH	21100CH	21400CH
				2505MHz	2535MHz	2565MHz
7 / 10M	QPSK	1	0	24.59	24.16	24.88
		1	25	23.73	23.98	24.01
		1	49	23.76	23.82	23.49
		25	0	23.14	23.56	23.33
		25	13	22.96	23.60	23.27
		25	25	22.60	22.86	23.72
		50	0	22.90	22.94	23.07
	16QAM	1	0	23.86	23.71	24.14
		1	25	23.01	23.21	23.42
		1	49	22.99	23.12	23.09
		25	0	22.40	22.62	22.33
		25	13	22.13	22.19	22.32
		25	25	21.75	21.91	22.74
		50	0	22.08	22.07	22.14

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				20825CH	21100CH	21375CH
				2507.5MHz	2535MHz	2562.5MHz
7 / 15M	QPSK	1	0	24.50	24.37	24.36
		1	38	23.63	23.90	23.99
		1	74	23.78	23.76	23.83
		36	0	23.10	23.87	23.81
		36	18	22.75	23.20	23.12
		36	39	22.49	22.88	22.77
		75	0	22.77	22.86	22.81
	16QAM	1	0	23.86	23.79	24.36
		1	38	22.76	23.51	23.97
		1	74	23.03	23.43	23.83
		36	0	22.30	22.79	23.84
		36	18	21.98	22.18	23.12
		36	39	21.58	21.65	22.83
		75	0	21.95	21.93	22.87

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				20850CH	21100CH	21350CH
				2510MHz	2535MHz	2560MHz
7 / 20M	QPSK	1	0	24.73	25.27	24.17
		1	50	23.28	24.76	24.56
		1	99	24.33	24.09	23.60
		50	0	22.86	24.01	23.17
		50	25	22.54	23.16	23.70
		50	50	22.86	22.73	23.20
		100	0	22.69	22.73	23.57
	16QAM	1	0	23.95	24.26	23.22
		1	50	22.55	23.31	23.75
		1	99	23.54	23.40	23.21
		50	0	21.88	22.82	22.35
		50	25	21.59	22.10	22.80
		50	50	21.81	21.63	22.18
		100	0	21.71	21.66	22.69

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				131979CH	132322CH	132665CH
				1710.7MHz	1745MHz	1779.3MHz
66 / 1.4M	QPSK	1	0	24.19	24.41	24.42
		1	2	23.83	24.09	24.11
		1	5	24.30	24.37	24.36
		3	0	23.90	24.12	24.10
		3	1	23.93	24.19	24.18
		3	2	23.95	24.17	24.17
		6	0	22.91	24.04	23.06
	16QAM	1	0	23.21	23.74	23.65
		1	2	23.24	23.48	23.18
		1	5	23.68	23.30	23.81
		3	0	22.78	23.12	22.98
		3	1	22.86	23.12	23.04
		3	2	22.98	23.12	23.15
		6	0	22.01	22.27	22.25

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				131987CH	132322CH	132657CH
				1711.5MHz	1745MHz	1778.5MHz
66 / 3M	QPSK	1	0	23.99	24.13	24.50
		1	7	24.04	24.19	24.40
		1	14	24.11	24.26	23.17
		8	0	22.97	23.10	23.51
		8	4	23.08	23.24	23.43
		8	7	23.06	23.25	23.30
		15	0	23.03	23.10	23.38
	16QAM	1	0	23.23	23.44	23.84
		1	7	23.07	23.51	23.50
		1	14	23.22	23.61	22.37
		8	0	22.09	22.14	22.42
		8	4	22.00	22.20	22.49
		8	7	22.02	22.31	22.33
		15	0	21.88	22.31	22.45

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				131997CH	132322CH	132647CH
				1712.5MHz	1745MHz	1777.5MHz
66 / 5M	QPSK	1	0	24.04	24.11	24.66
		1	13	24.05	24.22	24.51
		1	24	24.25	24.40	23.38
		12	0	22.98	23.05	23.50
		12	6	23.11	23.13	23.49
		12	11	23.10	23.29	23.50
		25	0	23.06	23.04	23.58
	16QAM	1	0	23.47	23.03	23.75
		1	13	23.55	23.65	23.96
		1	24	23.58	23.42	22.92
		12	0	21.99	21.95	22.45
		12	6	22.02	22.23	22.60
		12	11	22.01	22.14	22.52
		25	0	21.91	22.14	22.60

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				132022CH	132322CH	132622CH
				1715MHz	1745MHz	1775MHz
66 / 10M	QPSK	1	0	24.25	24.02	24.30
		1	25	24.03	24.09	24.36
		1	49	24.35	23.76	23.54
		25	0	22.79	22.69	22.99
		25	13	22.86	22.97	23.34
		25	25	22.79	23.08	23.29
		50	0	22.75	22.85	23.19
	16QAM	1	0	23.16	23.05	23.74
		1	25	22.78	23.42	23.75
		1	49	23.44	23.11	22.36
		25	0	21.60	21.86	21.94
		25	13	21.94	22.09	22.36
		25	25	21.84	21.99	22.17
		50	0	21.68	21.95	22.11

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				132047CH	132322CH	132597CH
				1717.5MHz	1745MHz	1772.5MHz
66 / 15M	QPSK	1	0	24.18	24.02	24.22
		1	38	24.38	24.14	24.25
		1	74	22.92	23.62	23.38
		36	0	23.08	22.65	22.93
		36	18	23.27	23.09	23.21
		36	39	23.28	23.36	23.28
		75	0	23.18	22.91	23.01
	16QAM	1	0	23.08	23.16	23.67
		1	38	23.51	23.23	23.32
		1	74	22.28	22.89	22.72
		36	0	21.97	21.74	21.84
		36	18	22.41	22.14	22.16
		36	39	22.28	22.26	22.30
		75	0	22.19	21.97	22.05

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				132072CH	132322CH	132572CH
				1720MHz	1745MHz	1770MHz
66 / 20M	QPSK	1	0	24.38	24.56	24.62
		1	50	24.20	24.13	23.96
		1	99	24.00	23.93	23.65
		50	0	22.94	22.41	22.99
		50	25	23.14	23.05	22.95
		50	50	22.75	23.43	23.17
		100	0	23.14	22.88	22.75
	16QAM	1	0	23.30	23.54	23.90
		1	50	23.04	23.35	23.13
		1	99	23.18	23.40	22.66
		50	0	21.83	21.42	22.00
		50	25	22.20	22.07	21.83
		50	50	21.85	22.41	22.13
		100	0	22.09	21.94	21.64

EIRP Power (dBm):

Modulation	Band	WCDMA Band IV		
	Tx Channel	1312CH	1413CH	1513CH
	Frequency	1712.4MHz	1732.6MHz	1752.6MHz
QPSK	RMC 12.2K	24.19	24.48	24.25
	RMC 64K	24.38	23.99	23.94
	RMC 144K	24.85	24.13	24.84
	RMC 384K	24.37	23.15	24.82
	HSDPA Subtest-1	25.55	25.87	25.43
	HSDPA Subtest-2	25.05	25.35	24.96
	HSDPA Subtest-3	24.54	24.80	24.50
	HSDPA Subtest-4	24.51	24.80	24.48
	HSUPA Subtest-1	25.49	25.87	25.54
	HSUPA Subtest-2	25.44	25.84	25.49
	HSUPA Subtest-3	25.01	25.34	25.02
	HSUPA Subtest-4	25.45	25.88	25.45
	HSUPA Subtest-5	24.98	25.33	25.97

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				19957CH	20175CH	20393CH
				1710.7MHz	1732.5MHz	1754.3MHz
4 / 1.4M	QPSK	1	0	25.60	25.50	25.20
		1	2	25.40	25.30	25.00
		1	5	25.60	25.50	25.30
		3	0	25.50	25.40	24.90
		3	1	25.50	25.40	26.80
		3	2	25.50	25.30	25.00
		6	0	24.40	24.40	24.00
	16QAM	1	0	25.20	25.10	24.90
		1	2	24.80	24.90	24.50
		1	5	25.20	25.10	24.80
		3	0	24.60	24.50	24.10
		3	1	24.60	24.50	24.10
		3	2	24.50	24.50	24.10
		6	0	23.80	23.80	23.30

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				19965CH	20175CH	20385CH
				1711.5MHz	1732.5MHz	1753.5MHz
4 / 3M	QPSK	1	0	25.30	25.50	24.90
		1	7	25.30	25.30	24.90
		1	14	25.20	25.30	25.00
		8	0	24.40	24.40	23.90
		8	4	24.40	24.40	24.10
		8	7	24.40	24.30	24.00
		15	0	24.40	24.40	24.00
	16QAM	1	0	25.00	25.00	24.40
		1	7	24.90	24.80	24.50
		1	14	24.90	24.90	24.50
		8	0	23.40	23.50	23.00
		8	4	23.40	23.40	23.10
		8	7	23.40	23.50	23.00
		15	0	23.40	23.50	23.00

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				19975CH	20175CH	20375CH
				1712.5MHz	1732.5MHz	1752.5MHz
4 / 5M	QPSK	1	0	25.50	25.50	25.10
		1	13	25.20	25.30	24.90
		1	24	25.20	25.20	25.20
		12	0	24.40	24.50	23.90
		12	6	24.40	24.40	25.30
		12	11	24.90	24.30	24.00
		25	0	24.30	24.40	24.00
	16QAM	1	0	25.00	25.00	24.60
		1	13	24.80	24.90	24.60
		1	24	24.90	24.80	24.70
		12	0	23.40	23.60	23.20
		12	6	23.40	23.60	23.10
		12	11	23.30	23.40	23.20
		25	0	23.20	23.50	23.00

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				20000CH	20175CH	20350CH
				1715MHz	1732.5MHz	1750MHz
4 / 10M	QPSK	1	0	25.60	25.50	24.60
		1	25	25.80	25.20	24.80
		1	49	24.80	25.00	25.10
		25	0	24.10	24.30	23.60
		25	13	25.10	24.20	23.80
		25	25	24.70	23.90	23.80
		50	0	25.00	24.10	23.70
	16QAM	1	0	25.00	25.10	24.30
		1	25	25.50	24.70	24.30
		1	49	24.40	24.60	24.70
		25	0	23.00	23.30	22.70
		25	13	23.90	23.40	22.80
		25	25	23.60	23.10	22.80
		50	0	23.80	23.30	22.80

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				20025CH	20175CH	20325CH
				1717.5MHz	1732.5MHz	1747.5MHz
4 / 15M	QPSK	1	0	25.30	25.30	24.20
		1	38	25.60	25.20	24.70
		1	74	25.50	24.50	25.00
		36	0	25.10	24.40	23.40
		36	18	24.80	24.40	23.70
		36	39	24.60	23.90	23.80
		75	0	24.70	24.10	23.80
	16QAM	1	0	24.90	24.80	23.70
		1	38	25.20	24.80	24.30
		1	74	25.10	23.90	24.60
		36	0	23.90	23.30	22.50
		36	18	23.80	23.40	22.80
		36	39	23.50	23.00	22.90
		75	0	23.60	23.30	22.80

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				20050CH	20175CH	20300CH
				1720MHz	1732.5MHz	1745MHz
4 / 20M	QPSK	1	0	25.50	25.50	25.20
		1	50	25.40	25.20	24.50
		1	99	25.70	24.60	25.20
		50	0	24.90	24.30	22.80
		50	25	24.70	24.30	23.50
		50	50	24.40	23.50	23.80
		100	0	24.70	24.00	23.30
	16QAM	1	0	25.10	25.20	24.70
		1	50	25.10	24.80	24.00
		1	99	25.30	24.20	24.80
		50	0	23.70	23.20	22.00
		50	25	23.60	23.40	22.60
		50	50	23.40	22.70	22.90
		100	0	23.60	23.20	22.50

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				20775CH	21100CH	21425CH
				2502.5MHz	2535MHz	2567.5MHz
7 / 5M	QPSK	1	0	27.57	27.53	27.18
		1	13	27.51	27.07	27.45
		1	24	27.38	27.00	27.14
		12	0	26.63	26.42	27.16
		12	6	26.69	26.22	26.89
		12	11	26.54	26.17	26.67
		25	0	26.58	26.15	26.80
	16QAM	1	0	26.78	26.83	27.18
		1	13	26.67	26.22	27.49
		1	24	26.43	26.26	27.05
		12	0	25.80	25.57	27.01
		12	6	25.80	25.38	26.68
		12	11	25.66	25.25	26.63
		25	0	25.63	25.27	26.78

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				20800CH	21100CH	21400CH
				2505MHz	2535MHz	2565MHz
7 / 10M	QPSK	1	0	27.59	27.16	27.88
		1	25	26.73	26.98	27.01
		1	49	26.76	26.82	26.49
		25	0	26.14	26.56	26.33
		25	13	25.96	26.60	26.27
		25	25	25.60	25.86	26.72
		50	0	25.90	25.94	26.07
	16QAM	1	0	26.86	26.71	27.14
		1	25	26.01	26.21	26.42
		1	49	25.99	26.12	26.09
		25	0	25.40	25.62	25.33
		25	13	25.13	25.19	25.32
		25	25	24.75	24.91	25.74
		50	0	25.08	25.07	25.14

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				20825CH	21100CH	21375CH
				2507.5MHz	2535MHz	2562.5MHz
7 / 15M	QPSK	1	0	27.50	27.37	27.36
		1	38	26.63	26.90	26.99
		1	74	26.78	26.76	26.83
		36	0	26.10	26.87	26.81
		36	18	25.75	26.20	26.12
		36	39	25.49	25.88	25.77
		75	0	25.77	25.86	25.81
	16QAM	1	0	26.86	26.79	27.36
		1	38	25.76	26.51	26.97
		1	74	26.03	26.43	26.83
		36	0	25.30	25.79	26.84
		36	18	24.98	25.18	26.12
		36	39	24.58	24.65	25.83
		75	0	24.95	24.93	25.87

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				20850CH	21100CH	21350CH
				2510MHz	2535MHz	2560MHz
7 / 20M	QPSK	1	0	27.73	28.27	27.17
		1	50	26.28	27.76	27.56
		1	99	27.33	27.09	26.60
		50	0	25.86	27.01	26.17
		50	25	25.54	26.16	26.70
		50	50	25.86	25.73	26.20
		100	0	25.69	25.73	26.57
	16QAM	1	0	26.95	27.26	26.22
		1	50	25.55	26.31	26.75
		1	99	26.54	26.40	26.21
		50	0	24.88	25.82	25.35
		50	25	24.59	25.10	25.80
		50	50	24.81	24.63	25.18
		100	0	24.71	24.66	25.69

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				131979CH	132322CH	132665CH
				1710.7MHz	1745MHz	1779.3MHz
66 / 1.4M	QPSK	1	0	26.19	26.41	26.42
		1	2	25.83	26.09	26.11
		1	5	26.30	26.37	26.36
		3	0	25.90	26.12	26.10
		3	1	25.93	26.19	26.18
		3	2	25.95	26.17	26.17
		6	0	24.91	26.04	25.06
	16QAM	1	0	25.21	25.74	25.65
		1	2	25.24	25.48	25.18
		1	5	25.68	25.30	25.81
		3	0	24.78	25.12	24.98
		3	1	24.86	25.12	25.04
		3	2	24.98	25.12	25.15
		6	0	24.01	24.27	24.25

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				131987CH	132322CH	132657CH
				1711.5MHz	1745MHz	1778.5MHz
66 / 3M	QPSK	1	0	25.99	26.13	26.50
		1	7	26.04	26.19	26.40
		1	14	26.11	26.26	25.17
		8	0	24.97	25.10	25.51
		8	4	25.08	25.24	25.43
		8	7	25.06	25.25	25.30
		15	0	25.03	25.10	25.38
	16QAM	1	0	25.23	25.44	25.84
		1	7	25.07	25.51	25.50
		1	14	25.22	25.61	24.37
		8	0	24.09	24.14	24.42
		8	4	24.00	24.20	24.49
		8	7	24.02	24.31	24.33
		15	0	23.88	24.31	24.45

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				131997CH	132322CH	132647CH
				1712.5MHz	1745MHz	1777.5MHz
66 / 5M	QPSK	1	0	26.04	26.11	26.66
		1	13	26.05	26.22	26.51
		1	24	26.25	26.40	25.38
		12	0	24.98	25.05	25.50
		12	6	25.11	25.13	25.49
		12	11	25.10	25.29	25.50
	16QAM	25	0	25.06	25.04	25.58
		1	0	25.47	25.03	25.75
		1	13	25.55	25.65	25.96
		1	24	25.58	25.42	24.92
		12	0	23.99	23.95	24.45
		12	6	24.02	24.23	24.60
		12	11	24.01	24.14	24.52
		25	0	23.91	24.14	24.60

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				132022CH	132322CH	132622CH
				1715MHz	1745MHz	1775MHz
66 / 10M	QPSK	1	0	26.25	26.02	26.30
		1	25	26.03	26.09	26.36
		1	49	26.35	25.76	25.54
		25	0	24.79	24.69	24.99
		25	13	24.86	24.97	25.34
		25	25	24.79	25.08	25.29
		50	0	24.75	24.85	25.19
	16QAM	1	0	25.16	25.05	25.74
		1	25	24.78	25.42	25.75
		1	49	25.44	25.11	24.36
		25	0	23.60	23.86	23.94
		25	13	23.94	24.09	24.36
		25	25	23.84	23.99	24.17
		50	0	23.68	23.95	24.11

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				132047CH	132322CH	132597CH
				1717.5MHz	1745MHz	1772.5MHz
66 / 15M	QPSK	1	0	26.18	26.02	26.22
		1	38	26.38	26.14	26.25
		1	74	24.92	25.62	25.38
		36	0	25.08	24.65	24.93
		36	18	25.27	25.09	25.21
		36	39	25.28	25.36	25.28
		75	0	25.18	24.91	25.01
	16QAM	1	0	25.08	25.16	25.67
		1	38	25.51	25.23	25.32
		1	74	24.28	24.89	24.72
		36	0	23.97	23.74	23.84
		36	18	24.41	24.14	24.16
		36	39	24.28	24.26	24.30
		75	0	24.19	23.97	24.05

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				132072CH	132322CH	132572CH
				1720MHz	1745MHz	1770MHz
66 / 20M	QPSK	1	0	26.38	26.56	26.62
		1	50	26.20	26.13	25.96
		1	99	26.00	25.93	25.65
		50	0	24.94	24.41	24.99
		50	25	25.14	25.05	24.95
		50	50	24.75	25.43	25.17
		100	0	25.14	24.88	24.75
	16QAM	1	0	25.30	25.54	25.90
		1	50	25.04	25.35	25.13
		1	99	25.18	25.40	24.66
		50	0	23.83	23.42	24.00
		50	25	24.20	24.07	23.83
		50	50	23.85	24.41	24.13
		100	0	24.09	23.94	23.64

APPENDIX B - OCCUPIED BANDWIDTH


WCDMA Band IV					
QPSK					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
1312	1712.4	4.1567	1312	1712.4	4.715
1413	1732.6	4.1627	1413	1732.6	4.716
1513	1752.6	4.1643	1513	1752.6	4.714




LTE Band 4_1.4M					
QPSK			16QAM		
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)
19957	1710.7	1.1010	19957	1710.7	1.1024
20175	1732.5	1.0907	20175	1732.5	1.0951
20393	1754.3	1.0979	20393	1754.3	1.1004
Channel	Frequency (MHz)	26dB Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
19957	1710.7	1.256	19957	1710.7	1.260
20175	1732.5	1.260	20175	1732.5	1.261
20393	1754.3	1.257	20393	1754.3	1.259

Spectrum Plot


QPSK-19957




QPSK-20175



QPSK-20393




16QAM-19957



16QAM-20175



16QAM-20393



LTE Band 4_3M					
QPSK			16QAM		
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)
19965	1711.5	2.6928	19965	1711.5	2.6982
20175	1732.5	2.6979	20175	1732.5	2.7018
20385	1753.5	2.6982	20385	1753.5	2.6938
Channel	Frequency (MHz)	26dB Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
19965	1711.5	2.905	19965	1711.5	2.911
20175	1732.5	2.915	20175	1732.5	2.906
20385	1753.5	2.919	20385	1753.5	2.920

Spectrum Plot


QPSK-19965



QPSK-20175



QPSK-20385



16QAM-19965



16QAM-20175



16QAM-20385



LTE Band 4_5M					
QPSK			16QAM		
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)
19975	1712.5	4.5033	19975	1712.5	4.4979
20175	1732.5	4.5042	20175	1732.5	4.4956
20375	1752.5	4.5029	20375	1752.5	4.4891
Channel	Frequency (MHz)	26dB Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
19975	1712.5	4.847	19975	1712.5	4.869
20175	1732.5	4.858	20175	1732.5	4.858
20375	1752.5	4.824	20375	1752.5	4.841

Spectrum Plot

QPSK-19975



QPSK-20175




QPSK-20375



16QAM-19975



16QAM-20175



16QAM-20375



LTE Band 4_10M					
QPSK			16QAM		
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)
20000	1715	8.9530	20000	1715	8.9707
20175	1732.5	8.9456	20175	1732.5	8.9386
20350	1750	8.9755	20350	1750	8.9665
Channel	Frequency (MHz)	26dB Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
20000	1715	9.702	20000	1715	9.665
20175	1732.5	9.667	20175	1732.5	9.640
20350	1750	9.656	20350	1750	9.625

Spectrum Plot

QPSK-20000



QPSK-20175



QPSK-20350




16QAM-20000



16QAM-20175



16QAM-20350



LTE Band 4_15M					
QPSK			16QAM		
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)
20025	1717.5	13.4720	20025	1717.5	13.4510
20175	1732.5	13.4200	20175	1732.5	13.4070
20325	1747.5	13.4420	20325	1747.5	13.4270
Channel	Frequency (MHz)	26dB Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
20025	1717.5	14.460	20025	1717.5	14.440
20175	1732.5	14.410	20175	1732.5	14.390
20325	1747.5	14.410	20325	1747.5	14.380

Spectrum Plot

QPSK-20025



QPSK-20175



QPSK-20325



16QAM-20025



16QAM-20175



16QAM-20325



LTE Band 4_20M					
QPSK			16QAM		
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)
20050	1720	17.9640	20050	1720	17.9390
20175	1732.5	17.9170	20175	1732.5	17.9040
20300	1745	17.8830	20300	1745	17.8660
Channel	Frequency (MHz)	26dB Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
20050	1720	19.620	20050	1720	19.420
20175	1732.5	19.400	20175	1732.5	19.470
20300	1745	19.530	20300	1745	19.540

Spectrum Plot


QPSK-20050



QPSK-20175




QPSK-20300




16QAM-20050



16QAM-20175




16QAM-20300



LTE Band 7_5M					
QPSK			16QAM		
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)
20775	2502.5	4.5162	20775	2502.5	4.4985
21100	2535	4.5067	21100	2535	4.4969
21425	2567.5	4.5076	21425	2567.5	4.5046
Channel	Frequency (MHz)	26dB Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
20775	2502.5	4.870	20775	2502.5	4.838
21100	2535	4.818	21100	2535	4.862
21425	2567.5	4.859	21425	2567.5	4.856

Spectrum Plot

QPSK-20775



QPSK-21100



QPSK-21425




16QAM-20775



16QAM-21100



16QAM-21425



LTE Band 7_10M					
QPSK			16QAM		
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)
20800	2505	8.9565	20800	2505	8.9431
21100	2535	8.9461	21100	2535	8.9358
21400	2565	8.9598	21400	2565	8.9496
Channel	Frequency (MHz)	26dB Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
20800	2505	9.681	20800	2505	9.642
21100	2535	9.632	21100	2535	9.591
21400	2565	9.697	21400	2565	9.619

Spectrum Plot

QPSK-20800



QPSK-21100



QPSK-21400



16QAM-20800



16QAM-21100



16QAM-21400



LTE Band 7_15M					
QPSK			16QAM		
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)
20825	2507.5	13.4560	20825	2507.5	13.4590
21100	2535	13.4190	21100	2535	13.4110
21375	2562.5	13.4200	21375	2562.5	13.4180
Channel	Frequency (MHz)	26dB Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
20825	2507.5	14.470	20825	2507.5	14.450
21100	2535	14.420	21100	2535	14.460
21375	2562.5	14.450	21375	2562.5	14.500

Spectrum Plot

QPSK-20825



QPSK-21100



QPSK-21375



16QAM-20825



16QAM-21100



16QAM-21375




LTE Band 7_20M					
QPSK			16QAM		
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)
20850	2510	17.9620	20850	2510	17.9320
21100	2535	17.8600	21100	2535	17.8490
21350	2560	17.9190	21350	2560	17.9070
Channel	Frequency (MHz)	26dB Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
20850	2510	19.580	20850	2510	19.440
21100	2535	19.510	21100	2535	19.470
21350	2560	19.510	21350	2560	19.460

Spectrum Plot


QPSK-20850



QPSK-21100



QPSK-21350



16QAM-20850



16QAM-21100




16QAM-21350




LTE Band 66_1.4M					
QPSK			16QAM		
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)
131979	1710.7	1.0955	131979	1710.7	1.1042
132322	1745.0	1.1022	132322	1745.0	1.0928
132665	1779.3	1.0921	132665	1779.3	1.1004
Channel	Frequency (MHz)	26dB Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
131979	1710.7	1.247	131979	1710.7	1.251
132322	1745.0	1.257	132322	1745.0	1.257
132665	1779.3	1.264	132665	1779.3	1.272

Spectrum Plot

QPSK-131979




QPSK-132322



QPSK-132665




16QAM-131979



16QAM-132322



16QAM-132665




LTE Band 66_3M					
QPSK			16QAM		
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)
131987	1711.5	2.6927	131987	1711.5	2.7026
132322	1745.0	2.6999	132322	1745.0	2.7060
132657	1778.5	2.6970	132657	1778.5	2.6943
Channel	Frequency (MHz)	26dB Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
131987	1711.5	2.920	131987	1711.5	2.925
132322	1745.0	2.918	132322	1745.0	2.922
132657	1778.5	2.921	132657	1778.5	2.935

Spectrum Plot

QPSK-131987



QPSK-132322



QPSK-132657



16QAM-131987



16QAM-132322



16QAM-132657



LTE Band 66_5M					
QPSK			16QAM		
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)
131997	1712.5	4.5062	131997	1712.5	4.4910
132322	1745.0	4.5068	132322	1745.0	4.4905
132647	1777.5	4.5049	132647	1777.5	4.4949
Channel	Frequency (MHz)	26dB Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
131997	1712.5	4.848	131997	1712.5	4.843
132322	1745.0	4.848	132322	1745.0	4.831
132647	1777.5	4.848	132647	1777.5	4.845

Spectrum Plot

QPSK-131997



QPSK-132322



QPSK-132647



16QAM-131997



16QAM-132322




16QAM-132647



LTE Band 66_10M					
QPSK			16QAM		
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)
132022	1715.0	8.9571	132022	1715.0	8.9586
132322	1745.0	8.9518	132322	1745.0	8.9464
132622	1775.0	8.9586	132622	1775.0	8.9676
Channel	Frequency (MHz)	26dB Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
132022	1715.0	9.663	132022	1715.0	9.681
132322	1745.0	9.653	132322	1745.0	9.608
132622	1775.0	9.660	132622	1775.0	9.622

Spectrum Plot



LTE Band 66_15M					
QPSK			16QAM		
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)
132047	1717.5	13.4590	132047	1717.5	13.4670
132322	1745.0	13.4500	132322	1745.0	13.4350
132597	1772.5	13.4090	132597	1772.5	13.3880
Channel	Frequency (MHz)	26dB Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
132047	1717.5	14.510	132047	1717.5	14.490
132322	1745.0	14.360	132322	1745.0	14.430
132597	1772.5	14.390	132597	1772.5	14.450

Spectrum Plot


QPSK-132047



QPSK-132322



QPSK-132597



16QAM-132047



16QAM-132322




16QAM-132597



LTE Band 66_20M					
QPSK			16QAM		
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)
132072	1720.0	17.9580	132072	1720.0	17.9490
132322	1745.0	17.9350	132322	1745.0	17.9060
132572	1770.0	17.8520	132572	1770.0	17.8600
Channel	Frequency (MHz)	26dB Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
132072	1720.0	19.590	132072	1720.0	19.590
132322	1745.0	19.330	132322	1745.0	17.470
132572	1770.0	19.500	132572	1770.0	19.340

Spectrum Plot


QPSK-132072



QPSK-132322



QPSK-132572




16QAM-132072




16QAM-132322



16QAM-132572



APPENDIX C - CONDUCTED EMISSIONS


WCDMA Band IV_WCDMA			
Channel	Frequency(MHz)	Channel	Frequency(MHz)
1413	1732.6	1413	1732.6
			
Channel	Frequency(MHz)	-	-
1413	1732.6	-	-
		-	

LTE Band 4_1.4M			
Channel	Frequency(MHz)	Channel	Frequency(MHz)
20175	1732.5	20175	1732.5
			
Channel	Frequency(MHz)	-	-
20175	1732.5	-	-
		-	

LTE Band 4_5M			
Channel	Frequency(MHz)	Channel	Frequency(MHz)
20175	1732.5	20175	1732.5
			
Channel	Frequency(MHz)	-	-
20175	1732.5	-	-
		-	

LTE Band 4_20M			
Channel	Frequency(MHz)	Channel	Frequency(MHz)
20175	1732.5	20175	1732.5
			
Channel	Frequency(MHz)	-	-
20175	1732.5	-	-
		-	

LTE Band 7_5M			
Channel	Frequency(MHz)	Channel	Frequency(MHz)
21100	2535	21100	2535
			
Channel	Frequency(MHz)	-	-
21100	2535	-	-
			

LTE Band 7_10M			
Channel	Frequency(MHz)	Channel	Frequency(MHz)
21100	2535	21100	2535
			
Channel	Frequency(MHz)	-	-
21100	2535	-	-
			

LTE Band 7_20M			
Channel	Frequency(MHz)	Channel	Frequency(MHz)
21100	2535	21100	2535
			
Channel	Frequency(MHz)	-	-
21100	2535	-	-
			

LTE Band 66_1.4M			
Channel	Frequency(MHz)	Channel	Frequency(MHz)
132322	1745	132322	1745
			
Channel	Frequency(MHz)	-	-
132322	1745	-	-
			

LTE Band 66_5M			
Channel	Frequency(MHz)	Channel	Frequency(MHz)
132322	1745	132322	1745
			
Channel	Frequency(MHz)	-	-
132322	1745	-	-
		-	

LTE Band 66_20M			
Channel	Frequency(MHz)	Channel	Frequency(MHz)
132322	1745	132322	1745
			
Channel	Frequency(MHz)	-	-
132322	1745	-	-
		-	


APPENDIX D - RADIATED SPURIOUS EMISSION (9KHZ TO 30MHZ)

Note: Below 30MHz, The measured value have enough margin over 20dB than the limit, therefore they are not reported

APPENDIX E - RADIATED EMISSION (30MHZ TO 1GHZ)

Test Mode: WCDMA Band IV_TX Mode

Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		97.9000	-80.77	1.74	-79.03	-13.00	-66.03	RMS	
2		311.7850	-82.52	-1.19	-83.71	-13.00	-70.71	RMS	
3		400.5400	-82.12	0.61	-81.51	-13.00	-68.51	RMS	
4		564.4700	-81.28	3.32	-77.96	-13.00	-64.96	RMS	
5		667.2900	-80.89	4.09	-76.80	-13.00	-63.80	RMS	
6	*	745.8600	-81.83	5.62	-76.21	-13.00	-63.21	RMS	

Test Mode: WCDMA Band IV_TX Mode

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		164.8300	-79.65	-3.23	-82.88	-13.00	-69.88	RMS	
2		307.9050	-82.45	-0.67	-83.12	-13.00	-70.12	RMS	
3		436.9150	-81.88	0.75	-81.13	-13.00	-68.13	RMS	
4		538.7650	-81.38	2.74	-78.64	-13.00	-65.64	RMS	
5		587.2650	-81.24	3.84	-77.40	-13.00	-64.40	RMS	
6	*	778.3550	-81.34	6.04	-75.30	-13.00	-62.30	RMS	

Test Mode: LTE Band 4_TX Mode_20M

Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		101.2950	-81.59	2.55	-79.04	-13.00	-66.04	RMS	
2		273.9550	-82.85	-2.40	-85.25	-13.00	-72.25	RMS	
3		355.9200	-82.09	-0.21	-82.30	-13.00	-69.30	RMS	
4		523.2450	-81.57	2.10	-79.47	-13.00	-66.47	RMS	
5		638.1900	-81.64	4.10	-77.54	-13.00	-64.54	RMS	
6	*	739.5550	-81.85	5.42	-76.43	-13.00	-63.43	RMS	

Test Mode: LTE Band 4_TX Mode_20M


Horizontal



No.	Mk	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1		164.8300	-79.17	-3.23	-82.40	-13.00	-69.40	RMS	
2		312.2700	-82.15	-0.67	-82.82	-13.00	-69.82	RMS	
3		425.2750	-82.45	0.64	-81.81	-13.00	-68.81	RMS	
4		556.2250	-81.59	3.20	-78.39	-13.00	-65.39	RMS	
5		732.7650	-81.38	5.04	-76.34	-13.00	-63.34	RMS	
6	*	829.2800	-80.32	6.39	-73.93	-13.00	-60.93	RMS	

Test Mode: LTE Band 7_TX Mode_20M

Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		97.9000	-80.52	1.74	-78.78	-25.00	-53.78	RMS	
2		430.6100	-81.88	0.81	-81.07	-25.00	-56.07	RMS	
3		553.3150	-81.81	3.06	-78.75	-25.00	-53.75	RMS	
4		636.2500	-81.74	4.10	-77.64	-25.00	-52.64	RMS	
5		729.8550	-81.18	5.10	-76.08	-25.00	-51.08	RMS	
6	*	772.0500	-81.08	5.69	-75.39	-25.00	-50.39	RMS	

Test Mode: LTE Band 7_TX Mode_20M

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		163.8600	-79.82	-3.20	-83.02	-25.00	-58.02	RMS	
2		309.3600	-81.80	-0.67	-82.47	-25.00	-57.47	RMS	
3		422.8500	-82.08	0.61	-81.47	-25.00	-56.47	RMS	
4		563.9850	-80.70	3.36	-77.34	-25.00	-52.34	RMS	
5		681.3550	-80.91	4.12	-76.79	-25.00	-51.79	RMS	
6	*	782.2350	-80.64	6.11	-74.53	-25.00	-49.53	RMS	


Test Mode: LTE Band 66_ TX Mode _20M

Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		108.0850	-81.27	2.26	-79.01	-13.00	-66.01	RMS	
2		333.6100	-82.45	-0.69	-83.14	-13.00	-70.14	RMS	
3		500.9350	-81.85	1.37	-80.48	-13.00	-67.48	RMS	
4		609.0900	-81.29	4.15	-77.14	-13.00	-64.14	RMS	
5		732.2800	-81.17	5.18	-75.99	-13.00	-62.99	RMS	
6	*	776.9000	-81.30	5.67	-75.63	-13.00	-62.63	RMS	

Test Mode: LTE Band 66_ TX Mode _20M



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		163.8600	-79.96	-3.20	-83.16	-13.00	-70.16	RMS	
2		253.1000	-81.72	-1.21	-82.93	-13.00	-69.93	RMS	
3		429.6400	-82.06	0.68	-81.38	-13.00	-68.38	RMS	
4		603.2700	-81.61	4.10	-77.51	-13.00	-64.51	RMS	
5		628.4900	-81.30	4.09	-77.21	-13.00	-64.21	RMS	
6	*	755.0750	-81.83	5.61	-76.22	-13.00	-63.22	RMS	

APPENDIX F - RADIATED EMISSION (ABOVE 1GHZ)


Test Mode:	WCDMA Band IV_TX Mode
------------	-----------------------

Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		3465.200	-58.97	-6.03	-65.00	-13.00	-52.00	RMS	
2	*	5197.800	-62.68	-1.94	-64.62	-13.00	-51.62	RMS	

Test Mode: WCDMA Band IV_TX Mode



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		3465.200	-60.81	-5.97	-66.78	-13.00	-53.78	RMS	
2	*	5197.800	-62.47	-2.09	-64.56	-13.00	-51.56	RMS	

Test Mode: LTE Band 4_TX Mode _20M

Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		3447.150	-53.89	-6.14	-60.03	-13.00	-47.03	RMS	
2	*	8617.700	-57.72	2.57	-55.15	-13.00	-42.15	RMS	

Test Mode: LTE Band 4_TX Mode _20M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		3447.150	-57.89	-6.08	-63.97	-13.00	-50.97	RMS	
2	*	8617.500	-61.90	2.25	-59.65	-13.00	-46.65	RMS	


Test Mode: LTE Band 7_TX Mode _20M

Vertical




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	5051.950	-48.77	-2.33	-51.10	-25.00	-26.10	RMS	
2		7578.150	-58.63	2.22	-56.41	-25.00	-31.41	RMS	
3		10104.35	-57.35	4.98	-52.37	-25.00	-27.37	RMS	
4		12630.55	-64.28	9.61	-54.67	-25.00	-29.67	RMS	

Test Mode: LTE Band 7_TX Mode _20M



Test Mode:	LTE Band 66_TX Mode _20M
------------	--------------------------


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	3472.000	-59.90	-5.99	-65.89	-13.00	-52.89	RMS	


Test Mode:	LTE Band 66_TX Mode _20M
------------	--------------------------


Horizontal





No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
			dBm	dB	dBm	dBm	dB		
1	*	3472.000	-61.19	-5.92	-67.11	-13.00	-54.11	RMS	


APPENDIX G - BAND EDGE
















































APPENDIX H - PEAK TO AVERAGE RATIO

WCDMA Band IV Spectrum Plot_WCDMA


1312



1413




1513




LTE Band 4 _1.4M


QPSK-19957




QPSK-20175




QPSK-20393




16QAM-19957



16QAM-20175




16QAM-20393




LTE Band 4_3M


QPSK-19965




QPSK-20175




QPSK-20385




16QAM-19965



16QAM-20175




16QAM-20385




LTE Band 4_5M


QPSK-19975




QPSK-20175




QPSK-20375




16QAM-19975



16QAM-20175




16QAM-20375




LTE Band 4 _10M


QPSK-20000




QPSK-20175




QPSK-20350




16QAM-20000



16QAM-20175




16QAM-20350




LTE Band 4 _15M


QPSK-20025




QPSK-20175




QPSK-20325




16QAM-20025



16QAM-20175




16QAM-20325




LTE Band 4 _20M


QPSK-20050




QPSK-20175




QPSK-20300




16QAM-20050



16QAM-20175




16QAM-20300




LTE Band 7_5M


QPSK-20775




QPSK-21100




QPSK-21425




16QAM-20775





16QAM-21100





16QAM-21425





QPSK-21100



16QAM-20800




16QAM-21400




LTE Band 7 _15M


QPSK-20825




QPSK-21100



QPSK-21375




16QAM-20825



16QAM-21100




16QAM-21375




LTE Band 7 _20M


QPSK-20850




QPSK-21100




QPSK-21350




16QAM-20850



16QAM-21100




16QAM-21350




LTE Band 66 _1.4M


QPSK-131979




QPSK-132322




QPSK-132665




16QAM-131979



16QAM-132322




16QAM-132665




LTE Band 66_3M


QPSK-131987




QPSK-132322




QPSK-132657




16QAM-131987



16QAM-132322




16QAM-132657




LTE Band 66_5M


QPSK-131997




QPSK-132322




QPSK-132647




16QAM-131997



16QAM-132322




16QAM-132647




LTE Band 66 _10M


QPSK-132022




QPSK-132322




QPSK-132622




16QAM-132022



16QAM-132322




16QAM-132622




LTE Band 66 _15M


QPSK-132047




QPSK-132322




QPSK-132597




16QAM-132047



16QAM-132322




16QAM-132597




LTE Band 66 _20M


QPSK-132072




QPSK-132322




QPSK-132572




16QAM-132072



16QAM-132322



16QAM-132572



APPENDIX I - FREQUENCY STABILITY

Test Mode:	WCDMA Band IV _CH1638
------------	-----------------------

Temperature vs. Frequency Stability

Temperature(℃)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
-20	-4.27	0.002464504	± 2.5
-10	-5.34	0.003082073	
0	-4.49	0.002591481	
10	5.67	0.003272538	
20	3.46	0.001996999	
30	2.24	0.001292855	
40	-3.65	0.002106661	
50	-4.18	0.002412559	
Max. Deviation (ppm)	5.67	0.003272538	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.5	-5.89	0.003399515	± 2.5
3.8	-7.23	0.004172919	
3.4	-7.05	0.004069029	
Max. Deviation (ppm)	7.23	0.004172919	

Test Mode: LTE Band 4_CH20175_1.4M

Temperature vs. Frequency Stability

Temperature(℃)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
-20	5.91	0.00341164	± 2.5
-10	4.01	0.002317436	
0	6.10	0.003518868	
10	5.96	0.003441582	
20	3.25	0.001873698	
30	2.78	0.001606441	
40	5.78	0.003337122	
50	3.44	0.001984907	
Max. Deviation (ppm)	6.10	0.003518868	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.5	-4.95	-0.002857143	± 2.5
3.8	-3.27	-0.001885839	
3.4	-3.60	-0.002075739	
Max. Deviation (ppm)	-4.95	-0.002857143	

Test Mode: LTE Band 4_CH20175_3M

Temperature vs. Frequency Stability

Temperature(℃)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
-20	-3.25	-0.001873681	± 2.5
-10	3.72	0.002144952	
0	2.73	0.001573121	
10	4.12	0.002379825	
20	2.62	0.001510538	
30	-1.69	-0.000976349	
40	-2.53	-0.001457833	
50	-2.28	-0.001317306	
Max. Deviation (ppm)	4.12	0.002379825	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.5	-5.04	-0.002908321	± 2.5
3.8	1.89	0.001089518	
3.4	2.85	0.001644749	
Max. Deviation (ppm)	-5.04	-0.002908321	

Test Mode: LTE Band 4_CH20175_5M

Temperature vs. Frequency Stability

Temperature(℃)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
-20	-1.65	-0.000951348	± 2.5
-10	3.58	0.002064386	
0	-3.97	-0.002291861	
10	-1.38	-0.000794454	
20	-2.64	-0.00152329	
30	-5.94	-0.003426416	
40	-4.53	-0.002612857	
50	-4.39	-0.002533882	
Max. Deviation (ppm)	-5.94	-0.003426416	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.5	4.02	0.002322953	± 2.5
3.8	4.02	0.00231938	
3.4	-3.17	-0.001831596	
Max. Deviation (ppm)	4.02	0.002322953	

Test Mode: LTE Band 4_CH20175_10M

Temperature vs. Frequency Stability

Temperature(℃)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
-20	3.17	0.001829254	± 2.5
-10	4.93	0.00284284	
0	-2.76	-0.001592799	
10	-0.35	-0.000204734	
20	-1.80	-0.001040766	
30	-4.36	-0.002517755	
40	-3.27	-0.001885055	
50	-2.83	-0.001634879	
Max. Deviation (ppm)	4.93	0.00284284	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.5	-4.56	-0.002630757	± 2.5
3.8	5.34	0.003080778	
3.4	2.60	0.001499863	
Max. Deviation (ppm)	5.34	0.003080778	

Test Mode: LTE Band 4_CH20175_15M

Temperature vs. Frequency Stability

Temperature(℃)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
-20	4.36	0.002516519	± 2.5
-10	5.04	0.002910872	
0	-2.41	-0.00139218	
10	5.54	0.003198946	
20	-0.90	-0.000520114	
30	-4.67	-0.002694993	
40	-3.35	-0.001933423	
50	-6.46	-0.003728197	
Max. Deviation (ppm)	-6.46	-0.003728197	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.5	4.52	0.002609829	± 2.5
3.8	-2.55	-0.001474626	
3.4	-4.33	-0.002500331	
Max. Deviation (ppm)	4.52	0.002609829	

Test Mode: LTE Band 4_CH20175_20M

Temperature vs. Frequency Stability

Temperature(℃)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
-20	4.34	0.002503244	± 2.5
-10	4.79	0.002763784	
0	-2.79	-0.0016097	
10	5.23	0.003021016	
20	-1.26	-0.000727423	
30	-4.89	-0.002821802	
40	-3.25	-0.001873868	
45	-6.73	-0.003883827	
Max. Deviation (ppm)	-6.73	-0.003883827	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.5	5.97	0.00344817	± 2.5
3.8	4.32	0.002494146	
3.4	-5.31	-0.003063453	
Max. Deviation (ppm)	5.97	0.00344817	

Test Mode: LTE Band 7_CH21100_5M

Temperature vs. Frequency Stability

Temperature(℃)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
-20	-1.24	-0.000490329	± 2.5
-10	-3.87	-0.001527397	
0	-2.18	-0.000860792	
10	-5.07	-0.001999148	
20	1.56	0.000614844	
30	-5.26	-0.002074432	
40	1.18	0.000466142	
50	-5.35	-0.002110475	
Max. Deviation (ppm)	-5.35	-0.002110475	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.5	-4.25	-0.001675138	± 2.5
3.8	3.97	0.001564377	
3.4	-2.23	-0.000881539	
Max. Deviation (ppm)	-4.25	-0.001675138	

Test Mode: LTE Band 7_CH21100_10M

Temperature vs. Frequency Stability

Temperature(℃)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
-20	-1.36	-0.000537502	± 2.5
-10	4.52	0.001783215	
0	-1.83	-0.000722595	
10	3.45	0.001359703	
20	-2.96	-0.001168022	
30	-4.27	-0.001685718	
40	-4.64	-0.001828481	
50	2.43	0.000956915	
Max. Deviation (ppm)	-4.64	-0.001828481	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.5	1.11	0.00043871	± 2.5
3.8	4.48	0.001768779	
3.4	2.51	0.000989118	
Max. Deviation (ppm)	4.48	0.001768779	

Test Mode:	LTE Band 7_CH21100_15M
------------	------------------------

Temperature vs. Frequency Stability

Temperature(℃)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
-20	-4.24	-0.001673395	± 2.5
-10	-3.99	-0.001572114	
0	-2.74	-0.001079921	
10	3.82	0.001508024	
20	3.03	0.001194565	
30	-1.01	-0.000400255	
40	1.22	0.000480692	
50	3.29	0.00129634	
Max. Deviation (ppm)	-4.24	-0.001673395	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.5	-6.36	-0.002508774	± 2.5
3.8	-5.15	-0.002029739	
3.4	2.83	0.001117643	
Max. Deviation (ppm)	-6.36	-0.002508774	

Test Mode:	LTE Band 7_CH21100_20M
------------	------------------------

Temperature vs. Frequency Stability

Temperature(℃)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
-20	2.78	0.001098462	± 2.5
-10	-5.02	-0.001978488	
0	-4.11	-0.001622245	
10	2.36	0.000929877	
20	3.90	0.001537371	
30	1.81	0.000713271	
40	1.68	0.000662296	
50	2.85	0.001122976	
Max. Deviation (ppm)	-5.02	-0.001978488	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.5	-3.67	-0.001448829	± 2.5
3.8	-4.71	-0.001857729	
3.4	5.19	0.002048147	
Max. Deviation (ppm)	5.19	0.002048147	

Test Mode:	LTE Band 66_CH132322_1.4M
------------	---------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
-20	3.88	0.005546935	± 2.5
-10	-4.20	-0.006003668	
0	5.11	0.007301306	
10	-4.95	-0.007077066	
20	-1.84	-0.002631319	
30	3.12	0.004450019	
40	1.82	0.002598961	
50	-1.69	-0.002410733	
Max. Deviation (ppm)	5.11	0.007301306	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.5	-4.23	-0.006040133	± 2.5
3.8	4.51	0.006449444	
3.4	-4.30	-0.006145699	
Max. Deviation (ppm)	4.51	0.006449444	

Test Mode:	LTE Band 66_CH132322_3M
------------	-------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
-20	4.23	0.006043637	± 2.5
-10	6.65	0.009502885	
0	-3.34	-0.00477447	
10	1.27	0.001817978	
20	4.70	0.006717275	
30	1.37	0.001960037	
40	1.28	0.001824208	
50	-5.62	-0.00802522	
Max. Deviation (ppm)	6.65	0.009502885	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.5	6.18	0.008835362	± 2.5
3.8	4.97	0.007104009	
3.4	3.03	0.004331506	
Max. Deviation (ppm)	6.18	0.008835362	

Test Mode:	LTE Band 66_CH132322_5M
------------	-------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
-20	5.00	0.007147185	± 2.5
-10	4.13	0.005893159	
0	2.86	0.004087593	
10	4.05	0.005788234	
20	-5.72	-0.008177308	
30	4.00	0.005720579	
40	2.46	0.003510708	
50	-4.58	-0.006542434	
Max. Deviation (ppm)	-5.72	-0.008177308	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.5	-4.60	-0.006564286	± 2.5
3.8	-2.99	-0.004276725	
3.4	-1.83	-0.002616936	
Max. Deviation (ppm)	-4.60	-0.006564286	

Test Mode:	LTE Band 66_CH132322_10M
------------	--------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
-20	-4.95	-0.007067362	± 2.5
-10	-4.16	-0.005942767	
0	1.92	0.002742774	
10	4.37	0.006243793	
20	2.34	0.003347572	
30	-2.55	-0.00363867	
40	1.76	0.002520403	
50	-3.10	-0.004426111	
Max. Deviation (ppm)	-4.95	-0.007067362	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.5	5.13	0.007321689	± 2.5
3.8	4.89	0.006985232	
3.4	2.93	0.00418816	
Max. Deviation (ppm)	5.13	0.007321689	

Test Mode:	LTE Band 66_CH132322_15M
------------	--------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
-20	4.83	0.006906	± 2.5
-10	-5.89	-0.00841	
0	-3.57	-0.00511	
10	4.50	0.006427	
20	-4.61	-0.00659	
30	-4.03	-0.00576	
40	3.99	0.005694	
50	4.09	0.005847	
Max. Deviation (ppm)	-5.89	-0.00841	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.5	-5.81	-0.0083	± 2.5
3.8	2.51	0.003582	
3.4	2.66	0.003805	
Max. Deviation (ppm)	-5.81	-0.0083	

Test Mode:	LTE Band 66_CH132322_20M
------------	--------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
-20	2.24	0.0032	± 2.5
-10	1.14	0.001624	
0	2.93	0.00418	
10	-7.05	-0.01007	
20	3.87	0.005533	
30	3.63	0.005181	
40	3.99	0.005703	
50	4.90	0.007006	
Max. Deviation (ppm)	-7.05	-0.01007	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.5	-3.11	-0.00444	± 2.5
3.8	-3.04	-0.00434	
3.4	2.69	0.003839	
Max. Deviation (ppm)	-3.11	-0.00444	

End of Test Report