


Annex 3. Occupied Bandwidth


1. GSM_GSM850

1.1. GSM Occupied Bandwidth(NTNV)(Channel:128)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
824.2	99	26	0.004	Peak	0.239	0.298	0.3	Pass



1.2. GSM Occupied Bandwidth(NTNV)(Channel:190)



1.3. GSM Occupied Bandwidth(NTNV)(Channel:251)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
848.8	99	26	0.004	Peak	0.235	0.3	0.3	Pass

Agilent

Ch Freq 848.8 MHz Trig Free

Occupied Bandwidth Averages: 8

Ref 30 dBm #Atten 40 dB

Center 848.800 0 MHz Span 2 MHz

#Res BW 3.9 kHz #VBW 12 kHz #Sweep 10 s (2564 pts)

Freq/Channel

Center Freq 848.800000 MHz

Start Freq 847.800000 MHz

Stop Freq 849.800000 MHz

CF Step 200.000000 kHz
Auto Man

Freq Offset 0.00000000 Hz

Signal Track On Off


Occupied Bandwidth	Occ BW % Pwr 99.00 %
235.3798 kHz	x dB -26.00 dB
Transmit Freq Error -759.762 Hz	
x dB Bandwidth 300.315 kHz	

Copyright 2000-2012 Agilent Technologies

2. GSM_PCS


2.1. GSM Occupied Bandwidth(NTNV)(Channel:512)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1850.2	99	26	0.004	Peak	0.239	0.296	0.3	Pass



2.2. GSM Occupied Bandwidth(NTNV)(Channel:661)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.004	Peak	0.238	0.3	0.3	Pass



2.3. GSM Occupied Bandwidth(NTNV)(Channel:810)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1909.8	99	26	0.004	Peak	0.238	0.307	0.3	Pass

Agilent

Ch Freq 1.9098 GHz Trig Free

Occupied Bandwidth Averages: 8

Ref 30 dBm #Atten 40 dB

Center 1.909 800 0 GHz Span 2 MHz

#Res BW 3.9 kHz #VBW 12 kHz #Sweep 10 s (2564 pts)

Freq/Channel

Center Freq 1.90980000 GHz

Start Freq 1.90880000 GHz

Stop Freq 1.91080000 GHz

CF Step 200.000000 kHz
Auto Man

Freq Offset 0.00000000 Hz

Signal Track On Off

Occupied Bandwidth Occ BW % Pwr 99.00 %

238.1040 kHz x dB -26.00 dB

Transmit Freq Error -1.329 kHz


x dB Bandwidth 306.854 kHz

Copyright 2000-2012 Agilent Technologies


3. LTE_Band2

3.1. LTE Occupied Bandwidth(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1850.7	99	26	0.027	Peak	1.084	1.437	1.4	Pass




3.2. LTE Occupied Bandwidth(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)



3.3. LTE Occupied Bandwidth(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.027	Peak	1.089	1.43	1.4	Pass




3.4. LTE Occupied Bandwidth(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)




3.5. LTE Occupied Bandwidth(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)




3.6. LTE Occupied Bandwidth(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)




3.7. LTE Occupied Bandwidth(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)




3.8. LTE Occupied Bandwidth(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)



3.9. LTE Occupied Bandwidth(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)




3.10. LTE Occupied Bandwidth(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)




3.11. LTE Occupied Bandwidth(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)



3.12. LTE Occupied Bandwidth(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)



3.13. LTE Occupied Bandwidth(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)



3.14. LTE Occupied Bandwidth(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)



3.15. LTE Occupied Bandwidth(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)



3.16. LTE Occupied Bandwidth(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.1	Peak	4.478	5.036	5	Pass

Agilent

Ch Freq 1.88 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.31 dBm #Atten 30 dB

#Peak

Log 10

dB/Offst 9.31 dB

Center 1.880 000 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
4.4783 MHz	x dB	-26.00 dB
Transmit Freq Error	-2.820 kHz	
x dB Bandwidth	5.036 MHz	

Copyright 2000-2012 Agilent Technologies

Freq/Channel

Center Freq
1.88000000 GHz

Start Freq
1.87500000 GHz


Stop Freq
1.88500000 GHz

CF Step
1.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off


3.17. LTE Occupied Bandwidth(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)




3.18. LTE Occupied Bandwidth(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)




3.19. LTE Occupied Bandwidth(NTNV)(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)



3.20. LTE Occupied Bandwidth(NTNV)(Subtest:20, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)




3.21. LTE Occupied Bandwidth(NTNV)(Subtest:21, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)




3.22. LTE Occupied Bandwidth(NTNV)(Subtest:22, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)




3.23. LTE Occupied Bandwidth(NTNV)(Subtest:23, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)




3.24. LTE Occupied Bandwidth(NTNV)(Subtest:24, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)




3.25. LTE Occupied Bandwidth(NTNV)(Subtest:25, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)



3.26. LTE Occupied Bandwidth(NTNV)(Subtest:26, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




3.27. LTE Occupied Bandwidth(NTNV)(Subtest:27, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)



4. LTE_Band4

4.1. LTE Occupied Bandwidth(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)



4.2. LTE Occupied Bandwidth(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)




4.3. LTE Occupied Bandwidth(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)




4.4. LTE Occupied Bandwidth(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.027	Peak	1.088	1.436	1.4	Pass



4.5. LTE Occupied Bandwidth(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)




4.6. LTE Occupied Bandwidth(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)



4.7. LTE Occupied Bandwidth(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)




4.8. LTE Occupied Bandwidth(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)




4.9. LTE Occupied Bandwidth(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)




4.10. LTE Occupied Bandwidth(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)



4.11. LTE Occupied Bandwidth(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)




4.12. LTE Occupied Bandwidth(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)




4.13. LTE Occupied Bandwidth(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)



4.14. LTE Occupied Bandwidth(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)



4.15. LTE Occupied Bandwidth(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)




4.16. LTE Occupied Bandwidth(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)




4.17. LTE Occupied Bandwidth(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)




4.18. LTE Occupied Bandwidth(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)



4.19. LTE Occupied Bandwidth(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)



4.20. LTE Occupied Bandwidth(NTNV)(Subtest:20, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)




4.21. LTE Occupied Bandwidth(NTNV)(Subtest:21, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)



4.22. LTE Occupied Bandwidth(NTNV)(Subtest:22, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1717.5	99	26	0.3	Peak	13.526	16.676	15	Pass



4.23. LTE Occupied Bandwidth(NTNV)(Subtest:23, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.3	Peak	13.446	16.63	15	Pass

Agilent

Ch Freq 1.7325 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.16 dBm #Atten 30 dB

Center 1.732 50 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 1 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

13.4455 MHz x dB -26.00 dB

Transmit Freq Error 1.196 kHz

x dB Bandwidth 16.630 MHz

Copyright 2000-2012 Agilent Technologies

Freq/Channel

Center Freq
1.73250000 GHz

Start Freq
1.71750000 GHz

Stop Freq
1.74750000 GHz

CF Step
3.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

4.24. LTE Occupied Bandwidth(NTNV)(Subtest:24, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1747.5	99	26	0.3	Peak	13.497	16.514	15	Pass

Agilent

Ch Freq 1.7475 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.19 dBm #Atten 30 dB

Center 1.747 50 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 1 s (500 pts)

Freq/Channel

Center Freq 1.74750000 GHz

Start Freq 1.73250000 GHz

Stop Freq 1.76250000 GHz

CF Step 3.00000000 MHz
Auto Man

Freq Offset 0.00000000 Hz

Signal Track On Off

Occupied Bandwidth Occ BW % Pwr 99.00 %

13.4975 MHz x dB -26.00 dB


Transmit Freq Error -33.657 kHz

x dB Bandwidth 16.514 MHz

Copyright 2000-2012 Agilent Technologies


4.25. LTE Occupied Bandwidth(NTNV)(Subtest:25, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1720	99	26	0.39	Peak	17.945	21.116	20	Pass



4.26. LTE Occupied Bandwidth(NTNV)(Subtest:26, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.39	Peak	17.912	20.526	20	Pass



4.27. LTE Occupied Bandwidth(NTNV)(Subtest:27, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.39	Peak	17.959	21.196	20	Pass

Agilent

Ch Freq 1.745 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.18 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 9.18 dB

Center 1.745 00 GHz Span 40 MHz

#Res BW 390 kHz #VBW 1.2 MHz #Sweep 1 s (512 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

17.9589 MHz x dB -26.00 dB

Transmit Freq Error -64.789 kHz

x dB Bandwidth 21.196 MHz

Copyright 2000-2012 Agilent Technologies

Freq/Channel

Center Freq 1.74500000 GHz

Start Freq 1.72500000 GHz

Stop Freq 1.76500000 GHz


CF Step 4.00000000 MHz Auto Man

Freq Offset 0.00000000 Hz

Signal Track On Off

5. LTE_Band5

5.1. LTE Occupied Bandwidth(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)



5.2. LTE Occupied Bandwidth(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)



5.3. LTE Occupied Bandwidth(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)



5.4. LTE Occupied Bandwidth(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)



5.5. LTE Occupied Bandwidth(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)



5.6. LTE Occupied Bandwidth(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)



5.7. LTE Occupied Bandwidth(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
825.5	99	26	0.062	Peak	2.687	3.135	3	Pass

Agilent

Ch Freq 825.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 27.49 dBm #Atten 30 dB

Center 825.500 MHz Span 6 MHz

#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

2.6872 MHz

x dB -26.00 dB

Transmit Freq Error 3.320 kHz

x dB Bandwidth 3.135 MHz

Copyright 2000-2012 Agilent Technologies

Freq/Channel

Center Freq
825.500000 MHz

Start Freq
822.500000 MHz


Stop Freq
828.500000 MHz

CF Step
600.000000 kHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

5.8. LTE Occupied Bandwidth(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)



5.9. LTE Occupied Bandwidth(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)



5.10. LTE Occupied Bandwidth(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.062	Peak	2.684	3.22	3	Pass

Agilent

Ch Freq 836.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 27.44 dBm #Atten 30 dB

Center 836.500 MHz Span 6 MHz

#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

2.6842 MHz

x dB -26.00 dB

Transmit Freq Error -2.842 kHz

x dB Bandwidth 3.220 MHz

Copyright 2000-2012 Agilent Technologies

Freq/Channel

Center Freq
836.500000 MHz

Start Freq
833.500000 MHz

Stop Freq
839.500000 MHz

CF Step
600.000000 kHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

5.11. LTE Occupied Bandwidth(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
847.5	99	26	0.062	Peak	2.687	3.191	3	Pass

Agilent

Ch Freq 847.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 27.44 dBm #Atten 30 dB

Center 847.500 MHz Span 6 MHz

#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

2.6873 MHz x dB -26.00 dB

Transmit Freq Error -2.290 kHz

x dB Bandwidth 3.191 MHz

Copyright 2000-2012 Agilent Technologies

Freq/Channel

Center Freq 847.500000 MHz

Start Freq 844.500000 MHz

Stop Freq 850.500000 MHz

CF Step 600.000000 kHz
Auto Man

Freq Offset 0.00000000 Hz

Signal Track On Off

5.12. LTE Occupied Bandwidth(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)



5.13. LTE Occupied Bandwidth(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)




5.14. LTE Occupied Bandwidth(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)



5.15. LTE Occupied Bandwidth(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)



5.16. LTE Occupied Bandwidth(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)



5.17. LTE Occupied Bandwidth(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
846.5	99	26	0.1	Peak	4.463	5.043	5	Pass

Agilent

Ch Freq 846.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 27.44 dBm #Atten 30 dB

Center 846.500 MHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

4.4628 MHz x dB -26.00 dB

Transmit Freq Error -8.141 kHz

x dB Bandwidth 5.043 MHz

Copyright 2000-2012 Agilent Technologies

Freq/Channel

Center Freq 846.500000 MHz

Start Freq 841.500000 MHz

Stop Freq 851.500000 MHz


CF Step 1.00000000 MHz

Auto Man


Freq Offset 0.00000000 Hz

Signal Track On Off


5.18. LTE Occupied Bandwidth(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)




5.19. LTE Occupied Bandwidth(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)



5.20. LTE Occupied Bandwidth(NTNV)(Subtest:20, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)



5.21. LTE Occupied Bandwidth(NTNV)(Subtest:21, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)




6. LTE_Band7


6.1. LTE Occupied Bandwidth(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)



6.2. LTE Occupied Bandwidth(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)



6.3. LTE Occupied Bandwidth(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)




6.4. LTE Occupied Bandwidth(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)




6.5. LTE Occupied Bandwidth(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)




6.6. LTE Occupied Bandwidth(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)




6.7. LTE Occupied Bandwidth(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)



6.8. LTE Occupied Bandwidth(NTNV)(Subtest:8, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)



6.9. LTE Occupied Bandwidth(NTNV)(Subtest:9, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)



6.10. LTE Occupied Bandwidth(NTNV)(Subtest:10, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2507.5	99	26	0.3	Peak	13.475	16.021	15	Pass

Agilent

Ch Freq 2.5075 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 2.507 50 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 1 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

13.4754 MHz x dB -26.00 dB

Transmit Freq Error -27.115 kHz

x dB Bandwidth 16.021 MHz

Copyright 2000-2012 Agilent Technologies

Freq/Channel

Center Freq 2.50750000 GHz

Start Freq 2.49250000 GHz

Stop Freq 2.52250000 GHz

CF Step 3.00000000 MHz
Auto Man

Freq Offset 0.00000000 Hz

Signal Track On Off

6.11. LTE Occupied Bandwidth(NTNV)(Subtest:11, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.3	Peak	13.507	16.361	15	Pass

6.12. LTE Occupied Bandwidth(NTNV)(Subtest:12, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2562.5	99	26	0.3	Peak	13.528	16.832	15	Pass

Agilent

Ch Freq 2.5625 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 2.562 50 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 1 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

13.5277 MHz x dB -26.00 dB

Transmit Freq Error -45.149 kHz

x dB Bandwidth 16.832 MHz

Copyright 2000-2012 Agilent Technologies

Freq/Channel

Center Freq
2.56250000 GHz

Start Freq
2.54750000 GHz

Stop Freq
2.57750000 GHz

CF Step
3.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off


6.13. LTE Occupied Bandwidth(NTNV)(Subtest:13, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2510	99	26	0.39	Peak	17.919	20.996	20	Pass

The screenshot displays the Agilent spectrum analyzer interface. The main display shows a spectrum plot with a yellow trace. The plot is set to a center frequency of 2.51 GHz and a span of 40 MHz. The vertical axis is labeled 'dB' and the horizontal axis is labeled 'MHz'. The plot shows a signal with a peak at approximately 2.51 GHz. The 'Occupied Bandwidth' is highlighted in a green box, showing a value of 17.9190 MHz. The 'Occ BW % Pwr' is 99.00% and the 'x dB' is -26.00 dB. The 'Transmit Freq Error' is -69.566 kHz and the 'x dB Bandwidth' is 20.996 MHz. The 'Copyright 2000-2012 Agilent Technologies' is displayed at the bottom of the screen.

Freq/Channel	
Center Freq	2.51000000 GHz
Start Freq	2.49000000 GHz
Stop Freq	2.53000000 GHz
CF Step	4.00000000 MHz Auto Man
Freq Offset	0.00000000 Hz
Signal Track	On Off

6.14. LTE Occupied Bandwidth(NTNV)(Subtest:14, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)



6.15. LTE Occupied Bandwidth(NTNV)(Subtest:15, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2560	99	26	0.39	Peak	18.068	21.213	20	Pass

The screenshot displays the Agilent spectrum analyzer interface. The main display shows a spectrum plot with a yellow trace. The plot is set to a center frequency of 2.56 GHz and a span of 40 MHz. The vertical axis is labeled 'dB/Offst' and the horizontal axis is labeled 'Span 40 MHz'. The plot shows a signal with a peak at approximately 2.56 GHz. The 'Occupied Bandwidth' is highlighted in a green box and reads 18.0675 MHz. The 'Occ BW % Pwr' is 99.00% and the 'x dB' is -26.00 dB. The 'Transmit Freq Error' is -70.010 kHz and the 'x dB Bandwidth' is 21.213 MHz. The 'Copyright 2000-2012 Agilent Technologies' is displayed at the bottom.

Freq/Channel	
Center Freq	2.56000000 GHz
Start Freq	2.54000000 GHz
Stop Freq	2.58000000 GHz
CF Step	4.00000000 MHz Auto Man
Freq Offset	0.00000000 Hz
Signal Track	On Off

END