

Appendix B: Test Results of Radiation Spurious Emissions & Mains

Conducted Emission

Band Edges, 4.5GHz ~ 5.15GHz


U-NII-1

802.11a

CH 36 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5149.83	56.72	14.35	42.37	74.00	-17.28	336	345	Peak	Horizontal	
2 *	5180.00	108.17	65.71	42.46	74.00	34.17	336	345	Peak	Horizontal	
3	5455.28	52.98	9.96	43.02	74.00	-21.02	336	345	Peak	Horizontal	

CH 36 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5149.33	63.13	20.76	42.37	74.00	-10.87	183	223	Peak	Vertical	
2 *	5180.00	111.01	68.55	42.46	74.00	37.01	183	186	Peak	Vertical	
3	5402.88	54.09	11.30	42.79	74.00	-19.91	183	186	Peak	Vertical	

802.11a

CH 36 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5149.83	45.86	3.49	42.37	54.00	-8.14	336	345	Average	Horizontal		
2 *	5180.00	99.05	56.59	42.46	54.00	45.05	336	345	Average	Horizontal		
3	5455.28	41.51	-1.51	43.02	54.00	-12.49	336	345	Average	Horizontal		

CH 36 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5149.33	52.59	10.22	42.37	54.00	-1.41	103	223	Average	Vertical		
2 *	5180.00	102.73	60.27	42.46	54.00	48.73	103	103	Average	Vertical		
3	5402.88	43.10	0.31	42.79	54.00	-10.90	103	103	Average	Vertical		

802.11a

CH 40 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Read		Limit		Over	APos	TPos	Remark	Pol/Phase	Note
		Level	Factor	Line	Limit						
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5150.00	57.79	15.42	42.37	74.00	-16.21	352	342	Peak	Horizontal	
2	5200.00	107.22	64.71	42.51	74.00	33.22	352	342	Peak	Horizontal	
3	5449.00	57.54	14.53	43.01	74.00	-16.46	352	342	Peak	Horizontal	

802.11a

CH 40 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5150.00	44.18	1.81	42.37	54.00	-9.82	352	342	Average	Horizontal		
2 *	5200.00	97.83	55.32	42.51	54.00	43.83	352	342	Average	Horizontal		
3	5449.00	43.58	0.57	43.01	54.00	-10.42	352	342	Average	Horizontal		

CH 40 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5150.00	49.56	7.19	42.37	54.00	-4.44	183	185	Average	Vertical		
2 *	5200.00	101.75	59.25	42.51	54.00	47.75	183	185	Average	Vertical		
3	5415.00	44.63	1.78	42.85	54.00	-9.37	183	185	Average	Vertical		

802.11a

CH 48 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5126.58	56.58	14.23	42.35	74.00	-17.42	348	342	Peak	Horizontal	
2 *	5240.00	106.44	63.90	42.54	74.00	32.44	348	342	Peak	Horizontal	
3	5448.00	57.01	14.01	43.00	74.00	-16.99	348	342	Peak	Horizontal	

CH 48 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5130.50	57.22	14.86	42.36	74.00	-16.78	186	186	Peak	Vertical	
2 *	5242.00	109.75	67.20	42.55	74.00	35.75	186	186	Peak	Vertical	
3	5451.00	56.95	13.93	43.02	74.00	-17.05	186	186	Peak	Vertical	

802.11a

CH 48 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5126.50	43.70	1.35	42.35	54.00	-10.30	348	342	Average	Horizontal	
2 *	5240.00	96.26	53.72	42.54	54.00	42.26	348	342	Average	Horizontal	
3	5448.00	43.59	0.59	43.00	54.00	-10.41	348	342	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5130.50	44.04	1.68	42.36	54.00	-9.96	186	186	Average	Vertical	
2 *	5240.00	99.74	57.20	42.54	54.00	45.74	186	186	Average	Vertical	
3	5451.00	44.64	1.62	43.02	54.00	-9.36	186	186	Average	Vertical	

802.11n HT20

CH 36 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5149.33	60.34	17.97	42.37	74.00	-13.66	359	333 Peak	Horizontal	
2 *	5100.00	107.50	65.04	42.46	74.00	33.50	359	333 Peak	Horizontal	
3	5451.29	51.64	8.62	43.02	74.00	-22.36	359	333 Peak	Horizontal	

CH 36 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5149.83	63.91	21.54	42.37	74.00	-10.09	103	221 Peak	Vertical	
2 *	5100.00	110.06	67.00	42.46	74.00	36.06	103	221 Peak	Vertical	
3	5394.39	52.88	10.11	42.77	74.00	-21.12	103	221 Peak	Vertical	

802.11n HT20

CH 36 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Line	Limit	Over	Limit	Apos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dB/m	dBuV/m	dB	cm	deg		
1	5149.33	49.41	7.04	42.37	54.00	-4.59	359	333 Average
2	5180.00	96.77	54.31	42.46	54.00	42.77	359	333 Average
3	5451.29	42.10	-0.92	43.02	54.00	-11.90	359	333 Average

CH 36 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Line	Limit	Over	Limit	Apos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dB/m	dBuV/m	dB	cm	deg		
1	5149.83	52.08	10.61	42.37	54.00	-1.02	183	221 Average
2	5180.00	99.45	56.99	42.46	54.00	45.45	183	221 Average
3	5394.39	42.64	-0.13	42.77	54.00	-11.36	183	221 Average

802.11n HT20

CH 40 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5146.00	54.69	12.32	42.37	74.00	-19.31	377	336	Peak	Horizontal		
2 *	5200.00	105.55	63.04	42.51	74.00	31.55	377	336	Peak	Horizontal		
3	5439.50	53.28	10.31	42.97	74.00	-20.72	377	336	Peak	Horizontal		

CH 40 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5145.50	54.83	12.46	42.37	74.00	-19.17	100	220	Peak	Vertical		
2 *	5200.00	109.85	67.34	42.51	74.00	35.85	100	220	Peak	Vertical		
3	5421.00	54.54	11.67	42.87	74.00	-19.46	100	220	Peak	Vertical		

802.11n HT20

CH 40 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5146.00	44.96	2.59	42.37	54.00	-9.04	377	336	Average	Horizontal	
2 *	5200.00	95.70	53.19	42.51	54.00	41.70	377	336	Average	Horizontal	
3	5439.50	43.89	0.92	42.97	54.00	-10.11	377	336	Average	Horizontal	

CH 40 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5145.50	45.69	3.32	42.37	54.00	-8.31	100	220	Average	Vertical	
2 *	5200.00	98.22	55.71	42.51	54.00	44.22	100	220	Average	Vertical	
3	5421.00	44.30	1.43	42.87	54.00	-9.70	100	220	Average	Vertical	

802.11n HT20

CH 48 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




		Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
		MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1		5123.00	54.74	12.39	42.35	74.00	-19.26	393	169	Peak	Horizontal
2	*	5240.00	107.81	65.27	42.54	74.00	33.81	393	169	Peak	Horizontal
3		5350.00	56.39	13.66	42.73	74.00	-17.61	393	169	Peak	Horizontal

802.11n HT20


CH 48 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11n HT40

CH 38 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5149.83	54.52	12.15	42.37	74.00	-19.48	400	354	Peak	Horizontal		
2 *	5198.00	98.74	56.26	42.48	74.00	24.74	400	354	Peak	Horizontal		
3	5398.88	50.94	8.17	42.77	74.00	-23.06	400	354	Peak	Horizontal		

CH 38 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5149.83	62.34	19.97	42.37	74.00	-11.66	115	227	Peak	Vertical		
2 *	5198.00	103.80	61.32	42.48	74.00	29.80	115	227	Peak	Vertical		
3	5459.27	51.74	8.72	43.02	74.00	-22.26	115	227	Peak	Vertical		

802.11n HT40


CH 38 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11n HT40

CH 46 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Read		Limit		Over	Apos	Tpos	Remark	Pol/Phase	Note
		Level	Factor	Line	Limit						
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5142.50	54.64	12.27	42.37	74.00	-19.36	375	333	Peak	Horizontal	
2	5230.00	102.83	60.29	42.54	74.00	28.83	375	333	Peak	Horizontal	
*	5364.50	54.14	11.39	42.75	74.00	-19.86	375	333	Peak	Horizontal	

CH 46 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBu/m	dBu	dB/m	dBu/m	dB	cm	deg			
1	5149.00	57.19	14.82	42.37	74.00	-16.81	101	308	Peak	Vertical	
2	* 5230.00	107.81	65.27	42.54	74.00	33.81	101	308	Peak	Vertical	
3	5427.50	54.14	11.23	42.91	74.00	-19.86	101	308	Peak	Vertical	


	Freq	Level	Lead	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	Hz	dBuV/m	Factor	Line	Limit	dB	cm	deg		
1	5149.00	46.40	4.03	42.37	54.00	-7.60	101	308	Average	Vertical
2	5230.00	96.50	54.02	42.94	54.00	42.56	101	308	Average	Vertical
3	5427.50	44.37	1.46	42.51	54.00	-9.63	101	308	Average	Vertical

802.11ac VHT80

CH 42 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Level	Factor	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5149.5000	56.88	14.43	42.37	74.00	-17.20	276	35	Peak	Horizontal		
2	*5210.0000	93.11	50.59	42.52	74.00	19.11	276	35	Peak	Horizontal		
3	5431.5000	56.65	13.72	42.93	74.00	-17.35	276	35	Peak	Horizontal		

CH 42 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Level	Factor	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5125.0000	60.53	18.18	42.35	74.00	-13.47	112	184	Peak	Vertical		
2	*5210.0000	96.89	54.37	42.52	74.00	22.89	112	184	Peak	Vertical		
3	5357.0000	55.85	13.11	42.74	74.00	-18.15	112	184	Peak	Vertical		

802.11ac VHT80

CH 42 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5134.5000	47.66	5.30	42.36	54.00	-6.34	276	35	Average	Horizontal		
2	*5210.0000	84.92	42.40	42.52	54.00	30.92	276	35	Average	Horizontal		
3	5377.5000	47.75	4.99	42.76	54.00	-6.25	276	35	Average	Horizontal		

CH 42 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5125.0000	52.25	9.90	42.35	54.00	-1.75	112	184	Average	Vertical		
2	*5210.0000	89.10	46.58	42.52	54.00	35.10	112	184	Average	Vertical		
3	5357.5000	47.26	4.52	42.74	54.00	-6.74	112	184	Average	Vertical		

Band Edges, 5.35GHz

U-NII-2A


802.11a

CH 52 (Horizontal) Peak

CH 52 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5138.50	57.60	15.24	42.36	74.00	-16.40	327	147	Peak	Horizontal	
2 *	5260.00	104.18	61.60	42.58	74.00	30.18	327	147	Peak	Horizontal	
3	5455.50	56.82	13.80	43.02	74.00	-17.18	327	147	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5137.50	56.97	14.61	42.36	74.00	-17.03	100	40	Peak	Vertical	
2 *	5260.00	109.24	66.66	42.58	74.00	35.24	100	40	Peak	Vertical	
3	5368.00	56.68	13.93	42.75	74.00	-17.32	100	40	Peak	Vertical	

802.11a


CH 52 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11a

CH 60 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5145.00	56.39	14.02	42.37	74.00	-17.61	254	344	Peak	Horizontal		
2 *	5300.00	103.58	60.89	42.69	74.00	29.58	254	344	Peak	Horizontal		
3	5431.50	56.77	13.84	42.93	74.00	-17.23	254	344	Peak	Horizontal		

CH 60 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5133.50	56.13	13.77	42.36	74.00	-17.87	100	194	Peak	Vertical		
2 *	5300.00	106.16	63.47	42.69	74.00	32.16	100	194	Peak	Vertical		
3	5352.50	56.77	14.03	42.74	74.00	-17.23	100	194	Peak	Vertical		

802.11a

CH 60 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5145.00	43.73	1.36	42.37	54.00	-10.27	254	344	Average	Horizontal	
2 *	5300.00	93.90	51.21	42.69	54.00	39.90	254	344	Average	Horizontal	
3	5431.50	43.77	0.84	42.93	54.00	-10.23	254	344	Average	Horizontal	

CH 60 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5133.50	43.61	1.25	42.36	54.00	-10.39	100	194	Average	Vertical	
2 *	5300.00	96.88	54.19	42.69	54.00	42.88	100	194	Average	Vertical	
3	5352.50	44.04	1.30	42.74	54.00	-9.96	100	194	Average	Vertical	

802.11a

CH 64 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5144.00	56.60	14.23	42.37	74.00	-17.40	276	346	Peak	Horizontal	
2 *	5320.00	104.04	62.13	42.71	74.00	30.04	276	346	Peak	Horizontal	
3	5351.00	57.16	14.43	42.73	74.00	-16.84	276	346	Peak	Horizontal	

CH 64 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5104.50	56.46	14.13	42.33	74.00	-17.54	243	20	Peak	Vertical	
2 *	5320.00	109.44	66.73	42.71	74.00	35.44	243	20	Peak	Vertical	
3	5350.00	59.79	17.06	42.73	74.00	-14.21	243	20	Peak	Vertical	

802.11a

CH 64 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5144.00	43.61	1.24	42.37	54.00	-10.39	276	346	Average	Horizontal		
2 *	5320.00	95.10	52.39	42.71	54.00	41.10	276	346	Average	Horizontal		
3	5351.00	44.85	2.12	42.73	54.00	-9.15	276	346	Average	Horizontal		

CH 64 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5104.50	43.83	1.50	42.33	54.00	-10.17	243	20	Average	Vertical		
2 *	5320.00	100.90	58.19	42.71	54.00	46.90	243	20	Average	Vertical		
3	5350.00	47.66	4.93	42.73	54.00	-6.34	243	20	Average	Vertical		

802.11n HT20

CH 52 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Factor	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5135.50	56.56	14.20	42.36	74.00	-17.44	375	48	Peak	Horizontal	
2 *	5268.00	106.48	63.90	42.58	74.00	32.48	375	48	Peak	Horizontal	
3	5368.50	56.86	14.11	42.75	74.00	-17.14	375	48	Peak	Horizontal	

CH 52 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Factor	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5147.00	56.76	14.39	42.37	74.00	-17.24	100	185	Peak	Vertical	
2 *	5268.00	110.65	68.07	42.58	74.00	36.65	100	185	Peak	Vertical	
3	5375.50	57.60	14.85	42.75	74.00	-16.40	100	185	Peak	Vertical	

802.11n HT20


CH 52 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11n HT20

CH 60 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5118.50	54.87	12.52	42.35	74.00	-19.13	342	346	Peak	Horizontal	
2 *	5300.00	100.13	65.44	42.69	74.00	34.13	342	346	Peak	Horizontal	
3	5355.50	55.00	12.26	42.74	74.00	-19.00	342	346	Peak	Horizontal	

CH 60 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5139.00	54.42	12.06	42.36	74.00	-19.58	100	186	Peak	Vertical	
2 *	5300.00	110.79	68.10	42.69	74.00	36.79	100	186	Peak	Vertical	
3	5355.00	57.35	14.61	42.74	74.00	-16.65	100	186	Peak	Vertical	

802.11n HT20

CH 60 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5118.50	44.06	1.71	42.35	54.00	-9.94	342	346	Average	Horizontal	
2 *	5300.00	95.44	52.75	42.69	54.00	41.44	342	346	Average	Horizontal	
3	5355.50	44.46	1.72	42.74	54.00	-9.54	342	346	Average	Horizontal	

CH 60 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5139.00	44.47	2.11	42.36	54.00	-9.53	100	186	Average	Vertical	
2 *	5300.00	99.51	56.82	42.69	54.00	45.51	100	186	Average	Vertical	
3 !	5355.00	53.62	10.88	42.74	54.00	-0.38	100	186	Average	Vertical	

802.11n HT20

CH 64 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




		Freq	Level	Read	Level	Limit	Over	Apos	Tpos	Remark	Pol/Phase	Note
		MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1		5149.00	51.22	8.85	42.37	74.00	-22.78	376	149	Peak	Horizontal	
2	*	5320.00	106.71	64.00	42.71	74.00	32.71	376	149	Peak	Horizontal	
3		5350.00	58.98	16.25	42.73	74.00	-15.02	376	149	Peak	Horizontal	

802.11n HT20

CH 64 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5149.00	41.47	-0.90	42.37	54.00	-12.53	376	149	Average	Horizontal		
2 *	5328.00	96.21	53.50	42.71	54.00	42.21	376	149	Average	Horizontal		
3	5358.00	46.70	3.97	42.73	54.00	-7.30	376	149	Average	Horizontal		

CH 64 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5149.00	42.09	-0.28	42.37	54.00	-11.91	227	140	Average	Vertical		
2 *	5328.00	99.76	57.05	42.71	54.00	45.76	227	140	Average	Vertical		
3 !	5358.00	52.02	9.29	42.73	54.00	-1.98	227	20	Average	Vertical		

802.11n HT40

CH 54 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5135.50	56.04	13.68	42.36	74.00	-17.96	388	348	Peak	Horizontal		
2 *	5270.00	103.09	60.48	42.61	74.00	29.09	388	348	Peak	Horizontal		
3	5354.00	54.93	12.19	42.74	74.00	-19.07	388	348	Peak	Horizontal		

CH 54 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5147.50	55.07	13.50	42.37	74.00	-18.13	100	308	Peak	Vertical		
2 *	5270.00	107.37	64.76	42.61	74.00	33.37	100	308	Peak	Vertical		
3	5350.50	55.53	12.00	42.73	74.00	-18.47	100	308	Peak	Vertical		

802.11n HT40


CH 54 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Lead Level	Factor	Limit	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5113.00	52.05	9.71	42.34	74.00	-21.95	232	20 Peak	Vertical		
2	5310.00	106.55	63.05	42.70	74.00	32.55	232	20 Peak	Vertical		
3	5350.00	66.00	23.35	42.73	74.00	-7.92	232	20 Peak	Vertical		

802.11n HT40

CH 62 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5148.50	41.39	-0.98	42.37	54.00	-12.61	375	148	Average	Horizontal		
2 *	5318.00	92.20	49.50	42.70	54.00	38.20	375	148	Average	Horizontal		
3	5350.50	46.46	3.73	42.73	54.00	-7.54	375	148	Average	Horizontal		

CH 62 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5113.00	43.01	0.67	42.34	54.00	-10.99	232	20	Average	Vertical		
2 *	5318.00	95.42	52.72	42.70	54.00	41.42	232	20	Average	Vertical		
3 !	5350.00	53.40	10.67	42.73	54.00	-0.60	238	20	Average	Vertical		

802.11ac VHT80

CH 58 (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



CH 58 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ac VHT80

CH 58 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5134.5000	47.50	5.14	42.36	54.00	-6.50	280	137	Average	Horizontal		
2	*5290.0000	86.77	44.11	42.66	54.00	32.77	280	137	Average	Horizontal		
3	5387.0000	47.77	5.01	42.76	54.00	-6.23	280	137	Average	Horizontal		

CH 58 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5136.5000	47.35	4.99	42.36	54.00	-6.65	187	179	Average	Vertical		
2	*5290.0000	93.27	50.61	42.66	54.00	39.27	187	179	Average	Vertical		
3	5385.0000	52.41	9.65	42.76	54.00	-1.59	180	185	Average	Vertical		

Band Edges, 5.3GHz ~ 5.47GHz, 5.725GHz

U-NII-2C


802.11a

CH 100 (Horizontal) Peak

CH 100 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5469.00	56.17	13.15	43.02	68.20	-12.03	400	201	Peak	Horizontal		
2	5467.50	55.98	15.95	43.03	68.20	-9.22	400	201	Peak	Horizontal		
3 *	5500.00	104.56	61.51	43.05	68.20	36.36	400	201	Peak	Horizontal		
4	5736.50	57.00	14.40	43.40	68.20	-10.40	400	201	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5459.00	61.36	18.34	43.02	74.00	-12.64	122	17	Peak	Vertical		
2	5470.00	67.21	24.18	43.03	68.20	-9.99	122	17	Peak	Vertical		
3 *	5499.00	111.44	68.39	43.05	68.20	43.24	116	15	Peak	Vertical		
4	5798.50	57.62	14.02	43.60	68.20	-10.58	116	15	Peak	Vertical		

802.11a

CH 100 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5400.00	44.04	1.02	43.02	54.00	-9.96	400	201	Average	Horizontal		
2 *	5500.00	95.33	52.28	43.05	54.00	41.33	400	201	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5400.00	47.26	4.24	43.02	54.00	-6.74	122	17	Average	Vertical		
2 *	5500.00	102.50	59.45	43.05	54.00	48.50	116	16	Average	Vertical		

802.11a

CH 116 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5439.00	53.22	10.25	42.97	74.00	-20.78	379	62	Peak	Horizontal		
2	5469.50	54.88	11.85	43.03	68.20	-13.32	379	62	Peak	Horizontal		
3 *	5580.00	103.26	60.14	43.12	68.20	35.06	379	62	Peak	Horizontal		
4	5840.00	57.03	13.32	43.71	68.20	-11.17	379	62	Peak	Horizontal		

CH 116 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5349.00	54.46	11.73	42.73	74.00	-19.54	100	17	Peak	Vertical		
2	5464.00	56.56	13.53	43.03	68.20	-11.64	100	17	Peak	Vertical		
3 *	5580.00	110.83	67.71	43.12	68.20	42.63	100	17	Peak	Vertical		
4	5784.50	57.63	14.07	43.56	68.20	-10.57	100	17	Peak	Vertical		

802.11a

CH 116 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5439.00	43.51	0.54	42.97	54.00	-10.49	379	62	Average	Horizontal
2 *	5580.00	94.29	51.17	43.12	54.00	40.29	379	62	Average	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5439.00	44.15	1.42	42.73	54.00	-9.85	100	17	Average	Vertical
2 *	5580.00	101.60	58.48	43.12	54.00	47.68	100	17	Average	Vertical

802.11a

CH 140 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5222.50	56.18	13.57	42.53	74.00	-17.90		400	162	Peak	Horizontal	
2	5464.50	55.79	12.76	43.03	68.20	-12.41		400	162	Peak	Horizontal	
3 *	5700.00	100.89	57.67	43.22	68.20	32.69		400	162	Peak	Horizontal	
4	5727.00	57.75	14.40	43.35	68.20	-10.45		400	162	Peak	Horizontal	

CH 140 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5222.50	58.04	15.51	42.53	74.00	-15.96		112	186	Peak	Vertical	
2	5467.50	55.53	12.50	43.03	68.20	-12.67		112	186	Peak	Vertical	
3 *	5705.00	108.60	65.36	43.24	68.20	40.40		112	186	Peak	Vertical	
4 !	5725.00	62.40	19.06	43.34	68.20	-5.80		112	186	Peak	Vertical	

802.11a


CH 140 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11n HT20

CH 100 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5457.00	57.31	14.29	43.02	74.00	-16.69	400	132	Peak	Horizontal	
2	5470.00	58.76	15.73	43.03	68.20	-9.44	400	132	Peak	Horizontal	
3 *	5500.00	103.30	60.25	43.05	68.20	35.10	400	132	Peak	Horizontal	
4	5793.00	58.88	15.30	43.58	68.20	-9.32	400	132	Peak	Horizontal	

CH 100 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5442.50	56.27	13.29	42.98	74.00	-17.73	101	31	Peak	Vertical	
2	5468.50	65.09	22.06	43.03	68.20	-3.11	101	31	Peak	Vertical	
3 *	5500.00	112.12	69.07	43.05	68.20	43.92	101	31	Peak	Vertical	
4	5734.00	58.08	14.70	43.38	68.20	-10.12	101	31	Peak	Vertical	