


802.11n HT20

CH 100 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5457.00	45.09	2.07	43.02	54.00	-8.91	400	132	Average	Horizontal		
2 *	5500.00	91.98	48.93	43.05	54.00	37.98	400	132	Average	Horizontal		

CH 100 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5442.50	48.08	5.18	42.90	54.00	-5.92	101	31	Average	Vertical		
2 *	5500.00	99.23	56.18	43.05	54.00	45.23	101	31	Average	Vertical		

802.11n HT20

CH 116 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5453.50	54.07	11.05	43.02	74.00	-19.93	274	15	Peak	Horizontal
2	5470.00	55.61	12.58	43.03	68.20	-12.59	274	15	Peak	Horizontal
3 *	5580.00	104.63	61.51	43.12	68.20	36.43	274	15	Peak	Horizontal
4	5731.50	57.24	13.87	43.37	68.20	-10.96	274	15	Peak	Horizontal

CH 116 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5411.50	53.99	11.16	42.83	74.00	-20.01	100	18	Peak	Vertical
2	5466.00	56.23	13.20	43.03	68.20	-11.97	100	18	Peak	Vertical
3 *	5580.00	110.70	67.58	43.12	68.20	42.50	100	18	Peak	Vertical
4	5813.50	57.48	13.84	43.64	68.20	-10.72	100	18	Peak	Vertical

802.11n HT20

CH 116 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5453.58	44.01	0.99	43.02	54.00	-9.99	274	15 Average	Horizontal	
2 *	5500.00	92.89	49.77	43.12	54.00	38.89	274	15 Average	Horizontal	

CH 116 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5411.50	44.34	1.51	42.83	54.00	-9.66	100	18 Average	Vertical	
2 *	5500.00	97.53	54.41	43.12	54.00	43.53	100	18 Average	Vertical	

802.11n HT20

CH 140 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5434.00	57.17	14.23	42.94	74.00	-16.83	360	167 Peak	Horizontal	
2	5464.00	55.89	12.86	43.03	68.20	-12.31	360	167 Peak	Horizontal	
3 *	5700.00	102.48	59.26	43.22	68.20	34.28	360	167 Peak	Horizontal	
4	5725.00	59.95	16.61	43.34	68.20	-8.25	360	167 Peak	Horizontal	

CH 140 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5442.00	57.33	14.35	42.98	74.00	-16.67	110	31 Peak	Vertical	
2	5468.00	57.25	14.22	43.03	68.20	-10.95	110	31 Peak	Vertical	
3 *	5700.00	107.16	63.94	43.22	68.20	38.96	110	31 Peak	Vertical	
4 !	5725.00	67.45	24.11	43.34	68.20	-0.75	110	31 Peak	Vertical	

802.11n HT20

CH 140 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5434.00	44.24	1.30	42.94	54.00	-9.76	360	167	Average	Horizontal		
2 *	5700.00	92.34	49.12	43.22	54.00	38.34	360	167	Average	Horizontal		

CH 140 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5442.50	44.69	1.71	42.98	54.00	-9.31	110	31	Average	Vertical		
2 *	5700.00	95.51	52.29	43.22	54.00	41.51	110	31	Average	Vertical		

802.11n HT40

CH 102 (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



CH 102 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11n HT40

CH 102 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5460.00	44.26	1.24	43.02	54.00	-9.74	328	11	Average	Horizontal		
2 *	5510.00	85.10	42.04	43.06	54.00	31.10	328	11	Average	Horizontal		

CH 102 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5460.00	48.17	5.15	43.02	54.00	-5.83	114	32	Average	Vertical		
2 *	5510.00	92.42	49.36	43.06	54.00	38.42	103	32	Average	Vertical		

802.11n HT40

CH 110 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5457.50	53.84	10.82	43.02	74.00	-20.16	378	150	Peak	Horizontal	
2	5462.00	55.43	12.41	43.02	68.20	-12.77	378	150	Peak	Horizontal	
3 *	5550.00	100.54	57.44	43.10	68.20	32.34	378	150	Peak	Horizontal	
4	5807.00	57.26	13.65	43.61	68.20	-10.94	378	150	Peak	Horizontal	

CH 110 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5460.00	57.64	14.62	43.02	68.20	-10.56	100	18	Peak	Vertical	
2	5465.50	58.22	15.19	43.03	68.20	-9.98	100	18	Peak	Vertical	
3 *	5550.00	107.59	64.49	43.10	68.20	39.39	100	18	Peak	Vertical	
4	5794.50	57.77	14.19	43.58	68.20	-10.43	100	18	Peak	Vertical	

802.11n HT40

CH 110 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5457.50	44.36	1.34	43.02	54.00	-9.64	378	150	Average	Horizontal		
2 *	5550.00	89.55	46.45	43.10	54.00	35.55	378	150	Average	Horizontal		

CH 110 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5459.00	45.22	2.20	43.02	54.00	-8.78	100	18	Average	Vertical		
2 *	5550.00	94.54	51.44	43.10	54.00	40.54	100	18	Average	Vertical		

802.11n HT40

CH 134 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5427.00	56.97	14.06	42.91	74.00	-17.03	300	165 Peak	Horizontal	
2	5462.00	56.05	13.03	43.02	68.20	-12.15	300	165 Peak	Horizontal	
3 *	5678.00	98.54	55.35	43.19	68.20	30.34	300	165 Peak	Horizontal	
4	5766.50	57.67	14.17	43.50	68.20	-10.53	300	165 Peak	Horizontal	

CH 134 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5430.00	56.76	13.84	42.92	74.00	-17.24	100	21 Peak	Vertical	
2	5470.00	56.14	13.11	43.03	68.20	-12.06	100	21 Peak	Vertical	
3 *	5678.00	106.66	63.47	43.19	68.20	38.46	100	21 Peak	Vertical	
4	5727.00	62.16	18.81	43.35	68.20	-6.04	100	185 Peak	Vertical	

802.11n HT40

CH 134 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5427.00	44.03	1.12	42.91	54.00	-9.97	300	165	Average	Horizontal
2 *	5670.00	87.74	44.55	43.19	54.00	33.74	300	165	Average	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5430.00	44.56	1.64	42.92	54.00	-9.44	100	21	Average	Vertical
2 *	5670.00	93.76	50.57	43.19	54.00	39.76	100	21	Average	Vertical

802.11ac VHT80

CH 106 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5433.0000	56.50	13.57	42.93	74.00	-17.50	328	20	Peak	Horizontal		
2	5467.5000	56.41	13.38	43.03	68.20	-11.79	328	20	Peak	Horizontal		
3	*5530.0000	93.19	50.11	43.08	68.20	24.99	328	20	Peak	Horizontal		
4	5803.0000	57.51	13.90	43.61	68.20	-10.69	328	20	Peak	Horizontal		

CH 106 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5445.0000	63.04	20.05	42.99	74.00	-10.96	154	360	Peak	Vertical		
2	5464.5000	58.65	15.62	43.03	68.20	-9.55	175	358	Peak	Vertical		
3	*5530.0000	97.02	53.94	43.08	68.20	28.82	175	358	Peak	Vertical		
4	5829.0000	58.24	14.56	43.68	68.20	-9.96	175	358	Peak	Vertical		

802.11ac VHT80

CH 106 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 5433.0000	48.89	5.96	42.93	54.00	-5.11	328	20	Average	Horizontal		
2 *5530.0000	84.88	43.00	43.00	54.00	30.88	328	20	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 5445.0000	53.41	10.42	42.99	54.00	-0.59	154	360	Average	Vertical		
2 *5530.0000	89.70	46.62	43.00	54.00	35.70	175	358	Average	Vertical		

802.11ac VHT80

CH 122 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5443.5000	57.08	14.10	42.98	74.00	-16.92	257			0 Peak	Horizontal	
2	5462.5000	55.74	12.72	43.02	68.20	-12.46	257			0 Peak	Horizontal	
3	*5610.0000	95.87	52.73	43.14	68.20	27.67	257			0 Peak	Horizontal	
4	5766.5000	58.14	14.64	43.50	68.20	-10.06	257			0 Peak	Horizontal	

CH 122 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5455.0000	61.30	18.28	43.02	74.00	-12.70	110	183	Peak	Vertical		
2	5465.0000	60.62	17.59	43.03	68.20	-7.58	100	179	Peak	Vertical		
3	*5610.0000	102.28	59.14	43.14	68.20	34.08	100	179	Peak	Vertical		
4	5815.5000	58.94	15.30	43.64	68.20	-9.26	100	179	Peak	Vertical		

802.11ac VHT80


CH 122 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Mask, 5.725GHz ~ 5.85GHz
U-NII-3
802.11a
CH 149 (Horizontal) Peak
CH 149 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5568.50	57.16	14.05	43.11	68.20	-11.04	400	134 Peak	Horizontal	
2	5687.00	56.52	13.31	43.21	95.61	-39.09	100	302 Peak	Horizontal	
3	5718.00	59.12	15.82	43.30	110.24	-51.12	400	164 Peak	Horizontal	
4	5724.50	64.01	20.67	43.34	121.06	-57.05	400	188 Peak	Horizontal	
5	5745.00	101.74	58.31	43.43	122.20	-20.46	400	191 Peak	Horizontal	
6	5854.50	57.09	13.34	43.75	111.94	-54.85	200	0 Peak	Horizontal	
7	5863.00	57.76	13.98	43.78	108.56	-50.80	300	0 Peak	Horizontal	
8	5896.50	58.39	14.52	43.87	89.25	-30.86	100	306 Peak	Horizontal	
9	5970.50	57.85	13.97	43.88	68.20	-10.35	200	299 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5540.00	57.25	14.16	43.09	68.20	-10.95	100	146 Peak	Vertical	
2	5695.50	58.43	15.22	43.21	101.88	-43.45	214	0 Peak	Vertical	
3	5718.00	67.17	23.87	43.30	110.24	-43.07	100	345 Peak	Vertical	
4	5724.70	68.87	25.53	43.34	121.52	-52.65	100	217 Peak	Vertical	
5	5745.00	109.56	66.13	43.43	122.20	-12.64	100	184 Peak	Vertical	
6	5851.00	57.34	13.60	43.74	119.92	-62.58	400	359 Peak	Vertical	
7	5857.00	58.28	14.53	43.75	110.24	-51.96	300	190 Peak	Vertical	
8	5912.50	57.93	14.07	43.86	77.42	-19.49	400	233 Peak	Vertical	
9	5963.50	58.62	14.76	43.86	68.20	-9.58	100	32 Peak	Vertical	

802.11a

CH 149 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 *	5745.00	94.27	58.84	43.43	54.00	40.27	400	191 Average	Horizontal

CH 149 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 *	5745.00	100.53	57.10	43.43	54.00	46.53	100	184 Average	Vertical


802.11a

CH 157 (Horizontal) Peak

CH 157 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	deg			
1	5551.00	57.64	14.54	43.10	68.20	-10.56	170	360 Peak	Horizontal	
2	5676.00	56.97	13.77	43.20	87.48	-30.51	100	14 Peak	Horizontal	
3	5716.00	58.53	15.24	43.29	109.68	-51.15	200	0 Peak	Horizontal	
4	5723.50	55.55	12.22	43.33	118.78	-63.23	300	0 Peak	Horizontal	
5	5785.00	101.23	57.67	43.56	122.20	-20.97	300	0 Peak	Horizontal	
6	5854.00	57.21	13.46	43.75	113.00	-55.07	100	49 Peak	Horizontal	
7	5862.50	57.58	13.81	43.77	108.70	-51.12	300	77 Peak	Horizontal	
8	5918.50	57.45	13.60	43.85	72.99	-15.54	200	161 Peak	Horizontal	
9	5982.50	58.18	14.26	43.92	68.20	-10.02	100	274 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	deg			
1	5564.50	56.93	13.82	43.11	68.20	-11.27	100	293 Peak	Vertical	
2	5698.50	57.55	14.33	43.22	104.09	-46.54	100	22 Peak	Vertical	
3	5720.00	57.03	13.72	43.31	110.80	-53.77	400	149 Peak	Vertical	
4	5720.00	57.03	13.72	43.31	110.80	-53.77	400	149 Peak	Vertical	
5	5785.00	107.93	64.37	43.56	122.20	-14.27	100	23 Peak	Vertical	
6	5851.00	57.25	13.51	43.74	119.92	-62.67	100	160 Peak	Vertical	
7	5874.00	57.11	13.30	43.81	105.48	-48.37	100	119 Peak	Vertical	
8	5910.00	57.69	13.82	43.87	79.27	-21.58	200	262 Peak	Vertical	
9	5978.50	57.88	13.98	43.90	68.20	-10.32	300	360 Peak	Vertical	

802.11a

CH 157 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 * 5785.00	92.65	49.09	43.56	54.00	38.65	300	0 Average	Horizontal	

CH 157 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 * 5785.00	101.55	57.99	43.56	54.00	47.55	100	23 Average	Vertical	

802.11a
CH 165 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5557.50	57.18	14.08	43.10	68.20	-11.02	200	360	Peak	Horizontal
2	5677.50	57.08	13.88	43.20	88.59	-31.51	400	60	Peak	Horizontal
3	5707.00	56.10	12.85	43.25	107.16	-51.06	400	41	Peak	Horizontal
4	5723.00	55.97	12.64	43.33	117.64	-61.67	200	142	Peak	Horizontal
5	5825.00	102.10	58.43	43.67	122.20	-20.10	300	180	Peak	Horizontal
6	5851.00	59.55	15.81	43.74	119.92	-60.37	300	0	Peak	Horizontal
7	5856.50	58.53	14.70	43.75	110.38	-51.85	400	0	Peak	Horizontal
8	5899.00	58.21	14.33	43.88	87.03	-28.82	100	174	Peak	Horizontal
9	5969.00	59.18	15.31	43.87	68.20	-9.02	400	360	Peak	Horizontal

CH 165 (Vertical) Peak


TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5560.00	58.00	14.90	43.10	68.20	-10.20	100	360	Peak	Vertical
2	5667.00	57.02	13.83	43.19	80.82	-23.80	400	353	Peak	Vertical
3	5709.50	57.12	13.86	43.26	107.86	-50.74	300	360	Peak	Vertical
4	5722.00	56.38	13.06	43.32	115.36	-58.98	300	302	Peak	Vertical
5	5825.00	109.68	66.01	43.67	122.20	-12.52	100	24	Peak	Vertical
6	5851.00	64.46	20.72	43.74	119.92	-55.46	100	180	Peak	Vertical
7	5857.00	61.40	17.65	43.75	110.24	-48.84	100	360	Peak	Vertical
8	5882.50	58.07	14.24	43.83	99.63	-41.56	362	360	Peak	Vertical
9	5958.50	58.54	14.69	43.85	68.20	-9.66	400	256	Peak	Vertical

802.11a

CH 165 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 *	5825.00	93.69	56.02	43.67	54.00	39.69	300	180 Average	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 *	5825.00	100.17	56.50	43.67	54.00	46.17	100	24 Average	Vertical

802.11n HT20

CH 149 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5552.50	57.11	14.01	43.10	68.20	-11.09	200	140 Peak	Horizontal	
2	5679.50	56.93	13.73	43.20	90.87	-33.14	400	77 Peak	Horizontal	
3	5718.00	58.90	15.60	43.30	110.24	-51.34	400	162 Peak	Horizontal	
4	5725.00	65.46	22.12	43.34	122.20	-56.74	400	190 Peak	Horizontal	
5	5745.00	100.96	57.53	43.43	122.20	-21.24	230	0 Peak	Horizontal	
6	5851.00	56.82	13.00	43.74	119.92	-63.10	200	228 Peak	Horizontal	
7	5873.00	56.84	13.03	43.81	105.76	-40.92	253	0 Peak	Horizontal	
8	5900.50	57.33	13.45	43.88	86.29	-28.96	200	264 Peak	Horizontal	
9	5970.00	58.68	14.80	43.88	68.20	-9.52	300	176 Peak	Horizontal	

CH 149 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5591.50	57.72	14.59	43.13	68.20	-10.48	400	286 Peak	Vertical	
2	5656.50	57.55	14.37	43.18	73.03	-15.48	122	360 Peak	Vertical	
3	5718.00	64.53	21.23	43.30	110.24	-45.71	100	1 Peak	Vertical	
4	5724.50	70.37	27.03	43.34	121.06	-50.69	100	0 Peak	Vertical	
5	5745.00	108.64	65.21	43.43	122.20	-13.56	200	11 Peak	Vertical	
6	5853.50	57.35	13.60	43.75	114.22	-56.87	231	0 Peak	Vertical	
7	5861.00	57.43	13.66	43.77	109.12	-51.69	127	360 Peak	Vertical	
8	5915.00	57.69	13.83	43.86	75.57	-17.88	200	360 Peak	Vertical	
9	5958.00	58.29	14.44	43.85	68.20	-9.91	200	0 Peak	Vertical	

802.11n HT20


CH 149 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11n HT20

CH 157 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5524.50	57.78	14.71	43.07	68.20	-10.42		300	357	Peak	Horizontal	
2	5671.00	56.66	13.47	43.19	83.78	-27.12		100	94	Peak	Horizontal	
3	5715.50	55.92	12.63	43.29	109.54	-53.62		100	2	Peak	Horizontal	
4	5722.50	56.58	13.25	43.33	116.50	-59.92		276	0	Peak	Horizontal	
5	5785.00	102.46	58.90	43.56	122.20	-19.74		300	360	Peak	Horizontal	
6	5852.00	56.89	13.15	43.74	117.64	-60.75		270	0	Peak	Horizontal	
7	5867.00	56.94	13.16	43.78	107.44	-50.50		100	162	Peak	Horizontal	
8	5916.00	57.38	13.52	43.86	74.84	-17.46		400	47	Peak	Horizontal	
9	5989.00	57.92	13.99	43.93	68.20	-10.28		100	97	Peak	Horizontal	

CH 157 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5496.00	56.97	13.92	43.05	68.20	-11.23		100	9	Peak	Vertical	
2	5660.50	57.08	13.89	43.19	76.00	-18.92		200	8	Peak	Vertical	
3	5704.50	56.42	13.18	43.24	106.46	-50.04		142	360	Peak	Vertical	
4	5722.50	55.76	12.43	43.33	116.50	-60.74		200	28	Peak	Vertical	
5	5785.00	107.82	64.26	43.56	122.20	-14.38		100	360	Peak	Vertical	
6	5854.00	57.29	13.54	43.75	113.00	-55.79		400	28	Peak	Vertical	
7	5858.50	57.91	14.14	43.77	109.92	-51.91		400	198	Peak	Vertical	
8	5899.00	57.97	14.09	43.88	87.40	-29.43		100	27	Peak	Vertical	
9	5959.50	58.51	14.66	43.85	68.20	-9.69		100	329	Peak	Vertical	

802.11n HT20

CH 157 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 * 5785.00	90.29	46.73	43.56	54.00	36.29	300	360 Average	Horizontal	

CH 157 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 * 5785.00	95.48	51.92	43.56	54.00	41.48	100	360 Average	Vertical	

802.11n HT20
CH 165 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5550.50	57.76	14.66	43.10	68.20	-10.44	400	360	Peak	Horizontal
2	5695.50	57.43	14.22	43.21	101.88	-44.45	300	194	Peak	Horizontal
3	5718.50	56.65	13.35	43.30	110.38	-53.73	200	120	Peak	Horizontal
4	5724.50	56.94	13.60	43.34	121.06	-64.12	100	16	Peak	Horizontal
5	5825.00	101.75	58.08	43.67	122.20	-20.45	300	360	Peak	Horizontal
6	5851.00	59.60	15.06	43.74	119.92	-68.32	400	175	Peak	Horizontal
7	5861.00	58.41	14.64	43.77	109.12	-50.71	100	18	Peak	Horizontal
8	5920.00	58.17	14.31	43.86	71.89	-13.72	400	41	Peak	Horizontal
9	5999.00	57.66	13.70	43.96	68.20	-10.54	200	360	Peak	Horizontal

CH 165 (Vertical) Peak


TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5566.50	57.22	14.11	43.11	68.20	-10.98	301	360	Peak	Vertical
2	5674.50	57.00	13.88	43.20	86.37	-29.29	197	360	Peak	Vertical
3	5706.00	57.01	13.77	43.24	106.88	-49.87	200	156	Peak	Vertical
4	5724.00	55.97	12.63	43.34	119.92	-63.95	228	0	Peak	Vertical
5	5825.00	109.44	65.77	43.67	122.20	-12.76	100	360	Peak	Vertical
6	5851.00	65.48	21.74	43.74	119.92	-54.44	100	360	Peak	Vertical
7	5859.00	61.13	17.36	43.77	109.68	-48.55	100	14	Peak	Vertical
8	5877.00	58.31	14.50	43.81	103.71	-45.40	300	347	Peak	Vertical
9	5937.50	57.49	13.66	43.83	68.20	-10.71	298	0	Peak	Vertical

802.11n HT20

CH 165 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 *	5825.00	88.22	44.55	43.67	54.00	34.22	300	360 Average	Horizontal

CH 165 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 *	5825.00	95.21	51.54	43.67	54.00	41.21	100	360 Average	Horizontal


802.11n HT40

CH 151 (Horizontal) Peak

CH 151 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5559.50	57.33	14.23	43.10	68.20	-10.87	300	42 Peak	Horizontal	
2	5698.50	58.35	15.13	43.22	104.09	-45.74	400	142 Peak	Horizontal	
3	5719.50	65.58	22.27	43.31	110.66	-45.08	300	15 Peak	Horizontal	
4	5722.50	64.92	21.59	43.33	116.50	-51.58	300	198 Peak	Horizontal	
5	5755.00	97.72	54.25	43.47	122.20	-24.48	300	145 Peak	Horizontal	
6	5851.50	58.14	14.40	43.74	118.78	-60.64	200	8 Peak	Horizontal	
7	5874.00	57.49	13.68	43.81	105.48	-47.99	200	16 Peak	Horizontal	
8	5923.50	57.91	14.06	43.85	69.31	-11.40	300	103 Peak	Horizontal	
9	5989.50	58.27	14.34	43.93	68.20	-9.93	200	75 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5630.50	57.21	14.05	43.16	68.20	-10.99	300	360 Peak	Vertical	
2	5699.00	63.08	19.86	43.22	104.46	-41.38	300	12 Peak	Vertical	
3	5718.00	73.21	29.91	43.30	110.24	-37.03	100	26 Peak	Vertical	
4	5723.00	71.96	28.63	43.33	117.64	-45.68	100	190 Peak	Vertical	
5	5755.00	106.38	62.91	43.47	122.20	-15.82	100	360 Peak	Vertical	
6	5853.00	57.16	13.41	43.75	115.36	-58.20	400	321 Peak	Vertical	
7	5863.00	59.16	15.38	43.78	100.56	-49.40	100	193 Peak	Vertical	
8	5911.50	58.30	14.43	43.87	78.16	-19.86	100	188 Peak	Vertical	
9	5943.50	57.78	13.96	43.82	68.20	-10.42	300	306 Peak	Vertical	

802.11n HT40

CH 151 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 *	5755.00	86.51	43.04	43.47	54.00	32.51	300	145 Average	Horizontal

CH 151 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 *	5755.00	92.68	49.21	43.47	54.00	38.68	100	360 Average	Vertical

802.11n HT40
CH 159 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5610.00	57.39	14.25	43.14	68.20	-10.81	300	154 Peak	Horizontal	
2	5684.00	57.86	14.66	43.20	93.40	-35.54	300	224 Peak	Horizontal	
3	5715.00	56.14	12.85	43.29	109.40	-53.26	221	0 Peak	Horizontal	
4	5720.00	55.95	12.64	43.31	110.80	-54.85	357	360 Peak	Horizontal	
5	5795.00	98.88	55.30	43.58	122.20	-23.32	300	152 Peak	Horizontal	
6	5852.00	57.52	13.70	43.74	117.64	-60.12	300	0 Peak	Horizontal	
7	5860.50	57.22	13.45	43.77	109.26	-52.04	303	360 Peak	Horizontal	
8	5882.00	58.22	14.40	43.82	100.00	-41.78	100	360 Peak	Horizontal	
9	5925.50	57.57	13.72	43.85	68.20	-10.63	200	136 Peak	Horizontal	

CH 159 (Vertical) Peak


TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5520.50	57.16	14.09	43.07	68.20	-11.04	153	360 Peak	Vertical	
2	5665.00	56.79	13.60	43.19	79.33	-22.54	400	238 Peak	Vertical	
3	5717.00	58.00	14.70	43.30	109.96	-51.96	100	360 Peak	Vertical	
4	5722.50	57.72	14.39	43.33	116.50	-58.78	100	278 Peak	Vertical	
5	5795.00	105.63	62.05	43.58	122.20	-16.57	100	0 Peak	Vertical	
6	5850.50	60.41	16.67	43.74	121.06	-60.65	263	0 Peak	Vertical	
7	5850.00	60.31	16.55	43.70	109.96	-49.65	100	360 Peak	Vertical	
8	5883.00	58.41	14.57	43.84	99.26	-40.85	400	215 Peak	Vertical	
9	5981.50	58.24	14.33	43.91	68.20	-9.96	300	347 Peak	Vertical	


802.11n HT40

CH 159 (Horizontal) Average

CH 159 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 * 5795.00	86.22	42.64	43.58	54.00	32.22	300	152 Average	Vertical	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 * 5795.00	92.44	48.86	43.58	54.00	38.44	100	0 Average	Vertical	

802.11ac VHT80

CH 155 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5697.5000	58.30	15.16	43.14	68.20	-9.90		256		5 Peak	Horizontal	
2	5693.0000	68.14	24.93	43.21	100.84	-31.90		256		5 Peak	Horizontal	
3	5720.0000	71.45	28.14	43.31	110.80	-39.35		256		5 Peak	Horizontal	
4	5721.0000	71.45	28.14	43.31	113.08	-41.63		256		5 Peak	Horizontal	
5	5775.0000	99.70	56.17	43.53	122.20	-22.50		256		5 Peak	Horizontal	
6	5851.0000	71.42	27.68	43.74	119.92	-40.50		256		5 Peak	Horizontal	
7	5872.5000	70.59	26.78	43.81	105.90	-35.31		256		5 Peak	Horizontal	
8	5879.5000	65.44	21.62	43.82	101.86	-36.42		256		5 Peak	Horizontal	
9	5963.5000	57.96	14.10	43.86	68.20	-10.24		256		5 Peak	Horizontal	

CH 155 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5626.0000	66.90	23.74	43.16	68.20	-1.30		100		182 Peak	Vertical	
2	5690.5000	76.37	33.16	43.21	98.20	-21.83		110		182 Peak	Vertical	
3	5719.5000	78.49	35.18	43.31	110.66	-32.17		110		182 Peak	Vertical	
4	5720.0000	78.47	35.16	43.31	110.80	-32.33		110		182 Peak	Vertical	
5	5775.0000	106.74	63.21	43.53	122.20	-15.46		110		182 Peak	Vertical	
6	5851.0000	81.58	37.84	43.74	119.92	-30.34		110		182 Peak	Vertical	
7	5870.5000	77.88	34.08	43.80	106.46	-28.58		110		182 Peak	Vertical	
8	5879.0000	71.11	27.29	43.82	102.23	-31.12		110		182 Peak	Vertical	
9	5931.0000	58.84	15.00	43.84	68.20	-9.36		110		182 Peak	Vertical	

802.11ac VHT80


CH 155 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Band Edges


Co-location

BT + WLAN 5GHz

2480MHz + 5180MHz (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2334.39	53.02	15.87	37.15	74.00	-20.98	184	136 Peak	Horizontal	
2 *	2480.00	90.61	52.92	37.69	74.00	16.61	184	136 Peak	Horizontal	
3	2483.50	58.75	21.04	37.71	74.00	-15.25	184	136 Peak	Horizontal	
4	5150.00	63.98	21.61	42.37	74.00	-10.02	260	167 Peak	Horizontal	
5 *	5180.00	109.34	66.88	42.46	74.00	35.34	260	167 Peak	Horizontal	
6	5452.30	56.84	13.82	43.02	74.00	-17.16	260	167 Peak	Horizontal	

2480MHz + 5180MHz (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2385.98	53.30	16.00	37.30	74.00	-20.70	155	69 Peak	Vertical	
2 *	2480.00	87.94	50.25	37.69	74.00	13.94	155	69 Peak	Vertical	
3	2483.50	57.64	19.93	37.71	74.00	-16.36	155	69 Peak	Vertical	
4	5150.00	72.52	30.15	42.37	74.00	-1.48	100	184 Peak	Vertical	
5 *	5180.00	112.88	70.42	42.46	74.00	38.88	100	184 Peak	Vertical	
6	5399.77	57.34	14.57	42.77	74.00	-16.66	100	184 Peak	Vertical	

BT + WLAN 5GHz

2480MHz + 5180MHz (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2334.39	40.35	3.20	37.15	54.00	-13.65	184	136 Average	Horizontal	
2 *	2480.00	77.37	39.68	37.69	54.00	23.37	184	136 Average	Horizontal	
3	2483.50	42.00	4.29	37.71	54.00	-12.00	184	136 Average	Horizontal	
4 †	5150.00	51.60	9.23	42.37	54.00	-2.40	260	167 Average	Horizontal	
5 *	5180.00	100.67	58.21	42.46	54.00	46.67	260	167 Average	Horizontal	
6	5452.30	43.78	0.76	43.02	54.00	-10.22	260	167 Average	Horizontal	

2480MHz + 5180MHz (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2385.98	40.45	3.15	37.30	54.00	-13.55	155	69 Average	Vertical	
2 *	2480.00	75.71	38.02	37.69	54.00	21.71	155	69 Average	Vertical	
3	2483.50	42.11	4.40	37.71	54.00	-11.89	155	69 Average	Vertical	
4 †	5150.00	53.62	11.25	42.37	54.00	-0.38	100	184 Average	Vertical	
5 *	5180.00	103.88	61.42	42.46	54.00	49.88	100	184 Average	Vertical	
6	5399.77	45.88	2.31	42.77	54.00	-8.92	100	184 Average	Vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 40GHz

U-NII-1


802.11a

CH 36 (Horizontal)


CH 36 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11a

CH 40 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10400.00	61.12	63.67	-2.55	68.20	-7.08	100	287	Peak	Horizontal	
2	15600.00	63.82	58.33	5.49	74.00	-10.18	100	296	Peak	Horizontal	
3	15600.00	48.59	43.10	5.49	54.00	-5.41	100	296	Average	Horizontal	

CH 40 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10400.00	67.12	69.67	-2.55	68.20	-1.08	100	330	Peak	Vertical	
2	15600.00	60.39	54.90	5.49	74.00	-13.61	100	179	Peak	Vertical	
3	15600.00	47.20	41.71	5.49	54.00	-6.80	100	179	Average	Vertical	

802.11a

CH 48 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10480.00	61.96	64.36	-2.40	68.20	-6.24	100	288	Peak	Horizontal	
2	15720.00	64.13	58.43	5.70	74.00	-9.87	100	296	Peak	Horizontal	
3	15720.00	49.36	43.66	5.70	54.00	-4.64	100	296	Average	Horizontal	

CH 48 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10480.00	66.74	69.14	-2.40	68.20	-1.46	100	195	Peak	Vertical	
2	15720.00	59.50	53.80	5.70	74.00	-14.50	100	226	Peak	Vertical	
3	15720.00	46.98	41.28	5.70	54.00	-7.02	100	226	Average	Vertical	


802.11n HT20

CH 36 (Horizontal)

CH 36 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10360.00	58.45	61.08	-2.63	68.20	-9.75	100	47	Peak	Horizontal	
2	15540.00	59.50	54.22	5.28	74.00	-14.50	100	295	Peak	Horizontal	
3	15540.00	45.61	40.33	5.28	54.00	-8.39	100	295	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10360.00	64.92	67.55	-2.63	68.20	-3.28	257	329	Peak	Vertical	
2	15540.00	57.96	52.68	5.28	74.00	-16.04	100	213	Peak	Vertical	
3	15540.00	45.32	40.04	5.28	54.00	-8.68	100	213	Average	Vertical	

802.11n HT20

CH 40 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10400.00	59.95	62.50	-2.55	68.20	-8.25	180	262	Peak
2	15600.00	60.62	55.13	5.49	74.00	-13.38	200	216	Peak
3	15600.00	43.96	38.47	5.49	54.00	-10.04	200	216	Average

CH 40 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10400.00	67.61	70.16	-2.55	68.20	-0.59	180	42	Peak
2	15600.00	60.21	54.72	5.49	74.00	-13.79	100	199	Peak
3	15600.00	46.10	40.61	5.49	54.00	-7.90	100	199	Average


802.11n HT20

CH 48 (Horizontal)

CH 48 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 10480.00	66.45	68.85	-2.40	68.20	-1.75	180	287	Peak	Horizontal		
2 15720.00	62.04	56.34	5.70	74.00	-11.96	194	218	Peak	Horizontal		
3 15720.00	43.00	37.30	5.70	54.00	-11.00	194	218	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 10480.00	67.41	69.81	-2.40	68.20	-0.79	180	195	Peak	Vertical		
2 15720.00	59.10	53.40	5.70	74.00	-14.90	183	182	Peak	Vertical		
3 15720.00	44.49	38.79	5.70	54.00	-9.51	183	182	Average	Vertical		


802.11n HT40

CH 38 (Horizontal)

CH 38 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10380.00	49.72	52.38	-2.58	68.20	-18.48	100	289 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10380.00	55.17	57.75	-2.58	68.20	-13.03	100	31 Peak	Vertical	

802.11n HT40

CH 46 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10460.00	59.95	62.39	-2.44	68.20	-8.25	400	306	Peak	Horizontal	
2	15690.00	61.29	55.65	5.64	74.00	-12.71	100	298	Peak	Horizontal	
3	15690.00	41.85	36.21	5.64	54.00	-12.15	100	298	Average	Horizontal	

CH 46 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10460.00	65.88	68.32	-2.44	68.20	-2.32	102	194	Peak	Vertical	
2	15690.00	58.72	53.08	5.64	74.00	-15.28	100	200	Peak	Vertical	
3	15690.00	43.53	37.89	5.64	54.00	-10.47	100	200	Average	Vertical	