


802.11ac VHT80

CH 42 (Horizontal)

CH 42 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10420.00	51.27	53.79	-2.52	68.20	-16.93	100	292 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10420.00	55.36	57.88	-2.52	68.20	-12.84	104	360 Peak	Vertical	

U-NII-2A


802.11a

CH 52 (Horizontal)


CH 52 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11a

CH 60 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
dBuV	dB/m	dBuV/m	dB	cm	deg			
64.01	66.17	-2.16	74.00	-9.99	180	285 Peak	Horizontal	
50.70	52.86	-2.16	54.00	-3.30	180	285 Average	Horizontal	
59.22	52.85	6.37	74.00	-14.78	112	294 Peak	Horizontal	
45.14	38.77	6.37	54.00	-8.86	112	294 Average	Horizontal	

CH 60 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
dBuV	dB/m	dBuV/m	dB	cm	deg			
66.20	68.36	-2.16	74.00	-7.80	180	358 Peak	Vertical	
53.01	55.17	-2.16	54.00	-0.99	180	358 Average	Vertical	
58.71	52.34	6.37	74.00	-15.29	101	179 Peak	Vertical	
45.69	39.32	6.37	54.00	-8.31	101	179 Average	Vertical	

802.11a

CH 64 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	10640.00	64.43	66.46	-2.03	74.00	-9.57		187	280	Peak	Horizontal	
2	10640.00	51.11	53.14	-2.03	54.00	-2.89		187	280	Average	Horizontal	
3	15960.00	59.63	53.10	6.53	74.00	-14.37		112	295	Peak	Horizontal	
4	15960.00	46.32	39.79	6.53	54.00	-7.68		112	295	Average	Horizontal	

CH 64 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	10640.00	66.41	68.44	-2.03	74.00	-7.59		100	357	Peak	Vertical	
2	10640.00	53.13	55.16	-2.03	54.00	-0.87		100	357	Average	Vertical	
3	15960.00	58.43	51.90	6.53	74.00	-15.57		100	271	Peak	Vertical	
4	15960.00	44.63	38.10	6.53	54.00	-9.37		100	271	Average	Vertical	

802.11n HT20

CH 52 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Line	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10520.00	65.84	68.16	-2.32	68.20	-2.36	180	288	Peak	Horizontal	
2	15780.00	61.10	55.24	5.86	74.00	-12.90	200	210	Peak	Horizontal	
3	15780.00	41.38	35.52	5.86	54.00	-12.62	200	210	Average	Horizontal	

CH 52 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Line	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10520.00	67.51	69.83	-2.32	68.20	-0.69	180	44	Peak	Vertical	
2	15780.00	59.22	53.36	5.86	74.00	-14.78	100	218	Peak	Vertical	
3	15780.00	44.56	38.70	5.86	54.00	-9.44	100	218	Average	Vertical	


802.11n HT20

CH 60 (Horizontal)


CH 60 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11n HT20

CH 64 (Horizontal)

CH 64 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	10640.00	65.06	67.09	-2.03	74.00	-8.94	110	288	Peak	Horizontal		
2	10640.00	44.11	46.14	-2.03	54.00	-9.89	110	288	Average	Horizontal		
3	15960.00	59.25	52.72	6.53	74.00	-14.75	100	298	Peak	Horizontal		
4	15960.00	44.31	37.78	6.53	54.00	-9.69	100	298	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	10640.00	66.77	68.80	-2.03	74.00	-7.23	100	359	Peak	Vertical		
2	10640.00	46.69	48.72	-2.03	54.00	-7.31	100	359	Average	Vertical		
3	15960.00	57.59	51.06	6.53	74.00	-16.41	100	218	Peak	Vertical		
4	15960.00	44.13	37.60	6.53	54.00	-9.87	100	218	Average	Vertical		


802.11n HT40

CH 54 (Horizontal)

CH 54 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10540.00	60.32	62.60	-2.28	68.20	-7.88	100	315	Peak	Horizontal	
2	15810.00	59.24	53.28	5.96	74.00	-14.76	100	298	Peak	Horizontal	
3	15810.00	41.24	35.28	5.96	54.00	-12.76	100	298	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10540.00	65.74	68.02	-2.28	68.20	-2.46	100	357	Peak	Vertical	
2	15810.00	55.20	49.24	5.96	74.00	-18.80	100	217	Peak	Vertical	
3	15810.00	41.85	35.89	5.96	54.00	-12.15	100	217	Average	Vertical	


802.11n HT40

CH 62 (Horizontal)

CH 62 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10620.00	61.81	63.91	-2.10	74.00	-12.19	104	293 Peak	Horizontal	
2	10620.00	39.58	41.68	-2.10	54.00	-14.42	104	293 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10620.00	63.55	65.65	-2.10	74.00	-10.45	110	358 Peak	Vertical	
2	10620.00	42.15	44.25	-2.10	54.00	-11.85	110	358 Average	Vertical	


802.11ac VHT80

CH 58 (Horizontal)

CH 58 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10580.00	55.04	57.24	-2.20	68.20	-13.16	100	303 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10580.00	57.81	60.01	-2.20	68.20	-10.39	100	360 Peak	Vertical	

U-NII-2C


802.11a

CH 100 (Horizontal)

CH 100 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11000.00	62.80	64.34	-1.54	74.00	-11.20	100	296	Peak	Horizontal	
2	11000.00	50.23	51.77	-1.54	54.00	-3.77	100	296	Average	Horizontal	
3	16500.00	55.04	47.57	7.47	68.20	-13.16	100	307	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11000.00	64.45	65.99	-1.54	74.00	-9.55	100	48	Peak	Vertical	
2	11000.00	51.63	53.17	-1.54	54.00	-2.37	100	48	Average	Vertical	
3	16500.00	54.62	47.15	7.47	68.20	-13.58	100	223	Peak	Vertical	

802.11a

CH 116 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11160.00	58.21	59.49	-1.28	74.00	-15.79	400	103	Peak	Horizontal	
2	11168.00	45.06	46.34	-1.28	54.00	-8.94	400	103	Average	Horizontal	
3	16740.00	57.57	49.42	8.15	68.20	-10.63	112	315	Peak	Horizontal	

CH 116 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11160.00	62.32	63.60	-1.28	74.00	-11.68	100	353	Peak	Vertical	
2	11168.00	48.88	50.16	-1.28	54.00	-5.12	100	353	Average	Vertical	
3	16740.00	59.90	51.75	8.15	68.20	-8.30	103	273	Peak	Vertical	

802.11a

CH 140 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11400.00	59.29	60.15	-0.86	74.00	-14.71	106	294 Peak	Horizontal	
2	11400.00	46.67	47.53	-0.86	54.00	-7.33	106	294 Average	Horizontal	
3	17100.00	55.51	47.29	8.22	68.20	-12.69	100	311 Peak	Horizontal	

CH 140 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11400.00	60.21	61.07	-0.86	74.00	-13.79	100	176 Peak	Vertical	
2	11400.00	47.26	48.12	-0.86	54.00	-6.74	100	176 Average	Vertical	
3	17100.00	55.73	47.51	8.22	68.20	-12.47	100	270 Peak	Vertical	

802.11n HT20

CH 100 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	11000.00	63.00	64.54	-1.54	74.00	-11.00	100	296	Peak	Horizontal	
2	11000.00	43.78	45.32	-1.54	54.00	-10.22	100	296	Average	Horizontal	
3	16500.00	55.61	48.14	7.47	68.20	-12.59	100	308	Peak	Horizontal	

CH 100 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	11000.00	63.00	65.52	-1.54	74.00	-10.02	100	48	Peak	Vertical	
2	11000.00	44.85	46.39	-1.54	54.00	-9.15	100	48	Average	Vertical	
3	16500.00	52.84	45.37	7.47	68.20	-15.36	200	233	Peak	Vertical	

802.11n HT20

CH 116 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11160.00	61.16	62.44	-1.28	74.00	-12.84	113	293 Peak	Horizontal	
2	11160.00	41.96	43.24	-1.28	54.00	-12.04	113	293 Average	Horizontal	
3	16740.00	53.19	45.04	8.15	68.20	-15.01	100	305 Peak	Horizontal	

CH 116 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11160.00	61.98	63.26	-1.28	74.00	-12.02	105	175 Peak	Vertical	
2	11160.00	43.37	44.65	-1.28	54.00	-10.63	105	175 Average	Vertical	
3	16740.00	54.06	45.91	8.15	68.20	-14.14	100	264 Peak	Vertical	

802.11n HT20

CH 140 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11400.00	58.82	59.68	-0.86	74.00	-15.18	185	295	Peak	Horizontal		
2	11400.00	40.55	41.41	-0.86	54.00	-13.45	185	295	Average	Horizontal		
3	17100.00	53.12	44.90	8.22	68.20	-15.08	100	310	Peak	Horizontal		

CH 140 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11400.00	58.39	59.25	-0.86	74.00	-15.61	180	178	Peak	Vertical		
2	11400.00	40.96	41.82	-0.86	54.00	-13.04	180	178	Average	Vertical		
3	17100.00	54.26	46.04	8.22	68.20	-13.94	100	190	Peak	Vertical		


802.11n HT40

CH 102 (Horizontal)

CH 102 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11020.00	56.36	57.88	-1.52	74.00	-17.64	100	295 Peak	Horizontal	
2	11020.00	37.14	38.66	-1.52	54.00	-16.86	100	295 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11020.00	57.34	58.86	-1.52	74.00	-16.66	100	352 Peak	Vertical	
2	11020.00	37.73	39.25	-1.52	54.00	-16.27	100	352 Average	Vertical	

802.11n HT40

CH 110 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11100.00	60.64	62.06	-1.42	74.00	-13.36	110	294 Peak	Horizontal	
2	11100.00	40.55	41.97	-1.42	54.00	-13.45	110	294 Average	Horizontal	
3	16650.00	54.20	46.30	7.90	68.20	-14.00	100	307 Peak	Horizontal	

CH 110 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11100.00	61.73	63.15	-1.42	74.00	-12.27	100	180 Peak	Vertical	
2	11100.00	40.63	42.05	-1.42	54.00	-13.37	100	180 Average	Vertical	

802.11n HT40

CH 134 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11340.00	57.07	58.00	-0.93	74.00	-16.93	100	293	Peak	Horizontal		
2	11340.00	37.91	38.84	-0.93	54.00	-16.09	100	293	Average	Horizontal		

CH 134 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11340.00	57.81	58.74	-0.93	74.00	-16.19	100	175	Peak	Vertical		
2	11340.00	38.92	39.85	-0.93	54.00	-15.08	100	175	Average	Vertical		
3	17010.00	54.08	45.77	8.31	68.20	-14.12	100	352	Peak	Vertical		


802.11ac VHT80

CH 106 (Horizontal)

CH 106 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11060.00	53.56	55.02	-1.46	74.00	-20.44	102	293	Peak	Horizontal	
2	11060.00	38.99	40.45	-1.46	54.00	-15.01	102	293	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11060.00	53.34	54.80	-1.46	74.00	-20.66	100	358	Peak	Vertical	
2	11060.00	39.20	40.66	-1.46	54.00	-14.80	100	358	Average	Vertical	


802.11ac VHT80

CH 122 (Horizontal)

CH 122 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11220.00	53.95	55.11	-1.16	74.00	-20.05	105	294 Peak	Horizontal	
2	11220.00	39.25	40.41	-1.16	54.00	-14.75	105	294 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11220.00	55.00	56.16	-1.16	74.00	-19.00	100	358 Peak	Vertical	
2	11220.00	38.75	39.91	-1.16	54.00	-15.25	100	358 Average	Vertical	

U-NII-3


802.11a

CH 149 (Horizontal)

CH 149 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11490.00	58.53	59.19	-0.66	74.00	-15.47	110	295 Peak	Horizontal	
2	11490.00	46.92	46.68	-0.66	54.00	-7.98	110	295 Average	Horizontal	
3	17235.00	58.01	49.98	8.03	68.20	-10.19	100	312 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11490.00	59.36	60.02	-0.66	74.00	-14.64	100	177 Peak	Vertical	
2	11490.00	46.50	47.16	-0.66	54.00	-7.50	100	177 Average	Vertical	
3	17235.00	58.17	50.14	8.03	68.20	-10.03	100	222 Peak	Vertical	

802.11a

CH 157 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11570.00	57.71	58.15	-0.44	74.00	-16.29	115	297	Peak	Horizontal	
2	11570.00	44.62	45.06	-0.44	54.00	-9.38	115	297	Average	Horizontal	
3	17355.00	57.04	48.97	8.07	68.20	-11.16	100	312	Peak	Horizontal	

CH 157 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11570.00	58.28	58.72	-0.44	74.00	-15.72	100	201	Peak	Vertical	
2	11570.00	45.38	45.82	-0.44	54.00	-8.62	100	201	Average	Vertical	
3	17355.00	58.65	50.58	8.07	68.20	-9.55	100	269	Peak	Vertical	

802.11a

CH 165 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 11650.00	57.35	57.56	-0.21	74.00	-16.65	116	295	Peak	Horizontal
2 11650.00	44.65	44.65	-0.21	54.00	-9.35	116	295	Average	Horizontal
3 17475.00	54.13	45.87	8.26	68.20	-14.07	300	360	Peak	Horizontal

CH 165 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 11650.00	58.95	59.16	-0.21	74.00	-15.05	100	201	Peak	Vertical
2 11650.00	45.58	45.79	-0.21	54.00	-8.42	100	201	Average	Vertical
3 17475.00	56.97	48.71	8.26	68.20	-11.23	100	273	Peak	Vertical

802.11n HT20

CH 149 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11490.00	59.12	59.78	-0.66	74.00	-14.88	100	296	Peak	Horizontal		
2	11490.00	41.35	42.01	-0.66	54.00	-12.65	100	296	Average	Horizontal		
3	17235.00	58.33	50.30	8.03	68.20	-9.87	100	310	Peak	Horizontal		

CH 149 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11490.00	59.98	60.56	-0.66	74.00	-14.10	101	176	Peak	Vertical		
2	11490.00	41.47	42.13	-0.66	54.00	-12.53	101	176	Average	Vertical		
3	17235.00	58.54	50.51	8.03	68.20	-9.66	100	223	Peak	Vertical		

802.11n HT20

CH 157 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11570.00	58.42	58.86	-0.44	74.00	-15.58	104	297	Peak	Horizontal		
2	11570.00	40.00	40.44	-0.44	54.00	-14.00	104	297	Average	Horizontal		
3	17355.00	57.64	49.57	8.07	68.20	-10.56	100	311	Peak	Horizontal		

CH 157 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11570.00	58.65	59.09	-0.44	74.00	-15.35	100	295	Peak	Horizontal		
2	11570.00	40.50	40.94	-0.44	54.00	-13.50	100	295	Average	Horizontal		
3	17355.00	58.73	50.66	8.07	68.20	-9.47	100	269	Peak	Horizontal		

802.11n HT20

CH 165 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11650.00	57.56	57.77	-0.21	74.00	-16.44	100	298	Peak	Horizontal		
2	11650.00	40.26	40.47	-0.21	54.00	-13.74	100	298	Average	Horizontal		
3	17475.00	56.46	48.20	8.26	68.20	-11.74	100	314	Peak	Horizontal		

CH 165 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11650.00	58.79	59.00	-0.21	74.00	-15.21	100	292	Peak	Vertical		
2	11650.00	41.31	41.52	-0.21	54.00	-12.69	100	292	Average	Vertical		
3	17475.00	57.22	48.96	8.26	68.20	-10.98	100	271	Peak	Vertical		

802.11n HT40

CH 151 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11510.00	55.87	56.48	-0.61	74.00	-18.13	100	293 Peak	Horizontal	
2	11510.00	36.92	37.53	-0.61	54.00	-17.08	100	293 Average	Horizontal	
3	17265.00	54.72	46.77	7.95	68.20	-13.48	100	306 Peak	Horizontal	

CH 151 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11510.00	56.91	57.52	-0.61	74.00	-17.09	100	179 Peak	Vertical	
2	11510.00	38.00	38.69	-0.61	54.00	-15.92	100	179 Average	Vertical	
3	17265.00	55.45	47.50	7.95	68.20	-12.75	100	291 Peak	Vertical	

802.11n HT40

CH 159 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11590.00	55.97	56.35	-0.38	74.00	-18.03	104	297	Peak	Horizontal		
2	11590.00	37.85	38.23	-0.38	54.00	-16.15	104	297	Average	Horizontal		
3	17385.00	54.60	46.40	8.20	68.20	-13.60	100	311	Peak	Horizontal		

CH 159 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11590.00	56.54	56.92	-0.38	74.00	-17.46	100	175	Peak	Vertical		
2	11590.00	38.73	39.11	-0.38	54.00	-15.27	100	175	Average	Vertical		
3	17385.00	57.25	49.05	8.20	68.20	-10.95	100	271	Peak	Vertical		

802.11ac VHT80

CH 155 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11550.00	51.20	51.69	-0.49	74.00	-22.80	100	320 Peak	Horizontal	
2	11550.00	36.99	37.48	-0.49	54.00	-17.01	100	320 Average	Horizontal	

CH 155 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11550.00	53.56	54.05	-0.49	74.00	-20.44	100	178 Peak	Vertical	
2	11550.00	38.52	39.01	-0.49	54.00	-15.48	100	178 Average	Vertical	
3	17325.00	51.45	43.50	7.95	68.20	-16.75	100	271 Peak	Vertical	


Co-location

BT + WLAN 5GHz

2480MHz + 5180MHz (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10360.00	62.13	64.76	-2.63	68.20	-6.07	100	299	Peak	Horizontal	
2	15540.00	59.75	54.47	5.28	74.00	-14.25	100	295	Peak	Horizontal	
3	15540.00	47.85	42.57	5.28	54.00	-6.15	100	295	Average	Horizontal	

2480MHz + 5180MHz (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10360.00	63.88	66.51	-2.63	68.20	-4.32	114	360	Peak	Vertical	
2	15540.00	57.50	52.22	5.28	74.00	-16.50	100	296	Peak	Vertical	
3	15540.00	47.44	42.16	5.28	54.00	-6.56	100	296	Average	Vertical	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz

U-NII-1


802.11a

CH 36 (Horizontal)

CH 36 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	219.93	37.69	45.55	-7.86	46.00	-0.31	180	263 QP	Horizontal	
2	240.68	42.03	48.67	-6.64	46.00	-3.97	180	81 QP	Horizontal	
3	298.30	39.19	43.79	-4.60	46.00	-6.81	182	360 QP	Horizontal	
4	400.06	34.33	37.17	-2.84	46.00	-11.67	100	181 QP	Horizontal	
5	481.24	32.91	34.60	-1.69	46.00	-13.09	200	17 QP	Horizontal	
6	721.98	33.87	31.91	1.96	46.00	-12.13	400	34 QP	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	36.40	34.71	41.56	-6.85	40.00	-5.29	100	134 QP	Vertical	
2	78.11	30.26	40.28	-10.02	40.00	-9.74	200	230 QP	Vertical	
3	240.68	36.79	43.43	-6.64	46.00	-9.21	200	141 QP	Vertical	
4	298.30	30.63	35.23	-4.60	46.00	-15.37	100	272 QP	Vertical	
5	721.98	32.83	30.87	1.96	46.00	-13.17	100	198 QP	Vertical	
6	769.14	33.54	30.60	2.94	46.00	-12.46	200	123 QP	Vertical	

U-NII-2A


802.11an20

CH 60 (Horizontal)

CH 60 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	120.31	28.78	37.08	-8.30	43.50	-14.72	300	230 QP	Horizontal	
2	217.02	36.96	44.88	-7.92	46.00	-9.04	200	301 QP	Horizontal	
3	240.68	42.22	48.86	-6.64	46.00	-3.78	100	278 QP	Horizontal	
4	400.06	34.84	37.68	-2.84	46.00	-11.16	300	163 QP	Horizontal	
5	481.24	34.90	36.59	-1.69	46.00	-11.10	200	34 QP	Horizontal	
6	721.98	34.53	32.57	1.96	46.00	-11.47	200	360 QP	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	36.60	35.16	41.91	-6.75	40.00	-4.84	100	138 QP	Vertical	
2	120.31	29.54	37.84	-8.30	43.50	-13.96	100	205 QP	Vertical	
3	240.68	36.62	43.26	-6.64	46.00	-9.38	200	125 QP	Vertical	
4	298.40	32.08	36.68	-4.60	46.00	-13.92	100	41 QP	Vertical	
5	481.24	30.73	32.42	-1.69	46.00	-15.27	100	115 QP	Vertical	
6	722.58	32.27	30.31	1.96	46.00	-13.73	400	91 QP	Vertical	

U-NII-2C


802.11ac80

CH 106 (Horizontal)

CH 106 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	120.31	28.75	37.05	-8.30	43.50	-14.75	300	230 QP	Horizontal	
2	217.02	42.35	50.27	-7.92	46.00	-3.65	200	257 QP	Horizontal	
3	240.68	42.37	49.01	-6.64	46.00	-3.63	100	272 QP	Horizontal	
4	298.30	38.12	42.72	-4.60	46.00	-7.88	200	18 QP	Horizontal	
5	417.71	33.73	36.34	-2.61	46.00	-12.27	100	152 QP	Horizontal	
6	721.90	33.77	31.81	1.96	46.00	-12.23	400	170 QP	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	36.60	34.54	41.29	-6.75	40.00	-5.46	100	136 QP	Vertical	
2	120.31	29.43	37.73	-8.30	43.50	-14.07	100	214 QP	Vertical	
3	240.68	36.60	43.24	-6.64	46.00	-9.40	200	151 QP	Vertical	
4	481.24	31.07	32.76	-1.69	46.00	-14.93	200	137 QP	Vertical	
5	680.29	32.33	30.97	1.36	46.00	-13.67	100	360 QP	Vertical	
6	813.00	33.40	29.94	3.46	46.00	-12.60	300	0 QP	Vertical	

U-NII-3


802.11a

CH 149 (Horizontal)

CH 149 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	220.98	36.15	43.95	-7.80	46.00	-9.85	180	382 QP	Horizontal	
2	240.68	42.37	49.01	-6.64	46.00	-3.63	180	275 QP	Horizontal	
3	480.06	36.48	39.32	-2.84	46.00	-9.52	180	177 QP	Horizontal	
4	481.24	33.37	35.06	-1.69	46.00	-12.63	180	24 QP	Horizontal	
5	722.00	33.96	32.00	1.96	46.00	-12.04	220	0 QP	Horizontal	
6	853.24	34.01	29.88	4.13	46.00	-11.99	280	272 QP	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	36.40	34.96	41.81	-6.85	46.00	-5.04	180	94 QP	Vertical	
2	74.33	29.76	39.09	-9.33	46.00	-16.24	200	244 QP	Vertical	
3	240.68	36.58	43.22	-6.64	46.00	-9.42	180	282 QP	Vertical	
4	298.30	31.93	36.53	-4.60	46.00	-14.07	180	109 QP	Vertical	
5	823.07	34.41	30.72	3.69	46.00	-11.59	300	0 QP	Vertical	
6	856.44	35.06	30.88	4.18	46.00	-10.94	280	8 QP	Vertical	

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz


U-NII-1

802.11a

CH 36 (Open) (9kHz ~ 150kHz)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



CH 36 (Open) (150kHz ~ 30MHz)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11a

CH 36 (Close) (9kHz ~ 150kHz)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



CH 36 (Close) (150kHz ~ 30MHz)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



U-NII-2A


802.11an20

CH 60 (Open) (9kHz ~ 150kHz)

CH 60 (Open) (150kHz ~ 30MHz)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	0.01	79.47	3.23	76.24	126.61	-47.14	100	338 QP	Open	
2	0.03	69.51	0.10	69.41	118.57	-49.06	100	304 QP	Open	
3	0.05	61.58	-1.89	63.47	113.17	-51.59	100	250 QP	Open	
4	0.08	56.82	-3.26	60.08	109.73	-52.91	100	209 QP	Open	
5	0.11	54.12	-2.78	56.90	106.97	-52.85	100	174 QP	Open	
6	0.13	52.56	-3.28	55.84	105.18	-52.62	100	250 QP	Open	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	0.51	57.11	12.25	44.86	73.42	-16.31	100	55 QP	Open	
2	6.33	49.99	13.13	36.86	69.50	-19.51	100	360 QP	Open	
3	10.54	51.05	12.78	38.27	69.50	-18.45	100	28 QP	Open	
4	17.51	50.10	12.32	37.78	69.50	-19.40	100	332 QP	Open	
5	23.60	53.86	14.55	39.31	69.50	-15.64	100	250 QP	Open	
6	26.44	56.10	15.44	40.66	69.50	-13.40	100	275 QP	Open	

802.11an20

CH 60 (Close) (9kHz ~ 150kHz)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.01	81.77	4.27	77.50	128.23	-46.46	100	26 QP	Close	
2	0.03	72.84	2.25	70.59	119.53	-46.69	100	277 QP	Close	
3	0.05	63.84	-1.09	64.93	114.44	-50.60	100	309 QP	Close	
4	0.06	59.41	-2.43	61.84	111.35	-51.94	100	352 QP	Close	
5	0.09	55.46	-3.29	58.75	108.68	-53.22	100	99 QP	Close	
6	0.14	51.38	-4.32	55.70	104.96	-53.58	100	345 QP	Close	

CH 60 (Close) (150kHz ~ 30MHz)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.25	64.43	13.46	50.97	99.80	-35.37	100	345 QP	Close	
2	6.33	59.97	23.11	36.86	69.50	-9.53	100	76 QP	Close	
3	10.38	54.11	15.84	38.27	69.50	-15.39	100	66 QP	Close	
4 !	19.32	63.82	26.18	37.64	69.50	-5.68	100	54 QP	Close	
5 !	23.56	65.40	26.11	39.29	69.50	-4.10	100	54 QP	Close	
6 !	26.71	65.77	24.98	40.79	69.50	-3.73	100	89 QP	Close	

U-NII-2C


802.11ac80

CH 106 (Open) (9kHz ~ 150kHz)

CH 106 (Open) (150kHz ~ 30MHz)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit					
	MHz	dBuV/m	dB/m	dBuV/m	dB	cm	deg			
1	0.01	79.16	3.18	75.98	126.13	-46.97	100	190 QP	Open	
2	0.02	73.50	1.05	72.45	121.29	-47.79	100	201 QP	Open	
3	0.04	66.58	-0.34	66.92	116.16	-49.58	100	117 QP	Open	
4	0.07	60.19	-1.60	61.79	111.30	-51.11	100	35 QP	Open	
5	0.09	54.44	-3.56	58.00	108.14	-53.70	100	286 QP	Open	
6	0.13	52.67	-3.17	56.04	105.49	-52.62	100	123 QP	Open	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit					
	MHz	dBuV/m	dB/m	dBuV/m	dB	cm	deg			
1	0.57	56.39	11.99	44.40	72.44	-16.05	100	350 QP	Open	
2	6.10	51.98	15.20	36.78	69.50	-17.52	100	230 QP	Open	
3	12.45	50.65	12.53	38.12	69.50	-18.85	100	278 QP	Open	
4	15.52	50.93	13.01	37.92	69.50	-18.57	100	234 QP	Open	
5	18.64	52.97	15.27	37.70	69.50	-16.53	100	216 QP	Open	
6	25.57	54.41	14.17	40.24	69.50	-15.09	100	26 QP	Open	

802.11ac80

CH 106 (Close) (9kHz ~ 150kHz)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	0.01	80.65	3.13	77.52	128.25	-47.60	100	94	QP	Close	
2	0.04	68.28	1.77	66.51	115.78	-47.50	100	336	QP	Close	
3	0.06	61.34	-0.81	62.15	111.66	-50.32	100	42	QP	Close	
4	0.09	57.78	-0.62	58.40	108.41	-50.63	100	235	QP	Close	
5	0.13	53.51	-2.63	56.14	105.05	-52.14	100	241	QP	Close	
6	0.13	51.94	-3.99	55.93	105.32	-53.38	100	204	QP	Close	

CH 106 (Close) (150kHz ~ 30MHz)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	0.23	62.73	11.24	51.49	100.23	-37.50	100	47	QP	Close	
2	6.36	60.29	23.42	36.87	69.50	-9.21	100	16	QP	Close	
3	10.49	56.56	18.30	38.26	69.50	-12.94	100	360	QP	Close	
4	18.98	61.76	24.09	37.67	69.50	-7.74	100	81	QP	Close	
5	23.49	66.22	26.97	39.25	69.50	-3.28	100	331	QP	Close	
6	25.12	67.68	27.57	40.03	69.50	-1.90	100	254	QP	Close	

U-NII-3


802.11a

CH 149 (Open) (9kHz ~ 150kHz)


CH 149 (Open) (150kHz ~ 30MHz)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11a

CH 149 (Close) (9kHz ~ 150kHz)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



CH 149 (Close) (150kHz ~ 30MHz)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Mains Conducted Emission, (150kHz ~ 30MHz)

Worst Band

(Line)



TÜV Rheinland Taiwan Ltd(New Taipei City Branch).
No. 458-19, Sec. 2, Fenliao Rd., Linkou Dist., New Taipei City 244
Tel:+886-2172-1000 Fax:+886-2172-1322




Trace: 1

	Freq	Read Level	Factor	Level	Limit Line	Over Limit	Remark	Pol/Phase	Note
	MHz	dBuV		dB	dBuV	dB			
1	0.158	40.00	0.05	40.05	65.59	-25.54	QP	line1	
2	0.158	23.63	0.05	23.68	55.59	-31.91	Average	line1	
3	0.387	16.63	0.06	16.69	58.13	-41.44	QP	line1	
4	0.387	9.40	0.06	9.46	48.13	-38.67	Average	line1	
5	1.158	11.23	0.08	11.31	56.00	-44.69	QP	line1	
6	1.158	6.65	0.08	6.73	46.00	-39.27	Average	line1	
7	1.760	11.58	0.11	11.69	56.00	-44.31	QP	line1	
8	1.760	7.34	0.11	7.45	46.00	-38.55	Average	line1	
9	3.625	9.78	0.15	9.93	56.00	-46.07	QP	line1	
10	3.625	4.86	0.15	5.01	46.00	-40.99	Average	line1	
11	16.578	17.49	0.43	17.92	60.00	-42.08	QP	line1	
12	16.578	13.06	0.43	13.49	50.00	-36.51	Average	line1	

(Neutral)



TÜV Rheinland Taiwan Ltd(New Taipei City Branch).
No. 458-19, Sec. 2, Fenliao Rd., Linkou Dist., New Taipei City 244
Tel:+886-2172-1000 Fax:+886-2172-1322



Trace: 1

	Freq	Read Level	Factor	Level	Limit Line	Over Limit	Remark	Pol/Phase	Note
	MHz	dBuV		dB	dBuV	dB			
1	0.198	33.84	0.05	33.89	63.68	-29.79	QP	neutral	
2	0.198	18.66	0.05	18.71	53.68	-34.97	Average	neutral	
3	0.532	24.83	0.06	24.89	56.00	-31.11	QP	neutral	
4	0.532	18.67	0.06	18.73	46.00	-27.27	Average	neutral	
5	0.750	15.83	0.07	15.90	56.00	-40.10	QP	neutral	
6	0.750	9.04	0.07	9.11	46.00	-36.89	Average	neutral	
7	2.648	11.31	0.11	11.42	56.00	-44.58	QP	neutral	
8	2.648	6.72	0.11	6.83	46.00	-39.17	Average	neutral	
9	4.447	9.55	0.16	9.71	56.00	-46.29	QP	neutral	
10	4.447	4.54	0.16	4.70	46.00	-41.30	Average	neutral	
11	16.413	21.31	0.44	21.75	60.00	-38.25	QP	neutral	
12	16.413	16.15	0.44	16.59	50.00	-33.41	Average	neutral	