


Antenna Specification

Specifications

Summary


ITEM	SPEC.	
Model Name	IBM 2.4 GHz	
Center Frequency	2400 MHz	2.58 dBi
	2440 MHz	2.5 dBi
	2483.5 MHz	1.4 dBi
MAX. GAIN	2.58 dBi	
Polarization	Horizontal	
Azimuth Beam Pattern	Omni-directional	
Impedance	50 Ω	
Antenna Length	2.709	

Antenna Photo & Length (mm)



Manufacturer: Mosart Semiconductor Corp

Address: Floor 23, No. 33, Section 1, Minsheng Road, Banqiao District, New Taipei City



1. Main antenna : 2400 MHz

1.1 Horizontal


Frequency(MHZ): **2400** Antenna Polarity:

Horizontal Maximum Value(dBi): **2.58**

Average Gain(dBi) : **-2.48**

Minimum Gain(dBi): **-55.18**

1.2 Vertical



Frequency(MHZ): **2400** Antenna Polarity: **Vertical**


Maximum Value(dBi): **-4.51**

Average Gain(dBi) : **-8.98**

Minimum Gain(dBi): **-62.3**

2. Main antenna : 2440 MHz

2.1 Horizontal




Frequency(MHZ): **2440** Antenna Polarity: **Horizontal**

Maximum Value(dBi): **2.5**

Average Gain(dBi) : **-2.54**

Minimum Gain(dBi): **-66.98**

2.2 Vertical



Frequency(MHZ): **2440** Antenna Polarity: **Vertical**


Maximum Value(dBi): **-4.29**

Average Gain(dBi) : **-8.81**

Minimum Gain(dBi): **-51.4**

2. Main antenna : 2483.5 MHz

2.1 Horizontal




Frequency(MHZ): **2483.5** Antenna Polarity: **Horizontal**

Maximum Value(dBi): **1.4**

Average Gain(dBi) : **-3.34**

Minimum Gain(dBi): **-53.4**

2.2 Vertical



Frequency(MHZ): **2483.5** Antenna Polarity: **Vertical**

Maximum Value(dBi): **-4.95**

Average Gain(dBi) : **-9.06**

Minimum Gain(dBi): **-60.00**

EUT Photo

