

Appendix Test Data

Project No.:	18220WC10144601	Test Date:	2021.7.1
Test Engineer:	<i>Jomy He</i>	Auditor:	<i>Edward Pan</i>
Temperature:	24.5°C	Relative Humidity:	55 %
Pressure:	1012 hPa		



1. Duty Cycle

1.1 Ant1


1.1.1 Test Result

Ant1									
Mode	TX Type	Frequency (MHz)	RU	RU Pos	T _{on} (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	Max. DC Variation (%)
802.11b	SISO	2412	/	/	8.38	8.47	98.94	0.05	0.04
		2437	/	/	8.38	8.47	98.94	0.05	0.04
		2462	/	/	8.38	8.47	98.86	0.05	0.04
802.11g	SISO	2412	/	/	1.39	1.41	98.72	0.06	0.03
		2437	/	/	1.39	1.41	98.72	0.06	0.03
		2462	/	/	1.39	1.41	98.72	0.06	0.03
802.11n (HT20)	SISO	2412	/	/	1.30	1.32	98.71	0.06	0.03
		2437	/	/	1.30	1.32	98.71	0.06	0.03
		2462	/	/	1.30	1.32	98.71	0.06	0.03
802.11n (HT40)	SISO	2422	/	/	0.65	0.66	98.48	0.07	0.03
		2437	/	/	0.65	0.66	98.48	0.07	0.03
		2452	/	/	0.65	0.66	98.48	0.07	0.03


1.1.2 Test Graph




802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV



802.11g_MCH_2437MHz_Ant1 (SISO)_NTNV



802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV




Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.


Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

Hotline
400-003-0500
www.anbotek.com


802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11n(HT40)_LCH_2422MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_MCH_2437MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_HCH_2452MHz_Ant1 (SISO)_NTNV





2. Bandwidth

2.1 OBW


2.1.1 Test Result

Mode	TX Type	Frequency (MHz)	RU	RU Pos	Ant	99% Occupied Bandwidth (MHz)	Limit	Verdict
802.11b	SISO	2412	/	/	1	14.83	/	Pass
		2437	/	/	1	14.69	/	Pass
		2462	/	/	1	14.76	/	Pass
802.11g	SISO	2412	/	/	1	17.38	/	Pass
		2437	/	/	1	17.37	/	Pass
		2462	/	/	1	17.44	/	Pass
802.11n (HT20)	SISO	2412	/	/	1	18.32	/	Pass
		2437	/	/	1	18.30	/	Pass
		2462	/	/	1	18.31	/	Pass
802.11n (HT40)	SISO	2422	/	/	1	35.51	/	Pass
		2437	/	/	1	35.52	/	Pass
		2452	/	/	1	35.55	/	Pass


2.1.2 Test Graph




802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV



802.11g_MCH_2437MHz_Ant1 (SISO)_NTNV



802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV




Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.


Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

Hotline
400-003-0500
www.anbotek.com

802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV



802.11n(HT20)_MCH_2437MHz_Ant1 (SISO)_NTNV




Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.


Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

Hotline
400-003-0500
www.anbotek.com


802.11n(HT20)_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11n(HT40)_LCH_2422MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_MCH_2437MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_HCH_2452MHz_Ant1 (SISO)_NTNV



Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com



Hotline
400-003-0500
www.anbotek.com

2.2 6dB BW


2.2.1 Test Result

Mode	TX Type	Frequency (MHz)	RU	RU Pos	Ant	6dB Bandwidth (MHz)	Limit	Verdict
802.11b	SISO	2412	/	/	1	11.09	>=0.5	Pass
		2437	/	/	1	12.02	>=0.5	Pass
		2462	/	/	1	12.05	>=0.5	Pass
802.11g	SISO	2412	/	/	1	15.14	>=0.5	Pass
		2437	/	/	1	15.15	>=0.5	Pass
		2462	/	/	1	15.15	>=0.5	Pass
802.11n (HT20)	SISO	2412	/	/	1	12.58	>=0.5	Pass
		2437	/	/	1	11.34	>=0.5	Pass
		2462	/	/	1	11.33	>=0.5	Pass
802.11n (HT40)	SISO	2422	/	/	1	35.02	>=0.5	Pass
		2437	/	/	1	33.82	>=0.5	Pass
		2452	/	/	1	32.51	>=0.5	Pass


2.2.2 Test Graph




802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11g_MCH_2437MHz_Ant1 (SISO) NTN




802.11g_HCH_2462MHz_Ant1 (SISO) NTN




802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11n(HT40)_LCH_2422MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_MCH_2437MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_HCH_2452MHz_Ant1 (SISO)_NTNV



3. Maximum Conducted Output Power

3.1 Power

3.1.1 Test Result

Mode	TX Type	Frequency (MHz)	RU	RU Pos	Measured Peak Output Power (dBm)	Limit (dBm)	Verdict
					Ant1		
802.11b	SISO	2412	/	/	16.40	<=30	Pass
		2437	/	/	16.42	<=30	Pass
		2462	/	/	16.88	<=30	Pass
802.11g	SISO	2412	/	/	18.32	<=30	Pass
		2437	/	/	18.50	<=30	Pass
		2462	/	/	19.19	<=30	Pass
802.11n (HT20)	SISO	2412	/	/	16.78	<=30	Pass
		2437	/	/	16.72	<=30	Pass
		2462	/	/	17.43	<=30	Pass
802.11n (HT40)	SISO	2422	/	/	16.39	<=30	Pass
		2437	/	/	15.96	<=30	Pass
		2452	/	/	16.02	<=30	Pass

Note1: Antenna Gain: Ant1: 0.50dBi;

4. Maximum Power Spectral Density



4.1 PSD

4.1.1 Test Result


Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum PSD (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
					Ant1		
802.11b	SISO	2412	/	/	-9.47	<=8	Pass
		2437	/	/	-10.18	<=8	Pass
		2462	/	/	-10.14	<=8	Pass
802.11g	SISO	2412	/	/	-12.13	<=8	Pass
		2437	/	/	-11.66	<=8	Pass
		2462	/	/	-12.71	<=8	Pass
802.11n (HT20)	SISO	2412	/	/	-11.51	<=8	Pass
		2437	/	/	-11.65	<=8	Pass
		2462	/	/	-12.82	<=8	Pass
802.11n (HT40)	SISO	2422	/	/	-12.88	<=8	Pass
		2437	/	/	-12.95	<=8	Pass
		2452	/	/	-14.84	<=8	Pass

Note1: Antenna Gain: Ant1: 0.50dBi;


4.1.2 Test Graph




802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV



802.11g_MCH_2437MHz_Ant1 (SISO)_NTNV



802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV




Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.


Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

Hotline
400-003-0500
www.anbotek.com

802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV



802.11n(HT20)_MCH_2437MHz_Ant1 (SISO)_NTNV




Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

Hotline
400-003-0500
www.anbotek.com


802.11n(HT20)_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11n(HT40)_LCH_2422MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_MCH_2437MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_HCH_2452MHz_Ant1 (SISO)_NTNV



5. Unwanted Emissions In Non-restricted Frequency Bands



5.1 Ref

5.1.1 Test Result


Mode	TX Type	Frequency (MHz)	RU	RU Pos	Ant	Level of Reference (dBm)	Limit (dBm)	Verdict
802.11b	SISO	2412	/	/	1	3.39	/	/
		2437	/	/	1	3.27	/	/
		2462	/	/	1	3.77	/	/
802.11g	SISO	2412	/	/	1	-0.45	/	/
		2437	/	/	1	-0.18	/	/
		2462	/	/	1	0.40	/	/
802.11n (HT20)	SISO	2412	/	/	1	1.95	/	/
		2437	/	/	1	1.98	/	/
		2462	/	/	1	2.72	/	/
802.11n (HT40)	SISO	2422	/	/	1	-4.70	/	/
		2437	/	/	1	-5.15	/	/
		2452	/	/	1	-4.84	/	/

Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2020, the channel contains the maximum PSD level was used to establish the reference level.


5.1.2 Test Graph




802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11g_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV



802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV



802.11n(HT20)_MCH_2437MHz_Ant1 (SISO)_NTNV




Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

Hotline
400-003-0500
www.anbotek.com


802.11n(HT20)_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11n(HT40)_LCH_2422MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_MCH_2437MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_HCH_2452MHz_Ant1 (SISO)_NTNV





5.2 CSE

5.2.1 Test Result


Mode	TX Type	Frequency (MHz)	RU	RU Pos	Ant	Level of Reference (dBm)	Limit (dBm)	Verdict
802.11b	SISO	2412	/	/	1	Refer To Test Graph	Refer To Test Graph	Pass
		2437	/	/	1	Refer To Test Graph	Refer To Test Graph	Pass
		2462	/	/	1	Refer To Test Graph	Refer To Test Graph	Pass
802.11g	SISO	2412	/	/	1	Refer To Test Graph	Refer To Test Graph	Pass
		2437	/	/	1	Refer To Test Graph	Refer To Test Graph	Pass
		2462	/	/	1	Refer To Test Graph	Refer To Test Graph	Pass
802.11n (HT20)	SISO	2412	/	/	1	Refer To Test Graph	Refer To Test Graph	Pass
		2437	/	/	1	Refer To Test Graph	Refer To Test Graph	Pass
		2462	/	/	1	Refer To Test Graph	Refer To Test Graph	Pass
802.11n (HT40)	SISO	2422	/	/	1	Refer To Test Graph	Refer To Test Graph	Pass
		2437	/	/	1	Refer To Test Graph	Refer To Test Graph	Pass
		2452	/	/	1	Refer To Test Graph	Refer To Test Graph	Pass

Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2020, the channel contains the maximum PSD level was used to establish the reference level.


5.2.2 Test Graph




802.11b_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11g_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV



802.11n(HT20)_MCH_2437MHz_Ant1 (SISO)_NTNV



802.11n(HT20)_HCH_2462MHz_Ant1 (SISO)_NTNV




Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.


Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

Hotline
400-003-0500
www.anbotek.com


802.11n(HT20)_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11n(HT40)_LCH_2422MHz_Ant1 (SISO)_NTNV




802.11n(HT40)_LCH_2422MHz_Ant1 (SISO)_NTNV




802.11n(HT40)_MCH_2437MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_HCH_2452MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_HCH_2452MHz_Ant1 (SISO)_NTNV



---End---