

SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043902

Page: 1 of 20

TEST REPORT

Application No.: FYCR2211000439ET (SGS SZ NO.: T52210330011EM)

Applicant: LI XIONG SHENG TOYS FACTORY

Address of Applicant: BEIWAN INDUSTRIAL AREA, LIANXIA TOWN, CHENGHAI DISTRICT,

SHANTOU CITY, GUANGDONG PROVINCE, CHINA

Manufacturer: LI XIONG SHENG TOYS FACTORY

Address of Manufacturer: BEIWAN INDUSTRIAL AREA, LIANXIA TOWN, CHENGHAI DISTRICT,

SHANTOU CITY, GUANGDONG PROVINCE, CHINA

Equipment Under Test (EUT):

EUT Name: TOY CAR

Item No.: 697A, 174, 175, 176, 177, 173A, 174A, 175A, 176A, 177A, 178, 179, 181,

182, 178A, 179A, 180A, 181A, 182A, 686, 687, 688, 689, 690, 686A, 687A, 688A, 689A, 690A, 274A, 275A, 276A, 277A, 278A, 288A, 311, 313, 315, 316, 634, 635, 636, 634A, 635A, 636A, 274A-1, 275A-2, 276A-3, 277A-1, 288A-3, 634-1, 635-2, 636-3, 634A-1, 635A-2, 636A-3, 173A-1, 174A-2, 175A-3, 176A-4, 177A-5, 178A-1, 179A-2, 180A-3, 181A-4, 182A-5, 686-1, 687-2, 688-3, 689-4, 690-5, 686A-1, 687A-2, 688A-3, 689A-4, 690A-5, 637,

638, 637A-1, 638A-2, 639 •

Please refer to section 2 of this report which indicates which item was

actually tested and which were electrically identical.

FCC ID: 2AMW3-697A

Country of Destination: US Requested Age Grading: 3+

Standard(s): 47 CFR Part 15, Subpart C 15.227

Date of Receipt: 2022-11-04

Date of Test: 2022-11-08 to 2023-02-28

Date of Issue: 2023-03-01

Test Result: Pass*

Winkey Wang

Winkey Wang

EMC Technical Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Terms-en/Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, **Attention:**To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443,

^{*} In the configuration tested, the EUT complied with the standards specified above.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043902

Page: 2 of 20

	Revision Record						
Version	Chapter	Date	Modifier	Remark			
01		2023-03-01		Original			

Authorized for issue by:		
	Tree Zhan	
	Tree Zhan/Project Engineer	
	WinkeyWarg	
	Winkey Wang/Reviewer	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apg. and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.apg.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is divised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest entry of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Unless otherwise stated the results shown in this test report refer only to the sample(s) testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, Attention: To check the auther facility of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443,



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043902

Page: 3 of 20

2 Test Summary

Radio Spectrum Technical Requirement						
Item	Standard	Method	Requirement	Result		
Antenna Requirement	47 CFR Part 15, Subpart C 15.227	N/A	47 CFR Part 15, Subpart C 15.203	Pass		

Radio Spectrum Matter Part							
Item	Standard	Method	Requirement	Result			
20dB Bandwidth		ANSI C63.10 (2013) Section 6.9	47 CFR Part 15, Subpart C 15.227	Pass			
Field Strength of the Fundamental Signal (15.227(a))	47 CFR Part 15, Subpart C 15.227	ANSI C63.10 (2013) Section 6.4	47 CFR Part 15, Subpart C 15.227(a)	Pass			
Radiated Emissions		ANSI C63.10 (2013) Section 6.4&6.5	47 CFR Part 15, Subpart C 15.227(b) & C 15.209	Pass			

Declaration of EUT Family Grouping:

Item No.: 697A, 174, 175, 176, 177, 173A, 174A, 175A, 176A, 177A, 178, 179, 181, 182, 178A, 179A, 180A, 181A, 182A, 686, 687, 688, 689, 690, 686A, 687A, 688A, 689A, 690A, 274A, 275A, 276A, 277A, 278A, 288A, 311, 313, 315, 316, 634, 635, 636, 634A, 635A, 636A, 274A-1, 275A-2, 276A-3, 277A-1, 288A-3, 634-1, 635-2, 636-3, 634A-1, 635A-2, 636A-3, 173A-1, 174A-2, 175A-3, 176A-4, 177A-5, 178A-1, 179A-2, 180A-3, 181A-4, 182A-5, 686-1, 687-2, 688-3, 689-4, 690-5, 686A-1, 687A-2, 688A-3, 689A-4, 690A-5, 637, 638, 637A-1, 638A-2, 639

Only the item 697A was tested, since according to the declaration from the applicant, the electrical circuit design, layout, components used, internal wiring and functions were identical for the above items, with only difference on item No., color and decorations.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for electronic Documents at http://www.sgs.com/en/Termd-Conditions.for electronic Document sapts. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law. Diess otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Attention:**To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **To check the authenticity of testing



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043902

Page: 4 of 20

3 Contents

		Page
1	1 COVER PAGE	
2	2 TEST SUMMARY	3
3	3 CONTENTS	4
4	4 GENERAL INFORMATION	5
-	4.1 DETAILS OF E.U.T	
	4.1 DETAILS OF E.U.T	
	4.3 Measurement Uncertainty	
	4.4 Test Location	
	4.5 Test Facility	
	4.6 DEVIATION FROM STANDARDS	
	4.7 ABNORMALITIES FROM STANDARD CONDITIONS	6
5	5 EQUIPMENT LIST	7
6	6 RADIO SPECTRUM TECHNICAL REQUIREMENT	8
	6.1 Antenna Requirement	0
	6.1.1 Test Requirement:	
	6.1.2 Conclusion	
7	7 RADIO SPECTRUM MATTER TEST RESULTS	9
	7.1 20dB Bandwidth	q
	7.1.1 E.U.T. Operation	
	7.1.2 Test Mode Description	
	7.1.3 Test Setup Diagram	
	7.1.4 Measurement Procedure and Data	
	7.2 FIELD STRENGTH OF THE FUNDAMENTAL SIGNAL (15.227(A))	
	7.2.1 E.U.T. Operation	
	7.2.2 Test Mode Description	
	7.2.4 Measurement Procedure and Data	12
	7.3 RADIATED EMISSIONS	
	7.3.1 E.U.T. Operation	
	7.3.2 Test Mode Description	15
	7.3.3 Test Setup Diagram	
	7.3.4 Measurement Procedure and Data	17
8	8 TEST SETUP PHOTO	20
q	9 FUT CONSTRUCTIONAL DETAILS (FUT PHOTOS)	20



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.xgs.com/en/Terms-and-Conditions.apg.xad. for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.xgs.com/en/Terms-and-Conditions/Terms-en-Document.asg.xad.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fulles tent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043902

Page: 5 of 20

4 General Information

4.1 Details of E.U.T.

Power supply:	3V DC(1.5V x 2 "AA" Size Batteries) for remote controller
Operation Frequency	27.145MHz
Modulation Type:	ASK
Antenna Type:	Integral Antenna

Remark: The information in this section is provided by the applicant or manufacturer, CCS is not liable to the accuracy, suitability, reliability or/and integrity of the information.

4.2 Description of Support Units

Description	Manufacturer	Model No.	Serial No.			
The EUT has been tested as an independent unit.						

4.3 Measurement Uncertainty

Test Item	Measurement Uncertainty
20dB Bandwidth	± 0.3%
Field Strength of the Fundamental Signal (15.227(a))	± 3.1dB (Below 1GHz)
Dedicted Courieus Emissions	± 3.1dB (Below 1GHz)
Radiated Spurious Emissions	± 4.4dB (Above 1GHz)

Remark:

The Ulab (lab Uncertainty) is less than Ucispr/ETSI (CISPR/ETSI Uncertainty), so the test results

- compliance is deemed to occur if no measured disturbance level exceeds the disturbance limit;
- non-compliance is deemed to occur if any measured disturbance level exceeds the disturbance limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.acx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.asx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law Lunes states the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone; (86-755) 8307 1443,



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043902

Page: 6 of 20

4.4 Test Location

All tests were performed at:

Compliance Certification Services (Kunshan) Inc. Shenzhen branch.

Fuyong lab. Xinlong TechnoPark,Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China

Tel: +86 755 8866 3988 Fax: +86 755 2671 0594

No tests were sub-contracted.

4.5 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

A2LA (Certificate No. 6606.01)

Compliance Certification Services (Kunshan) Inc. Shenzhen branch is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6606.01.

• FCC -Designation Number: CN1322

Compliance Certification Services (Kunshan) Inc. Shenzhen branch has been recognized as an accredited testing laboratory.

Designation Number: CN1322. Test Firm Registration Number: 718073

Innovation, Science and Economic Development Canada

Compliance Certification Services (Kunshan) Inc. Shenzhen branch has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0129.

IC#: 28189.

4.6 Deviation from Standards

None

4.7 Abnormalities from Standard Conditions

None





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043902

Page: 7 of 20

5 Equipment List

20dB Bandwidth					
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
EMI Test Receiver	Rohde & Schwarz	ESCI	SEM004-01	2022/7/12	2023/7/11
Coaxial Cable	CCS	N/A	SEM037-01	2022/5/16	2023/5/15
Measurement Software	TST PASS	TST PASS V2.0	N/A	N/A	N/A

Field Strength of the Fundamental Signal (15.227(a))							
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date		
3m Anechoic Chamber	CRT	N/A	SEM001-13	2021/7/13	2024/7/12		
Trilog-Broadband Antenna	Schwarzbeck	VULB9168	SEM003-33	2021/9/25	2024/9/24		
Loop Antenna	ETS-LINDGREN	6502	SEM003-36	2021/9/26	2024/9/25		
MXE EMI receiver	Agilent	N9038A	SEM004-05	2022/7/12	2023/7/11		
Pre-amplifier	HP	8447D	SEM005-02	2022/7/12	2023/7/11		
Coaxial Cable	CCS	N/A	SEM035-01	2022/5/16	2023/5/15		
Measurement Software	AUDIX	e3 V8.2014-6- 27	N/A	N/A	N/A		

Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
3m Anechoic Chamber	CRT	N/A	SEM001-13	2021/7/13	2024/7/12
Trilog-Broadband Antenna	Schwarzbeck	VULB9168	SEM003-33	2021/9/25	2024/9/24
Loop Antenna	ETS-LINDGREN	6502	SEM003-36	2021/9/26	2024/9/25
MXE EMI receiver	Agilent	N9038A	SEM004-05	2022/7/12	2023/7/11
Pre-amplifier	HP	8447D	SEM005-02	2022/7/12	2023/7/11
Coaxial Cable	CCS	N/A	SEM035-01	2022/5/16	2023/5/15
Measurement Software	AUDIX	e3 V8.2014-6- 27	N/A	N/A	N/A

General used equipment						
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date	
Humidity/ Temperature Indicator	Mingle	TH607	SEM002-22	2022/7/12	2023/7/11	
Humidity/ Temperature Indicator	Mingle	TH607	SEM002-23	2022/7/12	2023/7/11	
Barometer	DUMAI	DYM3	SEM002-24	2022/7/12	2023/7/11	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.xgs.com/en/Terms-and-Conditions.apg.xad. for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.xgs.com/en/Terms-and-Conditions/Terms-en-Document.asg.xad.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fulles tent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043902

Page: 8 of 20

6 Radio Spectrum Technical Requirement

6.1 Antenna Requirement

6.1.1 Test Requirement:

47 CFR Part 15, Subpart C 15.203

6.1.2 Conclusion

15.203 requirement:

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator, the manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

EUT Antenna:

The antenna is integrated on the main PCB and no consideration of replacement.

Antenna location: Refer to Internal photos



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.acx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.asx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law Lunes states the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043902

Page: 9 of 20

7 Radio Spectrum Matter Test Results

7.1 20dB Bandwidth

Test Requirement 47 CFR Part 15, Subpart C 15.227 Test Method: ANSI C63.10 (2013) Section 6.9

7.1.1 E.U.T. Operation


Operating Environment:

Temperature: 22.5 °C Humidity: 52.5 % RH Atmospheric Pressure: 1020 mbar

7.1.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	00	TX mode_Keep the EUT in transmitting mode.

7.1.3 Test Setup Diagram





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for electronic Documents at http://www.sgs.com/en/Termd-Conditions.for electronic Document say the full strawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excert parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043902

Page: 10 of 20

7.1.4 Measurement Procedure and Data





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic format documents, subject to Terms and Conditions for Electronic Documents aftity://www.sgs.com/en/Terms-and-Conditions-and-Conditions/Terms-and-Conditions-and-Cond



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043902

Page: 11 of 20

7.2 Field Strength of the Fundamental Signal (15.227(a))

Test Requirement 47 CFR Part 15, Subpart C 15.227(a)
Test Method: ANSI C63.10 (2013) Section 6.4

Measurement Distance: 3m

Limit:

Limit: ≤ 10000 microvolts/meter at 3 meters, the emission limit is based on

measurement instrumentation employing an average Detector:. The

provisions in § 15.35 for limiting peak emissions apply.

7.2.1 E.U.T. Operation


Operating Environment:

Temperature: 23.2 °C Humidity: 52.9 % RH Atmospheric Pressure: 1020 mbar

7.2.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	00	TX mode_Keep the EUT in transmitting mode.

7.2.3 Test Setup Diagram





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic format documents, subject to Terms and Conditions for Electronic Documents after this first the street of the s



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043902

Page: 12 of 20

7.2.4 Measurement Procedure and Data

- a. The EUT was placed on the top of a rotating table 0.8 meters above the ground for below 1Ghz at a 3 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.
- b. The EUT was set 3 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- c. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- d. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- e. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
- f. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using peak, quasi-peak or average method as specified and then reported in a data sheet.
- g. The radiation measurements are performed in X, Y, Z axis positioning. And found the X axis positioning which it is worse case, only the test worst case mode is recorded in the report.

Remark: Level= Read Level+ Cable Loss+ Antenna Factor- Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043902

Page: 13 of 20

Test Mode: 00; Polarity: Horizontal



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00439ET

Mode: 00

1 2 3

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
	26.939	0.24	16.57	26.04	42.83	33.60	50.00	-16.40	QP
2	27.145	0.23	16.55	26.04	60.96	51.70	100.00	-48.30	Peak
3	27.292	0.23	16.54	26.04	47.16	37.89	50.00	-12.11	QP



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and-do.dritions.rems-and-conditions-and-conditio




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043902

Page: 14 of 20

Test Mode: 00; Polarity: Vertical



Site : chamber Condition: 3m VERTICAL Job No : 00439ET

Mode : 00

Freq			Preamp Factor					Remark
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
			26.04					•
27.145 27.292			26.04					

Remark:

1 2 3

As shown in this section, for Field Strength of the Fundamental Signal limits are based on average limits. However, the peak field strength of the Fundamental Signal was not exceed the average limits specified under any condition of modulation. So, only peak field strength data of the Fundamental Signal was shown in the report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions, aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents aftity://www.sgs.com/en/Terms-a-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein, any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043902

Page: 15 of 20

7.3 Radiated Emissions

Test Requirement 47 CFR Part 15, Subpart C 15.227(b) & C 15.209

Test Method: ANSI C63.10 (2013) Section 6.4&6.5

Measurement Distance: 3m

Limit:

Frequency(MHz)	Field strength(microvolts/meter)	Measurement distance(meters)
0.009-0.490	2400/F(kHz)	300
0.490-1.705	24000/F(kHz)	30
1.705-30.0	30	30

Remark: The emission limits shown in the above table are based on measurements employing a CISPR quasi-peak detector except for the frequency bands 9-90kHz and 110-490kHz. Radiated emission limits in these two bands are based on measurements employing an average detector.

Frequency(MHz)	Field strength(microvolts/meter)	Measurement distance(meters)
30-88	100	3
88-216	150	3
216-960	200	3
Above 960	500	3

Remark: The emission limits shown in the above table are based on measurements employing a CISPR quasi-peak detector except for above 1000MHz. Radiated emission limits above 1000MHz is based on measurements employing an average detector.

7.3.1 E.U.T. Operation

Operating Environment:

Temperature: 23.2 °C Humidity: 52.9 % RH Atmospheric Pressure: 1020 mbar

7.3.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	00	TX mode_Keep the EUT in transmitting mode.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.acpx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law Lines otherwise stated the results shown in this test report refer only to the sample(s) tested and sample(s) are retained for 30 days only.

Attention: To check the authernicity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043902

Page: 16 of 20

7.3.3 Test Setup Diagram







Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for electronic Documents at http://www.sgs.com/en/Termd-Conditions/Terms-e-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043902

Page: 17 of 20

7.3.4 Measurement Procedure and Data

- a. The EUT was placed on the top of a rotating table 0.8 meters above the ground for below 1GHz at a 3 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.
- b. The EUT was set 3 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- c. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- d. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- e. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
- f. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using peak, quasi-peak or average method as specified and then reported in a data sheet.
- g. The radiation measurements are performed in X, Y, Z axis positioning. And found the X axis positioning which it is worse case, only the test worst case mode is recorded in the report.

Remark: Level= Read Level+ Cable Loss+ Antenna Factor- Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043902

Page: 18 of 20

Test Mode: 00; Polarity: Horizontal



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00439ET

Mode : 00

		C-1-1-	۸+	D	D = = d		1224	0	
		cable	Ant	Preamp	read		LIMIT	over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
-	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
			,			,	•		
1	54.344	0.24	17.26	25.96	36.13	27.67	40.00	-12.33	OP
2				25.78					-
2	01.40/	0.51	14.29	25.70	32.01	21.03	40.00	-10.1/	٧٢
3	108.719	0.93	15.22	25.58	28.67	19.24	43.50	-24.26	QP
4	217.500	0.75	15.76	25.46	35.87	26.92	46.00	-19.08	QP
5	271.735	0.92	17.35	25.42	35.65	28.50	46.00	-17.50	QР
6	435 125	1 54	21 Δ1	25 47	36 38	33 86	46 99	-12 14	OP.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and-do.dritions.rems-and-conditions-and-conditio




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043902

Page: 19 of 20

Test Mode: 00; Polarity: Vertical



Site : chamber Condition: 3m VERTICAL Job No : 00439ET

Mode : 00

		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	54.344	0.24	17.26	25.96	42.34	33.88	40.00	-6.12	QP
2	81.487	0.51	14.29	25.78	32.87	21.89	40.00	-18.11	QP
3	108.719	0.93	15.22	25.58	30.10	20.67	43.50	-22.83	QP
4	217.500	0.75	15.76	25.46	28.35	19.40	46.00	-26.60	QP
5	271.735	0.92	17.35	25.42	31.96	24.81	46.00	-21.19	QP
6	435.125	1.54	21.41	25.47	29.01	26.49	46.00	-19.51	OP



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and-do.dritions.rems-and-conditions-and-conditio



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043902

Page: 20 of 20

8 Test Setup Photo

Refer to Appendix - Test Setup Photo for FYCR2211000439ET

9 EUT Constructional Details (EUT Photos)

Refer to external and internal photos for FYCR2211000439ET

- End of the Report -



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-C