


11G_Ant1_2412_0-Reference




11G_Ant1_2412_30-1000




11G_Ant1_2412_1000-26500




11G_Ant1_2437_0-Reference




11G_Ant1_2437_30-1000




11G_Ant1_2437_1000-26500



11G_Ant1_2462_0-Reference



11G_Ant1_2462_30-1000




11G_Ant1_2462_1000-26500








11N20SISO_Ant1_2462_0~Reference




11N20SISO_Ant1_2462_30~1000




11N20SISO_Ant1_2462_1000~26500



11N40SISO_Ant1_2422_0~Reference



11N40SISO_Ant1_2422_30~1000




11N40SISO_Ant1_2422_1000~26500






11N40SISO_Ant1_2452_0~Reference



11N40SISO_Ant1_2452_30~1000



11N40SISO_Ant1_2452_1000~26500



Band Edge

TestMode	Antenna	ChName	Channel	RefLevel[dBm]	Result[dBm]	Limit[dBm]	Verdict
11B	Ant1	Low	2412	5.18	-28.84	≤-14.83	PASS
		High	2462	4.28	-43.19	≤-15.72	PASS
11G	Ant1	Low	2412	3.09	-24.9	≤-16.91	PASS
		High	2462	1.72	-40.07	≤-18.28	PASS
11N20SISO	Ant1	Low	2412	-0.64	-27.06	≤-20.64	PASS
		High	2462	1.02	-38.68	≤-18.98	PASS
11N40SISO	Ant1	Low	2422	-2.22	-34.94	≤-22.22	PASS
		High	2452	-3.99	-36.25	≤-23.99	PASS

11B_Ant1_Low_2412



11B_Ant1_High_2462



11G_Ant1_Low_2412



11G_Ant1_High_2462



11N20SISO_Ant1_Low_2412



11N20SISO_Ant1_High_2462



11N40SISO_Ant1_Low_2422



11N40SISO_Ant1_High_2452




Note: Testing was carried out within frequency range 9kHz to the tenth harmonics. The measurement results below 30MHz and 18GHz - 26.5GHz were greater than 20dB below the limit, so only the radiated spurious emissions from 30MHz to 18GHz were reported.

Appendix B.5: Test Results of Radiated Spurious Emissions 30MHz - 1GHz (Worst case)

EUT Information

EUT Name:	Robotic Vacuum Cleaner
Model:	Q380RR
Test Mode:	WiFi 2.4G_11b_Ch1
Order No/Sample No:	168361509/A003218991-005
Test Voltage:	Battery
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
50.224500	20.53	40.00	19.47	100.0	H	290.0	-18.3
108.036500	17.82	43.50	25.68	100.0	H	68.0	-18.9
307.614000	22.28	46.00	23.72	100.0	H	6.0	-16.0
828.455500	33.60	46.00	12.40	100.0	H	178.0	-5.8

Final Result

Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name: Robotic Vacuum Cleaner
 Model: Q380RR
 Test Mode: WiFi 2.4G_11b_Ch1
 Order No/Sample No: 168361509/A003218991-005
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
49.400000	24.55	40.00	15.45	100.0	V	150.0	-18.3
115.699500	17.80	43.50	25.70	100.0	V	125.0	-19.9
276.477000	21.87	46.00	24.13	100.0	V	117.0	-16.8
510.198500	26.96	46.00	19.04	100.0	V	244.0	-11.6
860.950500	34.13	46.00	11.87	100.0	V	172.0	-5.3

Final_Result

Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name:	Robotic Vacuum Cleaner
Model:	Q380RR
Test Mode:	WiFi 2.4G_11b_Ch11
Order No/Sample No:	168361509/A003218991-005
Test Voltage:	Battery
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
46.781000	21.09	40.00	18.91	100.0	H	81.0	-18.5
104.205000	17.79	43.50	25.71	100.0	H	295.0	-18.8
275.507000	21.51	46.00	24.49	100.0	H	325.0	-16.8
870.699000	34.93	46.00	11.07	100.0	H	161.0	-5.2

Final_Result

Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name: Robotic Vacuum Cleaner
Model: Q380RR
Test Mode: WiFi 2.4G_11b_Ch11
Order No/Sample No: 168361509/A003218991-005
Test Voltage: Battery
Remark: Temp 22 Humi:55%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
38.875500	26.79	40.00	13.21	100.0	V	68.0	-20.5
50.030500	27.46	40.00	12.54	100.0	V	150.0	-18.3
105.514500	18.95	43.50	24.55	100.0	V	356.0	-18.8
326.383500	22.88	46.00	23.12	100.0	V	68.0	-15.6
766.084500	32.82	46.00	13.18	100.0	V	156.0	-6.9

Final_Result


Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

1GHz - 18GHz

Note: The highest waveform in the figure is Wi-Fi Fundamental.

EUT Information

EUT Name:	Robotic Vacuum Cleaner
Model:	Q380RR
Test Mode:	WiFi 2.4G_11b_Ch1
Order No/Sample No:	168361509/A003218991-005
Test Voltage:	Battery
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4823.000000	50.95	---	74.00	23.05	100.0	H	203.0	11.8
4824.000000	---	43.35	54.00	10.65	100.0	H	195.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Robotic Vacuum Cleaner
Model:	Q380RR
Test Mode:	WiFi 2.4G_11b_Ch1
Order No/Sample No:	168361509/A003218991-005
Test Voltage:	Battery
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4823.500000	---	40.21	54.00	13.79	100.0	V	225.0	11.8
4842.500000	51.01	---	74.00	22.99	100.0	V	145.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Robotic Vacuum Cleaner
Model:	Q380RR
Test Mode:	WiFi 2.4G_11b_Ch1
Order No/Sample No:	168361509/A003218991-005
Test Voltage:	Battery
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7228.075000	42.87	---	74.00	31.13	100.0	H	5.0	8.7
7234.466667	---	34.68	54.00	19.32	100.0	H	29.0	8.6

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Robotic Vacuum Cleaner
Model:	Q380RR
Test Mode:	WiFi 2.4G_11b_Ch1
Order No/Sample No:	168361509/A003218991-005
Test Voltage:	Battery
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7215.291667	42.66	---	74.00	31.34	100.0	V	282.0	8.7
7231.025000	---	34.48	54.00	19.52	100.0	V	143.0	8.6

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Robotic Vacuum Cleaner
 Model: Q380RR
 Test Mode: WiFi 2.4G_11b_Ch6
 Order No/Sample No: 168361509/A003218991-005
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4874.000000	50.87	---	74.00	23.13	100.0	H	206.0	11.8
4874.000000	---	41.38	54.00	12.62	100.0	H	206.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Robotic Vacuum Cleaner
Model:	Q380RR
Test Mode:	WiFi 2.4G_11b_Ch6
Order No/Sample No:	168361509/A003218991-005
Test Voltage:	Battery
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4864.500000	50.97	---	74.00	23.03	100.0	V	201.0	11.8
4874.000000	---	39.93	54.00	14.07	100.0	V	116.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name:	Robotic Vacuum Cleaner
Model:	Q380RR
Test Mode:	WiFi 2.4G_11b_Ch6
Order No/Sample No:	168361509/A003218991-005
Test Voltage:	Battery
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7307.233333	---	33.40	54.00	20.60	100.0	H	258.0	8.3
7310.675000	41.38	---	74.00	32.62	100.0	H	346.0	8.2

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Robotic Vacuum Cleaner
Model:	Q380RR
Test Mode:	WiFi 2.4G_11b_Ch6
Order No/Sample No:	168361509/A003218991-005
Test Voltage:	Battery
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7308.708333	41.92	---	74.00	32.08	100.0	V	66.0	8.2
7309.200000	---	33.89	54.00	20.11	100.0	V	138.0	8.2

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Robotic Vacuum Cleaner
Model:	Q380RR
Test Mode:	WiFi 2.4G_11b_Ch11
Order No/Sample No:	168361509/A003218991-005
Test Voltage:	Battery
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4924.000000	---	40.97	54.00	13.03	100.0	H	214.0	11.8
4928.000000	50.63	---	74.00	23.37	100.0	H	271.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name:	Robotic Vacuum Cleaner
Model:	Q380RR
Test Mode:	WiFi 2.4G_11b_Ch11
Order No/Sample No:	168361509/A003218991-005
Test Voltage:	Battery
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4917.000000	50.59	---	74.00	23.41	100.0	V	234.0	11.8
4923.500000	---	39.96	54.00	14.04	100.0	V	354.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name: Robotic Vacuum Cleaner
Model: Q380RR
Test Mode: WiFi 2.4G_11b_Ch11
Order No/Sample No: 168361509/A003218991-005
Test Voltage: Battery
Remark: Temp 22 Humi:55%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7362.300000	42.58	---	74.00	31.42	100.0	H	238.0	8.2
7391.800000	---	33.83	54.00	20.17	100.0	H	215.0	8.3

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Robotic Vacuum Cleaner
Model:	Q380RR
Test Mode:	WiFi 2.4G_11b_Ch11
Order No/Sample No:	168361509/A003218991-005
Test Voltage:	Battery
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7366.725000	---	33.40	54.00	20.60	100.0	V	10.0	8.2
7378.033333	42.99	---	74.00	31.01	100.0	V	0.0	8.2

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Robotic Vacuum Cleaner
Model: Q380RR
Test Mode: WiFi 2.4G_11g_Ch6
Order No/Sample No: 168361509/A003218991-005
Test Voltage: Battery
Remark: Temp 22 Humi:55%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4869.000000	---	39.29	54.00	14.71	100.0	H	4.0	11.8
4873.500000	50.35	---	74.00	23.65	100.0	H	237.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name: Robotic Vacuum Cleaner
Model: Q380RR
Test Mode: WiFi 2.4G_11g_Ch6
Order No/Sample No: 168361509/A003218991-005
Test Voltage: Battery
Remark: Temp 22 Humi:55%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4872.500000	---	39.14	54.00	14.86	100.0	V	12.0	11.8
4874.500000	50.02	---	74.00	23.98	100.0	V	341.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Robotic Vacuum Cleaner
Model:	Q380RR
Test Mode:	WiFi 2.4G_11g_Ch6
Order No/Sample No:	168361509/A003218991-005
Test Voltage:	Battery
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7307.725000	---	33.95	54.00	20.05	100.0	H	250.0	8.3
7319.033333	42.32	---	74.00	31.68	100.0	H	0.0	8.2

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Robotic Vacuum Cleaner
Model:	Q380RR
Test Mode:	WiFi 2.4G_11g_Ch6
Order No/Sample No:	168361509/A003218991-005
Test Voltage:	Battery
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7303.300000	---	33.37	54.00	20.63	100.0	V	358.0	8.3
7310.675000	42.75	---	74.00	31.25	100.0	V	162.0	8.2

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Robotic Vacuum Cleaner
Model: Q380RR
Test Mode: WiFi 2.4G_11n20_Ch6
Order No/Sample No: 168361509/A003218991-005
Test Voltage: Battery
Remark: Temp 22 Humi:55%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4871.000000	---	39.31	54.00	14.69	100.0	H	261.0	11.8
4871.500000	51.08	---	74.00	22.92	100.0	H	311.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name: Robotic Vacuum Cleaner
Model: Q380RR
Test Mode: WiFi 2.4G_11n20_Ch6
Order No/Sample No: 168361509/A003218991-005
Test Voltage: Battery
Remark: Temp 22 Humi:55%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4869.000000	---	39.27	54.00	14.73	100.0	V	326.0	11.8
4870.000000	50.84	---	74.00	23.16	100.0	V	348.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Robotic Vacuum Cleaner
Model: Q380RR
Test Mode: WiFi 2.4G_11n20_Ch6
Order No/Sample No: 168361509/A003218991-005
Test Voltage: Battery
Remark: Temp 22 Humi:55%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7312.150000	---	33.08	54.00	20.92	100.0	H	98.0	8.2
7333.291667	42.38	---	74.00	31.62	100.0	H	324.0	8.1

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Robotic Vacuum Cleaner
Model:	Q380RR
Test Mode:	WiFi 2.4G_11n20_Ch6
Order No/Sample No:	168361509/A003218991-005
Test Voltage:	Battery
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7307.233333	---	33.99	54.00	20.01	100.0	V	213.0	8.3
7313.625000	41.94	---	74.00	32.06	100.0	V	342.0	8.2

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Robotic Vacuum Cleaner
Model: Q380RR
Test Mode: WiFi 2.4G_11n40_Ch6
Order No/Sample No: 168361509/A003218991-005
Test Voltage: Battery
Remark: Temp 22 Humi:55%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4861.000000	50.79	---	74.00	23.21	100.0	H	147.0	11.8
4872.000000	---	39.18	54.00	14.82	100.0	H	116.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Robotic Vacuum Cleaner
Model: Q380RR
Test Mode: WiFi 2.4G_11n40_Ch6
Order No/Sample No: 168361509/A003218991-005
Test Voltage: Battery
Remark: Temp 22 Humi:55%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4871.000000	51.00	---	74.00	23.00	100.0	V	78.0	11.8
4878.500000	---	39.42	54.00	14.58	100.0	V	41.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name:	Robotic Vacuum Cleaner
Model:	Q380RR
Test Mode:	WiFi 2.4G_11n40_Ch6
Order No/Sample No:	168361509/A003218991-005
Test Voltage:	Battery
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7310.183333	42.34	---	74.00	31.66	100.0	H	0.0	8.2
7313.133333	---	33.38	54.00	20.62	100.0	H	314.0	8.2

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Robotic Vacuum Cleaner
 Model: Q380RR
 Test Mode: WiFi 2.4G_11n40_Ch6
 Order No/Sample No: 168361509/A003218991-005
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7313.133333	---	33.52	54.00	20.48	100.0	V	359.0	8.2
7318.541667	43.86	---	74.00	30.14	100.0	V	0.0	8.2


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Appendix B.6: Test Results of Radiated Emissions in Restricted Bands Wi-Fi 802.11 b mode, 1 Mbps

EUT Information

EUT Name:	Robotic Vacuum Cleaner
Model:	Q380RR
Test Mode:	WiFi 2.4G_11b_Ch1
Order No/Sample No:	168361509/A003218991-005
Test Voltage:	Battery
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2362.600000	58.23	---	74.00	15.77	100.0	H	191.0	6.9
2385.600000	---	50.37	54.00	3.63	100.0	H	191.0	7.0

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Robotic Vacuum Cleaner
Model: Q380RR
Test Mode: WiFi 2.4G_11b_Ch1
Order No/Sample No: 168361509/A003218991-005
Test Voltage: Battery
Remark: Temp 22 Humi:55%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2385.700000	---	49.76	54.00	4.24	100.0	V	291.0	7.0
2388.600000	57.29	---	74.00	16.71	100.0	V	231.0	7.0

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name: Robotic Vacuum Cleaner
Model: Q380RR
Test Mode: WiFi 2.4G_11b_Ch11
Order No/Sample No: 168361509/A003218991-005
Test Voltage: Battery
Remark: Temp 22 Humi:55%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2487.800000	59.82	---	74.00	14.18	100.0	H	149.0	7.4

Final_Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2490.060350	49.79	54.00	4.21	100.0	H	147.0	7.4

EUT Information

EUT Name:	Robotic Vacuum Cleaner
Model:	Q380RR
Test Mode:	WiFi 2.4G_11b_Ch11
Order No/Sample No:	168361509/A003218991-005
Test Voltage:	Battery
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2488.100000	---	49.13	54.00	4.87	100.0	V	278.0	7.4
2489.900000	57.00	---	74.00	17.00	100.0	V	300.0	7.4


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

Wi-Fi 802.11 g mode, 6 Mbps

EUT Information

EUT Name:	Robotic Vacuum Cleaner
Model:	Q380RR
Test Mode:	WiFi 2.4G_11g_Ch1
Order No/Sample No:	168361509/A003218991-005
Test Voltage:	Battery
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2388.400000	68.65	---	74.00	5.35	100.0	H	184.0	7.0

Final Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2389.553350	50.63	54.00	3.37	100.0	H	189.0	7.0

EUT Information

EUT Name: Robotic Vacuum Cleaner
Model: Q380RR
Test Mode: WiFi 2.4G_11g_Ch1
Order No/Sample No: 168361509/A003218991-005
Test Voltage: Battery
Remark: Temp 22 Humi:55%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2389.500000	69.35	---	74.00	4.65	100.0	V	217.0	7.0

Final_Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2389.893450	50.92	54.00	3.08	105.0	V	212.0	7.0

EUT Information

EUT Name: Robotic Vacuum Cleaner
Model: Q380RR
Test Mode: WiFi 2.4G_11g_Ch11
Order No/Sample No: 168361509/A003218991-005
Test Voltage: Battery
Remark: Temp 22 Humi:55%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.900000	67.83	---	74.00	6.17	100.0	H	146.0	7.4

Final_Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.991150	47.38	54.00	6.62	100.0	H	135.0	7.4

EUT Information

EUT Name:	Robotic Vacuum Cleaner
Model:	Q380RR
Test Mode:	WiFi 2.4G_11g_Ch11
Order No/Sample No:	168361509/A003218991-005
Test Voltage:	Battery
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.700000	64.57	---	74.00	9.43	100.0	V	261.0	7.4
2483.700000	---	50.03	54.00	3.97	100.0	V	261.0	7.4


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

Wi-Fi 802.11 n(HT20) mode, MCS0

EUT Information

EUT Name:	Robotic Vacuum Cleaner
Model:	Q380RR
Test Mode:	WiFi 2.4G_11n20_Ch1
Order No/Sample No:	168361509/A003218991-005
Test Voltage:	Battery
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2388.800000	65.41	---	74.00	8.59	100.0	H	195.0	7.0

Final Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2389.388850	50.42	54.00	3.58	100.0	H	190.0	7.0

EUT Information

EUT Name: Robotic Vacuum Cleaner
Model: Q380RR
Test Mode: WiFi 2.4G_11n20_Ch1
Order No/Sample No: 168361509/A003218991-005
Test Voltage: Battery
Remark: Temp 22 Humi:55%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2388.400000	64.23	---	74.00	9.77	100.0	V	228.0	7.0

Final_Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2389.068500	46.20	54.00	7.80	100.0	V	60.0	7.0

EUT Information

EUT Name: Robotic Vacuum Cleaner
Model: Q380RR
Test Mode: WiFi 2.4G_11n20_Ch11
Order No/Sample No: 168361509/A003218991-005
Test Voltage: Battery
Remark: Temp 22 Humi:55%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2485.600000	70.26	---	74.00	3.74	100.0	H	148.0	7.4

Final_Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2484.915350	49.28	54.00	4.72	100.0	H	137.0	7.4

EUT Information

EUT Name: Robotic Vacuum Cleaner
Model: Q380RR
Test Mode: WiFi 2.4G_11n20_Ch11
Order No/Sample No: 168361509/A003218991-005
Test Voltage: Battery
Remark: Temp 22 Humi:55%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2484.600000	66.11	---	74.00	7.89	100.0	V	303.0	7.4


Final_Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.734950	48.29	54.00	5.71	100.0	V	267.0	7.4

Wi-Fi 802.11 n(HT40) mode, MCS0

EUT Information

EUT Name:	Robotic Vacuum Cleaner
Model:	Q380RR
Test Mode:	WiFi 2.4G_11n40_Ch3
Order No/Sample No:	168361509/A003218991-005
Test Voltage:	Battery
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2386.900000	64.67	---	74.00	9.33	100.0	H	204.0	7.0

Final Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2389.554650	47.36	54.00	6.64	100.0	H	181.0	7.0

EUT Information

EUT Name:	Robotic Vacuum Cleaner
Model:	Q380RR
Test Mode:	WiFi 2.4G_11n40_Ch3
Order No/Sample No:	168361509/A003218991-005
Test Voltage:	Battery
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2389.000000	64.27	---	74.00	9.73	100.0	V	205.0	7.0

Final_Result

Frequency (MHz)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2389.382850	50.97	54.00	3.03	105.0	V	209.0	7.0

EUT Information

EUT Name: Robotic Vacuum Cleaner
Model: Q380RR
Test Mode: WiFi 2.4G_11n40_Ch9
Order No/Sample No: 168361509/A003218991-005
Test Voltage: Battery
Remark: Temp 22 Humi:55%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2484.200000	68.64	---	74.00	5.36	100.0	H	145.0	7.4

Final_Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2484.532750	50.86	54.00	3.14	100.0	H	134.0	7.4

EUT Information

EUT Name: Robotic Vacuum Cleaner
Model: Q380RR
Test Mode: WiFi 2.4G_11n40_Ch9
Order No/Sample No: 168361509/A003218991-005
Test Voltage: Battery
Remark: Temp 22 Humi:55%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2484.100000	63.79	---	74.00	10.21	100.0	V	301.0	7.4


Final_Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2485.573450	47.12	54.00	6.88	100.0	V	260.0	7.4

Appendix B.7: Test Results of Conducted Emission

EUT Information

EUT Name:	Robotic Vacuum Cleaner
Order No:	168361509
Model:	Q380RR
Test mode:	Charging+ Wifi Link
Test Voltage:	AC 120V/60Hz
Test By:	William Wang
Review By:	Terry Yin
Test T/H:	23.5/56%
Pressure:	101kPa



Critical Freqs

Frequency (MHz)	MaxPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Line	Corr. (dB)
0.154000	53.99	---	65.78	11.79	L1	9.9
0.158000	---	35.39	55.57	20.18	L1	9.9
0.498000	41.70	---	56.03	14.34	L1	10.0
0.498000	---	38.93	46.03	7.10	L1	10.0
1.010000	---	26.38	46.00	19.62	L1	10.0
1.014000	32.42	---	56.00	23.58	L1	10.0
1.506000	---	18.59	46.00	27.41	L1	10.1
1.514000	28.00	---	56.00	28.00	L1	10.1
1.994000	---	17.72	46.00	28.28	L1	10.1
1.994000	28.34	---	56.00	27.66	L1	10.1
8.062000	30.00	---	60.00	30.00	L1	10.3
8.226000	---	17.72	50.00	32.28	L1	10.3

Final Result

Frequency (MHz)	QuasiPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Corr. (dB)
93.5	128.5	127.5	127.5	0.0	100	9	1	0.0

