

Product: Middle-short range radar

Type Identification: B122-019, B122-019XXX-XXX, B122-019XXX-XX

(The suffix X may be any alpha character "a"-“z”, "A"-“Z”, or numeric character "0"-“9”, or -, (, ), or blank or combination of alpha and numeric characters for the marketing purpose.)

**Photograph 1: Test Setup for Spurious Emissions (Front View 1)**



**Photograph 2: Test Setup for Spurious Emissions (Front View 2)**




Product: Middle-short range radar

Type Identification: B122-019, B122-019XXX-XXX, B122-019XXX-XX

(The suffix X may be any alpha character "a"-"z", "A"-"Z", or numeric character "0"-"9", or -, (, ), or blank or combination of alpha and numeric characters for the marketing purpose.)

**Photograph 3: Test Setup for Spurious Emissions (Back View 1)**



**Photograph 4: Test Setup for Spurious Emissions (Back View 2)**



Product: Middle-short range radar

Type Identification: B122-019, B122-019XXX-XXX, B122-019XXX-XX

(The suffix X may be any alpha character "a"-"z", "A"-"Z", or numeric character "0"-"9", or -, (, ), or blank or combination of alpha and numeric characters for the marketing purpose.)

**Photograph 5: Test Setup for Spurious Emissions (Back View 3)**



**Photograph 6: Test Setup for Spurious Emissions (Back View 4)**



Product: Middle-short range radar

Type Identification: B122-019, B122-019XXX-XXX, B122-019XXX-XX

(The suffix X may be any alpha character "a"-"z", "A"-"Z", or numeric character "0"-"9", or -, (, ), or blank or combination of alpha and numeric characters for the marketing purpose.)

**Photograph 7: Test Setup for Spurious Emissions (Back View 5)**



**Photograph 8: Test Setup for Spurious Emissions (Back View 6)**

