

# APPENDIX REPORT

Project No.	SHT2105014205EW	Radio Specification	WIFI 2.4G
Test sample No.	YPHT21050142011	Model No.	ABX00053
Start test date	2021-05-26	Finish date	2021-05-26
Temperature	24.5°C	Humidity	36%
Test Engineer	Hailey Chen	Auditor	Xiaodong Zhu




Appendix clause	Test item	Result
A	Conducted Peak Output Power	PASS
B	Power Spectral Density	PASS
C	6 dB Bandwidth	PASS
D	99% Occupied Bandwidth	PASS
E	Duty Cycle	PASS
F	Band edge and Spurious Emissions (conducted)	PASS

**Appendix A: Conducted Peak Output Power**

Type	Channel	Peak Output power (dBm)	Average Output power (dBm)	Limit (dBm)	Result
802.11b	01	14.58	12.96	≤ 30.00	Pass
	06	15.88	14.06		
	11	14.75	13.09		
802.11g	01	14.57	12.21	≤ 30.00	Pass
	06	14.54	12.18		
	11	14.11	11.80		
802.11n (HT20)	01	14.84	12.33	≤ 30.00	Pass
	06	15.73	13.22		
	11	14.58	12.15		

**Appendix B: Power Spectral Density**

Type	Channel	Power Spectral Density (dBm/30KHz)	Limit (dBm/3KHz)	Result
802.11b	01	-6.20	≤8.00	Pass
	06	-5.34		
	11	-5.84		
802.11g	01	-10.97	≤8.00	Pass
	06	-11.20		
	11	-10.89		
802.11n(HT20)	01	-11.32	≤8.00	Pass
	06	-10.68		
	11	-11.12		


Type:	802.11 b
CH01	 <p>Ref Level 20.00 dBm Offset 1.00 dB RBW 30 kHz Att 30 dB SWI 1.78 ms VBW 100 kHz Mode Auto Sweep Count 100/100 MI[1] 6.20 dBm 2.4126550 GHz CF 2.412 GHz 1001 pts 1.6 MHz/ Span 16.0 MHz Date: 26 MAY 2021 09:03:05</p>
CH06	 <p>Ref Level 20.00 dBm Offset 1.00 dB RBW 30 kHz Att 30 dB SWI 1.78 ms VBW 100 kHz Mode Auto Sweep Count 100/100 MI[1] -5.34 dBm 2.4376550 GHz CF 2.437 GHz 1001 pts 1.6 MHz/ Span 16.0 MHz Date: 26 MAY 2021 09:01:50</p>
CH11	 <p>Ref Level 20.00 dBm Offset 1.00 dB RBW 30 kHz Att 30 dB SWI 1.78 ms VBW 100 kHz Mode Auto Sweep Count 100/100 MI[1] -5.84 dBm 2.4626550 GHz CF 2.462 GHz 1001 pts 1.6 MHz/ Span 16.0 MHz Date: 26 MAY 2021 09:04:01</p>

Type:	802.11 g
CH01	<p> <b>Spectrum</b>            Ref Level 20.00 dBm Offset 1.00 dB BW 30 kHz            Att 30 dB SWI 279 us (-1.5 ms) VBW 100 kHz Mode Auto FFT            Count 100/100            1 Frequency Sweep            MI[1] -10.97 dBm            2.4147970 GHz            CF 2.412 GHz 1001 pts 2.5 MHz/ Span 25.0 MHz            Date: 26 MAY 2021 09:17:06         </p>
CH06	<p> <b>Spectrum</b>            Ref Level 20.00 dBm Offset 1.00 dB BW 30 kHz            Att 30 dB SWI 279 us (-1.5 ms) VBW 100 kHz Mode Auto FFT            Count 100/100            1 Frequency Sweep            MI[1] -11.20 dBm            2.4394730 GHz            CF 2.437 GHz 1001 pts 2.5 MHz/ Span 25.0 MHz            Date: 26 MAY 2021 09:21:38         </p>
CH11	<p> <b>Spectrum</b>            Ref Level 20.00 dBm Offset 1.00 dB BW 30 kHz            Att 30 dB SWI 279 us (-1.5 ms) VBW 100 kHz Mode Auto FFT            Count 100/100            1 Frequency Sweep            MI[1] -10.89 dBm            2.4557060 GHz            CF 2.462 GHz 1001 pts 2.5 MHz/ Span 25.0 MHz            Date: 26 MAY 2021 09:24:56         </p>




Type:	802.11n(HT20)
CH01	<p> <b>Spectrum</b>            Ref Level 20.00 dBm Offset 1.00 dB BW 30 kHz            Att 30 dB SWI 279 us (-1.5 ms) VBW 100 kHz Mode Auto FFT Count 100/100            1 Frequency Sweep            MI[1] -11.32 dBm            2.4128990 GHz            CF 2.412 GHz 1001 pts 2.5 MHz/ Span 25.0 MHz            Date: 26 MAY 2021 09:29:21         </p>
CH06	<p> <b>Spectrum</b>            Ref Level 20.00 dBm Offset 1.00 dB BW 30 kHz            Att 30 dB SWI 279 us (-1.5 ms) VBW 100 kHz Mode Auto FFT Count 100/100            1 Frequency Sweep            MI[1] -10.68 dBm            2.4378990 GHz            CF 2.437 GHz 1001 pts 2.5 MHz/ Span 25.0 MHz            Date: 26 MAY 2021 09:26:12         </p>
CH11	<p> <b>Spectrum</b>            Ref Level 20.00 dBm Offset 1.00 dB BW 30 kHz            Att 30 dB SWI 279 us (-1.5 ms) VBW 100 kHz Mode Auto FFT Count 100/100            1 Frequency Sweep            MI[1] -11.12 dBm            2.4628990 GHz            CF 2.462 GHz 1001 pts 2.5 MHz/ Span 25.0 MHz            Date: 26 MAY 2021 09:29:21         </p>

**Appendix C: 6dB bandwidth**

Type	Channel	6dB Bandwidth (MHz)	Limit (MHz)	Result
802.11b	01	10.05	≥0.5	Pass
	06	10.14		
	11	10.11		
802.11g	01	16.50	≥0.5	Pass
	06	16.53		
	11	16.53		
802.11n(HT20)	01	17.79	≥0.5	Pass
	06	17.70		
	11	17.70		









Type:	802.11 g																												
CH01	 <p>Ref Level 20.50 dBm Offset 1.00 dB BW 100 kHz Att 30 dB SWI 1.04 ms VBW 300 kHz Mode Auto Sweep Count 500/500</p> <p>1 Frequency Sweep</p> <p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td></td> <td>1</td> <td>2.40372 GHz</td> <td>-12.49 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td></td> <td>1</td> <td>2.41884 GHz</td> <td>-6.13 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>16.5 MHz</td> <td>0.26 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 26 MAY 2021 09:16:04</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1		1	2.40372 GHz	-12.49 dBm			M2		1	2.41884 GHz	-6.13 dBm			D3	M1	1	16.5 MHz	0.26 dB		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1		1	2.40372 GHz	-12.49 dBm																									
M2		1	2.41884 GHz	-6.13 dBm																									
D3	M1	1	16.5 MHz	0.26 dB																									
CH06	 <p>Ref Level 20.50 dBm Offset 1.00 dB BW 100 kHz Att 30 dB SWI 1.04 ms VBW 300 kHz Mode Auto Sweep Count 500/500</p> <p>1 Frequency Sweep</p> <p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td></td> <td>1</td> <td>2.42869 GHz</td> <td>-13.38 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td></td> <td>1</td> <td>2.44384 GHz</td> <td>-6.51 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>16.5 MHz</td> <td>0.79 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 26 MAY 2021 09:20:51</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1		1	2.42869 GHz	-13.38 dBm			M2		1	2.44384 GHz	-6.51 dBm			D3	M1	1	16.5 MHz	0.79 dB		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1		1	2.42869 GHz	-13.38 dBm																									
M2		1	2.44384 GHz	-6.51 dBm																									
D3	M1	1	16.5 MHz	0.79 dB																									
CH11	 <p>Ref Level 20.50 dBm Offset 1.00 dB BW 100 kHz Att 30 dB SWI 1.04 ms VBW 300 kHz Mode Auto Sweep Count 500/500</p> <p>1 Frequency Sweep</p> <p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td></td> <td>1</td> <td>2.45369 GHz</td> <td>-13.11 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td></td> <td>1</td> <td>2.46684 GHz</td> <td>-6.82 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>16.5 MHz</td> <td>0.10 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 26 MAY 2021 09:23:23</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1		1	2.45369 GHz	-13.11 dBm			M2		1	2.46684 GHz	-6.82 dBm			D3	M1	1	16.5 MHz	0.10 dB		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1		1	2.45369 GHz	-13.11 dBm																									
M2		1	2.46684 GHz	-6.82 dBm																									
D3	M1	1	16.5 MHz	0.10 dB																									


Type:	802.11n(HT20)																												
CH01	<p>Ref Level 20.50 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWI 1.04 ms VBW 300 kHz Mode Auto Sweep Count 500/500</p> <p>1 Frequency Sweep</p> <p>20 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm -80 dBm</p> <p>20 MHz</p> <p>2.412 GHz</p> <p>1001 pts 3.0 MHz/ Span 30.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.40312 GHz</td> <td>-13.46 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.41134 GHz</td> <td>-6.77 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>17.79 MHz</td> <td>-0.93 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 26 MAY 2021 09:26:57</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.40312 GHz	-13.46 dBm			M2	1		2.41134 GHz	-6.77 dBm			D3	M1	1	17.79 MHz	-0.93 dB		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.40312 GHz	-13.46 dBm																									
M2	1		2.41134 GHz	-6.77 dBm																									
D3	M1	1	17.79 MHz	-0.93 dB																									
CH06	<p>Ref Level 20.50 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWI 1.04 ms VBW 300 kHz Mode Auto Sweep Count 500/500</p> <p>1 Frequency Sweep</p> <p>20 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm -80 dBm</p> <p>20 MHz</p> <p>2.437 GHz</p> <p>1001 pts 3.0 MHz/ Span 30.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.42812 GHz</td> <td>-11.84 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.43634 GHz</td> <td>-5.42 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>17.7 MHz</td> <td>-0.34 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 26 MAY 2021 09:24:58</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.42812 GHz	-11.84 dBm			M2	1		2.43634 GHz	-5.42 dBm			D3	M1	1	17.7 MHz	-0.34 dB		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.42812 GHz	-11.84 dBm																									
M2	1		2.43634 GHz	-5.42 dBm																									
D3	M1	1	17.7 MHz	-0.34 dB																									
CH11	<p>Ref Level 20.50 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWI 1.04 ms VBW 300 kHz Mode Auto Sweep Count 500/500</p> <p>1 Frequency Sweep</p> <p>20 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm -80 dBm</p> <p>20 MHz</p> <p>2.462 GHz</p> <p>1001 pts 3.0 MHz/ Span 30.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.45312 GHz</td> <td>-12.88 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.46134 GHz</td> <td>-6.34 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>17.7 MHz</td> <td>-0.52 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 26 MAY 2021 09:27:51</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.45312 GHz	-12.88 dBm			M2	1		2.46134 GHz	-6.34 dBm			D3	M1	1	17.7 MHz	-0.52 dB		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.45312 GHz	-12.88 dBm																									
M2	1		2.46134 GHz	-6.34 dBm																									
D3	M1	1	17.7 MHz	-0.52 dB																									

**Appendix D: 99% Occupied Bandwidth**

Type	Channel	99% Bandwidth (MHz)	Limit (MHz)	Result
802.11b	01	13.16	-	Pass
	06	13.28		
	11	13.22		
802.11g	01	16.96	-	Pass
	06	16.99		
	11	16.96		
802.11n(HT20)	01	17.68	-	Pass
	06	17.77		
	11	17.71		




Type:	802.11 g																												
CH01	 <p><b>1 Occupied Bandwidth</b></p> <p>Ref Level 20.50 dBm Offset 1.00 dB RBW 300 kHz Count 500/500  Att 30 dB SWI 1.01 ms VBW 1 MHz Mode Auto Sweep</p> <p>M1(1) 1.53 dBm  2.4138280 GHz</p> <p>CF 2.412 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.413828 GHz</td> <td>-1.53 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.4035784 GHz</td> <td>-10.23 dBm</td> <td>Occ Bw</td> <td>16.963036963 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.4205415 GHz</td> <td>-10.72 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 26 MAY 2021 09:16:08</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.413828 GHz	-1.53 dBm			T1	1		2.4035784 GHz	-10.23 dBm	Occ Bw	16.963036963 MHz	T2	1		2.4205415 GHz	-10.72 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.413828 GHz	-1.53 dBm																									
T1	1		2.4035784 GHz	-10.23 dBm	Occ Bw	16.963036963 MHz																							
T2	1		2.4205415 GHz	-10.72 dBm																									
CH06	 <p><b>1 Occupied Bandwidth</b></p> <p>Ref Level 20.50 dBm Offset 1.00 dB RBW 300 kHz Count 500/500  Att 30 dB SWI 1.01 ms VBW 1 MHz Mode Auto Sweep</p> <p>M1(1) 1.77 dBm  2.4388280 GHz</p> <p>CF 2.437 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.438828 GHz</td> <td>-1.77 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.4285485 GHz</td> <td>-10.67 dBm</td> <td>Occ Bw</td> <td>16.993006993 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.4455415 GHz</td> <td>-10.90 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 26 MAY 2021 09:20:15</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.438828 GHz	-1.77 dBm			T1	1		2.4285485 GHz	-10.67 dBm	Occ Bw	16.993006993 MHz	T2	1		2.4455415 GHz	-10.90 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.438828 GHz	-1.77 dBm																									
T1	1		2.4285485 GHz	-10.67 dBm	Occ Bw	16.993006993 MHz																							
T2	1		2.4455415 GHz	-10.90 dBm																									
CH11	 <p><b>1 Occupied Bandwidth</b></p> <p>Ref Level 20.50 dBm Offset 1.00 dB RBW 300 kHz Count 500/500  Att 30 dB SWI 1.01 ms VBW 1 MHz Mode Auto Sweep</p> <p>M1(1) 1.86 dBm  2.4638280 GHz</p> <p>CF 2.462 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.463828 GHz</td> <td>-1.86 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.4535485 GHz</td> <td>-10.41 dBm</td> <td>Occ Bw</td> <td>16.963036963 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.4705415 GHz</td> <td>-10.77 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 26 MAY 2021 09:23:27</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.463828 GHz	-1.86 dBm			T1	1		2.4535485 GHz	-10.41 dBm	Occ Bw	16.963036963 MHz	T2	1		2.4705415 GHz	-10.77 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.463828 GHz	-1.86 dBm																									
T1	1		2.4535485 GHz	-10.41 dBm	Occ Bw	16.963036963 MHz																							
T2	1		2.4705415 GHz	-10.77 dBm																									




### Appendix E: Duty Cycle

Modulation Type	Test Frequency (MHz)	T <sub>on time</sub> for single burst (ms)	T <sub>period</sub> (ms)	Duty cycle	1/T <sub>on time</sub> (kHz)
11b	2437	1.00	1.00	100%	1.0
11g	2437	1.00	1.00	100%	1.0
11n20	2437	1.00	1.00	100%	1.0





11n20





Date: 26 MAY 2021 09:24:23






### Appendix F: Band edge and Spurious Emissions (conducted)


Test Item:	Bandedge	Type:	802.11 b																																										
CH01	 <p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.41456 GHz</td> <td>-1.05 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4 GHz</td> <td>-49.23 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.39 GHz</td> <td>-60.28 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.31 GHz</td> <td>-63.62 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td>1</td> <td></td> <td>2.398032 GHz</td> <td>-46.56 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 26 MAY 2021 09:03:01</p>			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.41456 GHz	-1.05 dBm			M2	1		2.4 GHz	-49.23 dBm			M3	1		2.39 GHz	-60.28 dBm			M4	1		2.31 GHz	-63.62 dBm			M5	1		2.398032 GHz	-46.56 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.41456 GHz	-1.05 dBm																																									
M2	1		2.4 GHz	-49.23 dBm																																									
M3	1		2.39 GHz	-60.28 dBm																																									
M4	1		2.31 GHz	-63.62 dBm																																									
M5	1		2.398032 GHz	-46.56 dBm																																									
CH11	 <p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.464539 GHz</td> <td>-0.67 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4833 GHz</td> <td>-59.42 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.5 GHz</td> <td>-61.10 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.485456 GHz</td> <td>-58.42 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 26 MAY 2021 09:04:07</p>			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.464539 GHz	-0.67 dBm			M2	1		2.4833 GHz	-59.42 dBm			M3	1		2.5 GHz	-61.10 dBm			M4	1		2.485456 GHz	-58.42 dBm									
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.464539 GHz	-0.67 dBm																																									
M2	1		2.4833 GHz	-59.42 dBm																																									
M3	1		2.5 GHz	-61.10 dBm																																									
M4	1		2.485456 GHz	-58.42 dBm																																									

Test Item:	Bandedge	Type:	802.11 g																																										
CH01	<p><b>2 Marker Table</b></p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.41681 GHz</td> <td>-6.44 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4 GHz</td> <td>-38.14 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.39 GHz</td> <td>-48.91 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.31 GHz</td> <td>-63.09 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td>1</td> <td></td> <td>2.399936 GHz</td> <td>-38.85 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 26 MAY 2021 09:17:52</p>			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.41681 GHz	-6.44 dBm			M2	1		2.4 GHz	-38.14 dBm			M3	1		2.39 GHz	-48.91 dBm			M4	1		2.31 GHz	-63.09 dBm			M5	1		2.399936 GHz	-38.85 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.41681 GHz	-6.44 dBm																																									
M2	1		2.4 GHz	-38.14 dBm																																									
M3	1		2.39 GHz	-48.91 dBm																																									
M4	1		2.31 GHz	-63.09 dBm																																									
M5	1		2.399936 GHz	-38.85 dBm																																									
CH11	<p><b>2 Marker Table</b></p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.468855 GHz</td> <td>-7.01 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4835 GHz</td> <td>-45.94 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.5 GHz</td> <td>-61.01 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.483536 GHz</td> <td>-45.84 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 26 MAY 2021 09:25:01</p>			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.468855 GHz	-7.01 dBm			M2	1		2.4835 GHz	-45.94 dBm			M3	1		2.5 GHz	-61.01 dBm			M4	1		2.483536 GHz	-45.84 dBm									
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.468855 GHz	-7.01 dBm																																									
M2	1		2.4835 GHz	-45.94 dBm																																									
M3	1		2.5 GHz	-61.01 dBm																																									
M4	1		2.483536 GHz	-45.84 dBm																																									

Test Item:	Bandedge	Type:	802.11 n(HT20)																																										
CH01		 <table border="1" data-bbox="683 607 1334 698"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.41131 GHz</td> <td>-6.85 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4 GHz</td> <td>-38.03 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.39 GHz</td> <td>-47.64 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.31 GHz</td> <td>-63.89 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td>1</td> <td></td> <td>2.399824 GHz</td> <td>-37.92 dBm</td> <td></td> <td></td> </tr> </tbody> </table>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.41131 GHz	-6.85 dBm			M2	1		2.4 GHz	-38.03 dBm			M3	1		2.39 GHz	-47.64 dBm			M4	1		2.31 GHz	-63.89 dBm			M5	1		2.399824 GHz	-37.92 dBm			
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.41131 GHz	-6.85 dBm																																									
M2	1		2.4 GHz	-38.03 dBm																																									
M3	1		2.39 GHz	-47.64 dBm																																									
M4	1		2.31 GHz	-63.89 dBm																																									
M5	1		2.399824 GHz	-37.92 dBm																																									
CH11		 <table border="1" data-bbox="683 1144 1334 1227"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.461327 GHz</td> <td>-6.48 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4835 GHz</td> <td>-46.09 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.5 GHz</td> <td>-61.02 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.484208 GHz</td> <td>-44.26 dBm</td> <td></td> <td></td> </tr> </tbody> </table>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.461327 GHz	-6.48 dBm			M2	1		2.4835 GHz	-46.09 dBm			M3	1		2.5 GHz	-61.02 dBm			M4	1		2.484208 GHz	-44.26 dBm										
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.461327 GHz	-6.48 dBm																																									
M2	1		2.4835 GHz	-46.09 dBm																																									
M3	1		2.5 GHz	-61.02 dBm																																									
M4	1		2.484208 GHz	-44.26 dBm																																									


Test Item:	SE	Type:	802.11 b
<p>CH01 Reference level</p>			
<p>CH01 30MHz~1000MHz</p>			
<p>CH01 1GHz~26GHz</p>			

CH06  
Reference level




Date: 26 MAY 2021 09:12:22

CH06  
30MHz~1000MHz




Date: 26 MAY 2021 09:12:24

CH06  
1GHz~26GHz




Date: 26 MAY 2021 09:12:16


CH11  
Reference level



CH11  
30MHz~1000MHz




CH11  
1GHz~26GHz




Test Item:	SE	Type:	802.11 g
<p>CH01 Reference level</p>			
<p>CH01 30MHz~1000MHz</p>			
<p>CH01 1GHz~26GHz</p>			

CH06  
Reference level




Date: 26 MAY 2021 09:21:51

CH06  
30MHz~1000MHz



Date: 26 MAY 2021 09:22:47


CH06  
1GHz~26GHz




Date: 26 MAY 2021 09:22:40




CH11  
Reference level






CH11  
30MHz~1000MHz




CH11  
1GHz~26GHz




Test Item:	SE	Type:	802.11 n(HT20)
<p>CH01 Reference level</p>			
<p>CH01 30MHz~1000MHz</p>			
<p>CH01 1GHz~26GHz</p>			


CH06  
Reference level




CH06  
30MHz~1000MHz



CH06  
1GHz~26GHz




CH11  
Reference level




Date: 26 MAY 2021 09:40:19

CH11  
30MHz~1000MHz



Date: 26 MAY 2021 09:40:41

CH11  
1GHz~26GHz



Date: 26 MAY 2021 09:41:03

-----End of Report-----