

Appendix A

RF Test Data for BT V5.0(BDR/EDR) (Conducted Measurement)

Product Name: Flex Neck LED Light With Wireless Speaker

Trade Mark: N/A

Test Model: 24069-DI

Environmental Conditions


Temperature:	25.2° C
Relative Humidity:	53.9%
ATM Pressure:	100.0 kPa
Test Engineer:	Jay Li
Supervised by:	Li Huan

A.1 Maximum Conducted Peak Output Power


Mode	Channel.	Maximum Peak Output Power [dBm]	Limit [dBm]	Verdict
GFSK	LCH	-3.434	21	PASS
	MCH	-3.368	21	PASS
	HCH	-3.587	21	PASS
$\pi/4$ DQPSK	LCH	-2.759	21	PASS
	MCH	-2.680	21	PASS
	HCH	-2.918	21	PASS

Test Graphs


GFSK/LCH




GFSK/MCH




GFSK/HCH




$\pi/4$ DQPSK/LCH



$\pi/4$ DQPSK/MCH




$\pi/4$ DQPSK/HCH




A.2 20dB Bandwidth


Mode	Channel.	20dB Bandwidth [MHz]	Limit [MHz]	Verdict
GFSK	LCH	0.8441	Not Specified	PASS
	MCH	0.8462	Not Specified	PASS
	HCH	0.8489	Not Specified	PASS
π/4DQPSK	LCH	1.235	Not Specified	PASS
	MCH	1.274	Not Specified	PASS
	HCH	1.236	Not Specified	PASS




GFSK/MCH




GFSK/HCH




$\pi/4$ DQPSK/LCH




$\pi/4$ DQPSK/MCH






A.3 Carrier Frequency Separation

Mode	Channel	Carrier Frequency Separation [MHz]	Limit [MHz]	Verdict
GFSK	LCH	1.319	0.949	PASS
	MCH	1.002	0.949	PASS
	HCH	1.150	0.949	PASS
π/4DQPSK	LCH	1.120	1.066	PASS
	MCH	1.158	1.066	PASS
	HCH	1.212	1.066	PASS



GFSK/MCH



Frequency

Auto Tune

Center Freq

2.441500000 GHz

Start Freq

2.440500000 GHz

Stop Freq

2.442500000 GHz

CF Step


200.000 kHz

Auto

Freq Offset

0 Hz

GFSK/HCH



Frequency

Auto Tune

Center Freq

2.479500000 GHz

Start Freq

2.478500000 GHz

Stop Freq

2.480500000 GHz

CF Step


200.000 kHz

Auto


Freq Offset

0 Hz


π /4DQPSK/LCH



π /4DQPSK/MCH



$\pi/4$ DQPSK/HCH



A.4 Hopping Channel Number


Mode	Channel.	Number of Hopping Channel [N]	Limit [N]	Verdict
GFSK	Hop	79	>=15	PASS
$\pi/4$ DQPSK	Hop	79	>=15	PASS

Test Graphs


<p>GFSK/Hop</p>	<p>Agilent Spectrum Analyzer - Swept SA</p> <p>Center Freq 2.441750000 GHz</p> <p>Ref Offset 8.05 dB Ref 20.00 dBm</p> <p>Start 2.40000 GHz Stop 2.48350 GHz</p> <p>#Res BW 100 kHz #VBW 300 kHz Sweep 8.000 ms (8001 pts)</p> <table border="1"> <thead> <tr> <th>MKR</th> <th>MODE</th> <th>TRC</th> <th>SCL</th> <th>X</th> <th>Y</th> <th>FUNCTION</th> <th>FUNCTION WIDTH</th> <th>FUNCTION VALUE</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Δ2</td> <td>f</td> <td>(Δ)</td> <td>78.010 MHz (Δ)</td> <td>-0.007 dB</td> <td></td> <td></td> <td></td> </tr> <tr> <td>2</td> <td>F</td> <td>f</td> <td></td> <td>2.402014 GHz</td> <td>-4.067 dBm</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	Δ 2	f	(Δ)	78.010 MHz (Δ)	-0.007 dB				2	F	f		2.402014 GHz	-4.067 dBm				<p>Frequency</p> <p>Auto Tune</p> <p>Center Freq 2.441750000 GHz</p> <p>Start Freq 2.400000000 GHz</p> <p>Stop Freq 2.483500000 GHz</p> <p>CF Step 8.350000 MHz</p> <p>Freq Offset 0 Hz</p>
MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																					
1	Δ 2	f	(Δ)	78.010 MHz (Δ)	-0.007 dB																								
2	F	f		2.402014 GHz	-4.067 dBm																								
<p>$\pi/4$DQPSK/Hop</p>	<p>Agilent Spectrum Analyzer - Swept SA</p> <p>Center Freq 2.441750000 GHz</p> <p>Ref Offset 8.05 dB Ref 20.00 dBm</p> <p>Start 2.40000 GHz Stop 2.48350 GHz</p> <p>#Res BW 100 kHz #VBW 300 kHz Sweep 8.000 ms (8001 pts)</p> <table border="1"> <thead> <tr> <th>MKR</th> <th>MODE</th> <th>TRC</th> <th>SCL</th> <th>X</th> <th>Y</th> <th>FUNCTION</th> <th>FUNCTION WIDTH</th> <th>FUNCTION VALUE</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Δ2</td> <td>f</td> <td>(Δ)</td> <td>77.999 MHz (Δ)</td> <td>-0.201 dB</td> <td></td> <td></td> <td></td> </tr> <tr> <td>2</td> <td>F</td> <td>f</td> <td></td> <td>2.401868 GHz</td> <td>-3.704 dBm</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	Δ 2	f	(Δ)	77.999 MHz (Δ)	-0.201 dB				2	F	f		2.401868 GHz	-3.704 dBm				<p>Frequency</p> <p>Auto Tune</p> <p>Center Freq 2.441750000 GHz</p> <p>Start Freq 2.400000000 GHz</p> <p>Stop Freq 2.483500000 GHz</p> <p>CF Step 8.350000 MHz</p> <p>Freq Offset 0 Hz</p>
MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																					
1	Δ 2	f	(Δ)	77.999 MHz (Δ)	-0.201 dB																								
2	F	f		2.401868 GHz	-3.704 dBm																								

A.5 Dwell Time


Mode	Packet	Channel	Burst Width [ms/hop/ch]	Total Hops[hop*ch]	Dwell Time[s]	Limit [s]	Verdict
GFSK	DH5	LCH	0.37	106.7	0.039	0.4	PASS
	DH5	MCH	0.37	106.7	0.039	0.4	PASS
	DH5	HCH	0.37	106.7	0.039	0.4	PASS
π/4DQPSK	2DH5	LCH	0.37	106.7	0.039	0.4	PASS
	2DH5	MCH	0.37	106.7	0.014	0.4	PASS
	2DH5	HCH	0.37	106.7	0.039	0.4	PASS




GFSK_DH5/MCH



GFSK_DH5/HCH




$\pi/4$ DQPSK
_2DH5/LCH




Frequency	2.402000000 GHz
Auto Tune	
Center Freq	2.402000000 GHz
Start Freq	2.402000000 GHz
Stop Freq	2.402000000 GHz
CF Step	1.000000 MHz
Auto	Man
Freq Offset	0 Hz

$\pi/4$ DQPSK
_2DH5/MCH



Frequency	2.441000000 GHz
Auto Tune	
Center Freq	2.441000000 GHz
Start Freq	2.441000000 GHz
Stop Freq	2.441000000 GHz
CF Step	1.000000 MHz
Auto	Man
Freq Offset	0 Hz

$\pi/4$ DQPSK
_2DH5/HCH



Frequency	
Auto Tune	
Center Freq	2.480000000 GHz
Start Freq	2.480000000 GHz
Stop Freq	2.480000000 GHz
CF Step	1.000000 MHz
Auto	Man
Freq Offset	0 Hz

A.6 RF Conducted Spurious Emissions

Mode	Channel	Pref [dBm]	Max. Level [dBm]	Limit [dBm]	Verdict
GFSK	LCH	-3.796	-38.136	-23.796	PASS
	MCH	0.406	-37.166	-23.712	PASS
	HCH	-3.996	-37.729	-23.996	PASS
π/4DQPSK	LCH	-3.771	-38.083	-23.771	PASS
	MCH	0.337	-36.146	-23.651	PASS
	HCH	-3.962	-37.908	-23.962	PASS

