

Appendix A

RF Test Data for BT V5.0(BDR/EDR) (Conducted Measurement)

Product Name: TWS earbuds with case

Trade Mark: N/A

Test Model: 24628

Environmental Conditions


Temperature:	25.3° C
Relative Humidity:	52.6%
ATM Pressure:	100.0 kPa
Test Engineer:	Carl Fu
Supervised by:	Li Huan

A.1 Maximum Conducted Peak Output Power


Mode	Channel.	Maximum Peak Output Power [dBm]	Limit [dBm]	Verdict
GFSK	LCH	-3.554	21	PASS
	MCH	-3.531	21	PASS
	HCH	-3.822	21	PASS
$\pi/4$ DQPSK	LCH	-2.814	21	PASS
	MCH	-2.683	21	PASS
	HCH	-3.020	21	PASS

Test Graphs



GFSK/LCH





GFSK/MCH



GFSK/HCH


 π /4DQPSK/LCH

$\pi/4$ DQPSK/MCH $\pi/4$ DQPSK/HCH


A.2 20dB Bandwidth

Mode	Channel.	20dB Bandwidth [MHz]	Limit [MHz]	Verdict
GFSK	LCH	0.8596	Not Specified	PASS
	MCH	0.8643	Not Specified	PASS
	HCH	0.8609	Not Specified	PASS
$\pi/4$ DQPSK	LCH	1.242	Not Specified	PASS
	MCH	1.224	Not Specified	PASS
	HCH	1.229	Not Specified	PASS


Test Graphs






GFSK/MCH



GFSK/HCH



$\pi/4$ DQPSK/LCH $\pi/4$ DQPSK/MCH


$\pi/4$ DQPSK/HCH

A.3 Carrier Frequency Separation


Mode	Channel.	Carrier Frequency Separation [MHz]	Limit [MHz]	Verdict
GFSK	LCH	1.019	0.576	PASS
	MCH	1.080	0.576	PASS
	HCH	1.008	0.576	PASS
π /4DQPSK	LCH	1.136	0.828	PASS
	MCH	1.774	0.828	PASS
	HCH	1.184	0.828	PASS

Test Graphs

GFSK/LCH



GFSK/MCH




Frequency

Auto Tune

Center Freq
2.441500000 GHzStart Freq
2.440500000 GHzStop Freq
2.442500000 GHzCF Step
200.000 kHz
Auto ManFreq Offset
0 Hz


GFSK/HCH



Frequency


Auto Tune

Center Freq
2.479500000 GHzStart Freq
2.478500000 GHzStop Freq
2.480500000 GHzCF Step
200.000 kHz
Auto ManFreq Offset
0 Hz

$\pi/4$ DQPSK/LCH

Frequency


Auto Tune

Center Freq
2.402500000 GHzStart Freq
2.401500000 GHzStop Freq
2.403500000 GHzCF Step
200.000 kHz
Auto ManFreq Offset
0 Hz $\pi/4$ DQPSK/MCH

Frequency

Auto Tune

Center Freq
2.441500000 GHzStart Freq
2.440500000 GHzStop Freq
2.442500000 GHzCF Step
200.000 kHz
Auto ManFreq Offset
0 Hz


$\pi/4$ DQPSK/HCH

A.4 Hopping Channel Number

Mode	Channel.	Number of Hopping Channel [N]	Limit [N]	Verdict
GFSK	Hop	79	>=15	PASS
$\pi/4$ DQPSK	Hop	79	>=15	PASS

Test Graphs

GFSK/Hop



Frequency

Auto Tune


Center Freq
2.441750000 GHz

Start Freq
2.400000000 GHz

Stop Freq
2.483500000 GHz

CF Step
8.350000 MHz
Man

Freq Offset
0 Hz

 $\pi/4$ DQPSK/Hop

Frequency

Auto Tune

Center Freq
2.441750000 GHz

Start Freq
2.400000000 GHz

Stop Freq
2.483500000 GHz

CF Step
8.350000 MHz
Man


Freq Offset
0 Hz

A.5 Dwell Time


Mode	Packet	Channel	Burst Width [ms/hop/ch]	Total Hops[hop*ch]	Dwell Time[s]	Limit [s]	Verdict
GFSK	DH5	LCH	2.92	106.7	0.312	0.4	PASS
	DH5	MCH	2.92	106.7	0.312	0.4	PASS
	DH5	HCH	2.92	106.7	0.312	0.4	PASS
$\pi/4$ DQPSK	2DH5	LCH	2.92	106.7	0.313	0.4	PASS
	2DH5	MCH	2.92	106.7	0.313	0.4	PASS
	2DH5	HCH	2.92	106.7	0.313	0.4	PASS

Test Graphs


GFSK_DH5/LCH




GFSK_DH5/MCH




GFSK_DH5/HCH




$\pi/4$ DQPSK
_2DH5/LCH



$\pi/4$ DQPSK
_2DH5/MCH




π/4DQPSK
_2DH5/HCH




A.6 RF Conducted Spurious Emissions

Mode	Channel	Pref [dBm]	Max. Level [dBm]	Limit [dBm]	Verdict
GFSK	LCH	-4.014	-37.090	-24.014	PASS
	MCH	-3.864	-37.227	-23.864	PASS
	HCH	-4.226	-36.358	-24.226	PASS
$\pi/4$ DQPSK	LCH	-3.93	-37.404	-23.930	PASS
	MCH	-3.781	-37.149	-23.781	PASS
	HCH	-4.148	-37.577	-24.148	PASS

GFSK LCH Graphs




Puw




GFSK_MCH_Graphs

Pref




Puw




GFSK HCH_Graphs

Pref




Puw




$\pi/4$ DQPSK LCH_Graphs

Pref




Puw



π /4DQPSK_MCH_Graphs

Pref



Puw

