


Fast Wireless Charger

User Manual



Mobile Phone Charging Right Way



Specification:

Input:5V/2A 9V/2A

Receiving distance:2-10mm

Output(phone):5W-7.5W-10W-15W

Output (iwatch) :2W

Output (earphone) :3W

Conversion: $\geq 73\%$

Frequency: 115-205KHz

Size: 20.5*8*9.5cm

NW: 152g

Mobile Phone Charging Right Way



1. Electricity charging board red light keep on after the blue and red-light flash three times, charging plate into standby
2. Place your Qi-enabled devices in the center of the charging stand, when placed correctly the LED light on the charger will change from red to blue indicating the Qi enabled device is charging. You will also see the charging icon on your phone appear.
3. Place your Apple Watch® on the right wireless charger and your watch will start to charge wirelessly
4. Place your Air pods® on the lightning plug, it will start to charge wired.

Compatibility

Apple phone: iPhone Xs/MAX/ XR/X /8/8 Plus

Samsung phone: Galaxy Note 9/B/7 /5/S9/S9 Plus/SB/SB Plus /S7 | S7 edge/S6 edge plus

Any one of the Qi protocol phones can support

Watch: supports Apple watch iwatch1/iwatch2 /iwatch3 /iwatch4

Headphones: Lightning input airpods

Notes:

Please pay attention to the following issues, otherwise it may cause abnormal charging, high charging temperature, intermittent charging, or even not charging

1. Please put the phone/watch at the center of charge area (as picture shows)
2. We recommend QC2 .0/3.0 Quick charger adapter (9V /1.67A), cause the charger charges two device at the same time. 5V/2A is normal charge, the charging speed would be slower
3. The charging distance is 2 10mm, please don't wear protective case which is over 3mm thick
4. The watch has temperature control. When the temperature reaches 40 degrees, it will stop charging automatically. If the temperature is normal, it will continue to charge
5. No metal or magnetic objects around 6cm of the back center of the phone during charging

6.The lower temperature, the faster charging speed. The charging speed is faster in winter than in summer

7.Please don't charge in high temperature and humid environments to avoid damage of circuit

8.Put it at the place that children can't reach to avoid unnecessary add dents

9. The involved images are sketch maps. the final product as per the material subjects

included: wireless charger, 100cm power cable, User manual (No power adapter, if you need, please purchase separately)

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Warning: changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment

Radiation Exposure Statement

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment.

This equipment should be installed and operated with minimum distance 20cm between the radiator and your body.