

Appendix A

RF Test Data for BT V5.0(BDR/EDR) (Conducted Measurement)

Product Name: True Wireless Speaker

Trade Mark: N/A

Test Model: HSP-50

Environmental Conditions


Temperature:	25.3 ° C
Relative Humidity:	54.6%
ATM Pressure:	100.0 kPa
Test Engineer:	Ken He
Supervised by:	Li Huan

A.1 Maximum Conducted Peak Output Power


Mode	Channel.	Maximum Peak Output Power [dBm]	Limit [dBm]	Verdict
GFSK	LCH	2.018	21	PASS
	MCH	1.116	21	PASS
	HCH	-0.215	21	PASS
$\pi/4$ DQPSK	LCH	4.342	21	PASS
	MCH	3.406	21	PASS
	HCH	2.064	21	PASS
8DPSK	LCH	4.823	21	PASS
	MCH	3.919	21	PASS
	HCH	2.604	21	PASS

Test Graphs


GFSK/LCH




GFSK/MCH




GFSK/HCH




$\pi/4$ DQPSK/LCH




$\pi/4$ DQPSK/MCH




$\pi/4$ DQPSK/HCH




8DPSK/LCH



8DPSK/MCH




8DPSK/HCH




A.2 20dB Bandwidth

Mode	Channel.	20dB Bandwidth [MHz]	Limit [MHz]	Verdict
GFSK	LCH	0.9508	Not Specified	PASS
	MCH	0.9525	Not Specified	PASS
	HCH	0.9528	Not Specified	PASS
$\pi/4$ DQPSK	LCH	1.332	Not Specified	PASS
	MCH	1.332	Not Specified	PASS
	HCH	1.332	Not Specified	PASS
8DPSK	LCH	1.304	Not Specified	PASS
	MCH	1.306	Not Specified	PASS
	HCH	1.304	Not Specified	PASS




GFSK/MCH




Frequency	2.441000000 GHz
Center Freq	2.441000000 GHz
CF Step	200.000 kHz
Auto	Man
Freq Offset	0 Hz

GFSK/HCH




Frequency	2.480000000 GHz
Center Freq	2.480000000 GHz
CF Step	200.000 kHz
Auto	Man
Freq Offset	0 Hz


$\pi/4$ DQPSK/LCH




$\pi/4$ DQPSK/MCH




$\pi/4$ DQPSK/HCH



8DPSK/LCH




8DPSK/MCH



Frequency	2.44100000 GHz
Center Freq	2.44100000 GHz
CF Step	200.000 kHz
Auto	Man
Freq Offset	0 Hz


8DPSK/HCH




Frequency	2.48000000 GHz
Center Freq	2.48000000 GHz
CF Step	200.000 kHz
Auto	Man
Freq Offset	0 Hz

A.3 Carrier Frequency Separation


Mode	Channel	Carrier Frequency Separation [MHz]	Limit [MHz]	Verdict
GFSK	LCH	1.179	0.635	PASS
	MCH	1.108	0.635	PASS
	HCH	1.084	0.635	PASS
π/4DQPSK	LCH	1.030	0.888	PASS
	MCH	0.912	0.888	PASS
	HCH	1.038	0.888	PASS
8DPSK	LCH	0.992	0.870	PASS
	MCH	0.982	0.870	PASS
	HCH	0.950	0.870	PASS




GFSK/MCH




GFSK/HCH




$\pi/4$ DQPSK/LCH




$\pi/4$ DQPSK/MCH




π/4DQPSK/HCH




8DPSK/LCH



8DPSK/MCH



8DPSK/HCH




A.4 Hopping Channel Number

Mode	Channel.	Number of Hopping Channel [N]	Limit [N]	Verdict
GFSK	Hop	79	>=15	PASS
$\pi/4$ DQPSK	Hop	79	>=15	PASS
8DPSK	Hop	79	>=15	PASS

Test Graphs


<p>GFSK/Hop</p>	<p>Agilent Spectrum Analyzer - Swept SA</p> <p>Center Freq 2.441750000 GHz</p> <p>Ref Offset 8.05 dB Ref 20.00 dBm</p> <p>ΔMkr1 77.916 MHz -2.293 dB</p> <p>Start 2.40000 GHz Stop 2.48350 GHz</p> <p>#Res BW 100 kHz #VBW 300 kHz Sweep 8.000 ms (8001 pts)</p> <table border="1"> <thead> <tr> <th>MKR</th> <th>MODE</th> <th>TRC</th> <th>SCL</th> <th>X</th> <th>Y</th> <th>FUNCTION</th> <th>FUNCTION WIDTH</th> <th>FUNCTION VALUE</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Δ2</td> <td>f</td> <td>(Δ)</td> <td>77.916 MHz (Δ)</td> <td>-2.293 dB</td> <td></td> <td></td> <td></td> </tr> <tr> <td>2</td> <td>F</td> <td>f</td> <td>(Δ)</td> <td>2.402067 GHz</td> <td>1.651 dBm</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	Δ 2	f	(Δ)	77.916 MHz (Δ)	-2.293 dB				2	F	f	(Δ)	2.402067 GHz	1.651 dBm				<p>Frequency</p> <p>Auto Tune</p> <p>Center Freq 2.441750000 GHz</p> <p>Start Freq 2.400000000 GHz</p> <p>Stop Freq 2.483500000 GHz</p> <p>CF Step 8.350000 MHz Man</p> <p>Freq Offset 0 Hz</p>
MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																					
1	Δ 2	f	(Δ)	77.916 MHz (Δ)	-2.293 dB																								
2	F	f	(Δ)	2.402067 GHz	1.651 dBm																								
<p>$\pi/4$DQPSK/Hop</p>	<p>Agilent Spectrum Analyzer - Swept SA</p> <p>Center Freq 2.441750000 GHz</p> <p>Ref Offset 8.05 dB Ref 20.00 dBm</p> <p>ΔMkr1 77.916 MHz -2.211 dB</p> <p>Start 2.40000 GHz Stop 2.48350 GHz</p> <p>#Res BW 100 kHz #VBW 300 kHz Sweep 8.000 ms (8001 pts)</p> <table border="1"> <thead> <tr> <th>MKR</th> <th>MODE</th> <th>TRC</th> <th>SCL</th> <th>X</th> <th>Y</th> <th>FUNCTION</th> <th>FUNCTION WIDTH</th> <th>FUNCTION VALUE</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Δ2</td> <td>f</td> <td>(Δ)</td> <td>77.916 MHz (Δ)</td> <td>-2.211 dB</td> <td></td> <td></td> <td></td> </tr> <tr> <td>2</td> <td>F</td> <td>f</td> <td>(Δ)</td> <td>2.402150 GHz</td> <td>1.575 dBm</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	Δ 2	f	(Δ)	77.916 MHz (Δ)	-2.211 dB				2	F	f	(Δ)	2.402150 GHz	1.575 dBm				<p>Frequency</p> <p>Auto Tune</p> <p>Center Freq 2.441750000 GHz</p> <p>Start Freq 2.400000000 GHz</p> <p>Stop Freq 2.483500000 GHz</p> <p>CF Step 8.350000 MHz Man</p> <p>Freq Offset 0 Hz</p>
MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																					
1	Δ 2	f	(Δ)	77.916 MHz (Δ)	-2.211 dB																								
2	F	f	(Δ)	2.402150 GHz	1.575 dBm																								

8DPSK/Hop




A.5 Dwell Time


Mode	Packet	Channel	Burst Width [ms/hop/ch]	Total Hops[hop*ch]	Dwell Time[s]	Limit [s]	Verdict
GFSK	DH5	LCH	2.9	106.7	0.309	0.4	PASS
	DH5	MCH	2.9	106.7	0.309	0.4	PASS
	DH5	HCH	2.9	106.7	0.309	0.4	PASS
π/4DQPSK	2DH5	LCH	2.9	106.7	0.309	0.4	PASS
	2DH5	MCH	2.9	106.7	0.309	0.4	PASS
	2DH5	HCH	2.9	106.7	0.309	0.4	PASS
8DPSK	3DH5	LCH	2.9	106.7	0.309	0.4	PASS
	3DH5	MCH	2.9	106.7	0.309	0.4	PASS
	3DH5	HCH	2.9	106.7	0.309	0.4	PASS




GFSK_DH5/MCH



GFSK_DH5/HCH



$\pi/4$ DQPSK
_2DH5/LCH



$\pi/4$ DQPSK
_2DH5/MCH

