


SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240400113805

Page: 271 of 299





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@gs.com"



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240400113805

Page: 272 of 299





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@gs.com"


No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240400113805

Page: 273 of 299





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@gs.com"

No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


Frequency (MHz)



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240400113805

Page: 274 of 299





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@gs.com"



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240400113805

Page: 275 of 299





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@gs.com"

No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编:518057


t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240400113805

Page: 276 of 299





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@gs.com"



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240400113805

Page: 277 of 299





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@gs.com"



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240400113805

Page: 278 of 299





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@gs.com"

No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编:518057


t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240400113805

Page: 279 of 299





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@gs.com"


No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240400113805

Page: 280 of 299





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@gs.com"

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240400113805

Page: 281 of 299





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@gs.com"



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240400113805

Page: 282 of 299





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@gs.com"

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Frequency (MHz)


No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240400113805

Page: 283 of 299





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@gs.com"



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240400113805

Page: 284 of 299





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@gs.com"

No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编:518057


t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240400113805

Page: 285 of 299





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@gs.com"


中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编:518057



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240400113805

Page: 286 of 299





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@gs.com"



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240400113805

Page: 287 of 299





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240400113805

Page: 288 of 299

5. Frequency Stability

5.1 Ant0

5.1.1 Test Result

| | Ant0 | | | | | | | | | | |
|---------|------------|--------------------|----|-----------|------------------|------------------|--|----------------|---------|--|--|
| Mode | TX Type | Frequency (MHz) | RU | RU Pos | Temperature (°C) | Voltage (VDC) | Measured Frequency (MHz) | Limit (MHz) | Verdict | | |
| | | | | | | 3.27 | 5180.000 | 5150 to 5250 | Pass | | |
| | | | | | 20 | 3.85 | 5180.000 | 5150 to 5250 | Pass | | |
| | | | | | | 4.43 | 5179.960 | 5150 to 5250 | Pass | | |
| | | | | | -20 | 3.85 | 5180.020 | 5150 to 5250 | Pass | | |
| | | | | | -15 | 3.85 | 5180.020 | 5150 to 5250 | Pass | | |
| | | 5180 | / | / | -10 | 3.85 | 5179.960 | 5150 to 5250 | Pass | | |
| | | | | | 0 | 3.85 | 5180.000 | 5150 to 5250 | Pass | | |
| | | | | | 10 | 3.85 | 5180.020 | 5150 to 5250 | Pass | | |
| | | | | | 30 | 3.85 | 5179.980 | 5150 to 5250 | Pass | | |
| | | | | | 40 | 3.85 | 5180.040 | 5150 to 5250 | Pass | | |
| | | | | | 45 | 3.85 | 5180.000 | 5150 to 5250 | Pass | | |
| | | | | | | 3.27 | 5200.020 | 5150 to 5250 | Pass | | |
| | | | | | 20 | 3.85 | 5200.040 | 5150 to 5250 | Pass | | |
| | | | | | | 4.43 | 5200.000 | 5150 to 5250 | Pass | | |
| 802.11a | SISO | | | | -20 | 3.85 | 5200.100 | 5150 to 5250 | Pass | | |
| | | | | | -15 | 3.85 | 5200.020 | 5150 to 5250 | Pass | | |
| | | 5200 | / | / | -10 | 3.85 | 5200.000 | 5150 to 5250 | Pass | | |
| | | | | | 0 | 3.85 | 5199.980 | 5150 to 5250 | Pass | | |
| | | | | | 10 | 3.85 | 5200.040 | 5150 to 5250 | Pass | | |
| | | | | | 30 | 3.85 | 5200.020 | 5150 to 5250 | Pass | | |
| | | | | | 40 | 3.85 | 5200.000 | 5150 to 5250 | Pass | | |
| | | | | | 45 | 3.85 | 5200.020 | 5150 to 5250 | Pass | | |
| | | | | | | 3.27 | 5240.020 | 5150 to 5250 | Pass | | |
| | | | | | 20 | 3.85 | 3.27 5200.020 5150 to 52 3.85 5200.040 5150 to 52 4.43 5200.000 5150 to 52 3.85 5200.100 5150 to 52 3.85 5200.020 5150 to 52 3.85 5200.000 5150 to 52 3.85 5200.000 5150 to 52 3.85 5200.040 5150 to 52 3.85 5200.020 5150 to 52 3.85 5200.000 5150 to 52 3.85 5200.020 5150 to 52 3.85 5200.020 5150 to 52 3.85 5240.020 5150 to 52 | | | | |
| | | | | | | 4.43 | 5240.020 | 5150 to 5250 | Pass | | |
| | | 5240 | / | / | -20 | 3.85 | 5240.000 | 5150 to 5250 | Pass | | |
| | | | | | -15 | 3.85 | 5239.980 | 5150 to 5250 | Pass | | |
| | | | | | -10 | 3.85 | 5240.020 | 5150 to 5250 | Pass | | |
| | | | | | 0 | 3.85 | 5240.000 | 5150 to 5250 | Pass | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Part, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240400113805

Page: 289 of 299

| 10 3.85 5240.000 5150 to 5250 Pass | | | | | | | | <u> </u> | | |
|--|---------|------|------|---|---|-----|------|----------|--------------|------|
| 40 3.85 5240.000 5150 to 5250 Pass | | | | | | 10 | 3.85 | 5240.000 | 5150 to 5250 | Pass |
| | | | | | | 30 | 3.85 | 5240.040 | 5150 to 5250 | Pass |
| STATE STAT | | | | | | 40 | 3.85 | 5240.000 | 5150 to 5250 | Pass |
| 10 | | | | | | 45 | 3.85 | 5240.020 | 5150 to 5250 | Pass |
| | | | | | | | 3.27 | 5744.980 | 5725 to 5850 | Pass |
| 1-20 3.85 5745.000 5725 to 5850 Pass | | | | | | 20 | 3.85 | 5745.020 | 5725 to 5850 | Pass |
| | | | | | | | 4.43 | 5745.000 | 5725 to 5850 | Pass |
| S745 | | | | | | -20 | 3.85 | 5745.000 | 5725 to 5850 | Pass |
| 0 3.85 5745.020 5725 to 5850 Pass | | | | | | -15 | 3.85 | 5745.020 | 5725 to 5850 | Pass |
| 10 3.85 5745.020 5725 to 5850 Pass | | | 5745 | / | / | -10 | 3.85 | 5744.980 | 5725 to 5850 | Pass |
| 30 | | | | | | 0 | 3.85 | 5745.020 | 5725 to 5850 | Pass |
| 40 3.85 5745.000 5725 to 5850 Pass | | | | | | 10 | 3.85 | 5745.020 | 5725 to 5850 | Pass |
| | | | | | | 30 | 3.85 | 5744.980 | 5725 to 5850 | Pass |
| Second Pass | | | | | | 40 | 3.85 | 5745.000 | 5725 to 5850 | Pass |
| 20 3.85 5785.040 5725 to 5850 Pass | | | | | | 45 | 3.85 | 5745.000 | 5725 to 5850 | Pass |
| | | | | | | | 3.27 | 5785.020 | 5725 to 5850 | Pass |
| STRESS | | | | | | 20 | 3.85 | 5785.040 | 5725 to 5850 | Pass |
| 1-15 3.85 5785.040 5725 to 5850 Pass | | | | | | | 4.43 | 5785.000 | 5725 to 5850 | Pass |
| S785 | | | | | | -20 | 3.85 | 5785.040 | 5725 to 5850 | Pass |
| 0 3.85 5785.040 5725 to 5850 Pass 10 3.85 5785.020 5725 to 5850 Pass 30 3.85 5785.020 5725 to 5850 Pass 40 3.85 5785.020 5725 to 5850 Pass 40 3.85 5785.020 5725 to 5850 Pass 45 3.85 5785.020 5725 to 5850 Pass 45 3.85 5785.020 5725 to 5850 Pass 20 3.85 5824.980 5725 to 5850 Pass 4.43 5824.960 5725 to 5850 Pass -20 3.85 5825.020 5725 to 5850 Pass -20 3.85 5825.020 5725 to 5850 Pass -15 3.85 5825.020 5725 to 5850 Pass 0 3.85 5825.000 5725 to 5850 Pass 10 3.85 5825.000 5725 to 5850 Pass 30 3.85 5825.000 5725 to 5850 Pass 40 3.85 5825.020 5725 | | | | | | -15 | 3.85 | 5785.040 | 5725 to 5850 | Pass |
| 10 3.85 5785.020 5725 to 5850 Pass | | | 5785 | / | / | -10 | 3.85 | 5785.020 | 5725 to 5850 | Pass |
| 30 3.85 5785.040 5725 to 5850 Pass | | | | | | 0 | 3.85 | 5785.040 | 5725 to 5850 | Pass |
| HIND MIMO MIMO | | | | | | 10 | 3.85 | 5785.020 | 5725 to 5850 | Pass |
| | | | | | | 30 | 3.85 | 5785.040 | 5725 to 5850 | Pass |
| 20 3.27 5825.000 5725 to 5850 Pass | | | | | | 40 | 3.85 | 5785.020 | 5725 to 5850 | Pass |
| 20 3.85 5824.980 5725 to 5850 Pass | | | | | | 45 | 3.85 | 5785.020 | 5725 to 5850 | Pass |
| | | | | | | | 3.27 | 5825.000 | 5725 to 5850 | Pass |
| 10 3.85 5825.020 5725 to 5850 Pass | | | | | | 20 | 3.85 | 5824.980 | 5725 to 5850 | Pass |
| Second S | | | | | | | 4.43 | 5824.960 | 5725 to 5850 | Pass |
| S825 | | | | | | -20 | 3.85 | 5825.020 | 5725 to 5850 | Pass |
| 0 3.85 5825.000 5725 to 5850 Pass 10 3.85 5824.960 5725 to 5850 Pass 30 3.85 5825.000 5725 to 5850 Pass 40 3.85 5825.020 5725 to 5850 Pass 45 3.85 5825.000 5725 to 5850 Pass 45 3.85 5825.000 5725 to 5850 Pass 802.11n (HT20) MIMO 5180 / / 20 3.85 5180.020 5150 to 5250 Pass | | | | | | -15 | 3.85 | 5825.000 | 5725 to 5850 | Pass |
| 10 3.85 5824.960 5725 to 5850 Pass 30 3.85 5825.000 5725 to 5850 Pass 40 3.85 5825.020 5725 to 5850 Pass 45 3.85 5825.020 5725 to 5850 Pass 45 3.85 5825.000 5725 to 5850 Pass 802.11n (HT20) MIMO 5180 / 20 3.85 5180.020 5150 to 5250 Pass 20 3.85 3.85 5180.020 5150 to 5250 Pass 20 3.85 3 | | | 5825 | / | / | -10 | 3.85 | 5824.980 | 5725 to 5850 | Pass |
| 30 3.85 5825.000 5725 to 5850 Pass 40 3.85 5825.020 5725 to 5850 Pass 45 3.85 5825.020 5725 to 5850 Pass 45 3.85 5825.000 5725 to 5850 Pass 802.11n (HT20) MIMO 5180 / 20 3.85 5180.020 5150 to 5250 Pass 725 to 5850 Pass | | | | | | 0 | 3.85 | 5825.000 | 5725 to 5850 | Pass |
| 40 3.85 5825.020 5725 to 5850 Pass 45 3.85 5825.000 5725 to 5850 Pass 802.11n (HT20) MIMO 5180 / / 20 3.85 5180.020 5150 to 5250 Pass Pass 3.27 5180.020 5150 to 5250 Pass 7.25 to 5850 Pass | | | | | | 10 | 3.85 | 5824.960 | 5725 to 5850 | Pass |
| 45 3.85 5825.000 5725 to 5850 Pass | | | | | | 30 | 3.85 | 5825.000 | 5725 to 5850 | Pass |
| 802.11n (HT20) MIMO 5180 / / 20 3.27 5180.000 5150 to 5250 Pass 3.85 5180.020 5150 to 5250 Pass | | | | | | 40 | 3.85 | 5825.020 | 5725 to 5850 | Pass |
| 802.11n MIMO 5180 | | | | | | 45 | 3.85 | 5825.000 | 5725 to 5850 | Pass |
| (HT20) MIMO 5180 / / 20 3.85 5180.020 5150 to 5250 Pass | 000 11 | | | | | | 3.27 | 5180.000 | 5150 to 5250 | Pass |
| 4.43 5180.020 5150 to 5250 Pass | | MIMO | 5180 | / | / | 20 | 3.85 | 5180.020 | 5150 to 5250 | Pass |
| | (11120) | | | | | | 4.43 | 5180.020 | 5150 to 5250 | Pass |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Part, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240400113805

Page: 290 of 299

| -20 3.85 5180.000 5150 to 5250 Pass -15 3.85 5180.000 5150 to 5250 Pass -10 3.85 5180.000 5150 to 5250 Pass -10 3.85 5180.020 5150 to 5250 Pass -10 3.85 5200.040 5150 to 5250 Pass -10 3.85 5200.040 5150 to 5250 Pass -10 3.85 5200.040 5150 to 5250 Pass -15 3.85 5200.040 5150 to 5250 Pass -16 3.85 5200.000 5150 to 5250 Pass -10 3.85 5745.000 | | | | | | | | | |
|--|--|------|---|----|------|----------|--------------|------------------------------|------|
| 1-10 3.85 5180.000 5150 to 5250 Pass | | | | | -20 | 3.85 | 5180.000 | 5150 to 5250 | Pass |
| 0 3.85 5180.020 5150 to 5250 Pass | | | | | -15 | 3.85 | 5180.000 | 5150 to 5250 | Pass |
| 10 3.85 5180.040 5150 to 5250 Pass | | | | | -10 | 3.85 | 5180.000 | 5150 to 5250 | Pass |
| 30 3.85 5180.020 5150 to 5250 Pass | | | | | 0 | 3.85 | 5180.020 | 5150 to 5250 | Pass |
| 40 3.85 5180.020 5150 to 5250 Pass 45 3.85 5180.000 5150 to 5250 Pass 20 3.85 5200.000 5150 to 5250 Pass 4.43 5200.020 5150 to 5250 Pass 4.43 5200.020 5150 to 5250 Pass 4.43 5200.020 5150 to 5250 Pass 4.43 5200.000 5150 to 5250 Pass 4.5 3.85 5200.000 5150 to 5250 Pass 4.6 3.85 5200.000 5150 to 5250 Pass 40 3.85 5200.020 5150 to 5250 Pass 40 3.85 5240.020 5150 to 5250 Pass 40 3.85 5240.000 5150 to 5250 Pass 40 3.85 5240.020 5150 to 5250 Pass 40 3.85 | | | | | 10 | 3.85 | 5180.040 | 5150 to 5250 | Pass |
| 45 3.85 5180.000 5150 to 5250 Pass | | | | | 30 | 3.85 | 5180.020 | 5150 to 5250 | Pass |
| Section | | | | | 40 | 3.85 | 5180.020 | 5150 to 5250 | Pass |
| 20 3.85 5200.040 5150 to 5250 Pass | | | | | 45 | 3.85 | 5180.000 | 5150 to 5250 | Pass |
| 1.0 | | | | | | 3.27 | 5200.000 | 5150 to 5250 | Pass |
| Section | | | | | 20 | 3.85 | 5200.040 | 5150 to 5250 | Pass |
| 1-15 3.85 5200.000 5150 to 5250 Pass | | | | | | 4.43 | 5200.020 | 5150 to 5250 | Pass |
| 5200 | | | | | -20 | 3.85 | 5200.040 | 5150 to 5250 | Pass |
| 0 3.85 5200.000 5150 to 5250 Pass 10 3.85 5200.040 5150 to 5250 Pass 30 3.85 5200.000 5150 to 5250 Pass 40 3.85 5200.000 5150 to 5250 Pass 40 3.85 5200.020 5150 to 5250 Pass 45 3.85 5200.020 5150 to 5250 Pass 45 3.85 5240.020 5150 to 5250 Pass 20 3.85 5240.020 5150 to 5250 Pass 4.43 5240.000 5150 to 5250 Pass -20 3.85 5240.020 5150 to 5250 Pass -15 3.85 5240.020 5150 to 5250 Pass -15 3.85 5240.020 5150 to 5250 Pass -15 3.85 5240.020 5150 to 5250 Pass -16 3.85 5240.020 5150 to 5250 Pass 10 3.85 5240.020 5150 to 5250 Pass 10 3.85 5240.020 5150 to 5250 Pass 40 3.85 5745.020 5725 to 5850 Pass 40 3.85 5745.020 5 | | | | | -15 | 3.85 | 5200.000 | 5150 to 5250 | Pass |
| 10 3.85 5200.040 5150 to 5250 Pass | | 5200 | / | / | -10 | 3.85 | 5200.000 | 5150 to 5250 | Pass |
| 30 3.85 5200.000 5150 to 5250 Pass | | | | | 0 | 3.85 | 5200.000 | 5150 to 5250 | Pass |
| 40 3.85 5200.040 5150 to 5250 Pass 45 3.85 5200.020 5150 to 5250 Pass 20 3.85 5240.020 5150 to 5250 Pass 4.43 5240.000 5150 to 5250 Pass -20 3.85 5240.000 5150 to 5250 Pass -20 3.85 5240.000 5150 to 5250 Pass -15 3.85 5240.020 5150 to 5250 Pass -15 3.85 5240.020 5150 to 5250 Pass 0 | | | | | 10 | 3.85 | 5200.040 | 5150 to 5250 | Pass |
| 15 | | | | | 30 | 3.85 | 5200.000 | 5150 to 5250 | Pass |
| Section | | | | | 40 | 3.85 | 5200.040 | 5150 to 5250 | Pass |
| 20 3.85 5240.020 5150 to 5250 Pass | | | | | 45 | 3.85 | 5200.020 | 5150 to 5250 | Pass |
| 1.4.43 5240.000 5150 to 5250 Pass | | | | | | 3.27 | 5240.020 | 5150 to 5250 | Pass |
| 10 3.85 5240.000 5150 to 5250 Pass | | | | | 20 | 3.85 | 5240.020 | 5150 to 5250 5150 to 5250 | Pass |
| 1-15 3.85 5240.020 5150 to 5250 Pass | | | | | | 4.43 | 5240.000 | 5150 to 5250 | Pass |
| 5240 / -10 3.85 5240.020 5150 to 5250 Pass 0 3.85 5240.040 5150 to 5250 Pass 10 3.85 5240.000 5150 to 5250 Pass 30 3.85 5240.020 5150 to 5250 Pass 40 3.85 5240.020 5150 to 5250 Pass 45 3.85 5240.020 5150 to 5250 Pass 20 3.85 5240.020 5150 to 5250 Pass 20 3.85 5745.020 5725 to 5850 Pass 4.43 5745.000 5725 to 5850 Pass -20 3.85 5745.020 5725 to 5850 Pass -15 3.85 5745.020 5725 to 5850 Pass 0 3.85 5745.000 5725 to 5850 Pass 10 3.85 5745.000 5725 to 5850 Pass 30 3.85 5745.000 5725 to 5850 Pass | | | | | -20 | 3.85 | 5240.000 | 5150 to 5250 | Pass |
| 0 3.85 5240.040 5150 to 5250 Pass 10 3.85 5240.000 5150 to 5250 Pass 30 3.85 5240.020 5150 to 5250 Pass 40 3.85 5240.020 5150 to 5250 Pass 45 3.85 5240.020 5150 to 5250 Pass 45 3.85 5240.020 5150 to 5250 Pass 20 3.85 5744.980 5725 to 5850 Pass 4.43 5745.000 5725 to 5850 Pass 20 3.85 5744.980 5725 to 5850 Pass 4.43 5745.000 5725 to 5850 Pass 20 3.85 5745.020 5725 to 5850 Pass 20 3.85 5745.020 5725 to 5850 Pass 20 3.85 5745.020 5725 to 5850 Pass 20 3.85 5745.000 5725 to 5850 Pass | | | | | -15 | 3.85 | 5240.020 | 5150 to 5250 | Pass |
| 10 3.85 5240.000 5150 to 5250 Pass 30 3.85 5240.020 5150 to 5250 Pass 40 3.85 5240.020 5150 to 5250 Pass 45 3.85 5240.020 5150 to 5250 Pass 45 3.85 5240.020 5150 to 5250 Pass 3.27 5744.980 5725 to 5850 Pass 20 3.85 5745.020 5725 to 5850 Pass 4.43 5745.000 5725 to 5850 Pass -20 3.85 5744.980 5725 to 5850 Pass -20 3.85 5745.020 5725 to 5850 Pass -15 3.85 5745.020 5725 to 5850 Pass 0 3.85 5745.040 5725 to 5850 Pass 10 3.85 5745.040 5725 to 5850 Pass 30 3.85 5745.000 5725 to 5850 Pass | | 5240 | / | / | -10 | 3.85 | 5240.020 | 5150 to 5250 | Pass |
| 30 3.85 5240.020 5150 to 5250 Pass | | | | | 0 | 3.85 | 5240.040 | 5150 to 5250 | Pass |
| 10 3.85 5240.020 5150 to 5250 Pass | | | | | 10 | 3.85 | 5240.000 | 5150 to 5250 | Pass |
| 15 3.85 5240.020 5150 to 5250 Pass | | | | | 30 | 3.85 | 5240.020 | 5150 to 5250 | Pass |
| ST45 | | | | | 40 | 3.85 | 5240.020 | 5150 to 5250 | Pass |
| 5745 20 3.85 5745.020 5725 to 5850 Pass 4.43 5745.000 5725 to 5850 Pass -20 3.85 5744.980 5725 to 5850 Pass -15 3.85 5745.020 5725 to 5850 Pass -10 3.85 5745.020 5725 to 5850 Pass 0 3.85 5745.000 5725 to 5850 Pass 10 3.85 5745.000 5725 to 5850 Pass 30 3.85 5745.000 5725 to 5850 Pass Pass 10 3.85 5745.000 5725 to 5850 Pass | | | | | 45 | 3.85 | 5240.020 | 5150 to 5250 | Pass |
| 5745 4.43 5745.000 5725 to 5850 Pass -20 3.85 5744.980 5725 to 5850 Pass -15 3.85 5745.020 5725 to 5850 Pass -10 3.85 5745.000 5725 to 5850 Pass 0 3.85 5745.040 5725 to 5850 Pass 10 3.85 5745.000 5725 to 5850 Pass 30 3.85 5745.000 5725 to 5850 Pass | | | | | | 3.27 | 5744.980 | 5725 to 5850 | Pass |
| 5745 -20 3.85 5744.980 5725 to 5850 Pass -15 3.85 5745.020 5725 to 5850 Pass -10 3.85 5745.000 5725 to 5850 Pass 0 3.85 5745.040 5725 to 5850 Pass 10 3.85 5745.000 5725 to 5850 Pass 30 3.85 5745.000 5725 to 5850 Pass | | | | | 20 | 3.85 | 5745.020 | 5725 to 5850 | Pass |
| 5745 / -15 3.85 5745.020 5725 to 5850 Pass -10 3.85 5745.000 5725 to 5850 Pass 0 3.85 5745.040 5725 to 5850 Pass 10 3.85 5745.000 5725 to 5850 Pass 30 3.85 5745.000 5725 to 5850 Pass | | | | | | 4.43 | 5745.000 | 5725 to 5850 | Pass |
| 5745 / -10 3.85 5745.000 5725 to 5850 Pass 0 3.85 5745.040 5725 to 5850 Pass 10 3.85 5745.000 5725 to 5850 Pass 30 3.85 5745.000 5725 to 5850 Pass | | | | | -20 | 3.85 | 5744.980 | 5725 to 5850 | Pass |
| -10 3.85 5745.000 5725 to 5850 Pass 0 3.85 5745.040 5725 to 5850 Pass 10 3.85 5745.000 5725 to 5850 Pass 30 3.85 5745.000 5725 to 5850 Pass | | F74F | , | , | -15 | 3.85 | 5745.020 | 5725 to 5850 | Pass |
| 10 3.85 5745.000 5725 to 5850 Pass 30 3.85 5745.000 5725 to 5850 Pass | | 5/45 | / | ′ | -10 | 3.85 | 5745.000 | 5725 to 5850 | Pass |
| 30 3.85 5745.000 5725 to 5850 Pass | | | | | 0 | 3.85 | 5745.040 | 5725 to 5850 | Pass |
| | | | | | 10 | 3.85 | 5745.000 | 5725 to 5850 | Pass |
| 40 3.85 5745.000 5725 to 5850 Pass | | | | 30 | 3.85 | 5745.000 | 5725 to 5850 | Pass | |
| | | | | | 40 | 3.85 | 5745.000 | 5725 to 5850 | Pass |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Part, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240400113805

Page: 291 of 299

| Family | | | | | | | | | | | | |
|--|---------|------|------|---|---|-----|--|---------------------------|--------------|------|--|--|
| Second | | | | | | 45 | 3.85 | 5745.040 | 5725 to 5850 | Pass | | |
| Second S | | | | | | | 3.27 | 5784.980 | 5725 to 5850 | Pass | | |
| S785 | | | | | | 20 | 3.85 | 5785.040 | 5725 to 5850 | Pass | | |
| S785 | | | | | | | 4.43 | 5785.020 | 5725 to 5850 | Pass | | |
| Second S | | | | | | -20 | 3.85 | 5785.040 | 5725 to 5850 | Pass | | |
| Name | | | | | | -15 | 3.85 | 5785.020 | 5725 to 5850 | Pass | | |
| Name | | | 5785 | / | / | -10 | 3.85 | 5785.020 | 5725 to 5850 | Pass | | |
| Record R | | | | | | 0 | 3.85 | 5785.040 | 5725 to 5850 | Pass | | |
| Robin | | | | | | 10 | 3.85 | 3.85 5785.000 5725 to 585 | Pass | | | |
| Record | | | | | | 30 | 3.85 | 5785.020 | 5725 to 5850 | Pass | | |
| ROZ.11n (HT40) | | | | | | 40 | 3.85 | 5785.000 | 5725 to 5850 | Pass | | |
| Second Pass | | | | | | 45 | 3.85 | 5785.000 | 5725 to 5850 | Pass | | |
| Second S | | | | | | | 3.27 | 5825.020 | 5725 to 5850 | Pass | | |
| Second S | | | | | | 20 | 3.85 | 5825.000 | 5725 to 5850 | Pass | | |
| Second S | | | | | | | 4.43 | 5825.000 | 5725 to 5850 | Pass | | |
| Name | | | | | | -20 | 3.85 | 5825.000 | 5725 to 5850 | Pass | | |
| Name | | | | | | -15 | 3.85 | 5825.020 | 5725 to 5850 | Pass | | |
| Name | | | 5825 | / | / | -10 | 3.85 | 5825.000 | 5725 to 5850 | Pass | | |
| Name | | | | | | 0 | 3.85 | 5824.980 | 5725 to 5850 | Pass | | |
| Name | | | | | | 10 | 3.85 | 5825.020 | 5725 to 5850 | Pass | | |
| Name | | | | | | 30 | 3.85 | 5825.020 | 5725 to 5850 | Pass | | |
| 802.11n (HT40) MIMO S150 to 5250 Pass Pass | | | | | | 40 | 3.85 | 5825.020 | 5725 to 5850 | Pass | | |
| 802.11n (HT40) MIMO MIMO 5190 | | | | | | 45 | 3.85 | 5825.000 | 5725 to 5850 | Pass | | |
| 802.11n (HT40) MIMO MIMO MIMO | | | | | | 20 | 3.27 | 5190.000 | 5150 to 5250 | Pass | | |
| 802.11n (HT40) MIMO MIMO MIMO A | | | | | | | 3.85 | 5190.040 | 5150 to 5250 | Pass | | |
| MIMO | | | | | | | 4.43 | 5190.080 | 5150 to 5250 | Pass | | |
| 802.11n (HT40) MIMO | | | | | | -20 | 3.85 | 5190.080 | 5150 to 5250 | Pass | | |
| 802.11n (HT40) MIMO MIMO | | | | | | -15 | 3.85 | 5189.960 | 5150 to 5250 | Pass | | |
| 802.11n (HT40) MIMO MIMO MIMO MIMO MIMO MIMO MIMO MIM | | | 5190 | / | / | -10 | 3.85 | 5190.080 | 5150 to 5250 | Pass | | |
| 802.11n (HT40) MIMO MIMO 30 3.85 5190.080 5150 to 5250 Pass 40 3.85 5190.040 5150 to 5250 Pass 45 3.85 5190.040 5150 to 5250 Pass 3.27 5230.040 5150 to 5250 Pass 20 3.85 5230.040 5150 to 5250 Pass 4.43 5230.040 5150 to 5250 Pass -20 3.85 5230.040 5150 to 5250 Pass -15 3.85 5230.040 5150 to 5250 Pass | | | | | | 0 | 3.85 | 5190.080 | 5150 to 5250 | Pass | | |
| (HT40) MIMO | | | | | | 10 | 3.85 | 5190.040 | 5150 to 5250 | Pass | | |
| 40 3.85 5190.040 5150 to 5250 Pass 45 3.85 5190.040 5150 to 5250 Pass 3.27 5230.040 5150 to 5250 Pass 20 3.85 5230.040 5150 to 5250 Pass 4.43 5230.040 5150 to 5250 Pass -20 3.85 5230.040 5150 to 5250 Pass -15 3.85 5230.040 5150 to 5250 Pass | | MIMO | | | | 30 | 3.85 | 5190.080 | 5150 to 5250 | Pass | | |
| 5230 A | (11140) | | | | | 40 | 3.85 | 5190.040 | 5150 to 5250 | Pass | | |
| 5230 20 3.85 5230.040 5150 to 5250 Pass 4.43 5230.040 5150 to 5250 Pass -20 3.85 5230.040 5150 to 5250 Pass -15 3.85 5230.040 5150 to 5250 Pass | | | | | | 45 | 3.85 | 5190.040 | 5150 to 5250 | Pass | | |
| 5230 / 4.43 5230.040 5150 to 5250 Pass -20 3.85 5230.080 5150 to 5250 Pass -15 3.85 5230.040 5150 to 5250 Pass | | | | | | | 3.27 | 5230.040 | 5150 to 5250 | Pass | | |
| 5230 / -20 3.85 5230.080 5150 to 5250 Pass -15 3.85 5230.040 5150 to 5250 Pass | | | | | | 20 | 3.85 | 5230.040 | 5150 to 5250 | Pass | | |
| -20 3.85 5230.080 5150 to 5250 Pass -15 3.85 5230.040 5150 to 5250 Pass | | | 5000 | , | , | | 3.85 5190.080 5150 to 5250 3.85 5189.960 5150 to 5250 3.85 5190.080 5150 to 5250 3.85 5190.080 5150 to 5250 3.85 5190.040 5150 to 5250 3.85 5230.040 5150 to 5250 4.43 5230.040 5150 to 5250 | | | | | |
| -15 3.85 5230.040 5150 to 5250 Pass | | | 5230 | / | / | -20 | 3.85 | 5230.080 | 5150 to 5250 | Pass | | |
| -10 3.85 5230.080 5150 to 5250 Pass | | | | | | -15 | | 5230.040 | - | Pass | | |
| | | | | | | -10 | | | | Pass | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com"



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240400113805

Page: 292 of 299

| | | | | | 0 | 3.85 | 5230.000 | 5150 to 5250 | Pass |
|---------------------|------|------|---|---|-----|------|----------|--------------|------|
| | | | | | 10 | 3.85 | 5230.080 | 5150 to 5250 | Pass |
| | | | | | 30 | 3.85 | 5230.040 | 5150 to 5250 | Pass |
| | | | | | 40 | 3.85 | 5230.080 | 5150 to 5250 | Pass |
| | | | | | 45 | 3.85 | 5230.000 | 5150 to 5250 | Pass |
| | | | | | | 3.27 | 5755.040 | 5725 to 5850 | Pass |
| | | | | | 20 | 3.85 | 5755.040 | 5725 to 5850 | Pass |
| | | | | | | 4.43 | 5755.000 | 5725 to 5850 | Pass |
| | | | | | -20 | 3.85 | 5755.040 | 5725 to 5850 | Pass |
| | | | | | -15 | 3.85 | 5755.000 | 5725 to 5850 | Pass |
| | | 5755 | / | / | -10 | 3.85 | 5755.000 | 5725 to 5850 | Pass |
| | | | | | 0 | 3.85 | 5755.080 | 5725 to 5850 | Pass |
| | | | | | 10 | 3.85 | 5755.000 | 5725 to 5850 | Pass |
| | | | | | 30 | 3.85 | 5755.080 | 5725 to 5850 | Pass |
| | | | | | 40 | 3.85 | 5755.040 | 5725 to 5850 | Pass |
| | | | | | 45 | 3.85 | 5755.080 | 5725 to 5850 | Pass |
| | | | | | | 3.27 | 5795.120 | 5725 to 5850 | Pass |
| | | | | | 20 | 3.85 | 5794.960 | 5725 to 5850 | Pass |
| | | | | | | 4.43 | 5795.000 | 5725 to 5850 | Pass |
| | | | | | -20 | 3.85 | 5795.040 | 5725 to 5850 | Pass |
| | | | | | -15 | 3.85 | 5795.040 | 5725 to 5850 | Pass |
| | | 5795 | / | / | -10 | 3.85 | 5794.920 | 5725 to 5850 | Pass |
| | | | | | 0 | 3.85 | 5795.080 | 5725 to 5850 | Pass |
| | | | | | 10 | 3.85 | 5795.080 | 5725 to 5850 | Pass |
| | | | | | 30 | 3.85 | 5794.960 | 5725 to 5850 | Pass |
| | | | | | 40 | 3.85 | 5795.040 | 5725 to 5850 | Pass |
| | | | | | 45 | 3.85 | 5795.000 | 5725 to 5850 | Pass |
| | | | | | | 3.27 | 5180.000 | 5150 to 5250 | Pass |
| | | | | | 20 | 3.85 | 5180.020 | 5150 to 5250 | Pass |
| | | | | | | 4.43 | 5180.000 | 5150 to 5250 | Pass |
| | | | | | -20 | 3.85 | 5180.000 | 5150 to 5250 | Pass |
| | | | | | -15 | 3.85 | 5180.020 | 5150 to 5250 | Pass |
| | | 5180 | / | / | -10 | 3.85 | 5180.000 | 5150 to 5250 | Pass |
| 802.11ac (VHT20) | MIMO | | | | 0 | 3.85 | 5180.020 | 5150 to 5250 | Pass |
| (| | | | | 10 | 3.85 | 5180.020 | 5150 to 5250 | Pass |
| | | | | | 30 | 3.85 | 5180.020 | 5150 to 5250 | Pass |
| | | | | | 40 | 3.85 | 5180.000 | 5150 to 5250 | Pass |
| | | | | | 45 | 3.85 | 5180.000 | 5150 to 5250 | Pass |
| | | F000 | , | , | 20 | 3.27 | 5200.020 | 5150 to 5250 | Pass |
| | | 5200 | / | / | 20 | 3.85 | 5200.000 | 5150 to 5250 | Pass |
| | | | | | | | | 1 | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Part, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240400113805

Page: 293 of 299

| -15 | Pass |
|--|------|
| -10 3.85 5200.020 5150 to 5250 0 3.85 5200.000 5150 to 5250 10 3.85 5200.000 5150 to 5250 30 3.85 5200.020 5150 to 5250 40 3.85 5200.020 5150 to 5250 45 3.85 5200.020 5150 to 5250 45 3.85 5200.020 5150 to 5250 20 3.85 5240.000 5150 to 5250 20 3.85 5240.020 5150 to 5250 20 3.85 5240.000 5150 to 5250 30 3.85 5240.000 5150 to 5250 40 3.85 5240.000 5150 to 5250 41 3.85 5240.000 5150 to 5250 42 3.85 5240.000 5150 to 5250 43 3.85 5240.000 5150 to 5250 44 3.85 5240.000 5150 to 5250 45 3.85 5240.000 5150 to 5250 46 3.85 5745.020 5725 to 5850 47 3.85 5745.020 5725 to 5850 48 3.85 5745.020 5725 to 5850 49 3.85 5745.020 5725 to 5850 40 3.85 5745.020 5725 to 5850 40 3.85 5745.020 5725 to 5850 40 3.85 5745.020 5725 to 5850 5745 500 5725 to 5850 | Pass |
| 0 3.85 5200.000 5150 to 5250 | Pass |
| 10 | Pass |
| 30 3.85 5200.020 5150 to 5250 | Pass |
| 40 3.85 5200.000 5150 to 5250 45 3.85 5200.020 5150 to 5250 20 3.85 5240.060 5150 to 5250 4.43 5240.020 5150 to 5250 -20 3.85 5240.020 5150 to 5250 -15 3.85 5240.020 5150 to 5250 -16 3.85 5240.020 5150 to 5250 -10 3.85 5240.020 5150 to 5250 10 3.85 5240.000 5150 to 5250 10 3.85 5240.000 5150 to 5250 40 3.85 5240.000 5150 to 5250 41 3.85 5240.000 5725 to 5850 42 3.85 5745.020 5725 to 5850 43 5745.020 5725 to 5850 5745 / -10 3.85 5745.020 5725 to 5850 10 3.85 5745.020 5725 to 5850 10 3.85 5745.020 5725 to 5850 10 3.85 5745.020 5725 to 5850 30 3.85 5745.020 5725 to 5850 40 3.85 5745.020 5725 to 5850 40 3.85 5745.020 5725 to 5850 40 3.85 5745.020 5725 to 5850 572 | Pass |
| 45 3.85 5200.020 5150 to 5250 | Pass |
| 20 3.85 5240.000 5150 to 5250 | Pass |
| 20 3.85 5240.060 5150 to 5250 | Pass |
| 1.0 3.85 5240.020 5150 to 5250 -20 3.85 5240.020 5150 to 5250 -15 3.85 5240.020 5150 to 5250 -10 3.85 5240.000 5150 to 5250 -10 3.85 5745.020 5725 to 5850 -10 | Pass |
| 1-20 3.85 5240.020 5150 to 5250 | Pass |
| 15 3.85 5240.020 5150 to 5250 10 3.85 5240.020 5150 to 5250 10 3.85 5239.980 5150 to 5250 10 3.85 5240.000 5150 to 5250 30 3.85 5240.000 5150 to 5250 40 3.85 5240.000 5150 to 5250 40 3.85 5240.000 5150 to 5250 45 3.85 5240.000 5150 to 5250 45 3.85 5240.000 5150 to 5250 45 3.85 5745.020 5725 to 5850 4.43 5745.020 5725 to 5850 -20 3.85 5745.020 5725 to 5850 -15 3.85 5745.020 5725 to 5850 -10 3.85 5745.020 5725 to 5850 10 3.85 5745.020 5725 to 5850 30 3.85 5745.020 5725 to 5850 30 3.85 5745.020 5725 to 5850 40 3 | Pass |
| 5240 / -10 3.85 5240.020 5150 to 5250 0 3.85 5239.980 5150 to 5250 10 3.85 5240.000 5150 to 5250 30 3.85 5240.000 5150 to 5250 40 3.85 5240.000 5150 to 5250 45 3.85 5240.000 5150 to 5250 3.27 5745.000 5725 to 5850 4.43 5745.020 5725 to 5850 -20 3.85 5745.020 5725 to 5850 -15 3.85 5745.020 5725 to 5850 0 3.85 5745.020 5725 to 5850 10 3.85 5745.020 5725 to 5850 30 3.85 5745.020 5725 to 5850 40 3.85 5745.020 5725 to 5850 | Pass |
| 0 3.85 5239.980 5150 to 5250 10 3.85 5240.000 5150 to 5250 30 3.85 5240.000 5150 to 5250 40 3.85 5240.000 5150 to 5250 45 3.85 5240.000 5150 to 5250 45 3.85 5240.000 5150 to 5250 45 3.85 5745.000 5725 to 5850 4.43 5745.020 5725 to 5850 4.44 5745.020 5725 to 5850 5745 5745.020 5725 to 5850 | Pass |
| 10 3.85 5240.000 5150 to 5250 30 3.85 5240.000 5150 to 5250 40 3.85 5240.040 5150 to 5250 45 3.85 5240.000 5150 to 5250 45 3.85 5240.000 5725 to 5850 20 3.85 5745.020 5725 to 5850 4.43 5745.020 5725 to 5850 -20 3.85 5745.020 5725 to 5850 -15 3.85 5745.020 5725 to 5850 -15 3.85 5745.020 5725 to 5850 0 3.85 5745.020 5725 to 5850 10 3.85 5745.020 5725 to 5850 30 3.85 5745.020 5725 to 5850 | Pass |
| 30 3.85 5240.000 5150 to 5250 40 3.85 5240.040 5150 to 5250 45 3.85 5240.000 5150 to 5250 45 3.85 5240.000 5150 to 5250 3.27 5745.000 5725 to 5850 4.43 5745.020 5725 to 5850 4.43 5745.020 5725 to 5850 -20 3.85 5745.020 5725 to 5850 -15 3.85 5745.020 5725 to 5850 -15 3.85 5745.020 5725 to 5850 0 3.85 5745.020 5725 to 5850 10 3.85 5745.020 5725 to 5850 30 3.85 5745.020 5725 to 5850 30 3.85 5745.020 5725 to 5850 30 3.85 5745.020 5725 to 5850 | Pass |
| 40 3.85 5240.040 5150 to 5250 45 3.85 5240.000 5150 to 5250 3.27 5745.000 5725 to 5850 20 3.85 5745.020 5725 to 5850 4.43 5745.020 5725 to 5850 -20 3.85 5745.020 5725 to 5850 -15 3.85 5745.020 5725 to 5850 -15 3.85 5745.020 5725 to 5850 0 3.85 5745.020 5725 to 5850 10 3.85 5745.020 5725 to 5850 30 3.85 5745.020 5725 to 5850 30 3.85 5745.020 5725 to 5850 40 40 40 40 40 40 40 | Pass |
| 45 3.85 5240.000 5150 to 5250 3.27 5745.000 5725 to 5850 20 3.85 5745.020 5725 to 5850 4.43 5745.020 5725 to 5850 -20 3.85 5745.020 5725 to 5850 -15 3.85 5745.020 5725 to 5850 0 3.85 5745.020 5725 to 5850 0 3.85 5745.020 5725 to 5850 10 3.85 5745.020 5725 to 5850 30 3.85 5745.020 5725 to 5850 40 3.85 5745.020 5725 to 5850 50 50 50 50 50 50 50 | Pass |
| 3.27 5745.000 5725 to 5850 20 3.85 5745.020 5725 to 5850 4.43 5745.020 5725 to 5850 -20 3.85 5745.020 5725 to 5850 -15 3.85 5745.020 5725 to 5850 0 3.85 5745.040 5725 to 5850 0 3.85 5745.020 5725 to 5850 10 3.85 5745.020 5725 to 5850 30 3.85 5745.020 5725 to 5850 40 3.85 5745.020 5725 to 5850 5745.020 5725 to 5850 30 3.85 5745.020 5725 to 5850 5745.020 5725 to 5850 | Pass |
| 20 3.85 5745.020 5725 to 5850 4.43 5745.020 5725 to 5850 -20 3.85 5745.020 5725 to 5850 -15 3.85 5745.020 5725 to 5850 -10 3.85 5745.020 5725 to 5850 0 3.85 5745.020 5725 to 5850 10 3.85 5745.020 5725 to 5850 30 3.85 5745.020 5725 to 5850 40 3.85 5745.020 5725 to 5850 50 50 50 50 50 50 50 | Pass |
| 4.43 5745.020 5725 to 5850 -20 3.85 5745.020 5725 to 5850 -15 3.85 5745.020 5725 to 5850 -10 3.85 5745.020 5725 to 5850 -10 3.85 5745.020 5725 to 5850 | Pass |
| -20 3.85 5745.020 5725 to 5850 -15 3.85 5745.020 5725 to 5850 -10 3.85 5745.040 5725 to 5850 0 3.85 5745.020 5725 to 5850 10 3.85 5745.020 5725 to 5850 30 3.85 5745.020 5725 to 5850 40 3.85 5745.020 5725 to 5850 | Pass |
| -15 3.85 5745.020 5725 to 5850 -10 3.85 5745.040 5725 to 5850 0 3.85 5745.020 5725 to 5850 10 3.85 5745.020 5725 to 5850 30 3.85 5745.020 5725 to 5850 40 3.85 5745.020 5725 to 5850 | Pass |
| 5745 / -10 3.85 5745.040 5725 to 5850 0 3.85 5745.020 5725 to 5850 10 3.85 5745.020 5725 to 5850 30 3.85 5745.020 5725 to 5850 40 3.85 5745.020 5725 to 5850 | Pass |
| 0 3.85 5745.020 5725 to 5850 10 3.85 5745.000 5725 to 5850 30 3.85 5745.020 5725 to 5850 40 3.85 5745.020 5725 to 5850 | Pass |
| 10 3.85 5745.000 5725 to 5850 30 3.85 5745.020 5725 to 5850 40 3.85 5745.020 5725 to 5850 | Pass |
| 30 3.85 5745.020 5725 to 5850 40 3.85 5745.020 5725 to 5850 | Pass |
| 40 3.85 5745.020 5725 to 5850 | Pass |
| | Pass |
| 45 0.05 5745,000 5705 1- 5050 | Pass |
| 45 3.85 5745.000 5725 to 5850 | Pass |
| 3.27 5785.020 5725 to 5850 | Pass |
| 20 3.85 5785.040 5725 to 5850 | Pass |
| 4.43 5785.040 5725 to 5850 | Pass |
| -20 3.85 5785.040 5725 to 5850 | Pass |
| 5785 / -15 3.85 5785.020 5725 to 5850 | Pass |
| -10 3.85 5785.020 5725 to 5850 | Pass |
| 0 3.85 5785.000 5725 to 5850 | Pass |
| 10 3.85 5785.000 5725 to 5850 | Pass |
| 30 3.85 5785.060 5725 to 5850 | Pass |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Part, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240400113805

Page: 294 of 299

| | | | | | 40 | 3.85 | 5785.020 | 5725 to 5850 | Pass |
|---|------|------|---|---|-----|---|-----------------|--|------|
| | | | | | 45 | 3.85 | 5785.020 | 5725 to 5850 | Pass |
| | | | | | | 3.27 | 5825.040 | 5725 to 5850 | Pass |
| | | | | | 20 | 3.85 | 5825.000 | 5725 to 5850 | Pass |
| | | | | | | 4.43 | 5825.000 | 5725 to 5850 | Pass |
| | | | | | -20 | 3.85 | 5824.980 | 5725 to 5850 5150 to 5250 5725 to 5850 5725 to 5850 | |
| | | | | | -15 | 3.85 | 5825.020 | 5725 to 5850 | Pass |
| | | 5825 | / | / | -10 | 4.43 5825.000 5725 to 5850 P 3.85 5824.980 5725 to 5850 P 3.85 5825.020 5725 to 5850 P 3.85 5824.980 5725 to 5850 P 3.85 5825.000 5725 to 5850 P 3.85 5825.060 5725 to 5850 P 3.85 5824.980 5725 to 5850 P 3.85 5825.020 5725 to 5850 P 3.85 5825.020 5725 to 5850 P 3.85 5825.040 5725 to 5850 P 3.85 5825.040 5725 to 5850 P 3.85 5190.080 5150 to 5250 P 3.85 5190.080 5150 to 5250 <td< td=""><td>Pass</td></td<> | | | Pass |
| | | | | | 0 | 3.85 | 5825.000 | 5725 to 5850 | Pass |
| | | | | | 10 | 3.85 | 3.85 5825.060 5 | 5725 to 5850 | Pass |
| | | | | | 30 | 3.85 | 5824.980 | 5725 to 5850 | Pass |
| | | | | | 40 | 3.85 | 5825.020 | 5725 to 5850 | Pass |
| | | | | | 45 | 3.85 | 5825.040 | 5725 to 5850 | Pass |
| | | | | | | 3.27 | 5190.080 | 5150 to 5250 | Pass |
| | | | | | 20 | 3.85 | 5190.080 | 5150 to 5250 | Pass |
| | | | | | | 4.43 | 5189.960 | 5150 to 5250 | Pass |
| | | | | | -20 | 3.85 | 5190.120 | 5150 to 5250 | Pass |
| | | | | | -15 | 3.85 | 5190.080 | 5150 to 5250 | Pass |
| | | 5190 | / | / | -10 | 3.85 | 5190.040 | 5150 to 5250 | Pass |
| | | | | | 0 | 3.85 | 5190.080 | 5150 to 5250 | Pass |
| | | | | | 10 | 3.85 | 5190.080 | 5150 to 5250 | Pass |
| | | | | | 30 | 3.85 | 5190.080 | 5150 to 5250 | Pass |
| | | | | | 40 | 3.85 | 5190.000 | 5150 to 5250 | Pass |
| | | | | | 45 | 3.85 | 5190.000 | 5150 to 5250 | Pass |
| | | | | | | 3.27 | 5230.040 | 5150 to 5250 | Pass |
| 000 44 | | | | | 20 | 3.85 | 5230.040 | 5150 to 5250 | Pass |
| 802.11ac (VHT40) | MIMO | | | | | 4.43 | 5230.080 | 5150 to 5250 | Pass |
| (| | | | | -20 | 3.85 | 5230.080 | 5150 to 5250 | Pass |
| | | | | | -15 | 3.85 | 5230.080 | 5150 to 5250 | Pass |
| | | 5230 | / | / | -10 | 3.85 | 5230.080 | 5150 to 5250 | Pass |
| | | | | | 0 | 3.85 | 5230.080 | 5150 to 5250 | Pass |
| | | | | | 10 | 3.85 | 5230.040 | 5150 to 5250 | Pass |
| | | | | | 30 | 3.85 | 5230.040 | 5150 to 5250 | Pass |
| | | | | | 40 | 3.85 | 5230.040 | 5150 to 5250 | Pass |
| | | | | | 45 | 3.85 | 5230.080 | 5150 to 5250 | Pass |
| | | | | | | 3.27 | 5755.040 | 5725 to 5850 | Pass |
| | | | | | 20 | 3.85 | 5755.040 | 5725 to 5850 | Pass |
| | | 5755 | / | / | | 4.43 | 5755.040 | 5725 to 5850 | Pass |
| | | | | | -20 | 3.85 | 5755.000 | 5725 to 5850 | Pass |
| | | | | | -15 | 3.85 | 5755.000 | 5725 to 5850 | Pass |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Part, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240400113805

Page: 295 of 299

| Part | | | | | | | | | | |
|--|----------|----------|------|-------|------|-----|------|----------|--------------|------|
| 10 3.85 5755.080 5725 to 5850 Pass 30 3.85 5755.080 5725 to 5850 Pass 40 3.85 5755.040 5725 to 5850 Pass 40 3.85 5755.040 5725 to 5850 Pass 40 3.85 5795.040 5725 to 5850 Pass 40 3.85 5795.080 5725 to 5850 Pass 40 3.85 5795.090 5725 to 5850 Pass 40 3.85 5210.000 5150 to 5250 Pass 40 3.85 5210.000 5150 to 5250 Pass 40 3.85 5210.075 5150 to 5250 Pass 40 3.85 5210.075 5150 to 5250 Pass 40 3.85 5210.000 5150 to 5250 Pass 40 3.85 5775.075 5725 to 5850 Pass 40 3.85 5775.075 | | | | | | -10 | 3.85 | 5755.080 | 5725 to 5850 | Pass |
| Name | | | | | | 0 | 3.85 | 5755.000 | 5725 to 5850 | Pass |
| Harmon | | | | | | 10 | 3.85 | 5755.080 | 5725 to 5850 | Pass |
| A | | | | | | 30 | 3.85 | 5755.080 | 5725 to 5850 | Pass |
| ROUTH Part | | | | | | 40 | 3.85 | 5755.040 | 5725 to 5850 | Pass |
| STOPE | | | | | | 45 | 3.85 | 5755.040 | 5725 to 5850 | Pass |
| Name | | | | | | | 3.27 | 5795.120 | 5725 to 5850 | Pass |
| STOPE | | | | | | 20 | 3.85 | 5795.040 | 5725 to 5850 | Pass |
| ST95 | | | | | | | 4.43 | 5795.040 | 5725 to 5850 | Pass |
| Name | | | | | | -20 | 3.85 | 5795.040 | 5725 to 5850 | Pass |
| Name | | | | | | -15 | 3.85 | 5795.040 | 5725 to 5850 | Pass |
| Name | | | 5795 | / | / | -10 | 3.85 | 5795.040 | 5725 to 5850 | Pass |
| Name | | | | | | 0 | 3.85 | 5795.040 | 5725 to 5850 | Pass |
| Name | | | | | | 10 | 3.85 | 5795.080 | 5725 to 5850 | Pass |
| Name | | | | | | 30 | 3.85 | 5795.080 | 5725 to 5850 | Pass |
| 802.11ac (VHT80) MIMO MIMO | | | | | | 40 | 3.85 | 5795.080 | 5725 to 5850 | Pass |
| 802.11ac (VHT80) MIMO MIMO | | | | | | 45 | 3.85 | 5795.000 | 5725 to 5850 | Pass |
| 802.11ac (VHT80) MIMO To the properties of the | | | | | | | 3.27 | 5210.150 | 5150 to 5250 | Pass |
| Name | | | | | | 20 | 3.85 | 5210.000 | 5150 to 5250 | Pass |
| 802.11ac (VHT80) MIMO MIMO | | | | | | | 4.43 | 5210.075 | 5150 to 5250 | Pass |
| MIMO | | | | | | -20 | 3.85 | 5210.075 | 5150 to 5250 | Pass |
| 802.11ac (VHT80) MIMO | | | | | | -15 | 3.85 | 5210.075 | 5150 to 5250 | Pass |
| 802.11ac (VHT80) MIMO MIMO MIMO | | | 5210 | / | / | -10 | 3.85 | 5210.000 | 5150 to 5250 | Pass |
| 802.11ac (VHT80) MIMO | | | | | | 0 | 3.85 | 5210.075 | 5150 to 5250 | Pass |
| 802.11ac (VHT80) MIMO | | | | | | 10 | 3.85 | 5210.000 | 5150 to 5250 | Pass |
| 802.11ac (VHT80) MIMO MIMO | | | | | | 30 | 3.85 | 5210.000 | 5150 to 5250 | Pass |
| (VHT80) MIMO (VHT80) MIMO (VHT80) | | | | | | 40 | 3.85 | 5210.000 | 5150 to 5250 | Pass |
| 10 3.85 5775.075 5725 to 5850 Pass | 802.11ac | MINAO | | | | 45 | 3.85 | 5210.150 | 5150 to 5250 | Pass |
| | (VHT80) | IVIIIVIO | | | | | 3.27 | 5775.075 | 5725 to 5850 | Pass |
| 5775 | | | | | | 20 | 3.85 | 5775.075 | 5725 to 5850 | Pass |
| 5775 | | | | | | | 4.43 | 5775.075 | 5725 to 5850 | Pass |
| 5775 | | | | | | -20 | 3.85 | 5775.000 | 5725 to 5850 | Pass |
| 0 3.85 5775.150 5725 to 5850 Pass 10 3.85 5775.150 5725 to 5850 Pass 30 3.85 5775.000 5725 to 5850 Pass 40 3.85 5775.075 5725 to 5850 Pass 45 3.85 5775.075 5725 to 5850 Pass | | | | | | -15 | 3.85 | 5775.075 | 5725 to 5850 | Pass |
| 10 3.85 5775.150 5725 to 5850 Pass 30 3.85 5775.000 5725 to 5850 Pass 40 3.85 5775.075 5725 to 5850 Pass 45 3.85 5775.075 5725 to 5850 Pass | | | 5775 | / | / | -10 | 3.85 | 5775.075 | 5725 to 5850 | Pass |
| 30 3.85 5775.000 5725 to 5850 Pass 40 3.85 5775.075 5725 to 5850 Pass 45 3.85 5775.075 5725 to 5850 Pass | | | | | | 0 | 3.85 | 5775.150 | 5725 to 5850 | Pass |
| 40 3.85 5775.075 5725 to 5850 Pass 45 3.85 5775.075 5725 to 5850 Pass | | | | | | 10 | 3.85 | 5775.150 | 5725 to 5850 | Pass |
| 45 3.85 5775.075 5725 to 5850 Pass | | | | | | 30 | 3.85 | 5775.000 | 5725 to 5850 | Pass |
| | | | | | | 40 | 3.85 | 5775.075 | 5725 to 5850 | Pass |
| 802.11ax MIMO 5180 RU242 Left 20 3.27 5180.020 5150 to 5250 Pass | | | | | | 45 | 3.85 | 5775.075 | 5725 to 5850 | Pass |
| | 802.11ax | MIMO | 5180 | RU242 | Left | 20 | 3.27 | 5180.020 | 5150 to 5250 | Pass |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com"



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240400113805

Page: 296 of 299

| (HEW20) Hew20 H | | | | | | | <u> </u> | | |
|--|---------|------|----------|-------|-----|------|----------|--------------|---|
| Page | (HEW20) | | | | | 3.85 | 5180.020 | 5150 to 5250 | Pass |
| 1-15 3.85 5180.020 5150 to 5250 Pass | | | | | | 4.43 | 5180.000 | 5150 to 5250 | Pass |
| 1-10 3.85 5179.940 5150 to 5250 Pass | | | | | -20 | 3.85 | 5180.000 | 5150 to 5250 | Pass |
| 0 3.85 5180.000 5150 to 5250 Pass | | | | | -15 | 3.85 | 5180.020 | 5150 to 5250 | Pass |
| 10 3.85 5180.020 5150 to 5250 Pass 30 3.85 5180.020 5150 to 5250 Pass 40 3.85 5180.020 5150 to 5250 Pass 45 3.85 5180.020 5150 to 5250 Pass 45 3.85 5180.040 5150 to 5250 Pass 20 3.85 5200.020 5150 to 5250 Pass 4.43 5200.020 5150 to 5250 Pass 4.5 5200.020 5150 to 5250 Pass 4.6 5200.020 5150 to 5250 Pass 4.7 5200 8150 10 5250 Pass 4.8 5200.000 5150 to 5250 Pass 4.9 3.85 5200.000 5150 to 5250 Pass 4.0 3.85 5200.000 5150 to 5250 Pass 4.4 3 85200.000 5150 to 5250 Pass 4.4 3 855240.000 5150 to 5250 Pass 4.4 5 8855240.000 5150 to 525 | | | | | -10 | 3.85 | 5179.940 | 5150 to 5250 | Pass |
| Section Sect | | | | | 0 | 3.85 | 5180.000 | 5150 to 5250 | Pass |
| 40 3.85 5180.020 5150 to 5250 Pass 45 3.85 5180.040 5150 to 5250 Pass 3.27 5199.960 5150 to 5250 Pass 4.43 5200.020 5150 to 5250 Pass -20 3.85 5200.020 5150 to 5250 Pass -15 3.85 5199.960 5150 to 5250 Pass -16 3.85 5199.960 5150 to 5250 Pass -16 3.85 5200.040 5150 to 5250 Pass -10 3.85 5200.040 5150 to 5250 Pass -10 3.85 5200.000 5150 to 5250 Pass -10 3.85 5200.000 5150 to 5250 Pass -10 3.85 5200.000 5150 to 5250 Pass -20 3.85 5200.000 5150 to 5250 Pass -20 3.85 5240.040 5150 to 5250 Pass -20 3.85 5745.040 5725 to 5850 Pass -20 3.85 5745.040 5725 to 5850 Pass -20 3.85 5745.040 5725 to 5850 Pas | | | | | 10 | 3.85 | 5180.020 | 5150 to 5250 | Pass |
| Section Sect | | | | | 30 | 3.85 | 5180.020 | 5150 to 5250 | Pass |
| Section | | | | | 40 | 3.85 | 5180.020 | 5150 to 5250 | Pass |
| Section | | | | | 45 | 3.85 | 5180.040 | 5150 to 5250 | Pass |
| Section | | | | | | 3.27 | 5199.960 | 5150 to 5250 | Pass |
| Fig. 1.15 | | | | | 20 | 3.85 | 5200.020 | 5150 to 5250 | Pass |
| S200 RU242 Left | | | | | | 4.43 | 5200.020 | 5150 to 5250 | Pass |
| 5200 RU242 Left -10 3.85 5200.040 5150 to 5250 Pass 0 3.85 5199.980 5150 to 5250 Pass 10 3.85 5200.000 5150 to 5250 Pass 30 3.85 5200.020 5150 to 5250 Pass 40 3.85 5200.000 5150 to 5250 Pass 45 3.85 5200.000 5150 to 5250 Pass 20 3.85 5240.020 5150 to 5250 Pass 20 3.85 5240.040 5150 to 5250 Pass -20 3.85 5240.040 5150 to 5250 Pass -15 3.85 5240.040 5150 to 5250 Pass -15 3.85 5240.040 5150 to 5250 Pass 10 3.85 5240.040 5150 to 5250 Pass 10 3.85 5240.000 5150 to 5250 Pass 30 3.85 5240.000 5150 to 5250 Pass 40 | | | | | -20 | 3.85 | 5200.020 | 5150 to 5250 | Pass |
| Name | | | | | -15 | 3.85 | 5199.960 | 5150 to 5250 | Pass |
| 10 3.85 5200.000 5150 to 5250 Pass 30 3.85 5200.020 5150 to 5250 Pass 40 3.85 5200.000 5150 to 5250 Pass 45 3.85 5200.000 5150 to 5250 Pass 3.27 5240.020 5150 to 5250 Pass 20 3.85 5240.040 5150 to 5250 Pass 4.43 5240.000 5150 to 5250 Pass 2-20 3.85 5240.040 5150 to 5250 Pass 2-20 3.85 5240.040 5150 to 5250 Pass 2-20 3.85 5240.040 5150 to 5250 Pass 2-15 3.85 5239.980 5150 to 5250 Pass 30 3.85 5240.040 5150 to 5250 Pass 10 3.85 5240.040 5150 to 5250 Pass 10 3.85 5240.040 5150 to 5250 Pass 10 3.85 5240.000 5150 to 5250 Pass 10 3.85 5240.000 5150 to 5250 Pass 40 3.85 5240.000 5150 to 5250 Pass 40 3.85 5240.020 5150 to 5250 Pass 40 3.85 5240.020 5150 to 5250 Pass 45 3.85 5240.000 5150 to 5250 Pass 45 3.85 5240.000 5150 to 5250 Pass 45 3.85 5240.000 5150 to 5250 Pass 46 3.85 5240.000 5150 to 5250 Pass 47 3.85 5240.000 5150 to 5250 Pass 48 3.85 5240.000 5150 to 5250 Pass 49 3.85 5240.000 5150 to 5250 Pass 40 3.85 5240.000 5150 to 5250 Pass 40 3.85 5240.000 5150 to 5250 Pass 40 3.85 5240.000 5150 to 5250 Pass 41 3.85 5240.000 5150 to 5250 Pass 42 3.85 5240.000 5150 to 5250 Pass 43 3.85 5240.000 5150 to 5250 Pass 44 3.85 5240.000 5150 to 5250 Pass 45 3.85 5240.000 5150 to 5250 Pass 46 3.85 5240.000 5150 to 5250 Pass 47 5745.000 5725 to 5850 Pass 48 5745.000 5725 to 5850 Pass 49 3.85 5745.000 5725 to 5850 Pass 40 3.85 5745.000 5725 to 5850 Pass 40 3.85 5745.000 5725 to 5850 Pass 40 3.85 5745.000 5725 to 5850 Pass | | 520 | 00 RU242 | Left | -10 | 3.85 | 5200.040 | 5150 to 5250 | Pass |
| Section Sect | | | | | 0 | 3.85 | 5199.980 | 5150 to 5250 | Pass |
| Heat | | | | | 10 | 3.85 | 5200.000 | 5150 to 5250 | Pass |
| Section | | | | | 30 | 3.85 | 5200.020 | 5150 to 5250 | Pass |
| Section | | | | | 40 | 3.85 | 5200.000 | 5150 to 5250 | Pass |
| RU242 Left | | | | | 45 | 3.85 | 5200.000 | 5150 to 5250 | Pass |
| Section | | | | | | 3.27 | 5240.020 | 5150 to 5250 | Pass |
| Figure 1.5 | | | | | 20 | 3.85 | 5240.040 | 5150 to 5250 | Pass |
| F240 RU242 Left | | | | | | 4.43 | 5240.000 | 5150 to 5250 | Pass |
| FU242 Left | | | | | -20 | 3.85 | 5240.040 | 5150 to 5250 | Pass |
| 0 3.85 5240.000 5150 to 5250 Pass 10 3.85 5240.060 5150 to 5250 Pass 30 3.85 5240.020 5150 to 5250 Pass 40 3.85 5240.020 5150 to 5250 Pass 45 3.85 5240.000 5150 to 5250 Pass 45 3.85 5240.000 5150 to 5250 Pass 20 3.85 5745.080 5725 to 5850 Pass 4.43 5745.100 5725 to 5850 Pass 4.43 5745.100 5725 to 5850 Pass -20 3.85 5745.000 5725 to 5850 Pass -15 3.85 5744.980 5725 to 5850 Pass -10 3.85 5745.020 5725 to 5850 Pass 0 3.85 5745.040 5725 to 5850 Pass | | | | | -15 | 3.85 | 5239.980 | 5150 to 5250 | Pass |
| 10 3.85 5240.060 5150 to 5250 Pass 30 3.85 5240.020 5150 to 5250 Pass 40 3.85 5240.020 5150 to 5250 Pass 45 3.85 5240.000 5150 to 5250 Pass 45 3.85 5240.000 5150 to 5250 Pass 3.27 5745.080 5725 to 5850 Pass 4.43 5745.000 5725 to 5850 Pass 4.43 5745.100 5725 to 5850 Pass 4.43 5745.000 5725 to 5850 Pass 4.44 5745.000 5725 to 5850 Pass 5745 3.85 5745.020 5725 to 5850 Pass 4.45 5745.040 5725 to 5850 Pass | | 524 | 10 RU242 | Left | -10 | 3.85 | 5240.040 | 5150 to 5250 | Pass |
| 30 3.85 5240.020 5150 to 5250 Pass 40 3.85 5240.020 5150 to 5250 Pass 45 3.85 5240.000 5150 to 5250 Pass 45 3.27 5745.080 5725 to 5850 Pass 20 3.85 5745.060 5725 to 5850 Pass 4.43 5745.100 5725 to 5850 Pass -20 3.85 5745.000 5725 to 5850 Pass -15 3.85 5744.980 5725 to 5850 Pass -10 3.85 5745.020 5725 to 5850 Pass 0 3.85 5745.040 5725 to 5850 Pass | | | | | 0 | 3.85 | 5240.000 | 5150 to 5250 | Pass |
| Heft 40 3.85 5240.020 5150 to 5250 Pass 45 3.85 5240.000 5150 to 5250 Pass 3.27 5745.080 5725 to 5850 Pass 20 3.85 5745.060 5725 to 5850 Pass 4.43 5745.100 5725 to 5850 Pass -20 3.85 5745.000 5725 to 5850 Pass -10 3.85 5744.980 5725 to 5850 Pass -10 3.85 5745.020 5725 to 5850 Pass 0 3.85 5745.040 5725 to 5850 Pass | | | | | 10 | 3.85 | 5240.060 | 5150 to 5250 | Pass |
| Heft 45 3.85 5240.000 5150 to 5250 Pass 3.27 5745.080 5725 to 5850 Pass 20 3.85 5745.060 5725 to 5850 Pass 4.43 5745.100 5725 to 5850 Pass -20 3.85 5745.000 5725 to 5850 Pass -15 3.85 5744.980 5725 to 5850 Pass -10 3.85 5745.020 5725 to 5850 Pass 0 3.85 5745.040 5725 to 5850 Pass | | | | | 30 | 3.85 | 5240.020 | 5150 to 5250 | Pass |
| 3.27 5745.080 5725 to 5850 Pass 20 3.85 5745.060 5725 to 5850 Pass 4.43 5745.100 5725 to 5850 Pass -20 3.85 5745.000 5725 to 5850 Pass -10 3.85 5744.980 5725 to 5850 Pass -10 3.85 5745.020 5725 to 5850 Pass 0 3.85 5745.040 5725 to 5850 Pass | | | | | 40 | 3.85 | 5240.020 | 5150 to 5250 | Pass Pass Pass Pass Pass Pass Pass Pass |
| 8 Puz42 RU242 RU24 | | | | | 45 | 3.85 | 5240.000 | 5150 to 5250 | Pass |
| FU242 RU242 Left | | | | | | 3.27 | 5745.080 | 5725 to 5850 | Pass |
| FU242 RU242 Left | | | | | 20 | 3.85 | 5745.060 | 5725 to 5850 | Pass |
| 5745 RU242 Left -15 3.85 5744.980 5725 to 5850 Pass -10 3.85 5745.020 5725 to 5850 Pass 0 3.85 5745.040 5725 to 5850 Pass | | | | | | 4.43 | 5745.100 | 5725 to 5850 | Pass |
| -15 3.85 5744.980 5725 to 5850 Pass -10 3.85 5745.020 5725 to 5850 Pass 0 3.85 5745.040 5725 to 5850 Pass | | E7 A | IE DUMA | 1.044 | -20 | 3.85 | 5745.000 | 5725 to 5850 | Pass |
| 0 3.85 5745.040 5725 to 5850 Pass | | 5/4 | ю KU242 | Leit | -15 | 3.85 | 5744.980 | 5725 to 5850 | Pass |
| | | | | | -10 | 3.85 | 5745.020 | 5725 to 5850 | Pass |
| 10 3.85 5745.080 5725 to 5850 Pass | | | | | 0 | 3.85 | 5745.040 | 5725 to 5850 | Pass |
| <u> </u> | | | | | 10 | 3.85 | 5745.080 | 5725 to 5850 | Pass |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Part, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240400113805

Page: 297 of 299

| | | | | | 30 | 3.85 | 5745.000 | 5725 to 5850 | Pass |
|---------------------|------|------|-------|-------|-----|------|----------|--------------|------|
| | | | | | 40 | 3.85 | 5745.040 | 5725 to 5850 | Pass |
| | | | | | 45 | 3.85 | 5745.000 | 5725 to 5850 | Pass |
| | | | | | | 3.27 | 5785.100 | 5725 to 5850 | Pass |
| | | | | | 20 | 3.85 | 5785.020 | 5725 to 5850 | Pass |
| | | | | | | 4.43 | 5785.020 | 5725 to 5850 | Pass |
| | | | | | -20 | 3.85 | 5785.020 | 5725 to 5850 | Pass |
| | | | | | -15 | 3.85 | 5785.040 | 5725 to 5850 | Pass |
| | | 5785 | RU242 | Left | -10 | 3.85 | 5785.120 | 5725 to 5850 | Pass |
| | | | | | 0 | 3.85 | 5784.960 | 5725 to 5850 | Pass |
| | | | | | 10 | 3.85 | 5785.000 | 5725 to 5850 | Pass |
| | | | | | 30 | 3.85 | 5785.020 | 5725 to 5850 | Pass |
| | | | | | 40 | 3.85 | 5785.020 | 5725 to 5850 | Pass |
| | | | | | 45 | 3.85 | 5785.000 | 5725 to 5850 | Pass |
| | | | | | | 3.27 | 5825.020 | 5725 to 5850 | Pass |
| | | | | | 20 | 3.85 | 5825.000 | 5725 to 5850 | Pass |
| | | | | | | 4.43 | 5825.100 | 5725 to 5850 | Pass |
| | | | | | -20 | 3.85 | 5825.000 | 5725 to 5850 | Pass |
| | | | | | -15 | 3.85 | 5825.020 | 5725 to 5850 | Pass |
| | | 5825 | RU242 | Left | -10 | 3.85 | 5825.020 | 5725 to 5850 | Pass |
| | | | | | 0 | 3.85 | 5825.000 | 5725 to 5850 | Pass |
| | | | | | 10 | 3.85 | 5825.040 | 5725 to 5850 | Pass |
| | | | | | 30 | 3.85 | 5825.020 | 5725 to 5850 | Pass |
| | | | | | 40 | 3.85 | 5825.000 | 5725 to 5850 | Pass |
| | | | | | 45 | 3.85 | 5825.000 | 5725 to 5850 | Pass |
| | | | | | | 3.27 | 5190.080 | 5150 to 5250 | Pass |
| | | | | | 20 | 3.85 | 5190.000 | 5150 to 5250 | Pass |
| | | | | | | 4.43 | 5190.040 | 5150 to 5250 | Pass |
| | | | | | -20 | 3.85 | 5190.040 | 5150 to 5250 | Pass |
| | | | | | -15 | 3.85 | 5190.040 | 5150 to 5250 | Pass |
| | | 5190 | RU484 | Left | -10 | 3.85 | 5190.000 | 5150 to 5250 | Pass |
| | | | | | 0 | 3.85 | 5190.040 | 5150 to 5250 | Pass |
| 802.11ax (HEW40) | MIMO | | | | 10 | 3.85 | 5190.080 | 5150 to 5250 | Pass |
| (112440) | | | | | 30 | 3.85 | 5190.040 | 5150 to 5250 | Pass |
| | | | | | 40 | 3.85 | 5190.040 | 5150 to 5250 | Pass |
| | | | | | 45 | 3.85 | 5190.040 | 5150 to 5250 | Pass |
| | | | | | | 3.27 | 5230.040 | 5150 to 5250 | Pass |
| | | F000 | DUAGA | l ett | 20 | 3.85 | 5230.040 | 5150 to 5250 | Pass |
| | | 5230 | RU484 | Left | | 4.43 | 5230.040 | 5150 to 5250 | Pass |
| | | | | | -20 | 3.85 | 5229.960 | 5150 to 5250 | Pass |
| L | • | | • | | | | | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com"



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240400113805

298 of 299 Page:

| 1-15 3.85 5230.040 5150 to 5250 -10 3.85 5230.040 5150 to 5250 -10 3.85 5230.080 5150 to 5250 -10 3.85 5230.080 5150 to 5250 -10 3.85 5230.000 5150 to 5250 -10 3.85 5230.040 5150 to 5250 -10 3.85 5230.040 5150 to 5250 -10 3.85 5230.040 5150 to 5250 -10 3.85 5230.000 5150 to 5250 -10 3.85 5755.080 5725 to 5850 -10 3.85 5755.040 5725 to 5850 -10 3.85 5795.040 5725 to 5850 -10 | Pass Pass Pass Pass Pass Pass Pass Pass |
|--|---|
| Name | Pass Pass Pass Pass Pass Pass Pass Pass |
| 10 3.85 5230.000 5150 to 5250 30 3.85 5230.040 5150 to 5250 40 3.85 5230.040 5150 to 5250 45 3.85 5230.040 5150 to 5250 45 3.85 5230.000 5150 to 5250 20 3.85 5755.000 5725 to 5850 4.43 5755.040 5725 to 5850 -20 3.85 5755.040 5725 to 5850 -15 3.85 5755.040 5725 to 5850 -16 3.85 5755.040 5725 to 5850 10 3.85 5755.040 5725 to 5850 10 3.85 5755.040 5725 to 5850 40 3.85 5755.040 5725 to 5850 41 3.85 5755.040 5725 to 5850 42 3.85 5755.040 5725 to 5850 43 3.85 5755.040 5725 to 5850 44 3.85 5755.040 5725 to 5850 45 3.85 5755.040 5725 to 5850 46 3.85 5795.040 5725 to 5850 47 3.85 5795.040 5725 to 5850 48 3.85 5795.040 5725 to 5850 49 3.85 5795.040 5725 to 5850 40 3.85 5795.040 5725 to 5850 | Pass Pass Pass Pass Pass Pass Pass Pass |
| 30 3.85 5230.040 5150 to 5250 40 3.85 5230.040 5150 to 5250 45 3.85 5230.000 5150 to 5250 45 3.85 5230.000 5150 to 5250 45 3.85 5230.000 5150 to 5250 45 3.85 5755.080 5725 to 5850 20 3.85 5755.040 5725 to 5850 4.43 5755.040 5725 to 5850 -20 3.85 5755.040 5725 to 5850 -15 3.85 5755.040 5725 to 5850 -15 3.85 5755.040 5725 to 5850 0 3.85 5755.040 5725 to 5850 10 3.85 5755.040 5725 to 5850 30 3.85 5755.040 5725 to 5850 40 3.85 5755.040 5725 to 5850 40 3.85 5755.040 5725 to 5850 40 3.85 5755.040 5725 to 5850 41 3.85 5754.960 5725 to 5850 42 3.85 5795.040 5725 to 5850 43 5795.080 5725 to 5850 44 43 5795.080 5725 to 5850 44 43 5795.080 5725 to 5850 5795 RU484 Left -10 3.85 5795.040 5725 to 5850 10 3.85 5795.040 5725 to 5850 30 3.85 5795.040 5725 to 5850 30 3.85 5795.040 5725 to 5850 30 3.85 5795.040 5725 to 5850 5795 to 5850 5725 | Pass Pass Pass Pass Pass Pass Pass Pass |
| 40 3.85 5230.040 5150 to 5250 45 3.85 5230.000 5150 to 5250 45 3.85 5230.000 5150 to 5250 3.27 5755.080 5725 to 5850 4.43 5755.040 5725 to 5850 -20 3.85 5755.040 5725 to 5850 -15 3.85 5755.040 5725 to 5850 -15 3.85 5755.040 5725 to 5850 0 3.85 5755.040 5725 to 5850 0 3.85 5755.040 5725 to 5850 10 3.85 5755.040 5725 to 5850 30 3.85 5755.040 5725 to 5850 40 3.85 5755.040 5725 to 5850 40 3.85 5755.040 5725 to 5850 41 3.85 5755.040 5725 to 5850 42 3.85 5755.040 5725 to 5850 43 3.85 5755.040 5725 to 5850 44 3.85 5795.040 5725 to 5850 4.43 5795.080 5725 to 5850 4.43 5795.080 5725 to 5850 4.43 5795.080 5725 to 5850 -20 3.85 5795.040 5725 to 5850 -15 3.85 5795.040 5725 to 5850 -15 3.85 5795.040 5725 to 5850 -15 3.85 5795.040 5725 to 5850 -16 3.85 5795.040 5725 to 5850 -17 3.85 5795.040 5725 to 5850 -18 3.85 5795.040 5725 to 5850 -19 3.85 5795.040 5725 to 5850 -10 3.85 5795.040 5725 to 5850 | Pass Pass Pass Pass Pass Pass Pass Pass |
| A5 3.85 5230.000 5150 to 5250 | Pass Pass Pass Pass Pass Pass Pass Pass |
| RU484 Left | Pass Pass Pass Pass Pass Pass Pass Pass |
| STATE STAT | Pass Pass Pass Pass Pass Pass Pass |
| A.43 5755.040 5725 to 5850 -20 3.85 5755.040 5725 to 5850 -15 3.85 5755.040 5725 to 5850 -15 3.85 5755.040 5725 to 5850 -15 3.85 5755.040 5725 to 5850 -16 3.85 5755.040 5725 to 5850 -17 3.85 5755.040 5725 to 5850 -18 3.85 5755.040 5725 to 5850 -19 3.85 5755.040 5725 to 5850 -10 3.85 5795.040 5725 to 5850 -10 3.85 | Pass Pass Pass Pass Pass Pass |
| -20 3.85 5755.040 5725 to 5850 -15 3.85 5755.080 5725 to 5850 -10 3.85 5755.040 5725 to 5850 0 3.85 5755.040 5725 to 5850 10 3.85 5755.040 5725 to 5850 10 3.85 5755.040 5725 to 5850 40 3.85 5755.040 5725 to 5850 40 3.85 5755.040 5725 to 5850 40 3.85 5755.040 5725 to 5850 45 3.85 5755.040 5725 to 5850 45 3.85 5755.040 5725 to 5850 20 3.85 5795.040 5725 to 5850 4.43 5795.080 5725 to 5850 -20 3.85 5795.040 5725 to 5850 -15 3.85 5795.040 5725 to 5850 -15 3.85 5795.040 5725 to 5850 -10 3.85 5795.040 5725 to 5850 10 3.85 5795.040 5725 to 5850 30 3.85 5795.040 5725 to 5850 30 3.85 5795.040 5725 to 5850 5795 804 5725 to 5850 30 3.85 5795.040 5725 to 5850 5795 805 5795.040 5725 to 5850 30 3.85 5795.040 5725 to 5850 5795 805 5795.040 5725 to 5850 | Pass Pass Pass Pass Pass |
| Fig. 1.5 RU484 Left -15 -16 -17 -17 -18 -18 -19 -19 -10 - | Pass Pass Pass Pass |
| 5755 RU484 Left -10 3.85 5755.040 5725 to 5850 0 3.85 5755.000 5725 to 5850 10 3.85 5755.040 5725 to 5850 30 3.85 5755.040 5725 to 5850 40 3.85 5755.040 5725 to 5850 45 3.85 5754.960 5725 to 5850 5795.080 5725 to 5850 5795.040 5725 to 5850 4.43 5795.080 5725 to 5850 -20 3.85 5795.040 5725 to 5850 -15 3.85 5795.040 5725 to 5850 5795 RU484 Left -10 3.85 5795.040 5725 to 5850 10 3.85 5795.040 5725 to 5850 10 3.85 5795.040 5725 to 5850 30 3.85 5795.080 5725 to 5850 | Pass Pass Pass |
| 0 3.85 5755.000 5725 to 5850 10 3.85 5755.040 5725 to 5850 30 3.85 5755.040 5725 to 5850 40 3.85 5755.040 5725 to 5850 45 3.85 5754.960 5725 to 5850 45 3.85 5795.080 5725 to 5850 20 3.85 5795.080 5725 to 5850 4.43 5795.080 5725 to 5850 -20 3.85 5795.080 5725 to 5850 -15 3.85 5795.040 5725 to 5850 -15 3.85 5795.040 5725 to 5850 0 3.85 5795.040 5725 to 5850 10 3.85 5795.040 5725 to 5850 30 3.85 5795.040 5725 to 5850 | Pass Pass |
| 10 3.85 5755.040 5725 to 5850 30 3.85 5755.040 5725 to 5850 40 3.85 5755.040 5725 to 5850 45 3.85 5754.960 5725 to 5850 20 3.85 5795.080 5725 to 5850 4.43 5795.080 5725 to 5850 4.43 5795.080 5725 to 5850 -20 3.85 5795.080 5725 to 5850 -15 3.85 5795.040 5725 to 5850 -15 3.85 5795.040 5725 to 5850 0 3.85 5795.040 5725 to 5850 10 3.85 5795.040 5725 to 5850 10 3.85 5795.040 5725 to 5850 30 3.85 5795.040 5725 to 5850 | Pass |
| 30 3.85 5755.040 5725 to 5850 40 3.85 5755.040 5725 to 5850 45 3.85 5754.960 5725 to 5850 3.27 5795.080 5725 to 5850 20 3.85 5795.040 5725 to 5850 4.43 5795.080 5725 to 5850 -20 3.85 5795.080 5725 to 5850 -15 3.85 5795.040 5725 to 5850 -15 3.85 5795.040 5725 to 5850 0 3.85 5795.040 5725 to 5850 10 3.85 5795.040 5725 to 5850 10 3.85 5795.040 5725 to 5850 30 3.85 5795.040 5725 to 5850 | |
| A0 3.85 5755.040 5725 to 5850 | D |
| A5 3.85 5754.960 5725 to 5850 3.27 5795.080 5725 to 5850 20 3.85 5795.040 5725 to 5850 4.43 5795.080 5725 to 5850 -20 3.85 5795.080 5725 to 5850 -15 3.85 5795.040 5725 to 5850 -15 3.85 5795.040 5725 to 5850 0 3.85 5795.040 5725 to 5850 10 3.85 5795.040 5725 to 5850 10 3.85 5795.040 5725 to 5850 30 3.85 5795.080 5725 to 5850 30 3.85 5795.080 5725 to 5850 | Pass |
| 3.27 5795.080 5725 to 5850 20 3.85 5795.040 5725 to 5850 4.43 5795.080 5725 to 5850 -20 3.85 5795.080 5725 to 5850 -15 3.85 5795.040 5725 to 5850 0 3.85 5795.040 5725 to 5850 0 3.85 5795.040 5725 to 5850 10 3.85 5795.040 5725 to 5850 30 3.85 5795.040 5725 to 5850 30 3.85 5795.080 5725 to 5850 | Pass |
| 20 3.85 5795.040 5725 to 5850 4.43 5795.080 5725 to 5850 -20 3.85 5795.080 5725 to 5850 -15 3.85 5795.040 5725 to 5850 -15 3.85 5795.040 5725 to 5850 0 3.85 5795.040 5725 to 5850 10 3.85 5795.040 5725 to 5850 10 3.85 5795.040 5725 to 5850 30 3.85 5795.080 5725 to 5850 30 3.85 5795.080 5725 to 5850 | Pass |
| 5795 RU484 Left 4.43 5795.080 5725 to 5850 -20 3.85 5795.080 5725 to 5850 -15 3.85 5795.040 5725 to 5850 0 3.85 5795.040 5725 to 5850 10 3.85 5795.040 5725 to 5850 10 3.85 5795.040 5725 to 5850 30 3.85 5795.080 5725 to 5850 | Pass |
| -20 3.85 5795.080 5725 to 5850 -15 3.85 5795.040 5725 to 5850 -10 3.85 5795.040 5725 to 5850 0 3.85 5795.040 5725 to 5850 10 3.85 5795.040 5725 to 5850 30 3.85 5795.040 5725 to 5850 30 3.85 5795.080 5725 to 5850 | Pass |
| 5795 RU484 Left | Pass |
| 5795 RU484 Left -10 3.85 5795.040 5725 to 5850 0 3.85 5795.040 5725 to 5850 10 3.85 5795.040 5725 to 5850 30 3.85 5795.080 5725 to 5850 | Pass |
| 0 3.85 5795.040 5725 to 5850 10 3.85 5795.040 5725 to 5850 30 3.85 5795.080 5725 to 5850 | Pass |
| 10 3.85 5795.040 5725 to 5850 30 3.85 5795.080 5725 to 5850 | Pass |
| 30 3.85 5795.080 5725 to 5850 | Pass |
| | Pass |
| 40 000 5705 040 5705 0 5050 | Pass |
| 40 3.85 5795.040 5725 to 5850 | Pass |
| 45 3.85 5795.040 5725 to 5850 | Pass |
| 3.27 5210.150 5150 to 5250 | Pass |
| 20 3.85 5210.075 5150 to 5250 | Pass |
| 4.43 5210.000 5150 to 5250 | Pass |
| -20 3.85 5210.000 5150 to 5250 | Pass |
| -15 3.85 5210.150 5150 to 5250 | Pass |
| 802.11ax (HEW80) MIMO 5210 RU996 Left -10 3.85 5210.000 5150 to 5250 | Pass |
| 0 3.85 5210.075 5150 to 5250 | Pass |
| 10 3.85 5210.000 5150 to 5250 | Daga |
| 30 3.85 5210.000 5150 to 5250 | Pass |
| 40 3.85 5210.000 5150 to 5250 | Pass |
| | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Part, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240400113805

Page: 299 of 299

| | | | | | 3.27 | 5775.075 | 5725 to 5850 | Pass |
|--|------|-------|------|-----|------|----------|--------------|------|
| | | | | 20 | 3.85 | 5775.075 | 5725 to 5850 | Pass |
| | | | | | 4.43 | 5775.075 | 5725 to 5850 | Pass |
| | | | | -20 | 3.85 | 5775.075 | 5725 to 5850 | Pass |
| | | | | -15 | 3.85 | 5775.075 | 5725 to 5850 | Pass |
| | 5775 | RU996 | Left | -10 | 3.85 | 5775.000 | 5725 to 5850 | Pass |
| | | | | 0 | 3.85 | 5775.075 | 5725 to 5850 | Pass |
| | | | | 10 | 3.85 | 5775.000 | 5725 to 5850 | Pass |
| | | | | 30 | 3.85 | 5775.075 | 5725 to 5850 | Pass |
| | | | | 40 | 3.85 | 5775.075 | 5725 to 5850 | Pass |
| | | | | 45 | 3.85 | 5775.075 | 5725 to 5850 | Pass |

⁻ End of the Report -



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com"

No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn