



Appendix B: Test Results of Bluetooth LE


APPENDIX B: TEST RESULTS OF BLUETOOTH LE	1
APPENDIX B.1: TEST RESULTS OF CONDUCTED POWER SPECTRAL DENSITY	2
APPENDIX B.2: TEST RESULTS OF 6DB BANDWIDTH	5
APPENDIX B.3: TEST RESULTS OF 99% BANDWIDTH	8
APPENDIX B.4: TEST RESULTS OF CONDUCTED SPURIOUS EMISSIONS MEASURED IN 100 KHZ BANDWIDTH	11
<i>Band Edge</i>	11
<i>Conducted Spurious Emission</i>	13
APPENDIX B.5: TEST RESULTS OF RADIATED SPURIOUS EMISSIONS	20
<i>30 MHz - 1GHz</i>	20
<i>1GHz - 18GHz</i>	22
APPENDIX B.6: TEST RESULTS OF RADIATED EMISSIONS IN RESTRICTED BANDS	34
APPENDIX B.7: TEST RESULTS OF CONDUCTED EMISSION ON AC MAINS	38

Appendix B.1: Test Results of Conducted Power Spectral Density


TestMode	Antenna	Channel	Result[dBm/3-100kHz]	Limit[dBm/3kHz]	Verdict
BLE_1M	Ant1	2402	-9.05	≤8.00	PASS
		2440	-8.69	≤8.00	PASS
		2480	-9.18	≤8.00	PASS
BLE_2M	Ant1	2402	-13.55	≤8.00	PASS
		2440	-13.4	≤8.00	PASS
		2480	-13.8	≤8.00	PASS




BLE_2M_Ant1_2402



BLE_2M_Ant1_2440




BLE_2M_Ant1_2480



Appendix B.2: Test Results of 6dB Bandwidth


TestMode	Antenna	Channel	DTS BW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
BLE_1M	Ant1	2402	0.636	2401.660	2402.296	0.5	PASS
		2440	0.676	2439.648	2440.324	0.5	PASS
		2480	0.596	2479.688	2480.284	0.5	PASS
BLE_2M	Ant1	2402	1.088	2401.436	2402.524	0.5	PASS
		2440	1.084	2439.428	2440.512	0.5	PASS
		2480	1.052	2479.440	2480.492	0.5	PASS





Appendix B.3: Test Results of 99% Bandwidth

TestMode	Antenna	Channel	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
BLE_1M	Ant1	2402	1.0624	2401.4659	2402.5283	---	PASS
		2440	1.0681	2439.4673	2440.5354	---	PASS
		2480	1.0632	2479.4694	2480.5326	---	PASS
BLE_2M	Ant1	2402	2.0854	2400.9636	2403.0490	---	PASS
		2440	2.0940	2438.9636	2441.0576	---	PASS
		2480	2.0535	2478.9679	2481.0214	---	PASS








Appendix B.4: Test Results of Conducted Spurious Emissions Measured in 100 kHz Bandwidth

Band Edge

TestMode	Antenna	ChName	Channel	RefLevel[dBm]	Result[dBm]	Limit[dBm]	Verdict
BLE_1M	Ant1	Low	2402	11.39	-40.18	≤-8.61	PASS
		High	2480	11.13	-38.96	≤-8.87	PASS
BLE_2M	Ant1	Low	2402	10.68	-21.81	≤-9.32	PASS
		High	2480	10.46	-39.69	≤-9.54	PASS



BLE_2M_Ant1_Low_2402







BLE_2M_Ant1_High_2480







Conducted Spurious Emission



TestMode	Antenna	Channel	FreqRange [MHz]	RefLevel [dBm]	Result[dBm]	Limit[dBm]	Verdict
BLE_1M	Ant1	2402	Reference	6.94	6.94	---	PASS
			30~1000	6.94	-40.61	≤-13.06	PASS
			1000~26500	6.94	-31.82	≤-13.06	PASS
		2440	Reference	6.61	6.61	---	PASS
			30~1000	6.61	-41.55	≤-13.39	PASS
			1000~26500	6.61	-31.53	≤-13.39	PASS
		2480	Reference	6.38	6.38	---	PASS
			30~1000	6.38	-41.04	≤-13.62	PASS
			1000~26500	6.38	-32.79	≤-13.62	PASS
BLE_2M	Ant1	2402	Reference	5.97	5.97	---	PASS
			30~1000	5.97	-41.26	≤-14.03	PASS
			1000~26500	5.97	-32.34	≤-14.03	PASS
		2440	Reference	6.37	6.37	---	PASS
			30~1000	6.37	-41.05	≤-13.63	PASS
			1000~26500	6.37	-31.94	≤-13.63	PASS
		2480	Reference	5.92	5.92	---	PASS
			30~1000	5.92	-41.3	≤-14.08	PASS
			1000~26500	5.92	-32.05	≤-14.08	PASS















Appendix B.5: Test Results of Radiated Spurious Emissions


Note:

- 1) This testing was carried out on different modulations, but only the worst case was presented in this report.
- 2) Testing was carried out within frequency range 9kHz to the tenth harmonics. The measurement results below 30MHz and 18GHz - 26.5GHz were greater than 20dB below the limit, so only the radiated spurious emissions from 30MHz to 18GHz were reported.

30 MHz - 1GHz

EUT Information

EUT Name:	Osmo Pocket 3
Model:	PP-101
Test Mode:	BLE 1M_Mid channel
Order No/Sample No:	168423544/A003491201-007
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
45.132000	17.10	40.00	22.90	100.0	H	173.0	-18.8
105.029500	14.81	43.50	28.69	100.0	H	173.0	-18.7
227.201000	16.88	46.00	29.12	100.0	H	282.0	-18.2
503.990500	26.38	46.00	19.62	100.0	H	261.0	-11.7
908.917000	29.97	46.00	16.03	100.0	H	114.0	-4.9

Final Result

Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Osmo Pocket 3
 Model: PP-101
 Test Mode: BLE 1M_Mid channel
 Order No/Sample No: 168423544/A003491201-007
 Test Voltage: Battery
 Remark: Temp 24 Humi:50%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
49.982000	25.40	40.00	14.60	100.0	V	314.0	-18.3
105.805500	15.01	43.50	28.49	100.0	V	65.0	-18.8
282.636500	19.35	46.00	26.65	100.0	V	328.0	-16.6
503.990500	32.32	46.00	13.68	100.0	V	50.0	-11.7
926.862000	30.19	46.00	15.81	100.0	V	101.0	-4.7

Final_Result


Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

1GHz - 18GHz

Note: The highest waveform in the figure is Bluetooth Fundamental.

EUT Information

EUT Name:	Osmo Pocket 3
Model:	PP-101
Test Mode:	BLE 1M_Low channel
Order No/Sample No:	168423544/A003491201-007
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4811.000000	50.38	---	74.00	23.62	150.0	H	299.0	11.8
4815.000000	---	39.38	54.00	14.62	150.0	H	37.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Osmo Pocket 3
Model:	PP-101
Test Mode:	BLE 1M_Low channel
Order No/Sample No:	168423544/A003491201-007
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4805.000000	50.14	---	74.00	23.86	150.0	V	325.0	11.8
4808.000000	---	39.58	54.00	14.42	150.0	V	325.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Osmo Pocket 3
Model:	PP-101
Test Mode:	BLE 1M_Low channel
Order No/Sample No:	168423544/A003491201-007
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7222.666667	42.55	---	74.00	31.45	150.0	H	330.0	8.7
7223.650000	---	33.69	54.00	20.31	150.0	H	0.0	8.7

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Osmo Pocket 3
Model:	PP-101
Test Mode:	BLE 1M_Low channel
Order No/Sample No:	168423544/A003491201-007
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7206.441667	---	33.38	54.00	20.62	150.0	V	127.0	8.8
7212.341667	42.66	---	74.00	31.34	150.0	V	28.0	8.7

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Osmo Pocket 3
 Model: PP-101
 Test Mode: BLE 1M_Mid channel
 Order No/Sample No: 168423544/A003491201-007
 Test Voltage: Battery
 Remark: Temp 24 Humi:50%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4861.500000	50.25	---	74.00	23.75	150.0	H	144.0	11.8
4899.500000	---	39.55	54.00	14.45	150.0	H	295.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Osmo Pocket 3
 Model: PP-101
 Test Mode: BLE 1M_Mid channel
 Order No/Sample No: 168423544/A003491201-007
 Test Voltage: Battery
 Remark: Temp 24 Humi:50%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4882.500000	---	39.22	54.00	14.78	150.0	V	337.0	11.8
4891.000000	49.81	---	74.00	24.19	150.0	V	250.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Osmo Pocket 3
Model:	PP-101
Test Mode:	BLE 1M_Mid channel
Order No/Sample No:	168423544/A003491201-007
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7265.441667	43.38	---	74.00	30.62	150.0	H	250.0	8.5
7289.533333	---	33.81	54.00	20.19	150.0	H	211.0	8.4

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Osmo Pocket 3
 Model: PP-101
 Test Mode: BLE 1M_Mid channel
 Order No/Sample No: 168423544/A003491201-007
 Test Voltage: Battery
 Remark: Temp 24 Humi:50%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7274.783333	43.43	---	74.00	30.57	150.0	V	217.0	8.4
7328.375000	---	33.60	54.00	20.40	150.0	V	146.0	8.1

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Osmo Pocket 3
 Model: PP-101
 Test Mode: BLE 1M_High channel
 Order No/Sample No: 168423544/A003491201-007
 Test Voltage: Battery
 Remark: Temp 24 Humi:50%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1196.860000	---	38.16	54.00	15.84	150.0	H	122.0	1.1
1198.220000	46.75	---	74.00	27.25	150.0	H	122.0	1.1
4953.000000	50.21	---	74.00	23.79	150.0	H	297.0	11.8
4955.500000	---	39.55	54.00	14.45	150.0	H	129.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Osmo Pocket 3
 Model: PP-101
 Test Mode: BLE 1M_High channel
 Order No/Sample No: 168423544/A003491201-007
 Test Voltage: Battery
 Remark: Temp 24 Humi:50%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4954.000000	---	39.17	54.00	14.83	150.0	V	148.0	11.8
4956.500000	50.33	---	74.00	23.67	150.0	V	87.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Osmo Pocket 3
 Model: PP-101
 Test Mode: BLE 1M_High channel
 Order No/Sample No: 168423544/A003491201-007
 Test Voltage: Battery
 Remark: Temp 24 Humi:50%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7429.658333	---	33.87	54.00	20.13	150.0	H	18.0	8.4
7445.391667	42.49	---	74.00	31.51	150.0	H	91.0	8.5

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Osmo Pocket 3
Model:	PP-101
Test Mode:	BLE 1M_High channel
Order No/Sample No:	168423544/A003491201-007
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7382.950000	43.54	---	74.00	30.46	150.0	V	237.0	8.2
7476.858333	---	33.74	54.00	20.26	150.0	V	152.0	8.6


Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Appendix B.6: Test Results of Radiated Emissions in Restricted Bands

EUT Information

EUT Name:	Osmo Pocket 3
Model:	PP-101
Test Mode:	BLE 1M_Low channel
Order No/Sample No:	168423544/A003491201-007
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2331.800000	48.77	---	74.00	25.23	150.0	H	309.0	6.7
2334.200000	---	40.55	54.00	13.45	150.0	H	27.0	6.7

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Osmo Pocket 3
Model:	PP-101
Test Mode:	BLE 1M_Low channel
Order No/Sample No:	168423544/A003491201-007
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2354.900000	49.33	---	74.00	24.67	150.0	V	169.0	6.9
2355.990000	---	41.42	54.00	12.58	150.0	V	43.0	6.9

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Osmo Pocket 3
 Model: PP-101
 Test Mode: BLE 1M_High channel
 Order No/Sample No: 168423544/A003491201-007
 Test Voltage: Battery
 Remark: Temp 24 Humi:50%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2485.151200	---	41.57	54.00	12.43	150.0	H	296.0	7.4
2486.996950	51.25	---	74.00	22.75	150.0	H	335.0	7.4

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Osmo Pocket 3
 Model: PP-101
 Test Mode: BLE 1M_High channel
 Order No/Sample No: 168423544/A003491201-007
 Test Voltage: Battery
 Remark: Temp 24 Humi:50%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2493.266750	51.07	---	74.00	22.93	150.0	V	0.0	7.4
2495.464400	---	42.02	54.00	11.98	150.0	V	119.0	7.4


Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Appendix B.7: Test Results of Conducted Emission on AC Mains

EUT Information

EUT Name: Osmo Pocket 3
 Order Number: 168423544(P01054435)
 Model: PP-101
 Test Mode: Normal operation
 Test Voltage: AC 120V/60Hz
 Test Standard: FCC Part 15
 Test By:/Review By: Dawn Shen/Gary Chen
 Tem./Hum./Pressure: 24.6°C/50.6%/101kPa
 Remark: SR2




Critical_Freqs

Frequency (MHz)	MaxPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Line	Corr. (dB)
0.170000	41.42	---	64.96	23.54	L1	9.9
0.198000	---	22.22	53.69	31.48	L1	9.9
0.430000	39.40	---	57.25	17.85	L1	9.9
0.430000	---	23.90	47.25	23.35	L1	9.9
0.450000	---	29.00	46.88	17.87	L1	9.9
0.450000	43.52	---	56.88	13.36	L1	9.9
0.746000	---	14.42	46.00	31.58	L1	10.0
1.246000	28.92	---	56.00	27.08	L1	10.1
1.270000	---	14.21	46.00	31.79	L1	10.1
1.626000	28.95	---	56.00	27.05	L1	10.1
3.758000	29.05	---	56.00	26.95	L1	10.2
4.642000	---	14.57	46.00	31.43	L1	10.2

EUT Information

EUT Name: Osmo Pocket 3
 Order Number: 168423544(P01054435)
 Model: PP-101
 Test Mode: Normal operation
 Test Voltage: AC 120V/60Hz
 Test Standard: FCC Part 15
 Test By:/Review By: Dawn Shen/Gary Chen
 Tem./Hum./Pressure: 24.6°C/50.6%/101kPa
 Remark: SR2



Critical_Freqs

Frequency (MHz)	MaxPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Line	Corr. (dB)
0.202000	---	21.41	53.53	32.12	N	9.8
0.202000	37.58	---	63.53	25.94	N	9.8
0.449500	43.02	---	56.80	13.79	N	9.8
0.453500	---	33.45	46.80	13.35	N	9.8
0.682000	---	15.02	46.00	30.98	N	9.8
0.698000	29.21	---	56.00	26.79	N	9.8
1.254000	29.23	---	56.00	26.77	N	9.8
1.278000	---	14.44	46.00	31.56	N	9.8
2.970000	29.39	---	56.00	26.61	N	9.9
3.190000	---	15.27	46.00	30.73	N	9.9
4.862000	30.29	---	56.00	25.71	N	9.9
4.986000	---	14.11	46.00	31.89	N	9.9

Final_Result

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Corr. (dB)
0.449500	38.99	---	56.88	17.90	1000.0	9.000	N	9.8
0.453500	---	31.68	46.81	15.13	1000.0	9.000	N	9.8