


EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 2.4G_1.4M_2469.5MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7408.516667	42.12	---	74.00	31.88	100.0	H	181.0	8.3
7408.516667	---	32.22	54.00	21.78	100.0	H	181.0	8.3

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Video Transmitter
 Model: TX3
 Test Mode: SDR 2.4G_1.4M_2469.5MHz
 Order No/Sample No: 168334440/A003167437-010
 Test Voltage:: Full Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7403.600000	---	31.90	54.00	22.10	100.0	V	305.0	8.3
7409.991667	41.56	---	74.00	32.44	100.0	V	348.0	8.3

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 2.4G_1.4M_2469.5MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2485.400000	---	39.56	54.00	14.44	100.0	H	124.0	7.4
2485.400000	49.60	---	74.00	24.40	100.0	H	124.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 2.4G_1.4M_2469.5MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.700000	49.85	---	74.00	24.15	100.0	V	203.0	7.4
2486.800000	---	40.61	54.00	13.39	100.0	V	0.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

2.4GHz SDR, 1.4MHz BW CA mode
EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 2.4G_1.4M CA_2405.12MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin


Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4815.000000	---	40.02	54.00	13.98	100.0	H	250.0	11.8
4816.500000	50.54	---	74.00	23.46	100.0	H	324.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 2.4G_1.4M CA_2405.12MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4807.000000	51.09	---	74.00	22.91	100.0	V	339.0	11.8
4809.500000	---	39.49	54.00	14.51	100.0	V	333.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 2.4G_1.4M CA_2405.12MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7219.716667	41.86	---	74.00	32.14	100.0	H	272.0	8.7
7230.533333	---	32.27	54.00	21.73	100.0	H	342.0	8.6

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 2.4G_1.4M CA_2405.12MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7217.258333	---	32.51	54.00	21.49	100.0	V	204.0	8.7
7222.666667	41.53	---	74.00	32.47	100.0	V	261.0	8.7

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 2.4G_1.4M CA_2405.12MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2354.900000	---	39.05	54.00	14.95	100.0	H	176.0	6.9
2356.800000	49.68	---	74.00	24.32	100.0	H	258.0	6.9

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 2.4G_1.4M CA_2405.12MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2337.200000	---	40.01	54.00	13.99	100.0	V	0.0	6.8
2353.100000	49.54	---	74.00	24.46	100.0	V	41.0	6.9

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 2.4G_1.4M CA_2437.12MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4865.500000	50.45	---	74.00	23.55	100.0	H	137.0	11.8
4869.500000	---	39.33	54.00	14.67	100.0	H	109.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 2.4G_1.4M CA_2437.12MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4876.500000	---	39.16	54.00	14.84	100.0	V	106.0	11.8
4877.500000	49.96	---	74.00	24.04	100.0	V	269.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 2.4G_1.4M CA_2437.12MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7324.441667	---	31.82	54.00	22.18	100.0	H	209.0	8.2
7336.241667	41.19	---	74.00	32.81	100.0	H	24.0	8.1

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Video Transmitter
 Model: TX3
 Test Mode: SDR 2.4G_1.4M CA_2437.12MHz
 Order No/Sample No: 168334440/A003167437-010
 Test Voltage:: Full Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7291.500000	42.36	---	74.00	31.64	100.0	V	217.0	8.3
7300.350000	---	32.66	54.00	21.34	100.0	V	72.0	8.3

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 2.4G_1.4M CA_2471.12MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4926.500000	50.45	---	74.00	23.55	100.0	H	136.0	11.8
4947.000000	---	39.37	54.00	14.63	100.0	H	246.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 2.4G_1.4M CA_2471.12MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4942.500000	---	39.28	54.00	14.72	100.0	V	302.0	11.8
4944.500000	50.26	---	74.00	23.74	100.0	V	308.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 2.4G_1.4M CA_2471.12MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7424.250000	---	32.77	54.00	21.23	100.0	H	81.0	8.4
7427.200000	42.83	---	74.00	31.17	100.0	H	305.0	8.4

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 2.4G_1.4M CA_2471.12MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7402.616667	41.69	---	74.00	32.31	100.0	V	94.0	8.3
7425.725000	---	32.25	54.00	21.75	100.0	V	138.0	8.4

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 2.4G_1.4M CA_2471.12MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2485.300000	49.18	---	74.00	24.82	100.0	H	0.0	7.4
2486.400000	---	40.23	54.00	13.77	100.0	H	131.0	7.4

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 2.4G_1.4M CA_2471.12MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2485.800000	49.54	---	74.00	24.46	100.0	V	258.0	7.4
2486.000000	---	40.39	54.00	13.61	100.0	V	84.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

2.4GHz SDR, 3MHz BW
EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 2.4G_3M_2405.5MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin


Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4803.000000	51.04	---	74.00	22.96	100.0	H	211.0	11.8
4808.500000	---	39.97	54.00	14.03	100.0	H	111.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 2.4G_3M_2405.5MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4811.500000	50.66	---	74.00	23.34	100.0	V	210.0	11.8
4815.500000	---	39.78	54.00	14.22	100.0	V	152.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 2.4G_3M_2405.5MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7215.783333	---	33.08	54.00	20.92	100.0	H	97.0	8.7
7221.191667	41.78	---	74.00	32.22	100.0	H	292.0	8.7

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 2.4G_3M_2405.5MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7194.641667	41.23	---	74.00	32.77	100.0	V	145.0	8.8
7205.458333	---	32.15	54.00	21.85	100.0	V	191.0	8.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 2.4G_3M_2405.5MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2343.700000	---	39.21	54.00	14.79	100.0	H	179.0	6.9
2344.900000	48.45	---	74.00	25.56	100.0	H	129.0	6.9

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 2.4G_3M_2405.5MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2364.000000	---	39.70	54.00	14.30	100.0	V	137.0	6.9
2370.000000	50.09	---	74.00	23.91	100.0	V	315.0	6.9

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 2.4G_3M_2435.5MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4856.000000	---	39.62	54.00	14.38	100.0	H	61.0	11.8
4875.500000	50.49	---	74.00	23.51	100.0	H	162.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 2.4G_3M_2435.5MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4859.000000	50.49	---	74.00	23.51	100.0	V	213.0	11.8
4863.500000	---	39.25	54.00	14.75	100.0	V	24.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 2.4G_3M_2435.5MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7291.500000	42.09	---	74.00	31.91	100.0	H	24.0	8.3
7304.775000	---	32.50	54.00	21.50	100.0	H	51.0	8.3

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Video Transmitter
 Model: TX3
 Test Mode: SDR 2.4G_3M_2435.5MHz
 Order No/Sample No: 168334440/A003167437-010
 Test Voltage:: Full Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7316.575000	40.78	---	74.00	33.22	100.0	V	291.0	8.2
7324.933333	---	31.42	54.00	22.58	100.0	V	305.0	8.2

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 2.4G_3M_2468.5MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4922.500000	50.47	---	74.00	23.53	100.0	H	341.0	11.8
4947.000000	---	39.34	54.00	14.66	100.0	H	304.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 2.4G_3M_2468.5MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4933.500000	50.70	---	74.00	23.30	100.0	V	330.0	11.8
4942.000000	---	39.18	54.00	14.82	100.0	V	316.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 2.4G_3M_2468.5MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7405.075000	42.17	---	74.00	31.83	100.0	H	255.0	8.3
7406.550000	---	32.42	54.00	21.58	100.0	H	270.0	8.3

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Video Transmitter
 Model: TX3
 Test Mode: SDR 2.4G_3M_2468.5MHz
 Order No/Sample No: 168334440/A003167437-010
 Test Voltage:: Full Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7430.641667	---	32.23	54.00	21.77	100.0	V	232.0	8.4
7458.175000	41.98	---	74.00	32.02	100.0	V	24.0	8.5

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 2.4G_3M_2468.5MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2484.200000	49.87	---	74.00	24.13	100.0	V	330.0	7.4
2484.600000	---	40.48	54.00	13.52	100.0	V	122.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

2.4GHz SDR, 3MHz BW CA mode
EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 2.4G_3M CA_2408.2MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin


Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4810.000000	---	39.49	54.00	14.51	100.0	H	139.0	11.8
4816.500000	50.54	---	74.00	23.46	100.0	H	266.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 2.4G_3M CA_2408.2MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4810.000000	---	39.58	54.00	14.42	100.0	V	174.0	11.8
4822.500000	50.40	---	74.00	23.60	100.0	V	180.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 2.4G_3M CA_2408.2MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7234.466667	41.99	---	74.00	32.01	100.0	H	93.0	8.6
7236.925000	---	32.29	54.00	21.71	100.0	H	33.0	8.6

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 2.4G_3M CA_2408.2MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7228.566667	---	31.85	54.00	22.15	100.0	V	157.0	8.6
7263.475000	41.67	---	74.00	32.33	100.0	V	68.0	8.5

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 2.4G_3M CA_2408.2MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2346.900000	48.93	---	74.00	25.07	100.0	H	274.0	6.9
2355.200000	---	39.48	54.00	14.52	100.0	H	112.0	6.9

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 2.4G_3M CA_2408.2MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2347.700000	49.39	---	74.00	24.61	100.0	V	163.0	6.9
2348.800000	---	39.05	54.00	14.95	100.0	V	143.0	6.9

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 2.4G_3M CA_2438.2MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4856.500000	---	39.28	54.00	14.72	100.0	H	250.0	11.8
4858.000000	50.81	---	74.00	23.19	100.0	H	359.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 2.4G_3M CA_2438.2MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4862.000000	50.24	---	74.00	23.76	100.0	V	226.0	11.8
4897.000000	---	39.40	54.00	14.60	100.0	V	351.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Video Transmitter
 Model: TX3
 Test Mode: SDR 2.4G_3M CA_2438.2MHz
 Order No/Sample No: 168334440/A003167437-010
 Test Voltage:: Full Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7318.050000	41.06	---	74.00	32.94	100.0	H	310.0	8.2
7334.275000	---	31.78	54.00	22.22	100.0	H	269.0	8.1

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Video Transmitter
 Model: TX3
 Test Mode: SDR 2.4G_3M CA_2438.2MHz
 Order No/Sample No: 168334440/A003167437-010
 Test Voltage:: Full Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7310.183333	---	32.08	54.00	21.92	100.0	V	68.0	8.2
7331.816667	41.40	---	74.00	32.60	100.0	V	13.0	8.1

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 2.4G_3M CA_2471.2MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4945.000000	51.07	---	74.00	22.93	100.0	H	332.0	11.8
4957.000000	---	39.47	54.00	14.53	100.0	H	39.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 2.4G_3M CA_2471.2MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4948.000000	---	39.39	54.00	14.61	100.0	V	104.0	11.8
4951.500000	50.78	---	74.00	23.22	100.0	V	130.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 2.4G_3M CA_2471.2MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7422.283333	---	32.87	54.00	21.13	100.0	H	102.0	8.4
7430.641667	43.14	---	74.00	30.86	100.0	H	174.0	8.4

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Video Transmitter
 Model: TX3
 Test Mode: SDR 2.4G_3M CA_2471.2MHz
 Order No/Sample No: 168334440/A003167437-010
 Test Voltage:: Full Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7396.716667	---	32.59	54.00	21.41	100.0	V	174.0	8.3
7412.941667	41.51	---	74.00	32.49	100.0	V	203.0	8.3

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 2.4G_3M CA_2471.2MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2484.300000	48.88	---	74.00	25.12	100.0	H	0.0	7.4
2489.600000	---	40.90	54.00	13.11	100.0	H	290.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 2.4G_3M CA_2471.2MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2485.600000	49.82	---	74.00	24.18	100.0	V	90.0	7.4
2487.500000	---	41.45	54.00	12.55	100.0	V	21.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

2.4GHz SDR, 10MHz BW
EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 2.4G_10M_2407.5MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin


Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4809.000000	50.33	---	74.00	23.67	100.0	H	90.0	11.8
4809.000000	---	39.75	54.00	14.25	100.0	H	90.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 2.4G_10M_2407.5MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4805.000000	51.01	---	74.00	22.99	100.0	V	253.0	11.8
4810.000000	---	39.50	54.00	14.50	100.0	V	0.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Video Transmitter
 Model: TX3
 Test Mode: SDR 2.4G_10M_2407.5MHz
 Order No/Sample No: 168334440/A003167437-010
 Test Voltage:: Full Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7213.816667	42.66	---	74.00	31.34	100.0	H	37.0	8.7
7223.650000	---	32.31	54.00	21.69	100.0	H	274.0	8.7

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 2.4G_10M_2407.5MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7213.325000	---	31.63	54.00	22.37	100.0	V	359.0	8.7
7226.108333	41.23	---	74.00	32.77	100.0	V	359.0	8.7

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 2.4G_10M_2407.5MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2344.800000	---	39.18	54.00	14.82	100.0	H	247.0	6.9
2349.600000	49.13	---	74.00	24.87	100.0	H	266.0	6.9

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 2.4G_10M_2407.5MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2343.400000	---	39.65	54.00	14.35	100.0	V	227.0	6.8
2343.900000	48.88	---	74.00	25.13	100.0	V	60.0	6.9

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 2.4G_10M_2408.5MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2387.000000	---	41.67	54.00	12.33	100.0	H	333.0	7.0
2389.400000	53.67	---	74.00	20.33	100.0	H	312.0	7.0

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 2.4G_10M_2408.5MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2388.800000	---	44.60	54.00	9.40	100.0	V	212.0	7.0
2389.600000	57.50	---	74.00	16.50	100.0	V	322.0	7.0

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 2.4G_10M_2409.5MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2389.600000	---	42.65	54.00	11.35	100.0	H	210.0	7.0
2389.800000	53.93	---	74.00	20.07	100.0	H	200.0	7.0

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Video Transmitter
 Model: TX3
 Test Mode: SDR 2.4G_10M_2409.5MHz
 Order No/Sample No: 168334440/A003167437-010
 Test Voltage:: Full Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2388.400000	57.31	---	74.00	16.69	100.0	V	266.0	7.0
2388.600000	---	43.57	54.00	10.43	100.0	V	255.0	7.0

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 2.4G_10M_2437.5MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4860.000000	51.11	---	74.00	22.89	100.0	H	315.0	11.8
4876.500000	---	39.27	54.00	14.73	100.0	H	279.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 2.4G_10M_2437.5MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4869.000000	---	39.39	54.00	14.61	100.0	V	170.0	11.8
4871.500000	51.35	---	74.00	22.65	100.0	V	312.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Video Transmitter
 Model: TX3
 Test Mode: SDR 2.4G_10M_2437.5MHz
 Order No/Sample No: 168334440/A003167437-010
 Test Voltage:: Full Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7304.775000	42.25	---	74.00	31.75	100.0	H	359.0	8.3
7313.625000	---	32.17	54.00	21.83	100.0	H	202.0	8.2

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Video Transmitter
 Model: TX3
 Test Mode: SDR 2.4G_10M_2437.5MHz
 Order No/Sample No: 168334440/A003167437-010
 Test Voltage:: Full Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7320.508333	40.70	---	74.00	33.30	100.0	V	7.0	8.2
7326.900000	---	31.61	54.00	22.39	100.0	V	0.0	8.1

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 2.4G_10M_2467.5MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4923.500000	---	39.61	54.00	14.39	100.0	H	0.0	11.8
4941.500000	50.01	---	74.00	23.99	100.0	H	357.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 2.4G_10M_2467.5MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4942.500000	50.60	---	74.00	23.40	100.0	V	151.0	11.8
4948.000000	---	39.45	54.00	14.55	100.0	V	317.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 2.4G_10M_2467.5MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7439.983333	---	32.37	54.00	21.63	100.0	H	202.0	8.4
7450.800000	41.37	---	74.00	32.63	100.0	H	114.0	8.5

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 2.4G_10M_2467.5MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7432.608333	42.30	---	74.00	31.70	100.0	V	116.0	8.4
7432.608333	---	32.81	54.00	21.19	100.0	V	116.0	8.4

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 2.4G_10M_2467.5MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.500000	51.19	---	74.00	22.81	100.0	H	306.0	7.4
2485.300000	---	41.72	54.00	12.28	100.0	H	218.0	7.4

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 2.4G_10M_2467.5MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2484.200000	---	42.21	54.00	11.79	100.0	V	336.0	7.4
2484.400000	53.70	---	74.00	20.30	100.0	V	336.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

2.4GHz SDR, 20MHz BW
EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 2.4G_20M_2412.5MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin


Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4816.500000	---	39.82	54.00	14.18	100.0	H	178.0	11.8
4822.000000	51.41	---	74.00	22.59	100.0	H	232.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 2.4G_20M_2412.5MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4824.000000	---	39.87	54.00	14.13	100.0	V	62.0	11.8
4829.000000	50.32	---	74.00	23.68	100.0	V	292.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 2.4G_20M_2412.5MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7206.933333	41.74	---	74.00	32.26	100.0	H	193.0	8.8
7225.616667	---	32.09	54.00	21.91	100.0	H	0.0	8.7

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Video Transmitter
 Model: TX3
 Test Mode: SDR 2.4G_20M_2412.5MHz
 Order No/Sample No: 168334440/A003167437-010
 Test Voltage:: Full Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7216.766667	42.43	---	74.00	31.57	100.0	V	67.0	8.7
7233.483333	---	32.03	54.00	21.97	100.0	V	67.0	8.6

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 2.4G_20M_2437.5MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4868.500000	---	39.39	54.00	14.61	100.0	H	128.0	11.8
4872.000000	51.41	---	74.00	22.59	100.0	H	251.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 2.4G_20M_2437.5MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4860.000000	51.20	---	74.00	22.80	100.0	V	107.0	11.8
4876.000000	---	39.51	54.00	14.49	100.0	V	243.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Video Transmitter
 Model: TX3
 Test Mode: SDR 2.4G_20M_2437.5MHz
 Order No/Sample No: 168334440/A003167437-010
 Test Voltage:: Full Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7307.725000	42.32	---	74.00	31.68	100.0	H	216.0	8.3
7320.508333	---	32.01	54.00	21.99	100.0	H	174.0	8.2

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Video Transmitter
 Model: TX3
 Test Mode: SDR 2.4G_20M_2437.5MHz
 Order No/Sample No: 168334440/A003167437-010
 Test Voltage:: Full Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7300.841667	42.57	---	74.00	31.43	100.0	V	278.0	8.3
7319.525000	---	31.31	54.00	22.69	100.0	V	334.0	8.2

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 2.4G_20M_2462.5MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4923.000000	---	39.43	54.00	14.57	100.0	H	20.0	11.8
4924.500000	50.21	---	74.00	23.79	100.0	H	358.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 2.4G_20M_2462.5MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4914.000000	51.35	---	74.00	22.65	100.0	V	354.0	11.8
4926.500000	---	39.06	54.00	14.94	100.0	V	168.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Video Transmitter
 Model: TX3
 Test Mode: SDR 2.4G_20M_2462.5MHz
 Order No/Sample No: 168334440/A003167437-010
 Test Voltage:: Full Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7435.558333	41.76	---	74.00	32.24	100.0	H	215.0	8.4
7445.883333	---	32.57	54.00	21.43	100.0	H	244.0	8.5

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Video Transmitter
 Model: TX3
 Test Mode: SDR 2.4G_20M_2462.5MHz
 Order No/Sample No: 168334440/A003167437-010
 Test Voltage:: Full Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7437.525000	42.43	---	74.00	31.57	100.0	V	160.0	8.4
7443.425000	---	32.44	54.00	21.56	100.0	V	131.0	8.5

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 2.4G_20M_2462.5MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.600000	---	49.84	54.00	4.16	100.0	H	317.0	7.4
2485.200000	64.01	---	74.00	9.99	100.0	H	317.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 2.4G_20M_2462.5MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2487.300000	65.73	---	74.00	8.27	100.0	V	358.0	7.4

Final_Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.663600	48.32	54.00	5.68	105.0	V	-5.0	7.4

2.4GHz SDR, 40MHz BW
EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 2.4G_40M_2422.5MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin


Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4847.000000	51.35	---	74.00	22.65	100.0	H	292.0	11.8
4854.000000	---	39.30	54.00	14.70	100.0	H	221.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 2.4G_40M_2422.5MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4847.500000	---	38.40	54.00	15.60	100.0	V	289.0	11.8
4853.000000	50.62	---	74.00	23.38	100.0	V	262.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 2.4G_40M_2422.5MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7254.133333	---	32.09	54.00	21.91	100.0	H	103.0	8.5
7258.558333	42.22	---	74.00	31.78	100.0	H	103.0	8.5

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Video Transmitter
 Model: TX3
 Test Mode: SDR 2.4G_40M_2422.5MHz
 Order No/Sample No: 168334440/A003167437-010
 Test Voltage:: Full Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7260.525000	---	32.88	54.00	21.12	100.0	V	247.0	8.5
7275.766667	42.41	---	74.00	31.59	100.0	V	157.0	8.4

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 2.4G_40M_2422.5MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2388.100000	60.86	---	74.00	13.14	100.0	H	311.0	7.0
2389.000000	---	50.05	54.00	3.95	100.0	H	320.0	7.0

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 2.4G_40M_2422.5MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2387.70000	64.46	---	74.00	9.54	100.0	V	53.0	7.0

Final_Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2388.468150	47.16	54.00	6.84	105.0	V	31.0	7.0

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 2.4G_40M_2437.5MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4873.000000	50.53	---	74.00	23.47	100.0	H	326.0	11.8
4875.000000	---	39.12	54.00	14.88	100.0	H	107.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 2.4G_40M_2437.5MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4861.000000	---	39.24	54.00	14.76	100.0	V	0.0	11.8
4863.000000	50.48	---	74.00	23.52	100.0	V	0.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 2.4G_40M_2437.5MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7304.283333	---	32.27	54.00	21.73	100.0	H	0.0	8.3
7315.100000	41.31	---	74.00	32.69	100.0	H	40.0	8.2

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 2.4G_40M_2437.5MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7300.841667	---	31.77	54.00	22.23	100.0	V	138.0	8.3
7308.708333	41.25	---	74.00	32.75	100.0	V	94.0	8.2

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 2.4G_40M_2452.5MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4905.000000	---	39.39	54.00	14.61	100.0	H	119.0	11.8
4907.000000	50.08	---	74.00	23.92	100.0	H	266.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 2.4G_40M_2452.5MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4907.500000	49.94	---	74.00	24.06	100.0	V	224.0	11.8
4907.500000	---	39.36	54.00	14.64	100.0	V	224.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 2.4G_40M_2452.5MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7352.466667	---	31.84	54.00	22.16	100.0	H	258.0	8.1
7379.016667	41.51	---	74.00	32.49	100.0	H	5.0	8.2

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Video Transmitter
 Model: TX3
 Test Mode: SDR 2.4G_40M_2452.5MHz
 Order No/Sample No: 168334440/A003167437-010
 Test Voltage:: Full Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7330.341667	---	31.61	54.00	22.39	100.0	V	218.0	8.1
7338.700000	40.85	---	74.00	33.15	100.0	V	334.0	8.1

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 2.4G_40M_2452.5MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2487.000000	62.89	---	74.00	11.11	100.0	H	213.0	7.4

Final_Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2487.376550	48.83	54.00	5.17	100.0	H	208.0	7.4

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 2.4G_40M_2452.5MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2485.70000	64.00	---	74.00	10.00	100.0	V	162.0	7.4

Final Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2486.807400	51.14	54.00	2.86	105.0	V	0.0	7.4