


EUT Information

EUT Name: DJI Video Transmitter
 Model: TX3
 Test Mode: SDR 5.8G_1.4M_5846.5MHz
 Order No/Sample No: 168334440/A003167437-010
 Test Voltage:: Full Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11709.616667	---	37.80	54.00	16.20	100.0	H	2.0	13.3
11710.108333	46.98	---	74.00	27.02	100.0	H	41.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Video Transmitter
 Model: TX3
 Test Mode: SDR 5.8G_1.4M_5846.5MHz
 Order No/Sample No: 168334440/A003167437-010
 Test Voltage:: Full Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11689.458333	45.47	---	74.00	28.53	100.0	V	347.0	13.3
11710.600000	---	37.09	54.00	16.91	100.0	V	273.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 5.8G_1.4M_5846.5MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5931.191667	54.16	68.20	14.04	100.0	H	6.0	14.7

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Video Transmitter
 Model: TX3
 Test Mode: SDR 5.8G_1.4M_5846.5MHz
 Order No/Sample No: 168334440/A003167437-010
 Test Voltage:: Full Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5949.719445	54.10	68.20	14.10	100.0	V	123.0	14.8


Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

5.8G SDR, 1.4MHz BW CA mode

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 5.8G_1.4M CA_5730.12MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5730.000000	109.71	---	---	---	100.0	H	132.0	13.9
5730.500000	---	100.11	---	---	100.0	H	132.0	13.9

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Video Transmitter
 Model: TX3
 Test Mode: SDR 5.8G_1.4M CA_5730.12MHz
 Order No/Sample No: 168334440/A003167437-010
 Test Voltage:: Full Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5730.500000	---	95.78	---	---	100.0	V	49.0	13.9
5730.500000	104.35	---	---	---	100.0	V	49.0	13.9

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Video Transmitter
 Model: TX3
 Test Mode: SDR 5.8G_1.4M CA_5730.12MHz
 Order No/Sample No: 168334440/A003167437-010
 Test Voltage:: Full Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11446.575000	---	36.73	54.00	17.27	100.0	H	10.0	13.3
11458.375000	46.39	---	74.00	27.61	100.0	H	199.0	13.4

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 5.8G_1.4M CA_5730.12MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11417.075000	46.47	---	74.00	27.53	100.0	V	280.0	13.0
11461.325000	---	37.12	54.00	16.88	100.0	V	121.0	13.5

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 5.8G_1.4M CA_5730.12MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5636.544445	52.90	68.20	15.30	100.0	H	305.0	13.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 5.8G_1.4M CA_5730.12MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5643.816667	52.42	68.20	15.78	100.0	V	83.0	13.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 5.8G_1.4M CA_5788.12MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5788.000000	107.89	---	---	---	100.0	H	129.0	14.0
5788.000000	---	99.36	---	---	100.0	H	129.0	14.0

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 5.8G_1.4M CA_5788.12MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5788.000000	---	95.15	---	---	100.0	V	201.0	14.0
5788.000000	105.02	---	---	---	100.0	V	201.0	14.0

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Video Transmitter
 Model: TX3
 Test Mode: SDR 5.8G_1.4M CA_5788.12MHz
 Order No/Sample No: 168334440/A003167437-010
 Test Voltage:: Full Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11574.408333	---	37.50	54.00	16.50	100.0	H	307.0	13.4
11577.850000	46.61	---	74.00	27.39	100.0	H	359.0	13.4

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Video Transmitter
 Model: TX3
 Test Mode: SDR 5.8G_1.4M CA_5788.12MHz
 Order No/Sample No: 168334440/A003167437-010
 Test Voltage:: Full Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11569.491667	46.18	---	74.00	27.82	100.0	V	224.0	13.4
11576.375000	---	36.51	54.00	17.49	100.0	V	327.0	13.4

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Video Transmitter
 Model: TX3
 Test Mode: SDR 5.8G_1.4M CA_5848.12MHz
 Order No/Sample No: 168334440/A003167437-010
 Test Voltage:: Full Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5848.500000	---	97.67	---	---	100.0	V	191.0	14.2
5848.500000	107.81	---	---	---	100.0	V	191.0	14.2

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Video Transmitter
 Model: TX3
 Test Mode: SDR 5.8G_1.4M CA_5848.12MHz
 Order No/Sample No: 168334440/A003167437-010
 Test Voltage:: Full Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11649.633333	---	36.79	54.00	17.21	100.0	H	270.0	13.3
11687.000000	46.85	---	74.00	27.15	100.0	H	342.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Video Transmitter
 Model: TX3
 Test Mode: SDR 5.8G_1.4M CA_5848.12MHz
 Order No/Sample No: 168334440/A003167437-010
 Test Voltage:: Full Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11668.808333	---	36.77	54.00	17.23	100.0	V	194.0	13.3
11677.166667	45.50	---	74.00	28.50	100.0	V	0.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Video Transmitter
 Model: TX3
 Test Mode: SDR 5.8G_1.4M CA_5848.12MHz
 Order No/Sample No: 168334440/A003167437-010
 Test Voltage:: Full Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5956.938889	54.16	68.20	14.04	100.0	H	0.0	14.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Video Transmitter
 Model: TX3
 Test Mode: SDR 5.8G_1.4M CA_5848.12MHz
 Order No/Sample No: 168334440/A003167437-010
 Test Voltage:: Full Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5948.37778	54.07	68.20	14.13	100.0	V	150.0	14.8


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

5.8G SDR, 3MHz BW

EUT Information

EUT Name: DJI Video Transmitter
 Model: TX3
 Test Mode: SDR 5.8G_3M_5727.5MHz
 Order No/Sample No: 168334440/A003167437-010
 Test Voltage:: Full Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5727.500000	---	98.08	---	---	100.0	H	236.0	13.9
5728.000000	107.84	---	---	---	100.0	H	288.0	13.9

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Video Transmitter
 Model: TX3
 Test Mode: SDR 5.8G_3M_5727.5MHz
 Order No/Sample No: 168334440/A003167437-010
 Test Voltage:: Full Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5727.500000	---	94.14	---	---	100.0	V	126.0	13.9
5727.500000	102.91	---	---	---	100.0	V	126.0	13.9

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 5.8G_3M_5727.5MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11426.416667	47.28	---	74.00	26.72	100.0	H	69.0	13.1
11444.608333	---	36.02	54.00	17.98	100.0	H	224.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 5.8G_3M_5727.5MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11466.733333	46.99	---	74.00	27.01	100.0	V	38.0	13.5
11472.633333	---	36.65	54.00	17.35	100.0	V	318.0	13.6

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 5.8G_3M_5727.5MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5636.483333	54.08	68.20	14.12	100.0	H	58.0	13.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 5.8G_3M_5727.5MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5609.288889	53.53	68.20	14.67	100.0	V	106.0	13.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 5.8G_3M_5784.5MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5784.000000	104.97	---	---	---	100.0	V	198.0	14.0
5784.500000	---	95.85	---	---	100.0	V	329.0	14.0

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 5.8G_3M_5784.5MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11519.341667	46.30	---	74.00	27.70	100.0	H	116.0	13.6
11564.575000	---	37.18	54.00	16.82	100.0	H	158.0	13.4

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Video Transmitter
 Model: TX3
 Test Mode: SDR 5.8G_3M_5784.5MHz
 Order No/Sample No: 168334440/A003167437-010
 Test Voltage:: Full Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11534.583333	46.52	---	74.00	27.48	100.0	V	294.0	13.6
11581.291667	---	36.58	54.00	17.42	100.0	V	93.0	13.4

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 5.8G_3M_5844.5MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5844.500000	112.20	---	---	---	100.0	H	115.0	14.2
5845.000000	---	102.60	---	---	100.0	H	122.0	14.2

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Video Transmitter
 Model: TX3
 Test Mode: SDR 5.8G_3M_5844.5MHz
 Order No/Sample No: 168334440/A003167437-010
 Test Voltage:: Full Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5845.000000	---	99.38	---	---	100.0	V	207.0	14.2
5845.000000	109.41	---	---	---	100.0	V	207.0	14.2

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 5.8G_3M_5844.5MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11666.350000	46.52	---	74.00	27.48	100.0	H	249.0	13.3
11678.150000	---	37.81	54.00	16.19	100.0	H	350.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 5.8G_3M_5844.5MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11669.791667	46.57	---	74.00	27.43	100.0	V	135.0	13.3
11669.791667	---	36.46	54.00	17.54	100.0	V	135.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Video Transmitter
 Model: TX3
 Test Mode: SDR 5.8G_3M_5844.5MHz
 Order No/Sample No: 168334440/A003167437-010
 Test Voltage:: Full Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5948.122222	55.03	68.20	13.17	100.0	H	40.0	14.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 5.8G_3M_5844.5MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5950.230556	53.88	68.20	14.32	100.0	V	200.0	14.8


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

5.8G SDR, 3MHz BW CA mode

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 5.8G_3M CA_5730.2MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5730.500000	---	100.92	---	---	100.0	H	287.0	13.9
5730.000000	109.44	---	---	---	100.0	H	294.0	13.9

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Video Transmitter
 Model: TX3
 Test Mode: SDR 5.8G_3M CA_5730.2MHz
 Order No/Sample No: 168334440/A003167437-010
 Test Voltage:: Full Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5730.500000	---	97.76	---	---	100.0	V	273.0	13.9
5730.500000	105.58	---	---	---	100.0	V	273.0	13.9

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 5.8G_3M CA_5730.2MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11480.008333	46.89	---	74.00	27.11	100.0	H	187.0	13.7
11484.925000	---	36.60	54.00	17.40	100.0	H	323.0	13.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Video Transmitter
 Model: TX3
 Test Mode: SDR 5.8G_3M CA_5730.2MHz
 Order No/Sample No: 168334440/A003167437-010
 Test Voltage:: Full Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11467.225000	---	36.45	54.00	17.55	100.0	V	174.0	13.6
11478.533333	47.49	---	74.00	26.51	100.0	V	219.0	13.7

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 5.8G_3M CA_5730.2MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5638.744445	53.35	68.20	14.85	100.0	H	309.0	13.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Video Transmitter
 Model: TX3
 Test Mode: SDR 5.8G_3M CA_5730.2MHz
 Order No/Sample No: 168334440/A003167437-010
 Test Voltage: Full Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5644.733333	53.59	68.20	14.61	100.0	V	114.0	13.8

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Video Transmitter
 Model: TX3
 Test Mode: SDR 5.8G_3M CA_5787.2MHz
 Order No/Sample No: 168334440/A003167437-010
 Test Voltage:: Full Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5787.000000	110.72	---	---	---	100.0	H	123.0	14.0
5787.500000	---	100.92	---	---	100.0	H	285.0	14.0

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Video Transmitter
 Model: TX3
 Test Mode: SDR 5.8G_3M CA_5787.2MHz
 Order No/Sample No: 168334440/A003167437-010
 Test Voltage:: Full Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11539.500000	47.20	---	74.00	26.80	100.0	H	155.0	13.5
11567.525000	---	37.22	54.00	16.78	100.0	H	298.0	13.4

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Video Transmitter
 Model: TX3
 Test Mode: SDR 5.8G_3M CA_5787.2MHz
 Order No/Sample No: 168334440/A003167437-010
 Test Voltage:: Full Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11538.025000	46.67	---	74.00	27.33	100.0	V	246.0	13.5
11544.416667	---	36.54	54.00	17.46	100.0	V	38.0	13.5

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Video Transmitter
 Model: TX3
 Test Mode: SDR 5.8G_3M CA_5847.2MHz
 Order No/Sample No: 168334440/A003167437-010
 Test Voltage:: Full Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5848.000000	108.82	---	---	---	100.0	V	144.0	14.2
5847.500000	---	99.60	---	---	100.0	V	150.0	14.2

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Video Transmitter
 Model: TX3
 Test Mode: SDR 5.8G_3M CA_5847.2MHz
 Order No/Sample No: 168334440/A003167437-010
 Test Voltage:: Full Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11665.858333	---	37.64	54.00	16.36	100.0	H	354.0	13.3
11676.675000	46.98	---	74.00	27.02	100.0	H	229.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Video Transmitter
 Model: TX3
 Test Mode: SDR 5.8G_3M CA_5847.2MHz
 Order No/Sample No: 168334440/A003167437-010
 Test Voltage:: Full Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11665.858333	---	36.72	54.00	17.28	100.0	V	231.0	13.3
11671.758333	46.79	---	74.00	27.21	100.0	V	40.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 5.8G_3M CA_5847.2MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5931.319445	55.28	68.20	12.92	100.0	H	2.0	14.7

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Video Transmitter
 Model: TX3
 Test Mode: SDR 5.8G_3M CA_5847.2MHz
 Order No/Sample No: 168334440/A003167437-010
 Test Voltage:: Full Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5939.369445	54.79	68.20	13.41	100.0	V	338.0	14.7


Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

5.8G SDR, 10MHz BW

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 5.8G_10M_5730.5MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5728.500000	---	104.62	---	---	100.0	H	292.0	13.9
5734.000000	114.32	---	---	---	100.0	H	292.0	13.9

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 5.8G_10M_5730.5MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5727.500000	---	101.21	---	---	100.0	V	195.0	13.9
5731.500000	110.75	---	---	---	100.0	V	195.0	13.9

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Video Transmitter
 Model: TX3
 Test Mode: SDR 5.8G_10M_5730.5MHz
 Order No/Sample No: 168334440/A003167437-010
 Test Voltage:: Full Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11469.683333	46.49	---	74.00	27.51	100.0	H	251.0	13.6
11477.058333	---	36.73	54.00	17.27	100.0	H	322.0	13.7

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Video Transmitter
 Model: TX3
 Test Mode: SDR 5.8G_10M_5730.5MHz
 Order No/Sample No: 168334440/A003167437-010
 Test Voltage:: Full Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11437.233333	46.62	---	74.00	27.38	100.0	V	172.0	13.2
11455.425000	---	35.40	54.00	18.60	100.0	V	12.0	13.4

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Video Transmitter
 Model: TX3
 Test Mode: SDR 5.8G_10M_5730.5MHz
 Order No/Sample No: 168334440/A003167437-010
 Test Voltage:: Full Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5639.233333	55.07	68.20	13.13	100.0	H	304.0	13.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 5.8G_10M_5730.5MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5622.183333	55.36	68.20	12.84	100.0	V	249.0	13.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Video Transmitter
 Model: TX3
 Test Mode: SDR 5.8G_10M_5787.5MHz
 Order No/Sample No: 168334440/A003167437-010
 Test Voltage:: Full Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5389.500000	59.61	---	74.00	14.39	100.0	H	239.0	13.4
5475.500000	---	49.90	54.00	4.10	100.0	H	239.0	13.6
5788.500000	114.31	---	---	---	100.0	H	122.0	14.0
5791.500000	---	104.53	---	---	100.0	H	130.0	14.0

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Video Transmitter
 Model: TX3
 Test Mode: SDR 5.8G_10M_5787.5MHz
 Order No/Sample No: 168334440/A003167437-010
 Test Voltage:: Full Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5791.000000	110.34	---	---	---	100.0	V	207.0	14.0
5791.500000	---	100.89	---	---	100.0	V	207.0	14.0

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Video Transmitter
 Model: TX3
 Test Mode: SDR 5.8G_10M_5787.5MHz
 Order No/Sample No: 168334440/A003167437-010
 Test Voltage:: Full Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11502.133333	47.71	---	74.00	26.29	100.0	H	252.0	13.7
11533.108333	---	37.10	54.00	16.90	100.0	H	1.0	13.6

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Video Transmitter
 Model: TX3
 Test Mode: SDR 5.8G_10M_5787.5MHz
 Order No/Sample No: 168334440/A003167437-010
 Test Voltage:: Full Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11515.900000	47.19	---	74.00	26.81	100.0	V	52.0	13.6
11546.875000	---	36.65	54.00	17.35	100.0	V	81.0	13.5

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Video Transmitter
 Model: TX3
 Test Mode: SDR 5.8G_10M_5844.5MHz
 Order No/Sample No: 168334440/A003167437-010
 Test Voltage:: Full Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5428.500000	---	50.00	54.00	4.00	100.0	H	233.0	13.5
5457.000000	60.29	---	74.00	13.71	100.0	H	246.0	13.6
5845.500000	---	105.55	---	---	100.0	H	126.0	14.2
5847.000000	115.24	---	---	---	100.0	H	119.0	14.2

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Video Transmitter
 Model: TX3
 Test Mode: SDR 5.8G_10M_5844.5MHz
 Order No/Sample No: 168334440/A003167437-010
 Test Voltage:: Full Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5429.000000	---	48.39	54.00	5.61	100.0	V	325.0	13.5
5495.500000	58.52	---	74.00	15.48	100.0	V	325.0	13.7
5846.500000	---	103.09	---	---	100.0	V	146.0	14.2
5848.000000	113.14	---	---	---	100.0	V	146.0	14.2

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Video Transmitter
 Model: TX3
 Test Mode: SDR 5.8G_10M_5844.5MHz
 Order No/Sample No: 168334440/A003167437-010
 Test Voltage:: Full Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11646.683333	46.43	---	74.00	27.57	100.0	H	0.0	13.3
11648.650000	---	37.28	54.00	16.72	100.0	H	158.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Video Transmitter
 Model: TX3
 Test Mode: SDR 5.8G_10M_5844.5MHz
 Order No/Sample No: 168334440/A003167437-010
 Test Voltage:: Full Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11666.350000	46.11	---	74.00	27.89	100.0	V	350.0	13.3
11686.508333	---	36.67	54.00	17.33	100.0	V	0.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 5.8G_10M_5844.5MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5946.205556	56.64	68.20	11.56	100.0	H	304.0	14.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 5.8G_10M_5844.5MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5948.186111	54.78	68.20	13.42	100.0	V	58.0	14.8


Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

5.8G SDR, 20MHz BW

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 5.8G_20M_5735.5MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5741.500000	---	102.88	---	---	100.0	H	126.0	13.9
5742.000000	115.48	---	---	---	100.0	H	126.0	13.9

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Video Transmitter
 Model: TX3
 Test Mode: SDR 5.8G_20M_5735.5MHz
 Order No/Sample No: 168334440/A003167437-010
 Test Voltage:: Full Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11439.691667	---	36.78	54.00	17.22	100.0	H	213.0	13.2
11480.500000	46.46	---	74.00	27.54	100.0	H	241.0	13.7

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 5.8G_20M_5735.5MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11461.325000	46.43	---	74.00	27.57	100.0	V	302.0	13.5
11466.241667	---	36.81	54.00	17.19	100.0	V	317.0	13.5

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 5.8G_20M_5735.5MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5631.533333	55.35	68.20	12.85	100.0	H	241.0	13.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 5.8G_20M_5735.5MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5645.344445	55.16	68.20	13.04	100.0	V	273.0	13.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Video Transmitter
 Model: TX3
 Test Mode: SDR 5.8G_20M_5787.5MHz
 Order No/Sample No: 168334440/A003167437-010
 Test Voltage:: Full Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5371.500000	60.71	---	74.00	13.29	100.0	H	301.0	13.3
5371.500000	---	50.15	54.00	3.85	100.0	H	301.0	13.3
5784.000000	---	102.14	---	---	100.0	H	126.0	14.0
5792.000000	111.68	---	---	---	100.0	H	126.0	14.0

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Video Transmitter
 Model: TX3
 Test Mode: SDR 5.8G_20M_5787.5MHz
 Order No/Sample No: 168334440/A003167437-010
 Test Voltage:: Full Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11560.641667	46.62	---	74.00	27.38	100.0	H	274.0	13.4
11584.733333	---	36.98	54.00	17.02	100.0	H	129.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Video Transmitter
 Model: TX3
 Test Mode: SDR 5.8G_20M_5787.5MHz
 Order No/Sample No: 168334440/A003167437-010
 Test Voltage:: Full Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11570.966667	---	36.49	54.00	17.51	100.0	V	233.0	13.4
11590.633333	46.15	---	74.00	27.85	100.0	V	276.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Video Transmitter
 Model: TX3
 Test Mode: SDR 5.8G_20M_5839.5MHz
 Order No/Sample No: 168334440/A003167437-010
 Test Voltage:: Full Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5423.000000	60.37	---	74.00	13.63	100.0	H	231.0	13.5
5424.000000	---	50.64	54.00	3.36	100.0	H	231.0	13.5
5839.000000	---	103.55	---	---	100.0	H	123.0	14.1
5839.000000	114.96	---	---	---	100.0	H	123.0	14.1

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Video Transmitter
 Model: TX3
 Test Mode: SDR 5.8G_20M_5839.5MHz
 Order No/Sample No: 168334440/A003167437-010
 Test Voltage:: Full Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5423.500000	---	48.21	54.00	5.79	100.0	V	265.0	13.5
5439.000000	58.56	---	74.00	15.44	100.0	V	323.0	13.5
5835.500000	---	99.56	---	---	100.0	V	151.0	14.1
5836.500000	110.25	---	---	---	100.0	V	151.0	14.1

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 5.8G_20M_5839.5MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11720.433333	---	37.68	54.00	16.32	100.0	H	39.0	13.3
11739.116667	47.20	---	74.00	26.80	100.0	H	322.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 5.8G_20M_5839.5MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11719.941667	---	37.94	54.00	16.06	100.0	V	0.0	13.3
11733.216667	46.95	---	74.00	27.05	100.0	V	304.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 5.8G_20M_5839.5MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5942.308333	56.81	68.20	11.39	100.0	H	131.0	14.7

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 5.8G_20M_5839.5MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5940.200000	55.80	68.20	12.40	100.0	V	331.0	14.7


Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

5.8G SDR, 40MHz BW

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 5.8G_40M_5745.5MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5748.000000	---	96.62	---	---	100.0	H	130.0	13.9
5746.000000	108.45	---	---	---	100.0	H	227.0	13.9

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 5.8G_40M_5745.5MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5747.500000	---	93.10	---	---	100.0	V	193.0	13.9
5756.500000	103.83	---	---	---	100.0	V	193.0	13.9

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Video Transmitter
 Model: TX3
 Test Mode: SDR 5.8G_40M_5745.5MHz
 Order No/Sample No: 168334440/A003167437-010
 Test Voltage:: Full Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11460.833333	46.78	---	74.00	27.22	100.0	H	350.0	13.5
11478.041667	---	37.10	54.00	16.90	100.0	H	148.0	13.7

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 5.8G_40M_5745.5MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11452.475000	46.25	---	74.00	27.75	100.0	V	35.0	13.4
11493.283333	---	36.81	54.00	17.19	100.0	V	179.0	13.7

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 5.8G_40M_5745.5MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5622.305556	55.33	68.20	12.87	100.0	H	291.0	13.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 5.8G_40M_5745.5MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5635.077778	54.55	68.20	13.65	100.0	V	268.0	13.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Video Transmitter
 Model: TX3
 Test Mode: SDR 5.8G_40M_5787.5MHz
 Order No/Sample No: 168334440/A003167437-010
 Test Voltage:: Full Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5781.500000	102.49	---	---	---	100.0	V	200.0	14.0
5793.500000	---	91.86	---	---	100.0	V	200.0	14.0

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Video Transmitter
 Model: TX3
 Test Mode: SDR 5.8G_40M_5787.5MHz
 Order No/Sample No: 168334440/A003167437-010
 Test Voltage:: Full Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11516.391667	---	37.08	54.00	16.92	100.0	H	202.0	13.6
11534.091667	46.95	---	74.00	27.05	100.0	H	326.0	13.6

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 5.8G_40M_5787.5MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11568.508333	46.59	---	74.00	27.41	100.0	V	131.0	13.4
11602.433333	---	36.96	54.00	17.04	100.0	V	302.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Video Transmitter
 Model: TX3
 Test Mode: SDR 5.8G_40M_5829.5MHz
 Order No/Sample No: 168334440/A003167437-010
 Test Voltage:: Full Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5838.500000	---	92.70	---	---	100.0	V	148.0	14.1
5824.500000	103.50	---	---	---	100.0	V	330.0	14.1

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Video Transmitter
 Model: TX3
 Test Mode: SDR 5.8G_40M_5829.5MHz
 Order No/Sample No: 168334440/A003167437-010
 Test Voltage:: Full Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11678.150000	---	37.01	54.00	16.99	100.0	H	153.0	13.3
11697.816667	46.77	---	74.00	27.23	100.0	H	139.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Video Transmitter
 Model: TX3
 Test Mode: SDR 5.8G_40M_5829.5MHz
 Order No/Sample No: 168334440/A003167437-010
 Test Voltage:: Full Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11704.700000	47.23	---	74.00	26.77	100.0	V	250.0	13.3
11723.875000	---	37.27	54.00	16.73	100.0	V	20.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 5.8G_40M_5829.5MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5937.069445	56.09	68.20	12.11	100.0	H	121.0	14.7

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Video Transmitter
Model:	TX3
Test Mode:	SDR 5.8G_40M_5829.5MHz
Order No/Sample No:	168334440/A003167437-010
Test Voltage::	Full Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5934.705556	54.96	68.20	13.24	100.0	V	341.0	14.7

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---