

SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch

EMC-TRF-03 Rev 1.0

Report No.: GZCR210802091403 Page: 1 of 8 FCC ID: 2ANDXSP10A

RF Exposure Evaluation Report

Application No.:	GZCR2108020914ME	
Applicant:	Shenzhen Yolanda Technology Co., Ltd.	
Address of Applicant:	Room 201, Jinfulai Building, No.49-1, Dabao Road, Dalang Area, Xinan Street, Baoan, Shenzhen, China	
Manufacturer:	Shenzhen Yolanda Technology Co., Ltd.	
Address of Manufacturer:	Room 201, Jinfulai Building, No.49-1, Dabao Road, Dalang Area, Xinan Street, Baoan, Shenzhen, China	
Factory:	Shenzhen Yolanda Technology Co., Ltd	
Address of Factory:	Building A3, Abao Guangyao International Industrial Park, ShuiTian Fourth Industrial Zone, ShuiTian Community, ShiYan Street, BaoAn District, ShenZhen, China	
Equipment Under Test (EUT):		
EUT Name:	Upper Arm Blood Pressure Monitor	
Model No.:	SP10A, SP10B, SP10C *	
*	Please refer to section 3 of this report which indicates which model was actually tested and which were electrically identical.	
Trade Mark:	YOlanda	
Standards:	47 CFR Part 1.1307	
	47 CFR Part 2.1093	
	KDB447498D01 General RF Exposure Guidance v06	
Date of Receipt:	2021-08-15	
Date of Test:	2021-08-16 to 2021-08-31	
Date of Issue:	2021-09-01	
Test Result :	PASS*	

* In the configuration tested, the EUT complied with the standards specified above.

Foke. Jun

Kobe Jian EMC Laboratory Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 3 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755)83071443, or email: CN_Doccheck@ags.com

中国 · 广州 · 经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com



Guangzhou Branch

Report No.: GZCR210802091403 Page: 2 of 8

EMC-TRF-03 Rev 1.0

Revision Record				
Version	Chapter	Date	Modifier	Remark
01		2021-09-01		Original

Authorized for issue by		
	CJ Vu	
	Curry Wu/Project Engineer	
	Ridey Lin	
	Ricky Liu/Reviewer	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exoncerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) is test eletation, forgery or faisification of the company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) is reteriation, forgery or faisification of the content or ensult. Ch.Doccheck@ags.com (Nt3M&authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: Ch.Doccheck@ags.com (Nt3M&authent&GamphuRd, Gamphu Commet&BendogDevelopmetDisid, Gamphu, Chia 510663 t (86-20) &2155555 f (86-20) &2075058 www.sgsgroup.com.en mail: cf.M • & Sht KATA & CAP & www.sgsgroup.com.en mail: cf.M • & Sht KATA & CAP & www.sgsscom & www.sgsgroup.com.en mail: cf.M • & Sht KATA & CAP & www.sgsscom & www.sgsgroup.com.en

Member of the SGS Group (SGS SA)



Guangzhou Branch

EMC-TRF-03 Rev 1.0

Report No.: GZCR210802091403 Page: 3 of 8

2 Contents

Page

1	cov	ER PAGE	1
2	CON	TENTS	3
3	GEN	ERAL INFORMATION	4
	3.1	GENERAL DESCRIPTION OF EUT	4
	3.2	TEST LOCATION	4
	3.3	TEST FACILITY	5
	3.4	DEVIATION FROM STANDARDS	
	3.5	ABNORMALITIES FROM STANDARD CONDITIONS	
	3.6	OTHER INFORMATION REQUESTED BY THE CUSTOMER	6
4	SAR	EVALUATION	7
	4.1	RF EXPOSURE COMPLIANCE REQUIREMENT	
	4.1.1	Standard Requirement	7
		2 Limits	7
	4.1.3	B EUT RF Exposure	7



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Cond

No.198 Kath Kad, Skellsch Fak, Gangdho Exonomic & Technology Development District, Gangdhou, Chira 510663 t (86–20) 82155555 f (86–20) 82075058 www.sgsgroup.com.cn 中国・广州・经济技术开发区科学城科珠路198号 邮编: 510663 t (86–20) 82155555 f (86–20) 82075058 sgs.com



Guangzhou Branch

Report No.: GZCR210802091403 Page: 4 of 8

EMC-TRF-03 Rev 1.0

3 General Information

3.1 General Description of EUT

Power supply:	Power supply: DC 3.7V by rechargeable Li-ion battery and charged by DC 5V/1A	
For 2.4G Wifi:		
Operation Frequency:	802.11b/g/n(HT20): 2412MHz to 2462MHz; 802.11b/g/n(HT40): 2422MHz to 2452MHz	
Modulation Type:	802.11b: DSSS (CCK, DQPSK, DBPSK);802.11g/n: OFDM (64QAM, 16QAM, QPSK, BPSK)	
Number of Channels:	802.11b/g/n(HT20):11; 802.11n(HT40):7	
Channel Spacing:	5MHz	
Antenna Type:	PCB Antenna	
Antenna Gain:	1.0dBi	
For BLE:		
Operation Frequency:	2402MHz to 2480MHz	
Bluetooth Version:	V5.0 LE	
Modulation Type:	GFSK	
Number of Channels:	40	
Channel Spacing:	2MHz	
Date Rate:	1Mbps, 2Mbps	
Antenna Type:	PCB Antenna	
Antenna Gain:	1.0dBi	

Declaration of EUT Family Grouping:

Model No.: SP10A, SP10B, SP10C

Only the model SP10A was tested, since according to the declaration from the applicant, the electrical circuit design, PCB layout, components used and internal wiring and functions were identical for the above models, with only difference on LCD display.

3.2 Test Location

All tests were performed at:

SGS-CSTC Standards Technical Services Co., Ltd., Guangzhou Branch EMC Laboratory, 198 Kezhu Road, Scientech Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663

Telephone: +86 (0) 755 2601 2053 Fax: +86 (0) 755 2671 0594

No tests were sub-contracted.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@egs.com (M. 18%/BauhRed, Steinkahrka, Steinkahrkahrka, Steinkahrka, Steinkahrka, Steinkah

SGS

Report No.: GZCR210802091403 Page: 5 of 8

EMC-TRF-03 Rev 1.0

3.3 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

Guangzhou Branch

• NVLAP (Lab Code: 200611-0)

SGS-CSTC Standards Technical Services Co., Ltd., Guangzhou EMC Laboratory is accredited by the National Voluntary Laboratory Accreditation Program (NVLAP/NIST). NVLAP Code: 200611-0. The report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the Federal Government.

• ACMA

SGS-CSTC Standards Technical Services Co., Ltd., EMC Laboratory can also perform testing for the Australian/New Zealand Regulatory Compliance Mark (RCM).

• SGS UK(Certificate No.: 32), SGS-TUV SAARLAND and SGS-FIMKO

Have approved SGS-CSTC Standards Technical Services Co., Ltd., EMC Laboratory as a supplier of EMC TESTING SERVICES and SAFETY TESTING SERVICES.

• CNAS (Lab Code: L0167)

SGS-CSTC Standards Technical Services Co., Ltd., EMC Laboratory has been assessed and in compliance with CNAS-CL01:2018 accreditation criteria for testing laboratories (identical to ISO/IEC 17025:2017 General Requirements) for the Competence of Testing Laboratories.

• FCC Recognized Accredited Test Firm(Registration No.: 486818)

SGS-CSTC Standards Technical Services Co., Ltd., EMC Laboratory has been accredited and fully described in a report filed with the (FCC) Federal Communications Commission. The acceptance letter from the FCC is maintained in our files. Designation Number: CN5016, Test Firm Registration Number: 486818.

• ISED (Registration No.: 4620B, CAB identifier: CN0052)

SGS-CSTC Standards Technical Services Co., Ltd., has been registered by Innovation Science and Economic Development Canada for Wireless Device Testing laboratories to test to Canadian radio equipment requirements. Registration No. 4620B, CAB identifier: CN0052.

• VCCI (Registration No.: R-12460, C-12584, G-20107 and T-11179)

The 10m Semi-anechoic chamber, 966 Anechoic Chamber and Shielded Room of SGS-CSTC Standards Technical Services Co., Ltd. have been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: R-12460, C-12584, G-20107 and T-11179 respectively.

• CBTL (Lab Code: TL129)

SGS-CSTC Standards Technical Services Co., Ltd., E&E Laboratory has been assessed and fully comply with the requirements of ISO/IEC 17025:2017, the Basic Rules, IECEE 01 and Rules of procedure IECEE 02, and the relevant IECEE CB-Scheme Operational documents.

3.4 Deviation from Standards

None.

3.5 Abnormalities from Standard Conditions

None.





Guangzhou Branch

EMC-TRF-03 Rev 1.0

Report No.: GZCR210802091403 Page: 6 of 8

3.6 Other Information Requested by the Customer

None.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Conditions/T

M18/Ke/Ju Ked, Skellek/Fak, Gargabo Exonnic & Technology Development District, Gargabou, Chira 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn 中国・广州・经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com



Guangzhou Branch

EMC-TRF-03 Rev 1.0

Report No.: GZCR210802091403 Page: 7 of 8

4 SAR Evaluation

4.1 RF Exposure Compliance Requirement

4.1.1 Standard Requirement

According to KDB447498D01 General RF Exposure Guidance v06

4.3.1. Standalone SAR test exclusion considerations

Unless specifically required by the published RF exposure KDB procedures, standalone 1-g head or body and 10-g extremity SAR evaluation for general population exposure conditions, by measurement or numerical simulation, is not required when the corresponding SAR Exclusion Threshold condition, listed below, is satisfied.

4.1.2 Limits

The 1-g and 10-g SAR test exclusion thresholds for 100 MHz to 6 GHz at test separation distances \leq 50 mm are determined by:

[(max. power of channel, including tune-up tolerance, mW)/(min. test separation distance, mm)] \cdot [$\sqrt{f}(GHz)$] \leq 3.0 for 1-g SAR and \leq 7.5 for 10-g extremity SAR, where

f(GHz) is the RF channel transmit frequency in GHz

Power and distance are rounded to the nearest mW and mm before calculation¹⁷

The result is rounded to one decimal place for comparison

The test exclusions are applicable only when the minimum test separation distance is \leq 50 mm and for transmission frequencies between 100 MHz and 6 GHz. When the minimum test separation distance is < 5 mm, a distance of 5 mm is applied to determine SAR test exclusion

4.1.3 EUT RF Exposure

For BLE

The Max. power (including tune-up tolerance) is -0.67 dBm on the middle channel 2.44 GHz (*) -0.67 dBm logarithmic terms convert to numeric result is nearly 0.86 mW According to the formula. calculate the test exclusion thresholds:

General RF Exposure = $\frac{(Max. Power of channel, including tune-up tolerance, mW) * \sqrt{f(GHz)}}{(GHz)}$	
(min. test separation distance,mm)	
General RF Exposure = (0.86 mW / 5 mm) x $\sqrt{2.44}$ GHz = 0.27	(1)
SAR requirement:	
<i>S</i> = 3.0	(2)
(1) < (2)	
So the SAR report is not required.	

(*) Max. power refer to Report No.:GZCR210802091401



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exconcrate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com.

中国・广州・经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com



Guangzhou Branch

EMC-TRF-03 Rev 1.0

Report No.: GZCR210802091403 Page: 8 of 8

The Max. power (including tune-up tolerance) 8.52 dBm on the lowest channel 2.422 GHz (*) 8.52 dBm logarithmic terms convert to numeric result is nearly 7.11 mW According to the formula. calculate the test exclusion thresholds:

 $General RF Exposure = \frac{(Max. Power of channel, including tune - up tolerance, mW) * \sqrt{f (GHz)}}{(min.test separation distance, mm)}$ $General RF Exposure = (7.11 mW / 5 mm) x \sqrt{2.422 GHz} = 2.21$ (1)
SAR requirement: S = 3.0(2)
(1) < (2)
So the SAR report is not required.

(*) Max. power refer to Report No.:GZCR210802091402

- End of the Report -



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Cond

with Statutine Real Sciented Park (searghou Economic & Technology Development District, Guargebou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn 中国・广州・经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.com