


Test Plots:

Occupied Bandwidth



Occupied Bandwidth

Channel	5MHz Bandwidth QPSK	5MHz Bandwidth 16QAM																																																																																
Lowest	<table border="1"> <thead> <tr> <th>Marker</th> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td></td> <td>1.85 GHz</td> <td>-12.33 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td></td> <td>1.8502445 GHz</td> <td>9.85 dBm</td> <td>Occ Bw</td> <td>4.510978044 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td></td> <td>1.8547555 GHz</td> <td>8.22 dBm</td> <td></td> <td></td> </tr> <tr> <td>D1</td> <td>M1</td> <td>1</td> <td></td> <td>5.0 MHz</td> <td>0.07 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 1.SEP.2022 17:40:25</p>	Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1			1.85 GHz	-12.33 dBm			T1	1			1.8502445 GHz	9.85 dBm	Occ Bw	4.510978044 MHz	T2	1			1.8547555 GHz	8.22 dBm			D1	M1	1		5.0 MHz	0.07 dB			<table border="1"> <thead> <tr> <th>Marker</th> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td></td> <td>1.85 GHz</td> <td>-12.24 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td></td> <td>1.8502246 GHz</td> <td>7.58 dBm</td> <td>Occ Bw</td> <td>4.530938124 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td></td> <td>1.8547555 GHz</td> <td>9.15 dBm</td> <td></td> <td></td> </tr> <tr> <td>D1</td> <td>M1</td> <td>1</td> <td></td> <td>5.02 MHz</td> <td>-0.01 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 1.SEP.2022 17:40:55</p>	Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1			1.85 GHz	-12.24 dBm			T1	1			1.8502246 GHz	7.58 dBm	Occ Bw	4.530938124 MHz	T2	1			1.8547555 GHz	9.15 dBm			D1	M1	1		5.02 MHz	-0.01 dB		
Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result																																																																											
M1	1			1.85 GHz	-12.33 dBm																																																																													
T1	1			1.8502445 GHz	9.85 dBm	Occ Bw	4.510978044 MHz																																																																											
T2	1			1.8547555 GHz	8.22 dBm																																																																													
D1	M1	1		5.0 MHz	0.07 dB																																																																													
Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result																																																																											
M1	1			1.85 GHz	-12.24 dBm																																																																													
T1	1			1.8502246 GHz	7.58 dBm	Occ Bw	4.530938124 MHz																																																																											
T2	1			1.8547555 GHz	9.15 dBm																																																																													
D1	M1	1		5.02 MHz	-0.01 dB																																																																													
Middle	<table border="1"> <thead> <tr> <th>Marker</th> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td></td> <td>1.8775 GHz</td> <td>-10.86 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td></td> <td>1.8777445 GHz</td> <td>7.68 dBm</td> <td>Occ Bw</td> <td>4.510978044 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td></td> <td>1.8822555 GHz</td> <td>8.77 dBm</td> <td></td> <td></td> </tr> <tr> <td>D1</td> <td>M1</td> <td>1</td> <td></td> <td>5.0 MHz</td> <td>-1.54 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 1.SEP.2022 17:41:26</p>	Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1			1.8775 GHz	-10.86 dBm			T1	1			1.8777445 GHz	7.68 dBm	Occ Bw	4.510978044 MHz	T2	1			1.8822555 GHz	8.77 dBm			D1	M1	1		5.0 MHz	-1.54 dB			<table border="1"> <thead> <tr> <th>Marker</th> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td></td> <td>1.87748 GHz</td> <td>-13.95 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td></td> <td>1.8777246 GHz</td> <td>7.51 dBm</td> <td>Occ Bw</td> <td>4.550898204 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td></td> <td>1.8822754 GHz</td> <td>6.85 dBm</td> <td></td> <td></td> </tr> <tr> <td>D1</td> <td>M1</td> <td>1</td> <td></td> <td>5.02 MHz</td> <td>1.12 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 1.SEP.2022 17:41:52</p>	Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1			1.87748 GHz	-13.95 dBm			T1	1			1.8777246 GHz	7.51 dBm	Occ Bw	4.550898204 MHz	T2	1			1.8822754 GHz	6.85 dBm			D1	M1	1		5.02 MHz	1.12 dB		
Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result																																																																											
M1	1			1.8775 GHz	-10.86 dBm																																																																													
T1	1			1.8777445 GHz	7.68 dBm	Occ Bw	4.510978044 MHz																																																																											
T2	1			1.8822555 GHz	8.77 dBm																																																																													
D1	M1	1		5.0 MHz	-1.54 dB																																																																													
Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result																																																																											
M1	1			1.87748 GHz	-13.95 dBm																																																																													
T1	1			1.8777246 GHz	7.51 dBm	Occ Bw	4.550898204 MHz																																																																											
T2	1			1.8822754 GHz	6.85 dBm																																																																													
D1	M1	1		5.02 MHz	1.12 dB																																																																													
Highest	<table border="1"> <thead> <tr> <th>Marker</th> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td></td> <td>1.905 GHz</td> <td>-11.97 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td></td> <td>1.9052246 GHz</td> <td>7.98 dBm</td> <td>Occ Bw</td> <td>4.530938124 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td></td> <td>1.9097555 GHz</td> <td>8.51 dBm</td> <td></td> <td></td> </tr> <tr> <td>D1</td> <td>M1</td> <td>1</td> <td></td> <td>4.98 MHz</td> <td>0.47 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 1.SEP.2022 17:42:26</p>	Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1			1.905 GHz	-11.97 dBm			T1	1			1.9052246 GHz	7.98 dBm	Occ Bw	4.530938124 MHz	T2	1			1.9097555 GHz	8.51 dBm			D1	M1	1		4.98 MHz	0.47 dB			<table border="1"> <thead> <tr> <th>Marker</th> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td></td> <td>1.905 GHz</td> <td>-12.53 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td></td> <td>1.9052246 GHz</td> <td>6.21 dBm</td> <td>Occ Bw</td> <td>4.530938124 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td></td> <td>1.9097555 GHz</td> <td>6.48 dBm</td> <td></td> <td></td> </tr> <tr> <td>D1</td> <td>M1</td> <td>1</td> <td></td> <td>5.02 MHz</td> <td>-1.67 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 1.SEP.2022 17:42:56</p>	Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1			1.905 GHz	-12.53 dBm			T1	1			1.9052246 GHz	6.21 dBm	Occ Bw	4.530938124 MHz	T2	1			1.9097555 GHz	6.48 dBm			D1	M1	1		5.02 MHz	-1.67 dB		
Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result																																																																											
M1	1			1.905 GHz	-11.97 dBm																																																																													
T1	1			1.9052246 GHz	7.98 dBm	Occ Bw	4.530938124 MHz																																																																											
T2	1			1.9097555 GHz	8.51 dBm																																																																													
D1	M1	1		4.98 MHz	0.47 dB																																																																													
Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result																																																																											
M1	1			1.905 GHz	-12.53 dBm																																																																													
T1	1			1.9052246 GHz	6.21 dBm	Occ Bw	4.530938124 MHz																																																																											
T2	1			1.9097555 GHz	6.48 dBm																																																																													
D1	M1	1		5.02 MHz	-1.67 dB																																																																													

Occupied Bandwidth

Channel	10MHz Bandwidth QPSK	10MHz Bandwidth 16QAM																																																																																
Lowest	<p>Ref Level 30.00 dBm Offset 4.50 dB RBW 100 kHz Att 40 dB SWT 1 ms VBW 300 kHz Mode Sweep</p> <p>1Pk Max</p> <p>M1[1] -14.86 dBm 1.8501200 GHz Occ Bw 8.982035928 MHz D1[1] -0.30 dB 9.8000 MHz</p> <p>D1 11.580 dBm D2 -14.420 dBm</p> <p>CF 1.855 GHz 501 pts Span 20.0 MHz</p> <table border="1"> <thead> <tr> <th>Marker</th> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td></td> <td>1.85012 GHz</td> <td>-14.86 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td></td> <td>1.8505289 GHz</td> <td>6.46 dBm</td> <td>Occ Bw</td> <td>8.982035928 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td></td> <td>1.859511 GHz</td> <td>7.92 dBm</td> <td></td> <td></td> </tr> <tr> <td>D1</td> <td>M1</td> <td>1</td> <td></td> <td>9.8 MHz</td> <td>-0.30 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 1.SEP.2022 17:43:34</p>	Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1			1.85012 GHz	-14.86 dBm			T1	1			1.8505289 GHz	6.46 dBm	Occ Bw	8.982035928 MHz	T2	1			1.859511 GHz	7.92 dBm			D1	M1	1		9.8 MHz	-0.30 dB			<p>Ref Level 30.00 dBm Offset 4.50 dB RBW 100 kHz Att 40 dB SWT 1 ms VBW 300 kHz Mode Sweep</p> <p>1Pk Max</p> <p>M1[1] -15.73 dBm 1.8500800 GHz Occ Bw 8.982035928 MHz D1[1] 0.66 dB 9.8400 MHz</p> <p>D1 10.050 dBm D2 -15.950 dBm</p> <p>CF 1.855 GHz 501 pts Span 20.0 MHz</p> <table border="1"> <thead> <tr> <th>Marker</th> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td></td> <td>1.85008 GHz</td> <td>-15.73 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td></td> <td>1.8505289 GHz</td> <td>6.80 dBm</td> <td>Occ Bw</td> <td>8.982035928 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td></td> <td>1.859511 GHz</td> <td>6.94 dBm</td> <td></td> <td></td> </tr> <tr> <td>D1</td> <td>M1</td> <td>1</td> <td></td> <td>9.84 MHz</td> <td>0.66 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 1.SEP.2022 17:44:07</p>	Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1			1.85008 GHz	-15.73 dBm			T1	1			1.8505289 GHz	6.80 dBm	Occ Bw	8.982035928 MHz	T2	1			1.859511 GHz	6.94 dBm			D1	M1	1		9.84 MHz	0.66 dB		
Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result																																																																											
M1	1			1.85012 GHz	-14.86 dBm																																																																													
T1	1			1.8505289 GHz	6.46 dBm	Occ Bw	8.982035928 MHz																																																																											
T2	1			1.859511 GHz	7.92 dBm																																																																													
D1	M1	1		9.8 MHz	-0.30 dB																																																																													
Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result																																																																											
M1	1			1.85008 GHz	-15.73 dBm																																																																													
T1	1			1.8505289 GHz	6.80 dBm	Occ Bw	8.982035928 MHz																																																																											
T2	1			1.859511 GHz	6.94 dBm																																																																													
D1	M1	1		9.84 MHz	0.66 dB																																																																													
Middle	<p>Ref Level 30.00 dBm Offset 4.50 dB RBW 100 kHz Att 40 dB SWT 1 ms VBW 300 kHz Mode Sweep</p> <p>1Pk Max</p> <p>M1[1] -14.81 dBm 1.8751200 GHz Occ Bw 8.982035928 MHz D1[1] -0.59 dB 9.8000 MHz</p> <p>D1 11.110 dBm D2 -14.890 dBm</p> <p>CF 1.88 GHz 501 pts Span 20.0 MHz</p> <table border="1"> <thead> <tr> <th>Marker</th> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td></td> <td>1.87512 GHz</td> <td>-14.81 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td></td> <td>1.875489 GHz</td> <td>7.04 dBm</td> <td>Occ Bw</td> <td>8.982035928 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td></td> <td>1.8844711 GHz</td> <td>7.02 dBm</td> <td></td> <td></td> </tr> <tr> <td>D1</td> <td>M1</td> <td>1</td> <td></td> <td>9.8 MHz</td> <td>-0.59 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 1.SEP.2022 17:44:37</p>	Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1			1.87512 GHz	-14.81 dBm			T1	1			1.875489 GHz	7.04 dBm	Occ Bw	8.982035928 MHz	T2	1			1.8844711 GHz	7.02 dBm			D1	M1	1		9.8 MHz	-0.59 dB			<p>Ref Level 30.00 dBm Offset 4.50 dB RBW 100 kHz Att 40 dB SWT 1 ms VBW 300 kHz Mode Sweep</p> <p>1Pk Max</p> <p>M1[1] -15.62 dBm 1.8750800 GHz Occ Bw 8.982035928 MHz D1[1] -0.54 dB 9.8800 MHz</p> <p>D1 10.440 dBm D2 -15.560 dBm</p> <p>CF 1.88 GHz 501 pts Span 20.0 MHz</p> <table border="1"> <thead> <tr> <th>Marker</th> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td></td> <td>1.87508 GHz</td> <td>-15.62 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td></td> <td>1.875489 GHz</td> <td>6.99 dBm</td> <td>Occ Bw</td> <td>8.982035928 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td></td> <td>1.8844711 GHz</td> <td>6.37 dBm</td> <td></td> <td></td> </tr> <tr> <td>D1</td> <td>M1</td> <td>1</td> <td></td> <td>9.88 MHz</td> <td>-0.54 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 1.SEP.2022 17:44:14</p>	Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1			1.87508 GHz	-15.62 dBm			T1	1			1.875489 GHz	6.99 dBm	Occ Bw	8.982035928 MHz	T2	1			1.8844711 GHz	6.37 dBm			D1	M1	1		9.88 MHz	-0.54 dB		
Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result																																																																											
M1	1			1.87512 GHz	-14.81 dBm																																																																													
T1	1			1.875489 GHz	7.04 dBm	Occ Bw	8.982035928 MHz																																																																											
T2	1			1.8844711 GHz	7.02 dBm																																																																													
D1	M1	1		9.8 MHz	-0.59 dB																																																																													
Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result																																																																											
M1	1			1.87508 GHz	-15.62 dBm																																																																													
T1	1			1.875489 GHz	6.99 dBm	Occ Bw	8.982035928 MHz																																																																											
T2	1			1.8844711 GHz	6.37 dBm																																																																													
D1	M1	1		9.88 MHz	-0.54 dB																																																																													
Highest	<p>Ref Level 30.00 dBm Offset 4.50 dB RBW 100 kHz Att 40 dB SWT 1 ms VBW 300 kHz Mode Sweep</p> <p>1Pk Max</p> <p>M1[1] -13.97 dBm 1.9000800 GHz Occ Bw 8.982035928 MHz D1[1] -1.24 dB 9.7600 MHz</p> <p>D1 11.280 dBm D2 -14.720 dBm</p> <p>CF 1.905 GHz 501 pts Span 20.0 MHz</p> <table border="1"> <thead> <tr> <th>Marker</th> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td></td> <td>1.90008 GHz</td> <td>-13.97 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td></td> <td>1.900489 GHz</td> <td>6.21 dBm</td> <td>Occ Bw</td> <td>8.982035928 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td></td> <td>1.9094711 GHz</td> <td>6.89 dBm</td> <td></td> <td></td> </tr> <tr> <td>D1</td> <td>M1</td> <td>1</td> <td></td> <td>9.76 MHz</td> <td>-1.24 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 1.SEP.2022 17:45:51</p>	Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1			1.90008 GHz	-13.97 dBm			T1	1			1.900489 GHz	6.21 dBm	Occ Bw	8.982035928 MHz	T2	1			1.9094711 GHz	6.89 dBm			D1	M1	1		9.76 MHz	-1.24 dB			<p>Ref Level 30.00 dBm Offset 4.50 dB RBW 100 kHz Att 40 dB SWT 1 ms VBW 300 kHz Mode Sweep</p> <p>1Pk Max</p> <p>M1[1] -15.67 dBm 1.9000800 GHz Occ Bw 8.942115768 MHz D1[1] -0.55 dB 9.8000 MHz</p> <p>D1 10.370 dBm D2 -15.630 dBm</p> <p>CF 1.905 GHz 501 pts Span 20.0 MHz</p> <table border="1"> <thead> <tr> <th>Marker</th> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td></td> <td>1.90008 GHz</td> <td>-15.67 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td></td> <td>1.9005289 GHz</td> <td>7.84 dBm</td> <td>Occ Bw</td> <td>8.942115768 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td></td> <td>1.9094711 GHz</td> <td>6.29 dBm</td> <td></td> <td></td> </tr> <tr> <td>D1</td> <td>M1</td> <td>1</td> <td></td> <td>9.8 MHz</td> <td>-0.55 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 1.SEP.2022 17:46:25</p>	Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1			1.90008 GHz	-15.67 dBm			T1	1			1.9005289 GHz	7.84 dBm	Occ Bw	8.942115768 MHz	T2	1			1.9094711 GHz	6.29 dBm			D1	M1	1		9.8 MHz	-0.55 dB		
Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result																																																																											
M1	1			1.90008 GHz	-13.97 dBm																																																																													
T1	1			1.900489 GHz	6.21 dBm	Occ Bw	8.982035928 MHz																																																																											
T2	1			1.9094711 GHz	6.89 dBm																																																																													
D1	M1	1		9.76 MHz	-1.24 dB																																																																													
Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result																																																																											
M1	1			1.90008 GHz	-15.67 dBm																																																																													
T1	1			1.9005289 GHz	7.84 dBm	Occ Bw	8.942115768 MHz																																																																											
T2	1			1.9094711 GHz	6.29 dBm																																																																													
D1	M1	1		9.8 MHz	-0.55 dB																																																																													



Occupied Bandwidth

Channel



15MHz Bandwidth QPSK

15MHz Bandwidth 16QAM



Lowest



Middle



Highest



Occupied Bandwidth



Channel	20MHz Bandwidth QPSK	20MHz Bandwidth 16QAM																																																																																
Lowest	<table border="1"> <thead> <tr> <th>Marker</th> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td></td> <td>1.85032 GHz</td> <td>-12.12 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td></td> <td>1.851377 GHz</td> <td>-9.77 dBm</td> <td>Occ Bw</td> <td>17.884231537 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td></td> <td>1.869022 GHz</td> <td>11.09 dBm</td> <td></td> <td></td> </tr> <tr> <td>D1</td> <td>M1</td> <td>1</td> <td></td> <td>19.52 MHz</td> <td>0.83 dB</td> <td></td> <td></td> </tr> </tbody> </table>	Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1			1.85032 GHz	-12.12 dBm			T1	1			1.851377 GHz	-9.77 dBm	Occ Bw	17.884231537 MHz	T2	1			1.869022 GHz	11.09 dBm			D1	M1	1		19.52 MHz	0.83 dB			<table border="1"> <thead> <tr> <th>Marker</th> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td></td> <td>1.85016 GHz</td> <td>-13.01 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td></td> <td>1.8510579 GHz</td> <td>-7.70 dBm</td> <td>Occ Bw</td> <td>17.964071856 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td></td> <td>1.869022 GHz</td> <td>9.05 dBm</td> <td></td> <td></td> </tr> <tr> <td>D1</td> <td>M1</td> <td>1</td> <td></td> <td>19.76 MHz</td> <td>-0.56 dB</td> <td></td> <td></td> </tr> </tbody> </table>	Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1			1.85016 GHz	-13.01 dBm			T1	1			1.8510579 GHz	-7.70 dBm	Occ Bw	17.964071856 MHz	T2	1			1.869022 GHz	9.05 dBm			D1	M1	1		19.76 MHz	-0.56 dB		
Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result																																																																											
M1	1			1.85032 GHz	-12.12 dBm																																																																													
T1	1			1.851377 GHz	-9.77 dBm	Occ Bw	17.884231537 MHz																																																																											
T2	1			1.869022 GHz	11.09 dBm																																																																													
D1	M1	1		19.52 MHz	0.83 dB																																																																													
Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result																																																																											
M1	1			1.85016 GHz	-13.01 dBm																																																																													
T1	1			1.8510579 GHz	-7.70 dBm	Occ Bw	17.964071856 MHz																																																																											
T2	1			1.869022 GHz	9.05 dBm																																																																													
D1	M1	1		19.76 MHz	-0.56 dB																																																																													
Middle	<table border="1"> <thead> <tr> <th>Marker</th> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td></td> <td>1.87008 GHz</td> <td>-12.02 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td></td> <td>1.870979 GHz</td> <td>9.70 dBm</td> <td>Occ Bw</td> <td>18.043912176 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td></td> <td>1.889022 GHz</td> <td>7.82 dBm</td> <td></td> <td></td> </tr> <tr> <td>D1</td> <td>M1</td> <td>1</td> <td></td> <td>19.84 MHz</td> <td>-1.04 dB</td> <td></td> <td></td> </tr> </tbody> </table>	Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1			1.87008 GHz	-12.02 dBm			T1	1			1.870979 GHz	9.70 dBm	Occ Bw	18.043912176 MHz	T2	1			1.889022 GHz	7.82 dBm			D1	M1	1		19.84 MHz	-1.04 dB			<table border="1"> <thead> <tr> <th>Marker</th> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td></td> <td>1.87016 GHz</td> <td>-12.01 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td></td> <td>1.870979 GHz</td> <td>7.60 dBm</td> <td>Occ Bw</td> <td>18.043912176 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td></td> <td>1.889022 GHz</td> <td>7.14 dBm</td> <td></td> <td></td> </tr> <tr> <td>D1</td> <td>M1</td> <td>1</td> <td></td> <td>19.68 MHz</td> <td>-0.64 dB</td> <td></td> <td></td> </tr> </tbody> </table>	Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1			1.87016 GHz	-12.01 dBm			T1	1			1.870979 GHz	7.60 dBm	Occ Bw	18.043912176 MHz	T2	1			1.889022 GHz	7.14 dBm			D1	M1	1		19.68 MHz	-0.64 dB		
Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result																																																																											
M1	1			1.87008 GHz	-12.02 dBm																																																																													
T1	1			1.870979 GHz	9.70 dBm	Occ Bw	18.043912176 MHz																																																																											
T2	1			1.889022 GHz	7.82 dBm																																																																													
D1	M1	1		19.84 MHz	-1.04 dB																																																																													
Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result																																																																											
M1	1			1.87016 GHz	-12.01 dBm																																																																													
T1	1			1.870979 GHz	7.60 dBm	Occ Bw	18.043912176 MHz																																																																											
T2	1			1.889022 GHz	7.14 dBm																																																																													
D1	M1	1		19.68 MHz	-0.64 dB																																																																													
Highest	<table border="1"> <thead> <tr> <th>Marker</th> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td></td> <td>1.89032 GHz</td> <td>-11.99 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td></td> <td>1.8910579 GHz</td> <td>9.44 dBm</td> <td>Occ Bw</td> <td>17.884231537 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td></td> <td>1.9089421 GHz</td> <td>8.79 dBm</td> <td></td> <td></td> </tr> <tr> <td>D1</td> <td>M1</td> <td>1</td> <td></td> <td>19.44 MHz</td> <td>-0.40 dB</td> <td></td> <td></td> </tr> </tbody> </table>	Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1			1.89032 GHz	-11.99 dBm			T1	1			1.8910579 GHz	9.44 dBm	Occ Bw	17.884231537 MHz	T2	1			1.9089421 GHz	8.79 dBm			D1	M1	1		19.44 MHz	-0.40 dB			<table border="1"> <thead> <tr> <th>Marker</th> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td></td> <td>1.89016 GHz</td> <td>-13.66 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td></td> <td>1.8910579 GHz</td> <td>7.41 dBm</td> <td>Occ Bw</td> <td>17.964071856 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td></td> <td>1.909022 GHz</td> <td>8.94 dBm</td> <td></td> <td></td> </tr> <tr> <td>D1</td> <td>M1</td> <td>1</td> <td></td> <td>19.68 MHz</td> <td>-1.15 dB</td> <td></td> <td></td> </tr> </tbody> </table>	Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1			1.89016 GHz	-13.66 dBm			T1	1			1.8910579 GHz	7.41 dBm	Occ Bw	17.964071856 MHz	T2	1			1.909022 GHz	8.94 dBm			D1	M1	1		19.68 MHz	-1.15 dB		
Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result																																																																											
M1	1			1.89032 GHz	-11.99 dBm																																																																													
T1	1			1.8910579 GHz	9.44 dBm	Occ Bw	17.884231537 MHz																																																																											
T2	1			1.9089421 GHz	8.79 dBm																																																																													
D1	M1	1		19.44 MHz	-0.40 dB																																																																													
Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result																																																																											
M1	1			1.89016 GHz	-13.66 dBm																																																																													
T1	1			1.8910579 GHz	7.41 dBm	Occ Bw	17.964071856 MHz																																																																											
T2	1			1.909022 GHz	8.94 dBm																																																																													
D1	M1	1		19.68 MHz	-1.15 dB																																																																													

Spurious Emissions at Antenna Terminal

Channel

1.4MHz Bandwidth QPSK



Lowest



Date: 1.SEP.2022 01:36:33

Date: 1.SEP.2022 01:37:07



Middle



Date: 1.SEP.2022 01:37:39

Date: 1.SEP.2022 01:38:05


Highest



Date: 1.SEP.2022 01:38:41

Date: 1.SEP.2022 01:39:14

Spurious Emissions at Antenna Terminal





Spurious Emissions at Antenna Terminal

Channel

5MHz Bandwidth QPSK



Lowest



Date: 1.SEP.2022 01:43:11

Date: 1.SEP.2022 01:43:45



Middle



Date: 1.SEP.2022 01:44:21

Date: 1.SEP.2022 01:44:59

Highest



Date: 1.SEP.2022 01:45:39



Date: 1.SEP.2022 01:46:12

Spurious Emissions at Antenna Terminal



Channel

10MHz Bandwidth QPSK



Lowest



Middle



Highest



Spurious Emissions at Antenna Terminal

Channel	15MHz Bandwidth QPSK	
Lowest	<p>Spectrum Ref Level 10.00 dBm Offset 4.50 dB RBW 100 kHz Att 30 dB SWT 9.7 ms VBW 300 kHz Mode Sweep 1Pk Max M1[1] -59.01 dBm 995.20 MHz -13.000 dBm Start 30.0 MHz 501 pts Stop 1.0 GHz Date: 1.SEP.2022 01:50:01</p>	<p>Spectrum Ref Level 30.00 dBm Offset 4.50 dB RBW 1 MHz Att 40 dB SWT 76 ms VBW 3 MHz Mode Sweep 1Pk Max M1[1] -27.20 dBm 15.9610 GHz -13.000 dBm Start 1.0 GHz 501 pts Stop 20.0 GHz Date: 1.SEP.2022 01:50:35</p>
Middle	<p>Spectrum Ref Level 10.00 dBm Offset 4.50 dB RBW 100 kHz Att 30 dB SWT 9.7 ms VBW 300 kHz Mode Sweep 1Pk Max M1[1] -52.95 dBm 911.90 MHz -13.000 dBm Start 30.0 MHz 501 pts Stop 1.0 GHz Date: 1.SEP.2022 01:51:12</p>	<p>Spectrum Ref Level 30.00 dBm Offset 4.50 dB RBW 1 MHz Att 40 dB SWT 76 ms VBW 3 MHz Mode Sweep 1Pk Max M1[1] -26.30 dBm 16.3780 GHz -13.000 dBm Start 1.0 GHz 501 pts Stop 20.0 GHz Date: 1.SEP.2022 01:51:42</p>
Highest	<p>Spectrum Ref Level 10.00 dBm Offset 4.50 dB RBW 100 kHz Att 30 dB SWT 9.7 ms VBW 300 kHz Mode Sweep 1Pk Max M1[1] -52.66 dBm 991.30 MHz -13.000 dBm Start 30.0 MHz 501 pts Stop 1.0 GHz Date: 1.SEP.2022 01:52:19</p>	<p>Spectrum Ref Level 30.00 dBm Offset 4.50 dB RBW 1 MHz Att 40 dB SWT 76 ms VBW 3 MHz Mode Sweep 1Pk Max M1[1] -27.12 dBm 17.7060 GHz -13.000 dBm Start 1.0 GHz 501 pts Stop 20.0 GHz Date: 1.SEP.2022 01:52:49</p>

Spurious Emissions at Antenna Terminal

Channel	20MHz Bandwidth QPSK	
Lowest	<p>Ref Level 10.00 dBm Offset 4.50 dB RBW 100 kHz Att 30 dB SWT 9.7 ms VBW 300 kHz Mode Sweep 1Pk Max M1[1] -52.73 dBm 987.40 MHz -13.000 dBm Start 30.0 MHz 501 pts Stop 1.0 GHz Date: 1.SEP.2022 01:53:34</p>	<p>Ref Level 30.00 dBm Offset 4.50 dB RBW 1 MHz Att 40 dB SWT 76 ms VBW 3 MHz Mode Sweep 1Pk Max M1[1] -26.76 dBm 19.7530 GHz -13.000 dBm Start 1.0 GHz 501 pts Stop 20.0 GHz Date: 1.SEP.2022 01:54:03</p>
Middle	<p>Ref Level 10.00 dBm Offset 4.50 dB RBW 100 kHz Att 30 dB SWT 9.7 ms VBW 300 kHz Mode Sweep 1Pk Max M1[1] -52.86 dBm 894.50 MHz -13.000 dBm Start 30.0 MHz 501 pts Stop 1.0 GHz Date: 1.SEP.2022 01:54:37</p>	<p>Ref Level 30.00 dBm Offset 4.50 dB RBW 1 MHz Att 40 dB SWT 76 ms VBW 3 MHz Mode Sweep 1Pk Max M1[1] -26.16 dBm 15.0510 GHz -13.000 dBm Start 1.0 GHz 501 pts Stop 20.0 GHz Date: 1.SEP.2022 01:55:14</p>
Highest	<p>Ref Level 10.00 dBm Offset 4.50 dB RBW 100 kHz Att 30 dB SWT 9.7 ms VBW 300 kHz Mode Sweep 1Pk Max M1[1] -52.96 dBm 671.80 MHz -13.000 dBm Start 30.0 MHz 501 pts Stop 1.0 GHz Date: 1.SEP.2022 01:55:44</p>	<p>Ref Level 30.00 dBm Offset 4.50 dB RBW 1 MHz Att 40 dB SWT 76 ms VBW 3 MHz Mode Sweep 1Pk Max M1[1] -26.96 dBm 18.3880 GHz -13.000 dBm Start 1.0 GHz 501 pts Stop 20.0 GHz Date: 1.SEP.2022 01:56:22</p>

Out of band emission, Band Edge

Mode	Lowest	Highest
QPSK 1.4MHz	<p>Spectrum Ref Level 30.00 dBm Offset 4.50 dB RBW 30 kHz Att 40 dB SWT 35 ms VBW 100 kHz Mode Sweep SQL Count 50/50 1Rm AvgPwr M1[1] -31.96 dBm 1.8500000 GHz -01 -13.000 dBm CF 1.85 GHz 501 pts Span 3.0 MHz Date: 1.SEP.2022 00:57:57</p>	<p>Spectrum Ref Level 30.00 dBm Offset 4.50 dB RBW 30 kHz Att 40 dB SWT 35 ms VBW 100 kHz Mode Sweep SQL Count 50/50 1Rm AvgPwr M1[1] -34.35 dBm 1.9100000 GHz -01 -13.000 dBm CF 1.91 GHz 501 pts Span 3.0 MHz Date: 1.SEP.2022 00:58:10</p>
QPSK 3MHz	<p>Spectrum Ref Level 30.00 dBm Offset 4.50 dB RBW 30 kHz Att 40 dB SWT 35 ms VBW 100 kHz Mode Sweep SQL Count 50/50 1Rm AvgPwr M1[1] -27.85 dBm 1.8500000 GHz -01 -13.000 dBm CF 1.85 GHz 501 pts Span 6.0 MHz Date: 1.SEP.2022 00:58:25</p>	<p>Spectrum Ref Level 30.00 dBm Offset 4.50 dB RBW 30 kHz Att 40 dB SWT 35 ms VBW 100 kHz Mode Sweep SQL Count 50/50 1Rm AvgPwr M1[1] -28.55 dBm 1.9100000 GHz -01 -13.000 dBm CF 1.91 GHz 501 pts Span 6.0 MHz Date: 1.SEP.2022 00:58:38</p>
QPSK 5MHz	<p>Spectrum Ref Level 30.00 dBm Offset 4.50 dB RBW 100 kHz Att 40 dB SWT 35 ms VBW 300 kHz Mode Sweep SQL Count 50/50 1Rm AvgPwr M1[1] -30.27 dBm 1.8500000 GHz -01 -13.000 dBm CF 1.85 GHz 501 pts Span 10.0 MHz Date: 1.SEP.2022 00:58:54</p>	<p>Spectrum Ref Level 30.00 dBm Offset 4.50 dB RBW 100 kHz Att 40 dB SWT 35 ms VBW 300 kHz Mode Sweep SQL Count 50/50 1Rm AvgPwr M1[1] -30.58 dBm 1.9100000 GHz -01 -13.000 dBm CF 1.91 GHz 501 pts Span 10.0 MHz Date: 1.SEP.2022 00:59:07</p>

Out of band emission, Band Edge

Mode	Lowest	Highest
QPSK 10MHz	<p> Spectrum Ref Level 30.00 dBm Offset 4.50 dB RBW 100 kHz Att 40 dB SWT 35 ms VBW 300 kHz Mode Sweep SQL Count 50/50 1Rm AvgPwr M1[1] -37.03 dBm 1.850000 GHz -13.000 dBm CF 1.85 GHz 501 pts Span 20.0 MHz Date: 1.SEP.2022 00:59:24 </p>	<p> Spectrum Ref Level 30.00 dBm Offset 4.50 dB RBW 100 kHz Att 40 dB SWT 35 ms VBW 300 kHz Mode Sweep SQL Count 50/50 1Rm AvgPwr M1[1] -35.37 dBm 1.910000 GHz -13.000 dBm CF 1.91 GHz 501 pts Span 20.0 MHz Date: 1.SEP.2022 00:59:38 </p>
QPSK 15MHz	<p> Spectrum Ref Level 30.00 dBm Offset 4.50 dB RBW 300 kHz Att 40 dB SWT 35 ms VBW 1 MHz Mode Sweep SQL Count 50/50 1Rm AvgPwr M1[1] -34.39 dBm 1.850000 GHz -13.000 dBm CF 1.85 GHz 501 pts Span 30.0 MHz Date: 1.SEP.2022 00:59:56 </p>	<p> Spectrum Ref Level 30.00 dBm Offset 4.50 dB RBW 300 kHz Att 40 dB SWT 35 ms VBW 1 MHz Mode Sweep SQL Count 50/50 1Rm AvgPwr M1[1] -33.53 dBm 1.910000 GHz -13.000 dBm CF 1.91 GHz 501 pts Span 30.0 MHz Date: 1.SEP.2022 01:00:10 </p>
QPSK 20MHz	<p> Spectrum Ref Level 30.00 dBm Offset 4.50 dB RBW 300 kHz Att 40 dB SWT 35 ms VBW 1 MHz Mode Sweep SQL Count 50/50 1Rm AvgPwr M1[1] -37.90 dBm 1.850000 GHz -13.000 dBm CF 1.85 GHz 501 pts Span 40.0 MHz Date: 1.SEP.2022 01:00:28 </p>	<p> Spectrum Ref Level 30.00 dBm Offset 4.50 dB RBW 300 kHz Att 40 dB SWT 35 ms VBW 1 MHz Mode Sweep SQL Count 50/50 1Rm AvgPwr M1[1] -36.99 dBm 1.910000 GHz -13.000 dBm CF 1.91 GHz 501 pts Span 40.0 MHz Date: 1.SEP.2022 01:00:43 </p>

Out of band emission, Band Edge

Mode	Lowest	Highest
16QAM 1.4MHz	<p>Ref Level 30.00 dBm Offset 4.50 dB RBW 30 kHz Att 40 dB SWT 35 ms VBW 100 kHz Mode Sweep SQL Count 50/50 1Rm AvgPwr M1[1] -32.17 dBm 1.8500000 GHz -13.000 dBm CF 1.85 GHz 501 pts Span 3.0 MHz Date: 1.SEP.2022 00:58:03</p>	<p>Ref Level 30.00 dBm Offset 4.50 dB RBW 30 kHz Att 40 dB SWT 35 ms VBW 100 kHz Mode Sweep SQL Count 50/50 1Rm AvgPwr M1[1] -34.25 dBm 1.9100000 GHz -13.000 dBm CF 1.91 GHz 501 pts Span 3.0 MHz Date: 1.SEP.2022 00:58:16</p>
16QAM 3MHz	<p>Ref Level 30.00 dBm Offset 4.50 dB RBW 30 kHz Att 40 dB SWT 35 ms VBW 100 kHz Mode Sweep SQL Count 50/50 1Rm AvgPwr M1[1] -27.68 dBm 1.8500000 GHz -13.000 dBm CF 1.85 GHz 501 pts Span 6.0 MHz Date: 1.SEP.2022 00:58:31</p>	<p>Ref Level 30.00 dBm Offset 4.50 dB RBW 30 kHz Att 40 dB SWT 35 ms VBW 100 kHz Mode Sweep SQL Count 50/50 1Rm AvgPwr M1[1] -29.76 dBm 1.9100000 GHz -13.000 dBm CF 1.91 GHz 501 pts Span 6.0 MHz Date: 1.SEP.2022 00:58:44</p>
16QAM 5MHz	<p>Ref Level 30.00 dBm Offset 4.50 dB RBW 100 kHz Att 40 dB SWT 35 ms VBW 300 kHz Mode Sweep SQL Count 50/50 1Rm AvgPwr M1[1] -30.10 dBm 1.8500000 GHz -13.000 dBm CF 1.85 GHz 501 pts Span 10.0 MHz Date: 1.SEP.2022 00:59:00</p>	<p>Ref Level 30.00 dBm Offset 4.50 dB RBW 100 kHz Att 40 dB SWT 35 ms VBW 300 kHz Mode Sweep SQL Count 50/50 1Rm AvgPwr M1[1] -31.94 dBm 1.9100000 GHz -13.000 dBm CF 1.91 GHz 501 pts Span 10.0 MHz Date: 1.SEP.2022 00:59:13</p>

Out of band emission, Band Edge

Mode	Lowest	Highest
16QAM 10MHz		
16QAM 15MHz		
16QAM 20MHz		

4.7 Antenna Port Test Data and Results for LTE Band 4

Serial Number:	CR22080045-RF-S1	Test Date:	2022-08-31~2022-09-02
Test Site:	RF	Test Mode:	Transmitting
Tester:	George Chen	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	25.2~25.9	Relative Humidity: (%)	53~61	ATM Pressure: (kPa)	100.1~100.6
----------------------	-----------	---------------------------	-------	------------------------	-------------

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Spectrum Analyzer	FSV40	101474	2022-07-15	2023-07-14
zhuoxiang	Coaxial Cable	SMA-178	211001	Each time	N/A
Unknown	Coaxial tee connector	Unknown	2204004	Each time	N/A
YINSAIGE	Coaxial Cable	SS402	SJ0100001	Each time	N/A
Mini-Circuits	DC Block	BLK-18-S+	1554403	Each time	N/A
R&S	Wideband Radio Communication Tester	CMW500	149218	2022-07-15	2023-07-14
BACL	TEMP&HUMI Test Chamber	BTH-150-40	30174	2022-04-06	2023-04-05
UNI-T	Multimeter	UT39A+	C210582554	2021-09-30	2022-09-29
ZHAOXIN	DC Power Supply	RXN-6010D	21R6010D0912386	N/A	N/A

* Statement of Traceability: China Certification ICT Co., Ltd (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

EUT Information@ LTE Band 4▲:

Antenna Gain (dBi):	0.58	Path Loss L _C (dB):	0.3
Operation Voltage(V _{DC}):			
Lowest:	3.5	Normal:	3.8
		Highest:	4.35

Test Frequency For Each Mode:

Operation Bandwidth	Lowest Frequency (MHz)	Middle Frequency (MHz)	Highest Frequency (MHz)
1.4MHz	1710.7	1732.5	1754.3
3MHz	1711.5	1732.5	1753.5
5MHz	1712.5	1732.5	1752.5
10MHz	1715	1732.5	1750
15MHz	1717.5	1732.5	1747.5
20MHz	1720	1732.5	1745

Test Data:

FCC§2.1046;§ 27.50(d)(4)						
RF Output Power:						
Test Bandwidth & Modulation	Resource Block & RB offset	Conducted Average Output Power(dBm)			Maximum EIRP (dBm)	EIRP Limit (dBm)
		Lowest Channel	Middle Channel	Highest Channel		
1.4MHz QPSK	RB1#0	22.59	22.33	22.75	23.05	30
	RB1#3	22.6	22.39	22.77		
	RB1#5	22.7	22.44	22.71		
	RB3#0	22.77	22.62	22.74		
	RB3#3	22.68	22.67	22.71		
	RB6#0	21.71	21.55	21.49		
1.4MHz 16QAM	RB1#0	22.38	21.24	22.56	22.84	30
	RB1#3	22.34	21.28	22.55		
	RB1#5	22.35	21.33	22.53		
	RB3#0	21.54	21.69	21.79		
	RB3#3	21.55	21.64	21.77		
	RB6#0	20.8	20.86	20.77		
3MHz QPSK	RB1#0	22.62	22.35	22.54	22.94	30
	RB1#8	22.66	22.47	22.53		
	RB1#14	22.65	22.46	22.46		
	RB6#0	21.72	21.55	21.67		
	RB6#9	21.62	21.58	21.6		
	RB15#0	21.61	21.51	21.59		
3MHz 16QAM	RB1#0	22.36	21.27	21.77	22.67	30
	RB1#8	22.33	21.2	21.78		
	RB1#14	22.39	21.32	21.74		
	RB6#0	20.78	21.33	20.65		
	RB6#9	20.76	20.84	20.62		
	RB15#0	20.75	20.69	20.67		
5MHz QPSK	RB1#0	22.65	22.43	22.66	22.96	30
	RB1#13	22.68	22.43	22.68		
	RB1#24	22.68	22.55	22.57		
	RB15#0	21.58	21.56	21.58		
	RB15#10	21.68	21.59	21.58		
	RB25#0	21.59	21.53	21.54		
5MHz 16QAM	RB1#0	21.81	21.16	20.88	22.13	30
	RB1#13	21.83	21.2	20.87		
	RB1#24	21.85	21.28	20.86		
	RB15#0	20.62	21.03	20.72		
	RB15#10	20.61	20.69	20.7		
	RB25#0	20.67	20.52	20.78		
10MHz QPSK	RB1#0	22.73	22.47	22.56	23.01	30
	RB1#25	22.7	22.5	22.65		

	RB1#49	22.63	22.63	22.63		
	RB25#0	21.68	21.52	21.5		
	RB25#25	21.6	21.54	21.56		
	RB50#0	21.64	21.56	21.64		
10MHz 16QAM	RB1#0	21.81	21.03	21.82	22.28	30
	RB1#25	21.79	20.95	22		
	RB1#49	21.78	21.1	21.95		
	RB25#0	20.76	21.04	20.68		
	RB25#25	20.82	20.71	20.66		
	RB50#0	20.77	20.62	20.66		
15MHz QPSK	RB1#0	22.65	22.38	22.58	22.94	30
	RB1#38	22.62	22.42	22.59		
	RB1#74	22.64	22.52	22.66		
	RB36#0	21.56	21.47	21.62		
	RB36#39	21.58	21.57	21.6		
	RB75#0	21.55	21.51	21.54		
15MHz 16QAM	RB1#0	21.83	21.87	21.85	22.22	30
	RB1#38	21.73	21.82	21.91		
	RB1#74	21.72	21.94	21.93		
	RB36#0	20.73	20.51	20.76		
	RB36#39	20.81	20.65	20.75		
	RB75#0	20.69	20.63	20.68		
20MHz QPSK	RB1#0	22.73	22.49	22.59	23.1	30
	RB1#50	22.64	22.54	22.68		
	RB1#99	22.61	22.64	22.82		
	RB50#0	21.53	21.48	21.48		
	RB50#50	21.49	21.55	21.65		
	RB100#0	21.5	21.48	21.52		
20MHz 16QAM	RB1#0	21.65	22.29	21.12	22.69	30
	RB1#50	21.64	22.33	21.1		
	RB1#99	21.58	22.41	21.22		
	RB50#0	20.61	20.54	20.68		
	RB50#50	20.58	20.62	20.67		
	RB100#0	20.59	20.67	20.6		

Note: EIRP=Conducted Power(dBm) - Cable loss(dB) + Antenna Gain(dBi)

Result:

Pass

Peak-to-average Ratio(PAR)					
Test Bandwidth & Modulation	Resource Block & RB offset	Peak-to-average Ratio(dB)			Limit (dB)
		Lowest Channel	Middle Channel	Highest Channel	
20MHz QPSK	RB1#0	4.26	5.33	4.12	13
	RB100#0	5.01	5.57	4.81	13
20MHz 16QAM	RB1#0	5.16	6.81	5.65	13
	RB100#0	5.88	6.46	5.77	13
Result:					Pass

FCC §2.1049, §27.53:Occupied Bandwidth						
Operation Mode	99% Occupied Bandwidth (MHz)			26 dB Occupied Bandwidth (MHz)		
	Low Channel	Middle channel	High Channel	Low Channel	Middle Channel	High Channel
1.4MHz QPSK	1.102	1.102	1.102	1.26	1.254	1.26
1.4MHz 16QAM	1.09	1.102	1.108	1.248	1.26	1.266
3MHz QPSK	2.695	2.695	2.695	3.012	3.012	3
3MHz 16QAM	2.695	2.695	2.695	3	3.024	3.024
5MHz QPSK	4.511	4.491	4.531	5.02	4.96	5
5MHz 16QAM	4.531	4.551	4.511	5.02	5.04	4.98
10MHz QPSK	8.942	8.982	8.982	9.76	9.8	9.76
10MHz 16QAM	8.982	8.942	8.942	9.88	9.8	9.76
15MHz QPSK	13.473	13.533	13.533	15	15.06	15.12
15MHz 16QAM	13.533	13.533	13.593	15.12	15.06	15.06
20MHz QPSK	17.964	17.964	17.964	19.68	19.84	19.6
20MHz 16QAM	18.044	17.964	17.964	19.84	19.76	19.68
Note: The test plots please refer to the Plots of Occupied Bandwidth						

FCC §2.1051, § 27.53:Spurious Emissions at Antenna Terminal

Result:	Pass, Please refer to the test plots of Spurious Emissions at Antenna Terminal.
----------------	----------------------------------------------------------------------------------------

FCC §2.1051, § 27.53:Out of band emission, Band Edge

Result:	Pass, Please refer to the test plots of Out of band emission, Band Edge.
----------------	---------------------------------------------------------------------------------

FCC §2.1055, §27.54: Frequency Stability

Test Mode:	20M QPSK	Test Channel: Lowest for Lower Edge,Highest for Upper Edge				
Test Item	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
Frequency Stability vs. Temperature	-30	3.8	1711.114	1710.00	1754.064	1755
	-20	3.8	1711.079	1710.00	1754.037	1755
	-10	3.8	1711.072	1710.00	1754.082	1755
	0	3.8	1711.094	1710.00	1754.012	1755
	10	3.8	1711.126	1710.00	1754.085	1755
	20	3.8	1711.058	1710.00	1754.022	1755
	30	3.8	1711.074	1710.00	1754.065	1755
	40	3.8	1711.125	1710.00	1754.020	1755
Frequency Stability vs. Voltage	20	3.5	1711.080	1710.00	1754.055	1755
	20	4.35	1711.047	1710.00	1754.013	1755
					Result:	Pass

Test Mode:	20M 16QAM	Test Channel: Lowest for Lower Edge,Highest for Upper Edge				
Test Item	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
Frequency Stability vs. Temperature	-30	3.8	1710.970	1710.00	1754.073	1755
	-20	3.8	1710.957	1710.00	1754.058	1755
	-10	3.8	1710.948	1710.00	1754.091	1755
	0	3.8	1710.960	1710.00	1754.017	1755
	10	3.8	1710.988	1710.00	1754.073	1755
	20	3.8	1710.978	1710.00	1754.022	1755
	30	3.8	1710.970	1710.00	1754.047	1755
	40	3.8	1710.908	1710.00	1754.093	1755
Frequency Stability vs. Voltage	20	3.5	1710.923	1710.00	1754.033	1755
	20	4.35	1710.932	1710.00	1754.099	1755
					Result:	Pass

Test Plots:

Occupied Bandwidth

