

Appendix A

RF Test Data for 2.4G (Conducted Measurement)

Product Name: 2.4G Wireless Remote Control

Trade Mark: NEEWER


Test Model: RT-101

Environmental Conditions

Temperature:	24.6 ° C
Relative Humidity:	54.1%
ATM Pressure:	100.0 kPa
Test Engineer:	Kay Hu
Supervised by:	Li Huan


A.1 Duty Cycle


Test Mode	Test Channel	Ant	Duty Cycle[%]	Verdict
GFSK	2440	Ant1	100	PASS



A.2 Maximum Conducted Peak Output Power

Mode	Channel	Conduct Peak Power[dBm]	Limit [dBm]	Verdict
GFSK	LCH	0.813	30	PASS
GFSK	MCH	3.964	30	PASS
GFSK	HCH	0.336	30	PASS








A.3 Maximum Power Spectral Density

Mode	Channel	PSD [dBm/3KHz]	Limit [dBm/3KHz]	Verdict
GFSK	LCH	-15.518	8	PASS
GFSK	MCH	-12.345	8	PASS
GFSK	HCH	-15.078	8	PASS

Test Graphs





HCH



A.4 6dB Bandwidth

Mode	Channel	6dB Bandwidth [MHz]	Limit [MHz]	Verdict
GFSK	LCH	0.6593	≥0.5	PASS
GFSK	MCH	0.6625	≥0.5	PASS
GFSK	HCH	0.6702	≥0.5	PASS



Test Graphs																															
LCH	<div style="border: 1px solid black; padding: 5px;"> <p style="font-size: small; margin: 0;">Agilent Spectrum Analyzer - Occupied BW</p> <p style="font-size: x-small; margin: 0;">RL RF 50 Ω AC SENSE:INT ALIGN:AUTO 09:31:22 AM Mar 22, 2021</p> <p style="font-size: small; margin: 0;">Center Freq 2.402000000 GHz Center Freq: 2.402000000 GHz Radio Std: None Trig: Free Run AvgHold: 1/1</p> <p style="font-size: x-small; margin: 0;">#IFGain:Low #Atten: 30 dB Radio Device: BTS</p> <div style="border: 1px solid black; padding: 2px; margin: 5px 0;"> <p style="font-size: x-small; margin: 0;">10 dB/div Ref Offset 8.05 dB Mkr1 2.4019783 GHz Log Ref 20.00 dBm 0.54158 dBm</p>  <p style="font-size: x-small; margin: 0;">Center 2.402 GHz Span 3 MHz #Res BW 100 kHz #VBW 300 kHz Sweep 1.067 ms</p> <table style="width: 100%; font-size: x-small; border-collapse: collapse;"> <tr> <td>Occupied Bandwidth</td> <td>Total Power</td> <td>7.20 dBm</td> </tr> <tr> <td style="text-align: center;">1.0475 MHz</td> <td></td> <td></td> </tr> <tr> <td>Transmit Freq Error</td> <td>-7.518 kHz</td> <td>OBW Power</td> </tr> <tr> <td>x dB Bandwidth</td> <td>659.3 kHz</td> <td>x dB</td> </tr> <tr> <td></td> <td></td> <td>-6.00 dB</td> </tr> </table> <p style="font-size: x-small; margin: 0;">MSG STATUS</p> </div> </div> <div style="border: 1px solid black; padding: 5px; margin-top: 5px;"> <p style="font-size: x-small; margin: 0;">Agilent Spectrum Analyzer - Occupied BW</p> <p style="font-size: x-small; margin: 0;">RL RF 50 Ω AC SENSE:INT ALIGN:AUTO 09:33:55 AM Mar 22, 2021</p> <p style="font-size: small; margin: 0;">Center Freq 2.440000000 GHz Center Freq: 2.440000000 GHz Radio Std: None Trig: Free Run AvgHold: >1/1</p> <p style="font-size: x-small; margin: 0;">#IFGain:Low #Atten: 30 dB Radio Device: BTS</p> <div style="border: 1px solid black; padding: 2px; margin: 5px 0;"> <p style="font-size: x-small; margin: 0;">10 dB/div Ref Offset 8.05 dB Mkr1 2.4402453 GHz Log Ref 20.00 dBm 3.8552 dBm</p>  <p style="font-size: x-small; margin: 0;">Center 2.44 GHz Span 3 MHz #Res BW 100 kHz #VBW 300 kHz Sweep 1.067 ms</p> <table style="width: 100%; font-size: x-small; border-collapse: collapse;"> <tr> <td>Occupied Bandwidth</td> <td>Total Power</td> <td>10.5 dBm</td> </tr> <tr> <td style="text-align: center;">1.0438 MHz</td> <td></td> <td></td> </tr> <tr> <td>Transmit Freq Error</td> <td>-6.204 kHz</td> <td>OBW Power</td> </tr> <tr> <td>x dB Bandwidth</td> <td>662.5 kHz</td> <td>x dB</td> </tr> <tr> <td></td> <td></td> <td>-6.00 dB</td> </tr> </table> <p style="font-size: x-small; margin: 0;">MSG STATUS</p> </div> </div>	Occupied Bandwidth	Total Power	7.20 dBm	1.0475 MHz			Transmit Freq Error	-7.518 kHz	OBW Power	x dB Bandwidth	659.3 kHz	x dB			-6.00 dB	Occupied Bandwidth	Total Power	10.5 dBm	1.0438 MHz			Transmit Freq Error	-6.204 kHz	OBW Power	x dB Bandwidth	662.5 kHz	x dB			-6.00 dB
Occupied Bandwidth	Total Power	7.20 dBm																													
1.0475 MHz																															
Transmit Freq Error	-7.518 kHz	OBW Power																													
x dB Bandwidth	659.3 kHz	x dB																													
		-6.00 dB																													
Occupied Bandwidth	Total Power	10.5 dBm																													
1.0438 MHz																															
Transmit Freq Error	-6.204 kHz	OBW Power																													
x dB Bandwidth	662.5 kHz	x dB																													
		-6.00 dB																													

HCH	Agilent Spectrum Analyzer - Occupied BW			RL	RF	50 Ω	AC	SENSE:INT	ALIGN:AUTO	09:35:39 AM Mar 22, 2021
	Center Freq 2.480000000 GHz				Center Freq: 2.480000000 GHz			Radio Std: None		Frequency
					Trig: Free Run		AvgHold: 1/1		Radio Device: BTS	
					#IFGain:Low		#Atten: 30 dB			
		Ref Offset 8.05 dB		Mkr1 2.4799978 GHz						
		Ref 20.00 dBm		-0.084728 dBm						
10 dB/div		Log		1						
-70.0		-60.0		-50.0		-40.0		-30.0		
-20.0		-10.0		0.0		10.0		10.0		
0.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0		10.0		10.0		10.0		
10.0		10.0								

A.5 RF Conducted Spurious Emissions


Mode	Channel	Pref [dBm]	Max. Level [dBm]	Limit [dBm]	Verdict
GFSK	LCH	0.652	-29.365	-19.348	PASS
GFSK	MCH	3.68	-36.834	-16.320	PASS
GFSK	HCH	0.191	-37.798	-19.809	PASS

GFSK_LCH_Graphs




GFSK_MCH_Graphs

Pref/GFSK/MCH




Puw/GFSK/MCH




GFSK_HCH_Graphs

Pref/GFSK/HCH





Puw/GFSK/HCH



A.6 Band-edge for RF Conducted Emissions

Mode	Channel	Carrier Power[dBm]	Max.Spurious Level [dBm]	Limit [dBm]	Verdict
GFSK	LCH	0.625	-49.567	-19.38	PASS
GFSK	HCH	0.313	-48.882	-19.69	PASS


Test Graphs

LCH	 <p style="font-size: small;">Agilent Spectrum Analyzer - Swept SA Center Freq 2.35700000 GHz Mkr4 2.323 442 GHz -49.567 dBm Start 2.31000 GHz Stop 2.40400 GHz #Res BW 100 kHz #VBW 300 kHz Sweep 9.067 ms (8001 pts)</p> <table border="1" style="font-size: x-small; width: 100%;"> <thead> <tr> <th>MKR</th> <th>MODE</th> <th>TRC</th> <th>SCL</th> <th>X</th> <th>Y</th> <th>FUNCTION</th> <th>FUNCTION WIDTH</th> <th>FUNCTION VALUE</th> </tr> </thead> <tbody> <tr><td>1</td><td>N</td><td>f</td><td></td><td>2.402 249 GHz</td><td>0.625 dBm</td><td></td><td></td><td></td></tr> <tr><td>2</td><td>N</td><td>f</td><td></td><td>2.400 000 GHz</td><td>-51.998 dBm</td><td></td><td></td><td></td></tr> <tr><td>3</td><td>N</td><td>f</td><td></td><td>2.390 000 GHz</td><td>-53.423 dBm</td><td></td><td></td><td></td></tr> <tr><td>4</td><td>N</td><td>f</td><td></td><td>2.323 442 GHz</td><td>-49.567 dBm</td><td></td><td></td><td></td></tr> </tbody> </table>	MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	N	f		2.402 249 GHz	0.625 dBm				2	N	f		2.400 000 GHz	-51.998 dBm				3	N	f		2.390 000 GHz	-53.423 dBm				4	N	f		2.323 442 GHz	-49.567 dBm				<p>Frequency</p> <p>Auto Tune</p> <p>Center Freq 2.35700000 GHz</p> <p>Start Freq 2.31000000 GHz</p> <p>Stop Freq 2.40400000 GHz</p> <p>CF Step 9.400000 MHz</p> <p>Freq Offset 0 Hz</p>
MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																																							
1	N	f		2.402 249 GHz	0.625 dBm																																										
2	N	f		2.400 000 GHz	-51.998 dBm																																										
3	N	f		2.390 000 GHz	-53.423 dBm																																										
4	N	f		2.323 442 GHz	-49.567 dBm																																										
HCH	 <p style="font-size: small;">Agilent Spectrum Analyzer - Swept SA Center Freq 2.48900000 GHz Mkr4 2.495 740 25 GHz -48.882 dBm Start 2.47800 GHz Stop 2.50000 GHz #Res BW 100 kHz #VBW 300 kHz Sweep 2.133 ms (8001 pts)</p> <table border="1" style="font-size: x-small; width: 100%;"> <thead> <tr> <th>MKR</th> <th>MODE</th> <th>TRC</th> <th>SCL</th> <th>X</th> <th>Y</th> <th>FUNCTION</th> <th>FUNCTION WIDTH</th> <th>FUNCTION VALUE</th> </tr> </thead> <tbody> <tr><td>1</td><td>N</td><td>f</td><td></td><td>2.479 988 25 GHz</td><td>0.313 dBm</td><td></td><td></td><td></td></tr> <tr><td>2</td><td>N</td><td>f</td><td></td><td>2.483 500 00 GHz</td><td>-51.463 dBm</td><td></td><td></td><td></td></tr> <tr><td>3</td><td>N</td><td>f</td><td></td><td>2.500 000 00 GHz</td><td>-52.189 dBm</td><td></td><td></td><td></td></tr> <tr><td>4</td><td>N</td><td>f</td><td></td><td>2.495 740 25 GHz</td><td>-48.882 dBm</td><td></td><td></td><td></td></tr> </tbody> </table>	MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	N	f		2.479 988 25 GHz	0.313 dBm				2	N	f		2.483 500 00 GHz	-51.463 dBm				3	N	f		2.500 000 00 GHz	-52.189 dBm				4	N	f		2.495 740 25 GHz	-48.882 dBm				<p>Frequency</p> <p>Auto Tune</p> <p>Center Freq 2.48900000 GHz</p> <p>Start Freq 2.47800000 GHz</p> <p>Stop Freq 2.50000000 GHz</p> <p>CF Step 2.200000 MHz</p> <p>Freq Offset 0 Hz</p>
MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																																							
1	N	f		2.479 988 25 GHz	0.313 dBm																																										
2	N	f		2.483 500 00 GHz	-51.463 dBm																																										
3	N	f		2.500 000 00 GHz	-52.189 dBm																																										
4	N	f		2.495 740 25 GHz	-48.882 dBm																																										


A.7 Restrict-band band-edge measurements

Test Mode	Test Channel	Ant	Freq.	Power [dBm]	Gain	Ground Factor	E [dBuV/m]	Detector	Limit [dBuV/m]	Verdi
GFSK	2402	Ant1	2310.0	-42.96	2.0	0	54.30	PEAK	74	PASS
		Ant1	2310.0	-53.29	2.0	0	43.97	AV	54	PASS
		Ant1	2390.0	-42.63	2.0	0	54.63	PEAK	74	PASS
		Ant1	2390.0	-52.99	2.0	0	44.27	AV	54	PASS
	2480	Ant1	2483.5	-42.06	2.0	0	55.20	PEAK	74	PASS
		Ant1	2483.5	-52.39	2.0	0	44.87	AV	54	PASS
		Ant1	2500.0	-42.57	2.0	0	54.69	PEAK	74	PASS
		Ant1	2500.0	-52.36	2.0	0	44.90	AV	54	PASS


Restrict-band band-edge measurements_GFSK_2402_Ant1_PEAK



Restrict-band band-edge measurements_GFSK_2402_Ant1_AV



Restrict-band band-edge measurements_GFSK_2480_Ant1_PEAK



Restrict-band band-edge measurements_GFSK_2480_Ant1_AV

