






Test Graphs:






11G Ant1 High 2462




11N20SISO_Ant1 Low 2412




11N20SISO_Ant1_High_2462



11N40SISO_Ant1_Low_2422



11N40SISO_Ant1_High_2452






A.5 AC Power Line Conducted Emission

Note 1: The EUT is working in the Normal link mode.
Test Data and Plots:


PHASE L



NO.	Freq. [MHz]	QP Reading [dBµV]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Reading [dBµV]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Result	Type
1	0.1726	30.07	49.61	64.84	15.23	16.16	35.70	54.84	19.14	PASS	L
2	0.2398	28.69	48.20	62.10	13.90	14.08	33.59	52.10	18.51	PASS	L
3	0.2893	27.40	46.97	60.54	13.57	10.56	30.13	50.54	20.41	PASS	L
4	5.0547	11.94	31.58	60.00	28.42	0.01	19.65	50.00	30.35	PASS	L
5	7.1735	2.73	22.36	60.00	37.64	-3.98	15.65	50.00	34.35	PASS	L
6	11.8189	2.04	21.75	60.00	38.25	-4.74	14.97	50.00	35.03	PASS	L



PHASE N



NO.	Freq. [MHz]	QP Reading [dBμV]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Reading [dBμV]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Result	Type
1	0.1679	29.37	48.94	65.07	16.13	13.90	33.47	55.07	21.60	PASS	N
2	0.2985	27.71	47.36	60.28	12.92	10.00	29.65	50.28	20.63	PASS	N
3	0.3478	27.10	46.77	59.01	12.24	10.00	29.67	49.01	19.34	PASS	N
4	4.2792	10.00	29.80	56.00	26.20	-2.04	17.76	46.00	28.24	PASS	N
5	8.1251	5.56	25.29	60.00	34.71	-3.98	15.75	50.00	34.25	PASS	N
6	10.9885	0.46	20.16	60.00	39.84	-5.57	14.13	50.00	35.87	PASS	N



A.6 Radiated Emission

Note 1: The symbol of “--” in the table which means not application.

Note 2: For the test data above 1 GHz, According the ANSI C63.10-2013, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.


Note 3: The low frequency, which started from 9 kHz to 30 MHz, was pre-scanned and the result which was 20 dB lower than the limit line per 15.31(o) was not reported.

Note 4: The EUT is working in the Normal link mode below 1 GHz.

Note 5: The emission in 18GHz-25GHz only show the worst test data, because of they are noisy.

Test Data and Plots:

30 MHz to 1 GHz, ANT H




Final Data List

NO.	Freq. [MHz]	Factor [dB]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	117.7850	14.50	19.99	43.50	23.51	200	263	Horizontal
2	168.5888	15.12	25.67	43.50	17.83	200	235	Horizontal
3	195.3850	12.28	29.15	43.50	14.35	100	257	Horizontal
4	228.3650	12.83	33.85	46.00	12.15	200	145	Horizontal
5	286.5650	14.18	24.24	46.00	21.76	100	110	Horizontal
6	320.0300	14.85	27.25	46.00	18.75	100	273	Horizontal



30 MHz to 1 GHz, ANT V

**Final Data List**

NO.	Freq. [MHz]	Factor [dB]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	40.5488	15.69	21.84	40.00	18.16	100	275	Vertical
2	116.0875	14.49	24.17	43.50	19.33	200	287	Vertical
3	201.2050	12.19	32.08	43.50	11.42	100	183	Vertical
4	236.2463	13.02	30.50	46.00	15.50	100	241	Vertical
5	320.0300	14.85	21.41	46.00	24.59	200	224	Vertical
6	651.5275	21.34	26.37	46.00	19.63	200	52	Vertical



above 1GHz(1GHz-18GHz):

802.11b CH1, ANT V

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	4823.241	0.78	48.93	49.71	74.00	24.29	Peak
2	7236.821	6.76	40.74	47.50	74.00	26.50	Peak
3	14387.620	18.04	33.53	51.57	74.00	22.43	Peak

802.11b CH1, ANT H

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	4823.241	0.78	50.28	51.06	74.00	22.94	Peak
2	7236.821	6.76	40.37	47.13	74.00	26.87	Peak
3	9648.226	10.49	36.12	46.61	74.00	27.39	Peak

802.11b CH6, ANT V

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	4874.043	0.98	48.48	49.46	74.00	24.54	Peak
2	7315.687	7.34	42.92	50.26	74.00	23.74	Peak
3	10575.540	13.32	34.61	47.93	74.00	26.07	Peak

802.11b CH6, ANT H

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	4874.043	0.98	50.69	51.67	74.00	22.33	Peak
2	7310.403	7.36	39.99	47.35	74.00	26.65	Peak
3	9749.848	10.57	36.65	47.22	74.00	26.78	Peak

802.11b CH11, ANT V

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	4923.600	1.20	51.28	52.47	74.00	21.53	Peak
2	7387.401	7.59	44.49	52.08	74.00	21.92	Peak
3	9848.980	10.79	36.87	47.66	74.00	26.34	Peak

802.11b CH11, ANT H

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	4923.600	1.20	53.61	54.81	74.00	19.19	Peak
2	4923.600	1.20	48.12	49.32	54.00	4.68	Average
3	7387.401	7.59	43.57	51.16	74.00	22.84	Peak
4	9848.980	10.79	36.85	47.64	74.00	26.36	Peak



802.11G CH1, ANT V

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	4826.728	0.79	46.27	47.06	74.00	26.94	Peak
2	7236.821	6.76	43.75	50.51	74.00	23.49	Peak
3	14804.190	17.71	32.53	50.24	74.00	23.76	Peak

802.11G CH1, ANT H

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	4824.984	0.79	47.78	48.57	74.00	25.43	Peak
2	7239.437	6.76	41.71	48.46	74.00	25.54	Peak
3	11558.510	14.51	34.68	49.19	74.00	24.81	Peak

802.11G CH6, ANT V

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	4874.043	0.98	50.13	51.11	74.00	22.89	Peak
2	7310.403	7.36	42.58	49.93	74.00	24.07	Peak
3	14222.230	18.06	32.77	50.84	74.00	23.16	Peak

802.11G CH6, ANT H

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	4875.804	0.99	47.76	48.75	74.00	25.25	Peak
2	7313.044	7.35	45.93	53.28	74.00	20.72	Peak
3	11583.600	14.67	34.85	49.52	74.00	24.48	Peak

802.11G CH11, ANT V

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	4918.267	1.18	48.29	49.48	74.00	24.52	Peak
2	7387.401	7.59	47.52	55.12	74.00	18.88	Peak
3	7387.401	7.59	43.21	50.80	54.00	3.20	Average
4	14351.280	18.08	32.20	50.29	74.00	23.71	Peak

802.11G CH11, ANT H

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	4927.159	1.21	49.46	50.66	74.00	23.34	Peak
2	7390.070	7.62	46.04	53.66	74.00	20.34	Peak
3	11176.590	14.41	34.09	48.49	74.00	25.51	Peak



802.11N20 CH1, ANT V

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	4826.728	0.79	47.05	47.84	74.00	26.16	Peak
2	7236.821	6.76	40.17	46.92	74.00	27.08	Peak
3	11096.120	14.85	34.26	49.10	74.00	24.90	Peak

802.11N20 CH1, ANT H

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	4824.984	0.79	46.06	46.85	74.00	27.15	Peak
2	7236.821	6.76	39.44	46.20	74.00	27.80	Peak
3	11302.480	14.57	34.86	49.43	74.00	24.57	Peak

802.11N20 CH6, ANT V

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	4874.043	0.98	46.05	47.03	74.00	26.97	Peak
2	7323.621	7.32	43.30	50.62	74.00	23.38	Peak
3	10877.800	13.76	35.03	48.80	74.00	25.20	Peak

802.11N20 CH6, ANT H

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	4875.804	0.99	47.82	48.81	74.00	25.19	Peak
2	7313.044	7.35	40.69	48.04	74.00	25.96	Peak
3	14320.200	18.10	32.94	51.04	74.00	22.96	Peak

802.11N20 CH11, ANT V

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	4925.379	1.20	50.33	51.54	74.00	22.46	Peak
2	7390.070	7.62	48.83	56.45	74.00	17.55	Peak
3	7390.070	7.62	44.12	51.74	54.00	2.26	Average
4	10984.440	14.54	33.81	48.36	74.00	25.64	Peak

802.11N20 CH11, ANT H

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	4923.600	1.20	50.30	51.50	74.00	22.50	Peak
2	7384.732	7.57	44.23	51.80	74.00	22.20	Peak
3	11160.450	14.40	34.31	48.71	74.00	25.29	Peak



802.11N40 CH3, ANT V

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	4840.699	0.82	47.24	48.05	74.00	25.95	Peak
2	7286.670	7.21	42.70	49.92	74.00	24.08	Peak
3	14222.230	18.06	32.28	50.35	74.00	23.65	Peak

802.11N40 CH3, ANT H

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	4844.198	0.83	45.96	46.79	74.00	27.21	Peak
2	7273.519	7.05	40.47	47.51	74.00	26.49	Peak
3	11028.180	14.56	33.45	48.01	74.00	25.99	Peak

802.11N40 CH6, ANT V

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	4861.731	0.91	45.05	45.95	74.00	28.05	Peak
2	7318.331	7.34	42.77	50.11	74.00	23.89	Peak
3	11608.740	14.69	34.50	49.19	74.00	24.81	Peak

802.11N40 CH6, ANT H

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	4881.092	1.02	47.54	48.56	74.00	25.44	Peak
2	7307.762	7.36	42.19	49.55	74.00	24.45	Peak
3	11306.560	14.54	34.69	49.23	74.00	24.77	Peak

802.11N40 CH9, ANT V

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	4900.529	1.13	45.95	47.08	74.00	26.92	Peak
2	7360.759	7.36	46.30	53.66	74.00	20.34	Peak
3	13912.220	17.86	32.45	50.31	74.00	23.69	Peak

802.11N40 CH9, ANT H

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	4918.267	1.18	48.20	49.39	74.00	24.61	Peak
2	7363.418	7.38	42.37	49.75	74.00	24.25	Peak
3	11731.010	14.38	34.60	48.97	74.00	25.03	Peak



802.11g CH1, ANT V(18GHz-25GHz)

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	18934.340	-22.55	61.95	39.40	74.00	34.60	Peak
2	19405.010	-22.49	62.28	39.79	74.00	34.21	Peak
3	20054.820	-22.33	62.00	39.67	74.00	34.33	Peak

802.11g CH1, ANT H(18GHz-25GHz)

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	18872.080	-22.65	62.14	39.49	74.00	34.51	Peak
2	19929.110	-21.86	61.83	39.98	74.00	34.02	Peak
3	20928.040	-19.79	59.85	40.06	74.00	33.94	Peak



A.7 Band Edge (Restricted band-edge)

Test Result


Note:

1. The lowest and highest channels are tested to verify the band edge emissions. Please refer to the following the plots for emissions values.
2. The test data all are tested in the vertical and horizontal antenna which the trace is max hold. So these plots have shown the worst case.
3. According the ANSI C63.10-2013, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement



Test Graphs:


11B-2412-H



Trace:

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	2390.000	33.98	13.25	47.24	74.00	26.76	Peak
2	2411.505	33.99	65.28	99.27	74.00	N/A	Peak


11B-2412-V



Trace:


No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	2386.680	33.98	14.53	48.51	74.00	25.49	Peak
2	2390.000	33.98	13.15	47.13	74.00	26.87	Peak
3	2410.530	33.99	68.85	102.84	74.00	N/A	Peak

11B-2462-H




No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	2462.506	34.20	69.90	104.09	74.00	N/A	Peak
2	2483.500	34.27	15.00	49.26	74.00	24.74	Peak

11B-2462-V



No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	2461.512	34.20	68.64	102.84	74.00	N/A	Peak
2	2483.500	34.27	15.07	49.34	74.00	24.66	Peak


11G-2412-H



Trace:

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	2389.995	33.98	27.41	61.40	74.00	12.60	Peak
2	2389.995	33.98	15.24	49.22	54.00	4.78	Average
3	2411.115	33.99	63.97	97.96	74.00	N/A	Peak


11G-2412-V



Trace:

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	2389.995	33.98	30.34	64.32	74.00	9.68	Peak
2	2389.995	33.98	17.71	51.69	54.00	2.31	Average
3	2410.560	33.99	64.69	98.68	74.00	N/A	Peak


11G-2462-H



Trace:

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	2460.337	34.20	62.73	96.93	74.00	N/A	Peak
2	2483.500	34.27	27.66	61.93	74.00	12.07	Peak
3	2483.500	34.27	14.47	48.74	54.00	5.26	Average


11G-2462-V



Trace:


No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	2460.762	34.20	64.03	98.23	74.00	N/A	Peak
2	2483.500	34.27	28.70	62.97	74.00	11.03	Peak
3	2483.500	34.27	14.66	48.93	54.00	5.07	Average

11N20-2412-H




No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	2389.995	33.98	28.13	62.11	74.00	11.89	Peak
2	2389.995	33.98	13.69	47.67	54.00	6.33	Average
3	2410.185	33.99	63.08	97.08	74.00	N/A	Peak

11N20-2412-V



No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	2389.995	33.98	28.14	62.12	74.00	11.88	Peak
2	2389.995	33.98	18.06	52.04	54.00	1.96	Average
3	2412.615	33.99	63.72	97.71	74.00	N/A	Peak


11N20-2462-H



Trace:

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	2467.163	34.20	64.06	98.26	74.00	N/A	Peak
2	2483.500	34.27	22.76	57.03	74.00	16.97	Peak
3	2483.500	34.27	13.24	47.51	54.00	6.49	Average


11N20-2462-V



Trace:

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	2460.731	34.20	62.30	96.50	74.00	N/A	Peak
2	2483.500	34.27	21.61	55.88	74.00	18.12	Peak
3	2483.500	34.27	10.62	44.89	54.00	9.11	Average


11N40-2422-H



Trace:

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	2389.995	33.98	29.08	63.06	74.00	10.94	Peak
2	2389.995	33.98	14.15	48.13	54.00	5.87	Average
3	2410.965	33.99	61.22	95.22	74.00	N/A	Peak


11N40-2422-V



Trace:

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	2389.995	33.98	29.10	63.09	74.00	10.91	Peak
2	2389.995	33.98	16.59	50.57	54.00	3.43	Average
3	2423.625	33.98	60.66	94.64	74.00	N/A	Peak


11N40-2452-H



Trace:

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	2454.595	34.20	59.10	93.30	74.00	N/A	Peak
2	2483.500	34.27	26.27	60.54	74.00	13.46	Peak
3	2483.500	34.27	12.98	47.25	54.00	6.75	Average

11N40-2452-V



Trace:

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	2455.300	34.20	58.66	92.86	74.00	N/A	Peak
2	2483.500	34.27	22.31	56.57	74.00	17.43	Peak
3	2483.500	34.27	11.66	45.93	54.00	8.07	Average



A.8 Power Spectral Density

Test Result:

TestMode	Antenna	Channel	Result[dBm/3-100kHz]	Limit[dBm/3kHz]	Verdict
11B	Ant1	2412	-3.53	<=8	PASS
		2437	-5.29	<=8	PASS
		2462	-5.38	<=8	PASS
11G	Ant1	2412	-7.42	<=8	PASS
		2437	-9.19	<=8	PASS
		2462	-9.45	<=8	PASS
11N20SISO	Ant1	2412	-8.04	<=8	PASS
		2437	-9.02	<=8	PASS
		2462	-9.15	<=8	PASS
11N40SISO	Ant1	2422	-8.86	<=8	PASS
		2437	-10.22	<=8	PASS
		2452	-10.33	<=8	PASS



Test Graphs




11B 2412



11B 2437




11B 2462




11G 2412




11G 2437




11G 2462




11N20 2412




11N20 2437




11N20 2462



11N40 2422



11N40 2437



11N40 2452



Annex B Test Setup Photograph

Please refer the document “RZBG(W)20220421002-2 RF Test Setup Photos”pdf

Annex C EUT Internal Photograph

Please refer the document “RZBG(W) 20220421002-3 EUT Internal Photos”pdf

Annex D EUT External Photograph

Please refer the document “RZBG(W) 20220421002-6 EUT External Photos”pdf



Annex E Revision History

Version	Issue Date	Revisions Content
Rev.01	Jun.23.2022	Initial Issue

END
