



# PHANTOM DESTROYER

RC ALL-TERRAIN VEHICLE

### BATTERY INSTALLATION

KEEP THIS PACKAGE FOR REFERENCE AS IT CONTAINS IMPORTANT INFORMATION

The truck requires 4 "AA" 1.5V batteries (not included). The controller requires one 9V battery (not included). When changing batteries, adult supervision is required. Use alkaline batteries for the best performance.

- Carefully remove items from the package.
- Locate the battery door on the bottom of the truck.
- Pull the latch on the door and lift up to access the battery compartment. Insert 4 "AA" batteries while observing the correct polarity (Fig.1).
- Reinsert the battery compartment door.
- Slide the battery door on the back of the controller down to open.
- Insert one 9V battery while observing the correct polarity (Fig.2).
- Reinsert the battery compartment door.
- Switch both the truck and controller power switches to the "ON" position.
- Adjust the steering alignment lever located on the bottom of the truck. (between front wheels) if the truck does not run straight when moving forward.

NOTE: For best operation, use the truck on a hard surface.

### SAFETY PRECAUTIONS

- Do not operate during thunderstorms or rain.
- Avoid water, sand and snow when operating your truck.
- Do not submerge truck or controller in water.
- Never operate your truck on the street or highway.
- Adult supervision is recommended when operating this truck.
- Remove all batteries when not in use to avoid accidental operation.
- Never operate your truck in a confined or crowded area, and do not use people or animals as obstacles.
- Do not run your truck into furniture, objects or hard surfaces, as this will cause damage to both the objects and the truck.
- Keep fingers, hair and loose clothing away from the tires, gears and motor while the truck is switched to "ON".
- Do not leave truck or controller near sources of heat or under direct sunlight for long periods of time.
- Do not leave truck or controller outside overnight. Dampness is harmful to interior components.

WARNING: Original or modified parts to this unit are expressly warned by the manufacturer for modification and use of such vehicles is limited to off-road use. Operation on public roads, sidewalks, parking lots, or other areas is prohibited. The manufacturer is not responsible for any damage or injury caused by the use of this product. The manufacturer is not responsible for any damage or injury caused by the use of this product. The manufacturer is not responsible for any damage or injury caused by the use of this product.

## PHANTOM DESTROYER

RC ALL-TERRAIN VEHICLE

### EXCITING OFF-ROAD RADIO CONTROLLED ACTION

- Rugged Roll Bar For Off-Road Action
- Knobby Tires For Rugged All-Terrain Performance
- Full Function Wireless Remote Control

## PHANTOM DESTROYER

RC ALL-TERRAIN VEHICLE

## PHANTOM DESTROYER

RC ALL-TERRAIN VEHICLE

### LONG-DISTANCE 2.4 GHz REMOTE CONTROL

LONG-DISTANCE 2.4 GHz REMOTE CONTROL

### LONG-DISTANCE 2.4 GHz REMOTE CONTROL

LONG-DISTANCE 2.4 GHz REMOTE CONTROL

## PHANTOM DESTROYER

RC ALL-TERRAIN VEHICLE

### WIRELESS RC ACTION!

**BATTERY OPERATED PLAY VEHICLE**

**AGES 6 AND UP**

**WARNING!**  
CHOKING HAZARD - Small parts. Not suitable for children under 3 years.

MUST BE OPERATED WITH REMOTE CONTROL

- Rugged Roll Bar For Off-Road Action
- Knobby Tires For Rugged All-Terrain Performance
- Full Function Wireless Remote Control

## PHANTOM DESTROYER

RC ALL-TERRAIN VEHICLE

### LONG-DISTANCE 2.4 GHz REMOTE CONTROL

LONG-DISTANCE 2.4 GHz REMOTE CONTROL

### LONG-DISTANCE 2.4 GHz REMOTE CONTROL

LONG-DISTANCE 2.4 GHz REMOTE CONTROL

Product Information	
Product Name	Phantom Destroyer
Manufacturer	Blue Hat Toys Company
Model Number	PHD-001
Country of Origin	China
Age Group	6 and up
Material	Plastic, Metal
Weight	1.2 lbs (0.54 kg)
Dimensions	10.5" x 7.5" x 4.5" (26.7cm x 19.0cm x 11.4cm)
Assembly Time	15-20 minutes
Warranty	1 Year
Customer Support	1-800-555-1234





# THUNDER THRASHER

RE ALL-TERRAIN VEHICLE

### BATTERY INSTALLATION

KEEP THIS PACKAGE FOR REFERENCE AS IT CONTAINS IMPORTANT INFORMATION

The truck requires 4 "AA" 1.5V batteries (not included). The controller requires one 9V battery (not included). When changing batteries, adult supervision is required. Use alkaline batteries for the best performance.

NOTE: For best operation, use the truck on a hard surface.

- Carefully remove items from the package.
- Locate the battery door on the bottom of the truck.
- Pull the latch on the door and lift up to access the battery compartment. Insert 4 "AA" batteries while observing the correct polarity (Fig.1).
- Replace the battery compartment door.
- Slide the battery door on the back of the controller down to open.
- Insert one 9V battery while observing the correct polarity (Fig.2).
- Replace the battery compartment door.
- Switch both the truck and controller power switches to the "ON" position.
- Adjust the steering alignment lever located on the bottom of the truck. (between front wheels) if the truck does not run straight when moving forward.

### SAFETY PRECAUTIONS

- Do not operate during thunderstorms or rain.
- Avoid water, sand and snow when operating your truck.
- Do not submerge truck or controller in water.
- Never operate your truck on the street or highway.
- Adult supervision is recommended when operating this truck.
- Remove all batteries when not in use to avoid accidental operation.
- Never operate your truck in a confined or crowded area, and do not use people or animals as obstacles.
- Do not run your truck into furniture, objects or hard surfaces, as this will cause damage to both the truck and the truck.
- Keep fingers, hair and loose clothing away from the tires, gears and motor while the truck is switched to "ON".
- Do not leave truck or controller near sources of heat or under direct sunlight for long periods of time.
- Do not leave truck or controller outside overnight. Dampness is harmful to interior components.

**WARNING:** Original or modified use of this and our products, exposed to the sun, may cause fire or explosion. Do not use in areas with flammable vapors or gases. Do not use in areas with explosive atmospheres. Do not use in areas with high humidity. Do not use in areas with high salt content. Do not use in areas with high sulfur content. Do not use in areas with high phosphorus content. Do not use in areas with high nitrogen content. Do not use in areas with high oxygen content. Do not use in areas with high carbon content. Do not use in areas with high hydrogen content. Do not use in areas with high silicon content. Do not use in areas with high boron content. Do not use in areas with high calcium content. Do not use in areas with high magnesium content. Do not use in areas with high sodium content. Do not use in areas with high potassium content. Do not use in areas with high aluminum content. Do not use in areas with high zinc content. Do not use in areas with high iron content. Do not use in areas with high copper content. Do not use in areas with high nickel content. Do not use in areas with high lead content. Do not use in areas with high tin content. Do not use in areas with high antimony content. Do not use in areas with high bismuth content. Do not use in areas with high molybdenum content. Do not use in areas with high selenium content. Do not use in areas with high tellurium content. Do not use in areas with high vanadium content. Do not use in areas with high chromium content. Do not use in areas with high manganese content. Do not use in areas with high cobalt content. Do not use in areas with high nickel content. Do not use in areas with high copper content. Do not use in areas with high zinc content. Do not use in areas with high iron content. Do not use in areas with high aluminum content. Do not use in areas with high silicon content. Do not use in areas with high boron content. Do not use in areas with high sodium content. Do not use in areas with high potassium content. Do not use in areas with high calcium content. Do not use in areas with high magnesium content. Do not use in areas with high phosphorus content. Do not use in areas with high sulfur content. Do not use in areas with high oxygen content. Do not use in areas with high nitrogen content. Do not use in areas with high carbon content. Do not use in areas with high hydrogen content. Do not use in areas with high chlorine content. Do not use in areas with high fluorine content. Do not use in areas with high bromine content. Do not use in areas with high iodine content. Do not use in areas with high uranium content. Do not use in areas with high plutonium content. Do not use in areas with high americium content. Do not use in areas with high neptunium content. Do not use in areas with high cerium content. Do not use in areas with high lanthanum content. Do not use in areas with high praseodymium content. Do not use in areas with high cerium content. Do not use in areas with high lanthanum content. Do not use in areas with high praseodymium content. Do not use in areas with high cerium content. Do not use in areas with high lanthanum content. Do not use in areas with high praseodymium content.

## THUNDER THRASHER

RE ALL-TERRAIN VEHICLE

### EXCITING OFF-ROAD RADIO CONTROLLED ACTION

- Exciting Off-Road Graphics
- Knobby Tires For Rugged All-Terrain Performance
- Full Function Wireless Remote Control

# THUNDER THRASHER

RE ALL-TERRAIN VEHICLE

### WIRELESS RC ACTION!

**BATTERY OPERATED PLAY VEHICLE**

**AGES 6 AND UP**

**WARNING!**  
CHOKING HAZARD - Small parts. Not suitable for children under 3 years.

## THUNDER THRASHER

RE ALL-TERRAIN VEHICLE

### EXCITING OFF-ROAD GRAPHICS

- Extreme Off-Road Graphics
- Knobby Tires for Rugged All-Terrain Performance
- Full Function Wireless Remote Control

## THUNDER THRASHER

RE ALL-TERRAIN VEHICLE

### MUST BE OPERATED CORRECTLY

Product Information		Product Line	
Product Name	Thunder Thrasher	Brand Name	Blue Hat
Manufacturer	Blue Hat Toys, LLC	Country of Origin	China
Model Number	TH-001	Year of Manufacture	2024
Part Number	TH-001-001	Weight	1.2 lbs (0.54 kg)
Dimensions	10.5" x 7.5" x 4.5"	Volume	0.35 cu ft
Material	Plastic, Metal	Color	Red, Black, Yellow
Country of Origin	China	Country of Assembly	China
Country of Distribution	USA	Country of Sale	USA