

SZEMC-TRF-01 Rev. A/1 Report No.: SZCR231100372202

> Page: 467 of 503

4.2 PSD-Band3

4.2.1 Test Result

Mada	TX	Frequency	Maxim	um PSD (dBm/5	00kHz)	Vardiet	
Mode	Туре	(MHz)	ANT1	ANT2	Limit	Verdict	
		5745	3.87	4.36	<=30	Pass	
802.11a	SISO	5785	4.67	5.03	<=30	Pass	
		5825	3.77	4.66	<=30	Pass	
000.44		5745	4.99	4.75	<=30	Pass	
802.11n (HT20)	SISO	5785	4.26	3.96	<=30	Pass	
(11120)		5825	3.45	3.86	<=30	Pass	
802.11n	SISO	5755	1.82	1.97	<=30	Pass	
(HT40)	3130	5795	1.65	1.92	<=30	Pass	
222.44		5745	3.26	3.58	<=30	Pass	
802.11ac (VHT20)	SISO	5785	2.84	2.80	<=30	Pass	
(11120)		5825	1.87	2.36	<=30	Pass	
802.11ac	SISO	5755	0.35	0.31	<=30	Pass	
(VHT40)	3130	5795	-0.75	-0.72	<=30	Pass	
802.11ac (VHT80)	SISO	5775	-1.94	-1.65	<=30	Pass	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com"



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR231100372202

Page: 468 of 503

4.2.2 Test Graph





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com"


No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR231100372202

Page: 469 of 503





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com"



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR231100372202

Page: 470 of 503





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@egs.com"



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR231100372202

Page: 471 of 503





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@egs.com"



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR231100372202

Page: 472 of 503





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@egs.com"

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR231100372202

Page: 473 of 503





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@egs.com"


No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR231100372202

Page: 474 of 503





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@egs.com"



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR231100372202

Page: 475 of 503





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@egs.com"



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR231100372202

Page: 476 of 503





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@egs.com"

No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


Member of the SGS Group (SGS SA)



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR231100372202

Page: 477 of 503





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@egs.com"



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR231100372202

Page: 478 of 503





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@egs.com"



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR231100372202

Page: 479 of 503





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@egs.com"


No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR231100372202

Page: 480 of 503





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com"



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR231100372202

Page: 481 of 503





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com"

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn


Member of the SGS Group (SGS SA)



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR231100372202

Page: 482 of 503





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com"



SZEMC-TRF-01 Rev. A/1 Report No.: SZCR231100372202

> Page: 483 of 503

5. Frequency Stability

5.1 Ant1

5.1.1 Test Result

				Ant1			
Mode	TX Type	Frequency (MHz)	Temperature (°C)	Voltage (VAC)	Measured Frequency (MHz)	Limit (MHz)	Verdict
				102	5180.060	5150 to 5250	Pass
			20	120	5180.080	5150 to 5250	Pass
				138	5180.040	5150 to 5250	Pass
			-30	120	5180.120	5150 to 5250	Pass
			-20	120	5180.040	5150 to 5250	Pass
		5180	-10	120	5180.060	5150 to 5250	Pass
			0	120	5180.000	5150 to 5250	Pass
			10	120	5180.000	5150 to 5250	Pass
			30	120	5180.080	5150 to 5250	Pass
			40	120	5180.100	5150 to 5250	Pass
			50	120	5179.960	5150 to 5250	Pass
				102	5200.060	5150 to 5250	Pass
			20	120	5200.080	5150 to 5250	Pass
				138	5200.020	5150 to 5250	Pass
802.11a	SISO		-30	120	5200.060	5150 to 5250	Pass
002.11a	3130	5200	-20	120	5200.040	5150 to 5250	Pass
			-10	120	5200.100	5150 to 5250	Pass
			0	120	5200.040	5150 to 5250	Pass
			10	120	5200.080	5150 to 5250	Pass
			30	120	5200.020	5150 to 5250	Pass
			40	120	5200.040	5150 to 5250	Pass
			50	120	5200.040	5150 to 5250	Pass
				102	5239.980	5150 to 5250	Pass
			20	120	5240.020	5150 to 5250	Pass
				138	5239.980	5150 to 5250	Pass
		5240	-30	120	5240.020	5150 to 5250	Pass
		3240	-20	120	5240.000	5150 to 5250	Pass
			-10	120	5240.040	5150 to 5250	Pass
			0	120	5240.020	5150 to 5250	Pass
			10	120	5240.020	5150 to 5250	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com"



SZEMC-TRF-01 Rev. A/1 Report No.: SZCR231100372202

> Page: 484 of 503

30	 					
102 5260.080 5250 to 5350 Pass		30	120	5240.020	5150 to 5250	Pass
102 5260.080 5250 to 5350 Pass		40	120	5240.040	5150 to 5250	Pass
120		50	120	5240.000	5150 to 5250	Pass
138			102	5260.080	5250 to 5350	Pass
120		20	120	5259.960	5250 to 5350	Pass
100 120 5260.040 5250 to 5350 Pass			138	5260.060	5250 to 5350	Pass
S260		-30	120	5260.020	5250 to 5350	Pass
0 120 5259,980 5250 to 5350 Pass 10 120 5260,020 5250 to 5350 Pass 30 120 5260,040 5250 to 5350 Pass 40 120 5260,020 5250 to 5350 Pass 50 120 5260,000 5250 to 5350 Pass 50 120 5300,020 5250 to 5350 Pass 20 120 5300,040 5250 to 5350 Pass 138 5300,060 5250 to 5350 Pass -30 120 5300,040 5250 to 5350 Pass -20 120 5300,040 5250 to 5350 Pass 0 120 5300,040 5250 to 5350 Pass -20 120 5300,060 5250 to 5350 Pass 0 120 5300,040 5250 to 5350 Pass 10 120 5300,060 5250 to 5350 Pass 10 120 5300,040 5250 to 5350 Pass 30 120 5300,040 5250 to 5350 Pass 30 120 5300,040 5250 to 5350 Pass 30 120 5300,040 5250 to 5350 Pass 40 120 5300,040 5250 to 5350 Pass 50 120 5300,040 5250 to 5350 Pass 40 120 5300,040 5250 to 5350 Pass 50 120 5300,040 5250 to 5350 Pass 50 120 5300,040 5250 to 5350 Pass 50 120 5320,040 5250 to 5350 Pass 138 5320,000 5250 to 5350 Pass 5320 -10 120 5320,040 5250 to 5350 Pass 5320 -10 520 5320,040 5250 to 5350 Pass 5320 -10 520 5320,040 5250 to 5350 Pass 5320 -10 520 5320,020 5250 to 5350 Pass 5320 -10 520 5320,020 5250 to 5350 Pass 5320 -10 520 5320,020 5250 to 5350 Pass 5320 50 5250 to 5350 Pass 5320 50 50 50 50 50 50 Pass 5320 50 50 50 50 50 Pass		-20	120	5260.040	5250 to 5350	Pass
10	5260	-10	120	5260.060	5250 to 5350	Pass
30		0	120	5259.980	5250 to 5350	Pass
10		10	120	5260.020	5250 to 5350	Pass
102 5300.020 5250 to 5350 Pass		30	120	5260.040	5250 to 5350	Pass
102		40	120	5260.020	5250 to 5350	Pass
120		50	120	5260.000	5250 to 5350	Pass
138			102	5300.020	5250 to 5350	Pass
-30		20	120	5300.040	5250 to 5350	Pass
120			138	5300.060	5250 to 5350	Pass
10		-30	120	5300.040	5250 to 5350	Pass
0 120 5300.040 5250 to 5350 Pass 10 120 5300.040 5250 to 5350 Pass 30 120 5300.040 5250 to 5350 Pass 40 120 5300.020 5250 to 5350 Pass 50 120 5300.000 5250 to 5350 Pass 20 120 5320.040 5250 to 5350 Pass 138 5320.040 5250 to 5350 Pass -30 120 5319.980 5250 to 5350 Pass -20 120 5320.040 5250 to 5350 Pass -20 120 5320.040 5250 to 5350 Pass 5320 -10 120 5320.040 5250 to 5350 Pass 0 120 5320.000 5250 to 5350 Pass 10 120 5320.000 5250 to 5350 Pass 30 120 5320.020 5250 to 5350 Pass 40 120 5320.020 5250 to 5350		-20	120	5300.060	5250 to 5350	Pass
10 120 5300.040 5250 to 5350 Pass 30 120 5300.040 5250 to 5350 Pass 40 120 5300.020 5250 to 5350 Pass 50 120 5300.000 5250 to 5350 Pass 50 120 5320.040 5250 to 5350 Pass 20 120 5320.040 5250 to 5350 Pass 138 5320.000 5250 to 5350 Pass -30 120 5319.980 5250 to 5350 Pass -20 120 5320.040 5250 to 5350 Pass -20 120 5320.040 5250 to 5350 Pass 5320 -10 120 5320.040 5250 to 5350 Pass 5320 -10 120 5320.000 5250 to 5350 Pass 10 120 5320.020 5250 to 5350 Pass 10 120 5320.020 5250 to 5350 Pass 50 120 5320.020 5250 to 5350 Pass	5300	-10	120	5300.060	5250 to 5350	Pass
30		0	120	5300.040	5250 to 5350	Pass
40 120 5300.020 5250 to 5350 Pass 50 120 5300.000 5250 to 5350 Pass 102 5320.040 5250 to 5350 Pass 20 120 5320.040 5250 to 5350 Pass 138 5320.000 5250 to 5350 Pass -30 120 5319.980 5250 to 5350 Pass -20 120 5320.040 5250 to 5350 Pass -20 120 5320.040 5250 to 5350 Pass 0 120 5320.000 5250 to 5350 Pass 10 120 5320.020 5250 to 5350 Pass 30 120 5320.020 5250 to 5350 Pass 40 120 5320.020 5250 to 5350 Pass 50 120 5320.020 5250 to 5350 Pass 50 120 5320.020 5250 to 5350 Pass 50 120 5320.020 5250 to 5350 Pass		10	120	5300.040	5250 to 5350	Pass
50 120 5300.000 5250 to 5350 Pass 20 102 5320.040 5250 to 5350 Pass 20 120 5320.040 5250 to 5350 Pass 138 5320.000 5250 to 5350 Pass -30 120 5319.980 5250 to 5350 Pass -20 120 5320.040 5250 to 5350 Pass -20 120 5320.040 5250 to 5350 Pass 0 120 5320.000 5250 to 5350 Pass 10 120 5320.020 5250 to 5350 Pass 30 120 5320.020 5250 to 5350 Pass 40 120 5320.020 5250 to 5350 Pass 50 120 5320.020 5250 to 5350 Pass 50 120 5320.020 5250 to 5350 Pass 50 120 5320.020 5250 to 5350 Pass 500 120 5320.020 5250 to 5350 Pass		30	120	5300.040	5250 to 5350	Pass
102 5320.040 5250 to 5350 Pass		40	120	5300.020	5250 to 5350	Pass
120		50	120	5300.000	5250 to 5350	Pass
138 5320.000 5250 to 5350 Pass -30 120 5319.980 5250 to 5350 Pass -20 120 5320.040 5250 to 5350 Pass -20 120 5320.000 5250 to 5350 Pass 0 120 5320.000 5250 to 5350 Pass 10 120 5320.020 5250 to 5350 Pass 30 120 5320.020 5250 to 5350 Pass 40 120 5320.020 5250 to 5350 Pass 50 120 5320.020 5250 to 5350 Pass 50 120 5320.020 5250 to 5350 Pass 102 5499.980 5470 to 5725 Pass 20 120 5500.060 5470 to 5725 Pass 138 5500.040 5470 to 5725 Pass			102	5320.040	5250 to 5350	Pass
-30		20	120	5320.040	5250 to 5350	Pass
-20 120 5320.040 5250 to 5350 Pass -10 120 5320.000 5250 to 5350 Pass 0 120 5320.020 5250 to 5350 Pass 10 120 5320.020 5250 to 5350 Pass 30 120 5320.020 5250 to 5350 Pass 40 120 5320.020 5250 to 5350 Pass 40 120 5320.060 5250 to 5350 Pass 50 120 5320.020 5250 to 5350 Pass 50 120 5320.020 5250 to 5350 Pass 20 120 5320.020 5250 to 5350 Pass 102 5499.980 5470 to 5725 Pass 103 5500.060 5470 to 5725 Pass			138	5320.000	5250 to 5350	Pass
5320 -10 120 5320.000 5250 to 5350 Pass 0 120 5320.020 5250 to 5350 Pass 10 120 5320.020 5250 to 5350 Pass 30 120 5320.020 5250 to 5350 Pass 40 120 5320.020 5250 to 5350 Pass 50 120 5320.020 5250 to 5350 Pass 102 5499.980 5470 to 5725 Pass 20 120 5500.060 5470 to 5725 Pass 138 5500.040 5470 to 5725 Pass		-30	120	5319.980	5250 to 5350	Pass
0 120 5320.020 5250 to 5350 Pass 10 120 5320.020 5250 to 5350 Pass 30 120 5320.020 5250 to 5350 Pass 40 120 5320.060 5250 to 5350 Pass 50 120 5320.020 5250 to 5350 Pass 102 5499.980 5470 to 5725 Pass 20 120 5500.060 5470 to 5725 Pass 138 5500.040 5470 to 5725 Pass		-20	120	5320.040	5250 to 5350	Pass
10 120 5320.020 5250 to 5350 Pass 30 120 5320.020 5250 to 5350 Pass 40 120 5320.060 5250 to 5350 Pass 50 120 5320.020 5250 to 5350 Pass 40 120 5320.020 5250 to 5350 Pass 40 120 5320.020 5250 to 5350 Pass 40 120 5499.980 5470 to 5725 Pass 40 120 5500.060 5470 to 5725 Pass 40 138 5500.040 5470 to 5725 Pass	5320	-10	120	5320.000	5250 to 5350	Pass
30 120 5320.020 5250 to 5350 Pass 40 120 5320.060 5250 to 5350 Pass 50 120 5320.020 5250 to 5350 Pass 102 5499.980 5470 to 5725 Pass 20 120 5500.060 5470 to 5725 Pass 138 5500.040 5470 to 5725 Pass		0	120	5320.020	5250 to 5350	Pass
40 120 5320.060 5250 to 5350 Pass 50 120 5320.020 5250 to 5350 Pass 102 5499.980 5470 to 5725 Pass 20 120 5500.060 5470 to 5725 Pass 138 5500.040 5470 to 5725 Pass		10	120	5320.020	5250 to 5350	Pass
50 120 5320.020 5250 to 5350 Pass 102 5499.980 5470 to 5725 Pass 20 120 5500.060 5470 to 5725 Pass 138 5500.040 5470 to 5725 Pass		30	120	5320.020	5250 to 5350	Pass
5500 20 102 5499.980 5470 to 5725 Pass 120 5500.060 5470 to 5725 Pass 138 5500.040 5470 to 5725 Pass		40	120	5320.060	5250 to 5350	Pass
5500 20 120 5500.060 5470 to 5725 Pass 138 5500.040 5470 to 5725 Pass		50	120	5320.020	5250 to 5350	Pass
5500 138 5500.040 5470 to 5725 Pass			102	5499.980	5470 to 5725	Pass
138 5500.040 5470 to 5725 Pass	FF00	20	120	5500.060	5470 to 5725	Pass
-30 120 5499.980 5470 to 5725 Pass	5500		138	5500.040	5470 to 5725	Pass
		-30	120	5499.980	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Part, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR231100372202

Page: 485 of 503

	-20	120	5500.060	5470 to 5725	Pass
	-10	120	5500.040	5470 to 5725	Pass
	0	120	5500.100	5470 to 5725	Pass
	10	120	5500.040	5470 to 5725	Pass
	30	120	5500.040	5470 to 5725	Pass
	40	120	5500.060	5470 to 5725	Pass
	50	120	5500.040	5470 to 5725	Pass
		102	5580.040	5470 to 5725	Pass
	20	120	5580.080	5470 to 5725	Pass
		138	5580.040	5470 to 5725	Pass
	-30	120	5580.120	5470 to 5725	Pass
	-20	120	5580.080	5470 to 5725	Pass
55	80 -10	120	5580.100	5470 to 5725	Pass
	0	120	5580.080	5470 to 5725	Pass
	10	120	5580.060	5470 to 5725	Pass
	30	120	5580.060	5470 to 5725	Pass
	40	120	5580.020	5470 to 5725	Pass
	50	120	5580.080	5470 to 5725	Pass
		102	5700.060	5470 to 5725	Pass
	20	120	5700.040	5470 to 5725	Pass
		138	5700.040	5470 to 5725	Pass
	-30	120	5700.040	5470 to 5725	Pass
	-20	120	5700.040	5470 to 5725	Pass
57	00 -10	120	5700.060	5470 to 5725	Pass
	0	120	5700.020	5470 to 5725	Pass
	10	120	5700.060	5470 to 5725	Pass
	30	120	5700.060	5470 to 5725	Pass
	40	120	5700.040	5470 to 5725	Pass
	50	120	5700.020	5470 to 5725	Pass
		102	5745.020	5725 to 5850	Pass
	20	120	5745.020	5725 to 5850	Pass
		138	5745.040	5725 to 5850	Pass
	-30	120	5745.040	5725 to 5850	Pass
	-20	120	5745.040	5725 to 5850	Pass
57	45 -10	120	5745.060	5725 to 5850	Pass
	0	120	5745.040	5725 to 5850	Pass
	10	120	5745.060	5725 to 5850	Pass
	30	120	5745.040	5725 to 5850	Pass
	40	120	5745.020	5725 to 5850	Pass
	50	120	5745.020	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com"



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR231100372202

Page: 486 of 503

102 5785.020 5725 to 5850 Pass								
138					102	5785.020	5725 to 5850	Pass
STATE STAT				20	120	5785.040	5725 to 5850	Pass
S785					138	5785.020	5725 to 5850	Pass
ST85				-30	120	5785.040	5725 to 5850	Pass
Name				-20	120	5785.040	5725 to 5850	Pass
10			5785	-10	120	5785.040	5725 to 5850	Pass
SISO				0	120	5785.040	5725 to 5850	Pass
March Marc				10	120	5785.020	5725 to 5850	Pass
Society				30	120	5785.000	5725 to 5850	Pass
102 5825.040 5725 to 5850 Pass				40	120	5785.020	5725 to 5850	Pass
SISO				50	120	5785.000	5725 to 5850	Pass
138					102	5825.040	5725 to 5850	Pass
Section				20	120	5825.060	5725 to 5850	Pass
Section Sect					138	5825.040	5725 to 5850	Pass
Siso				-30	120	5825.080	5725 to 5850	Pass
Name				-20	120	5825.060	5725 to 5850	Pass
10			5825	-10	120	5825.020	5725 to 5850	Pass
Name				0	120	5825.040	5725 to 5850	Pass
Name				10	120	5825.060	5725 to 5850	Pass
SISO				30	120	5825.020	5725 to 5850	Pass
802.11n (HT20) SISO 102 5180.060 5150 to 5250 Pass				40	120	5825.060	5725 to 5850	Pass
SISO				50	120	5825.040	5725 to 5850	Pass
Name					102	5180.060	5150 to 5250	Pass
SISO				20	120	5180.040	5150 to 5250	Pass
SISO					138	5180.040	5150 to 5250	Pass
SISO				-30	120	5180.020	5150 to 5250	Pass
802.11n (HT20) SISO 0 120 5180.040 5150 to 5250 Pass 10 120 5180.000 5150 to 5250 Pass 30 120 5180.020 5150 to 5250 Pass 50 120 5180.020 5150 to 5250 Pass 50 120 5180.040 5150 to 5250 Pass 102 5200.060 5150 to 5250 Pass 102 5200.020 5150 to 5250 Pass 138 5200.040 5150 to 5250 Pass 120 5200.040 5150 to 5250				-20	120	5180.040	5150 to 5250	Pass
802.11n (HT20) SISO 10 120 5180.000 5150 to 5250 Pass 30 120 5180.020 5150 to 5250 Pass 40 120 5180.020 5150 to 5250 Pass 50 120 5180.040 5150 to 5250 Pass 102 5200.060 5150 to 5250 Pass 20 120 5200.020 5150 to 5250 Pass 138 5200.040 5150 to 5250 Pass 5200 -30 120 5200.040 5150 to 5250 Pass -20 120 5200.000 5150 to 5250 Pass -20 120 5200.000 5150 to 5250 Pass -10 120 5200.000 5150 to 5250 Pass			5180	-10	120	5180.080	5150 to 5250	Pass
SISO				0	120	5180.040	5150 to 5250	Pass
(HT20) 40 120 5180.020 5150 to 5250 Pass 50 120 5180.040 5150 to 5250 Pass 102 5200.060 5150 to 5250 Pass 20 120 5200.020 5150 to 5250 Pass 138 5200.040 5150 to 5250 Pass 138 5200.040 5150 to 5250 Pass -20 120 5200.040 5150 to 5250 Pass -20 120 5200.000 5150 to 5250 Pass -20 120 5200.000 5150 to 5250 Pass -20 120 5200.000 5150 to 5250 Pass				10	120	5180.000	5150 to 5250	Pass
(H120)	802.11n	0100		30	120	5180.020	5150 to 5250	Pass
20 102 5200.060 5150 to 5250 Pass 120 5200.020 5150 to 5250 Pass 138 5200.040 5150 to 5250 Pass 5200 -30 120 5200.040 5150 to 5250 Pass -20 120 5200.000 5150 to 5250 Pass -10 120 5200.020 5150 to 5250 Pass		SISO		40	120	5180.020	5150 to 5250	Pass
20 120 5200.020 5150 to 5250 Pass 138 5200.040 5150 to 5250 Pass 5200 -30 120 5200.040 5150 to 5250 Pass -20 120 5200.000 5150 to 5250 Pass -10 120 5200.020 5150 to 5250 Pass				50	120	5180.040	5150 to 5250	Pass
138 5200.040 5150 to 5250 Pass 5200 -30 120 5200.040 5150 to 5250 Pass -20 120 5200.000 5150 to 5250 Pass -10 120 5200.020 5150 to 5250 Pass					102	5200.060	5150 to 5250	Pass
5200 -30 120 5200.040 5150 to 5250 Pass -20 120 5200.000 5150 to 5250 Pass -10 120 5200.020 5150 to 5250 Pass				20	120	5200.020	5150 to 5250	Pass
-20 120 5200.000 5150 to 5250 Pass -10 120 5200.020 5150 to 5250 Pass					138	5200.040	5150 to 5250	Pass
-10 120 5200.020 5150 to 5250 Pass			5200	-30	120	5200.040	5150 to 5250	Pass
-10 120 5200.020 5150 to 5250 Pass				-20	120		5150 to 5250	
				-10	120	5200.020	5150 to 5250	Pass
				0	120	5200.060	5150 to 5250	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Part, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn



SZEMC-TRF-01 Rev. A/1 Report No.: SZCR231100372202

> 487 of 503 Page:

			ı ago:		
	10	120	5199.980	5150 to 5250	Pass
	30	120	5199.960	5150 to 5250	Pass
	40	120	5200.040	5150 to 5250	Pass
	50	120	5200.040	5150 to 5250	Pass
		102	5240.020	5150 to 5250	Pass
	20	120	5240.040	5150 to 5250	Pass
		138	5240.020	5150 to 5250	Pass
	-30	120	5240.020	5150 to 5250	Pass
	-20	120	5240.000	5150 to 5250	Pass
5240	-10	120	5240.020	5150 to 5250	Pass
	0	120	5240.020	5150 to 5250	Pass
	10	120	5240.040	5150 to 5250	Pass
	30	120	5240.000	5150 to 5250	Pass
	40	120	5240.000	5150 to 5250	Pass
	50	120	5240.040	5150 to 5250	Pass
		102	5260.000	5250 to 5350	Pass
	20	120	5260.000	5250 to 5350	Pass
		138	5259.960	5250 to 5350	Pass
	-30	120	5260.040	5250 to 5350	Pass
	-20	120	5259.980	5250 to 5350	Pass
5260	-10	120	5260.000	5250 to 5350	Pass
	0	120	5260.020	5250 to 5350	Pass
	10	120	5260.020	5250 to 5350	Pass
	30	120	5260.040	5250 to 5350	Pass
	40	120	5260.020	5250 to 5350	Pass
	50	120	5259.980	5250 to 5350	Pass
		102	5299.980	5250 to 5350	Pass
	20	120	5300.020	5250 to 5350	Pass
		138	5300.000	5250 to 5350	Pass
	-30	120	5299.960	5250 to 5350	Pass
	-20	120	5300.040	5250 to 5350	Pass
5300	-10	120	5300.020	5250 to 5350	Pass
	0	120	5299.960	5250 to 5350	Pass
	10	120	5300.020	5250 to 5350	Pass
	30	120	5300.020	5250 to 5350	Pass
	40	120	5300.000	5250 to 5350	Pass
	50	120	5299.960	5250 to 5350	Pass
		102	5319.960	5250 to 5350	Pass
5320	20	120	5320.020	5250 to 5350	Pass
		138	5320.020	5250 to 5350	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com"



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR231100372202

Page: 488 of 503

i i l		-30	120	5320.020	5250 to 5350	Pass
		-20	120	5320.060	5250 to 5350	Pass
		-10	120	5320.020	5250 to 5350	Pass
		0	120	5319.980	5250 to 5350	Pass
		10	120	5319.980	5250 to 5350	Pass
		30	120	5320.000	5250 to 5350	Pass
		40	120	5319.980	5250 to 5350	Pass
		50	120	5319.960	5250 to 5350	Pass
			102	5500.040	5470 to 5725	Pass
		20	120	5500.020	5470 to 5725	Pass
			138	5500.040	5470 to 5725	Pass
		-30	120	5500.060	5470 to 5725	Pass
		-20	120	5500.060	5470 to 5725	Pass
5	5500	-10	120	5500.000	5470 to 5725	Pass
		0	120	5500.040	5470 to 5725	Pass
		10	120	5500.040	5470 to 5725	Pass
		30	120	5500.060	5470 to 5725	Pass
		40	120	5500.040	5470 to 5725	Pass
		50	120	5500.020	5470 to 5725	Pass
			102	5580.100	5470 to 5725	Pass
		20	120	5580.080	5470 to 5725	Pass
			138	5580.060	5470 to 5725	Pass
		-30	120	5580.060	5470 to 5725	Pass
		-20	120	5580.040	5470 to 5725	Pass
5	5580	-10	120	5580.000	5470 to 5725	Pass
		0	120	5579.980	5470 to 5725	Pass
		10	120	5580.020	5470 to 5725	Pass
		30	120	5580.040	5470 to 5725	Pass
		40	120	5580.020	5470 to 5725	Pass
		50	120	5580.040	5470 to 5725	Pass
			102	5700.000	5470 to 5725	Pass
		20	120	5700.020	5470 to 5725	Pass
			138	5700.040	5470 to 5725	Pass
		-30	120	5700.020	5470 to 5725	Pass
	-700	-20	120	5700.000	5470 to 5725	Pass
5	5700	-10	120	5700.020	5470 to 5725	Pass
		0	120	5700.000	5470 to 5725	Pass
		10	120	5700.040	5470 to 5725	Pass
]]						
		30	120	5700.020	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Part, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn



SZEMC-TRF-01 Rev. A/1 Report No.: SZCR231100372202

> Page: 489 of 503

			50	120	5700.040	5470 to 5725	Pass
				102	5745.080	5725 to 5850	Pass
			20	120	5745.020	5725 to 5850	Pass
				138	5745.000	5725 to 5850	Pass
			-30	120	5745.040	5725 to 5850	Pass
			-20	120	5745.000	5725 to 5850	Pass
		5745	-10	120	5745.080	5725 to 5850	Pass
			0	120	5745.040	5725 to 5850	Pass
			10	120	5745.020	5725 to 5850	Pass
			30	120	5745.060	5725 to 5850	Pass
			40	120	5745.040	5725 to 5850	Pass
			50	120	5745.020	5725 to 5850	Pass
	-			102	5785.020	5725 to 5850	Pass
			20	120	5784.980	5725 to 5850	Pass
				138	5785.040	5725 to 5850	Pass
			-30	120	5784.980	5725 to 5850	Pass
			-20	120	5785.000	5725 to 5850	Pass
		5785	-10	120	5785.040	5725 to 5850	Pass
			0	120	5785.000	5725 to 5850	Pass
			10	120	5785.020	5725 to 5850	Pass
			30	120	5784.980	5725 to 5850	Pass
			40	120	5785.020	5725 to 5850	Pass
			50	120	5785.020	5725 to 5850	Pass
				102	5825.020	5725 to 5850	Pass
			20	120	5825.020	5725 to 5850	Pass
				138	5825.020	5725 to 5850	Pass
			-30	120	5825.020	5725 to 5850	Pass
			-20	120	5824.960	5725 to 5850	Pass
		5825	-10	120	5825.060	5725 to 5850	Pass
			0	120	5825.000	5725 to 5850	Pass
			10	120	5825.020	5725 to 5850	Pass
			30	120	5825.040	5725 to 5850	Pass
			40	120	5825.020	5725 to 5850	Pass
			50	120	5825.040	5725 to 5850	Pass
				102	5190.080	5150 to 5250	Pass
			20	120	5190.040	5150 to 5250	Pass
802.11n				138	5190.120	5150 to 5250	Pass
(HT40)	SISO	5190	-30	120	5190.080	5150 to 5250	Pass
()			-20	120	5190.120	5150 to 5250	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Part, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn



SZEMC-TRF-01 Rev. A/1 Report No.: SZCR231100372202

> Page: 490 of 503

	0	120	5190.080	5150 to 5250	Pass
	10	120	5190.160	5150 to 5250	Pass
	30	120	5190.040	5150 to 5250	Pass
	40	120	5190.040	5150 to 5250	Pass
	50	120	5190.080	5150 to 5250	Pass
		102	5230.040	5150 to 5250	Pass
	20	120	5230.080	5150 to 5250	Pass
		138	5230.080	5150 to 5250	Pass
	-30	120	5230.120	5150 to 5250	Pass
	-20	120	5230.000	5150 to 5250	Pass
5230	-10	120	5230.040	5150 to 5250	Pass
	0	120	5230.040	5150 to 5250	Pass
	10	120	5230.120	5150 to 5250	Pass
	30	120	5230.040	5150 to 5250	Pass
	40	120	5230.120	5150 to 5250	Pass
	50	120	5230.000	5150 to 5250	Pass
		102	5270.080	5250 to 5350	Pass
	20	120	5270.040	5250 to 5350	Pass
		138	5270.120	5250 to 5350	Pass
	-30	120	5270.040	5250 to 5350	Pass
	-20	120	5270.080	5250 to 5350	Pass
5270	-10	120	5270.040	5250 to 5350	Pass
	0	120	5270.000	5250 to 5350	Pass
	10	120	5270.040	5250 to 5350	Pass
	30	120	5270.000	5250 to 5350	Pass
	40	120	5270.080	5250 to 5350	Pass
	50	120	5270.040	5250 to 5350	Pass
		102	5310.040	5250 to 5350	Pass
	20	120	5310.000	5250 to 5350	Pass
		138	5310.080	5250 to 5350	Pass
	-30	120	5310.040	5250 to 5350	Pass
	-20	120	5310.080	5250 to 5350	Pass
5310	-10	120	5310.080	5250 to 5350	Pass
	0	120	5310.040	5250 to 5350	Pass
	10	120	5310.000	5250 to 5350	Pass
	30	120	5310.080	5250 to 5350	Pass
	40	120	5310.000	5250 to 5350	Pass
	50	120	5310.040	5250 to 5350	Pass
5540	00	102	5510.120	5470 to 5725	Pass
5510	20	120	5510.040	5470 to 5725	Pass
 •			•		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com"



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR231100372202

Page: 491 of 503

			•		
		138	5510.080	5470 to 5725	Pass
	-30	120	5510.080	5470 to 5725	Pass
	-20	120	5510.080	5470 to 5725	Pass
	-10	120	5510.120	5470 to 5725	Pass
	0	120	5510.040	5470 to 5725	Pass
	10	120	5510.040	5470 to 5725	Pass
	30	120	5510.080	5470 to 5725	Pass
	40	120	5510.040	5470 to 5725	Pass
	50	120	5510.080	5470 to 5725	Pass
		102	5550.080	5470 to 5725	Pass
	20	120	5550.080	5470 to 5725	Pass
		138	5550.120	5470 to 5725	Pass
	-30	120	5550.120	5470 to 5725	Pass
	-20	120	5550.160	5470 to 5725	Pass
5550	-10	120	5550.080	5470 to 5725	Pass
	0	120	5550.160	5470 to 5725	Pass
	10	120	5550.080	5470 to 5725	Pass
	30	120	5550.120	5470 to 5725	Pass
	40	120	5550.120	5470 to 5725	Pass
	50	120	5550.040	5470 to 5725	Pass
		102	5669.960	5470 to 5725	Pass
	20	120	5670.080	5470 to 5725	Pass
		138	5670.080	5470 to 5725	Pass
	-30	120	5670.040	5470 to 5725	Pass
	-20	120	5670.040	5470 to 5725	Pass
5670	-10	120	5670.040	5470 to 5725	Pass
	0	120	5670.040	5470 to 5725	Pass
	10	120	5670.040	5470 to 5725	Pass
	30	120	5670.040	5470 to 5725	Pass
	40	120	5670.080	5470 to 5725	Pass
	50	120	5670.040	5470 to 5725	Pass
		102	5755.120	5725 to 5850	Pass
	20	120	5755.000	5725 to 5850	Pass
		138	5755.080	5725 to 5850	Pass
	-30	120	5755.040	5725 to 5850	Pass
5755	-20	120	5754.960	5725 to 5850	Pass
	-10	120	5755.080	5725 to 5850	Pass
	0	120	5755.080	5725 to 5850	Pass
	10	120	5755.040	5725 to 5850	Pass
	. •				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Part, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR231100372202

Page: 492 of 503

			40	120	5755.000	5725 to 5850	Pass
			50	120	5755.040	5725 to 5850	Pass
				102	5795.000	5725 to 5850	Pass
			20	120	5794.960	5725 to 5850	Pass
			138	5795.000	5725 to 5850	Pass	
			-30	120	5795.040	5725 to 5850	Pass
			-20	120	5795.000	5725 to 5850	Pass
		5795	-10	120	5795.000	5725 to 5850	Pass
			0	120	5795.040	5725 to 5850	Pass
			10	120	5795.080	5725 to 5850	Pass
			30	120	5795.040	5725 to 5850	Pass
			40	120	5795.040	5725 to 5850	Pass
			50	120	5795.120	5725 to 5850	Pass
				102	5180.020	5150 to 5250	Pass
			20	120	5180.000	5150 to 5250	Pass
				138	5180.060	5150 to 5250	Pass
			-30	120	5180.000	5150 to 5250	Pass
			-20	120	5180.040	5150 to 5250	Pass
		5180	-10	120	5180.040	5150 to 5250	Pass
			0	120	5180.060	5150 to 5250	Pass
			10	120	5180.080	5150 to 5250	Pass
			30	120	5180.060	5150 to 5250	Pass
			40	120	5180.080	5150 to 5250	Pass
			50	120	5180.040	5150 to 5250	Pass
				102	5200.040	5150 to 5250	Pass
000 44			20	120	5200.040	5150 to 5250	Pass
802.11ac (VHT20)	SISO			138	5199.980	5150 to 5250	Pass
(111120)			-30	120	5200.040	5150 to 5250	Pass
			-20	120	5200.020	5150 to 5250	Pass
		5200	-10	120	5200.000	5150 to 5250	Pass
			0	120	5200.020	5150 to 5250	Pass
			10	120	5200.040	5150 to 5250	Pass
			30	120	5200.040	5150 to 5250	Pass
			40	120	5200.060	5150 to 5250	Pass
			50	120	5200.000	5150 to 5250	Pass
				102	5240.000	5150 to 5250	Pass
			20	120	5240.080	5150 to 5250	Pass
		5240		138	5240.020	5150 to 5250	Pass
			-30	120	5240.020	5150 to 5250	Pass
			-20	120	5239.980	5150 to 5250	Pass
-			•	•		•	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com"



SZEMC-TRF-01 Rev. A/1 Report No.: SZCR231100372202

> Page: 493 of 503

-10							
10			-10	120	5239.980	5150 to 5250	Pass
30			0	120	5239.980	5150 to 5250	Pass
40			10	120	5240.060	5150 to 5250	Pass
102 5260.020 5250 to 5350 Pass			30	120	5240.000	5150 to 5250	Pass
102 5260.000 5250 to 5350 Pass			40	120	5240.040	5150 to 5250	Pass
120			50	120	5240.040	5150 to 5250	Pass
138				102	5260.000	5250 to 5350	Pass
-30			20	120	5260.020	5250 to 5350	Pass
120				138	5260.000	5250 to 5350	Pass
5260 -10 120 5260.040 5250 to 5350 Pass 0 120 5260.020 5250 to 5350 Pass 10 120 5260.020 5250 to 5350 Pass 30 120 5260.020 5250 to 5350 Pass 40 120 5260.020 5250 to 5350 Pass 50 120 5260.020 5250 to 5350 Pass 20 120 5299.980 5250 to 5350 Pass 138 5300.000 5250 to 5350 Pass -30 120 5300.020 5250 to 5350 Pass 5300 -10 120 5299.980 5250 to 5350 Pass 10 120 5300.020 5250 to 5350 Pass 30 120 5300.000			-30	120	5260.000	5250 to 5350	Pass
0 120 5260.020 5250 to 5350 Pass 10 120 5260.020 5250 to 5350 Pass 30 120 5260.020 5250 to 5350 Pass 40 120 5260.020 5250 to 5350 Pass 50 120 5260.020 5250 to 5350 Pass 102 5300.040 5250 to 5350 Pass 20 120 5299.980 5250 to 5350 Pass 138 5300.000 5250 to 5350 Pass -30 120 5300.020 5250 to 5350 Pass -20 120 5300.020 5250 to 5350 Pass -30 120 5300.020 5250 to 5350 Pass -30 120 5300.020 5250 to 5350 Pass -30 120 5300.020 5250 to 5350 Pass 30 120 5300.020 5250 to 5350 Pass 30 120 5300.040 5250 to 5350 Pass			-20	120	5259.980	5250 to 5350	Pass
10		5260	-10	120	5260.040	5250 to 5350	Pass
30			0	120	5260.020	5250 to 5350	Pass
40			10	120	5260.020	5250 to 5350	Pass
50 120 5260.020 5250 to 5350 Pass 20 102 5300.040 5250 to 5350 Pass 20 120 5299.980 5250 to 5350 Pass 138 5300.000 5250 to 5350 Pass -30 120 5300.020 5250 to 5350 Pass -20 120 5300.080 5250 to 5350 Pass 5300 -10 120 5299.980 5250 to 5350 Pass 0 120 5300.020 5250 to 5350 Pass 10 120 5300.020 5250 to 5350 Pass 30 120 5300.020 5250 to 5350 Pass 40 120 5300.000 5250 to 5350 Pass 50 120 5300.000 5250 to 5350 Pass 20 120 5300.000 5250 to 5350 Pass 20 120 5319.980 5250 to 5350 Pass 30 120 5319.980 5250 to 5350			30	120	5260.020	5250 to 5350	Pass
102			40	120	5260.020	5250 to 5350	Pass
120			50	120	5260.020	5250 to 5350	Pass
138				102	5300.040	5250 to 5350	Pass
-30			20	120	5299.980	5250 to 5350	Pass
5300 120 5300.080 5250 to 5350 Pass 0 120 5299.980 5250 to 5350 Pass 0 120 5300.020 5250 to 5350 Pass 10 120 5299.980 5250 to 5350 Pass 30 120 5300.040 5250 to 5350 Pass 40 120 5300.000 5250 to 5350 Pass 50 120 5300.000 5250 to 5350 Pass 20 120 5300.000 5250 to 5350 Pass 20 120 5320.020 5250 to 5350 Pass 30 120 5319.980 5250 to 5350 Pass -30 120 5319.980 5250 to 5350 Pass -20 120 5319.980 5250 to 5350 Pass 5320 -10 120 5319.980 5250 to 5350 Pass 5320 -10 120 5319.980 5250 to 5350 Pass 10 120 53				138	5300.000	5250 to 5350	Pass
5300 -10 120 5299.980 5250 to 5350 Pass 0 120 5300.020 5250 to 5350 Pass 10 120 5299.980 5250 to 5350 Pass 30 120 5300.040 5250 to 5350 Pass 40 120 5300.000 5250 to 5350 Pass 50 120 5300.000 5250 to 5350 Pass 20 120 5319.980 5250 to 5350 Pass 138 5320.020 5250 to 5350 Pass -30 120 5319.980 5250 to 5350 Pass -20 120 5319.980 5250 to 5350 Pass 5320 -10 120 5319.980 5250 to 5350 Pass			-30	120	5300.020	5250 to 5350	Pass
0 120 5300.020 5250 to 5350 Pass 10 120 5299.980 5250 to 5350 Pass 30 120 5300.040 5250 to 5350 Pass 40 120 5300.000 5250 to 5350 Pass 50 120 5300.000 5250 to 5350 Pass 20 120 5319.980 5250 to 5350 Pass 20 120 5320.020 5250 to 5350 Pass -30 120 5319.980 5250 to 5350 Pass -20 120 5319.980 5250 to 5350 Pass 5320 -10 120 5319.980 5250 to 5350 Pass 0 120 5319.980 5250 to 5350 Pass 10 120 5319.980 5250 to 5350 Pass 30 120 5320.040 5250 to 5350 Pass 40 120 5319.960 5250 to 5350 Pass 50 120 5319.960 5			-20	120	5300.080	5250 to 5350	Pass
10 120 5299.980 5250 to 5350 Pass 30 120 5300.040 5250 to 5350 Pass 40 120 5300.000 5250 to 5350 Pass 50 120 5300.000 5250 to 5350 Pass 50 120 5319.980 5250 to 5350 Pass 20 120 5320.020 5250 to 5350 Pass -30 120 5319.980 5250 to 5350 Pass -20 120 5319.980 5250 to 5350 Pass -20 120 5319.980 5250 to 5350 Pass 5320 -10 120 5319.980 5250 to 5350 Pass 0 120 5319.980 5250 to 5350 Pass 10 120 5319.980 5250 to 5350 Pass 10 120 5319.980 5250 to 5350 Pass 10 120 5319.980 5250 to 5350 Pass 30 120 5320.040 5250 to 5350 Pass 40 120 5319.960 5250 to 5350 Pass 50 120 5319.960 5250 to 5350 Pass		5300	-10	120	5299.980	5250 to 5350	Pass
30 120 5300.040 5250 to 5350 Pass 40 120 5300.000 5250 to 5350 Pass 50 120 5300.000 5250 to 5350 Pass 102 5319.980 5250 to 5350 Pass 20 120 5320.020 5250 to 5350 Pass -30 120 5319.980 5250 to 5350 Pass -20 120 5319.980 5250 to 5350 Pass -20 120 5319.980 5250 to 5350 Pass 0 120 5319.980 5250 to 5350 Pass 10 120 5319.980 5250 to 5350 Pass 30 120 5320.040 5250 to 5350 Pass 30 120 5320.000 5250 to 5350 Pass 40 120 5319.960 5250 to 5350 Pass 50 120 5319.960 5250 to 5350 Pass			0	120	5300.020	5250 to 5350	Pass
40 120 5300.000 5250 to 5350 Pass 50 120 5300.000 5250 to 5350 Pass 20 102 5319.980 5250 to 5350 Pass 138 5320.020 5250 to 5350 Pass -30 120 5319.980 5250 to 5350 Pass -20 120 5319.980 5250 to 5350 Pass -20 120 5319.980 5250 to 5350 Pass 0 120 5319.980 5250 to 5350 Pass 10 120 5319.980 5250 to 5350 Pass 10 120 5320.040 5250 to 5350 Pass 30 120 5320.000 5250 to 5350 Pass 40 120 5319.960 5250 to 5350 Pass 50 120 5319.960 5250 to 5350 Pass			10	120	5299.980	5250 to 5350	Pass
50 120 5300.000 5250 to 5350 Pass 102 5319.980 5250 to 5350 Pass 20 120 5320.020 5250 to 5350 Pass 138 5320.000 5250 to 5350 Pass -30 120 5319.980 5250 to 5350 Pass -20 120 5319.980 5250 to 5350 Pass 0 120 5319.980 5250 to 5350 Pass 10 120 5319.980 5250 to 5350 Pass 10 120 5319.980 5250 to 5350 Pass 30 120 5320.040 5250 to 5350 Pass 40 120 5319.960 5250 to 5350 Pass 50 120 5319.960 5250 to 5350 Pass			30	120	5300.040	5250 to 5350	Pass
102 5319.980 5250 to 5350 Pass			40	120	5300.000	5250 to 5350	Pass
120			50	120	5300.000	5250 to 5350	Pass
138 5320.000 5250 to 5350 Pass -30 120 5319.980 5250 to 5350 Pass -20 120 5319.980 5250 to 5350 Pass 5320 -10 120 5319.980 5250 to 5350 Pass 0 120 5319.980 5250 to 5350 Pass 10 120 5320.040 5250 to 5350 Pass 30 120 5320.000 5250 to 5350 Pass 40 120 5319.960 5250 to 5350 Pass 50 120 5319.960 5250 to 5350 Pass				102	5319.980	5250 to 5350	Pass
-30 120 5319.980 5250 to 5350 Pass -20 120 5319.980 5250 to 5350 Pass -10 120 5319.980 5250 to 5350 Pass 0 120 5319.980 5250 to 5350 Pass 10 120 5320.040 5250 to 5350 Pass 30 120 5320.040 5250 to 5350 Pass 40 120 5319.960 5250 to 5350 Pass 50 120 5319.960 5250 to 5350 Pass			20	120	5320.020	5250 to 5350	Pass
5320 120 5319.980 5250 to 5350 Pass 0 120 5319.980 5250 to 5350 Pass 0 120 5319.980 5250 to 5350 Pass 10 120 5320.040 5250 to 5350 Pass 30 120 5320.000 5250 to 5350 Pass 40 120 5319.960 5250 to 5350 Pass 50 120 5319.960 5250 to 5350 Pass				138	5320.000	5250 to 5350	Pass
5320 -10 120 5319.980 5250 to 5350 Pass 0 120 5319.980 5250 to 5350 Pass 10 120 5320.040 5250 to 5350 Pass 30 120 5320.000 5250 to 5350 Pass 40 120 5319.960 5250 to 5350 Pass 50 120 5319.960 5250 to 5350 Pass			-30	120	5319.980	5250 to 5350	Pass
0 120 5319.980 5250 to 5350 Pass 10 120 5320.040 5250 to 5350 Pass 30 120 5320.000 5250 to 5350 Pass 40 120 5319.960 5250 to 5350 Pass 50 120 5319.960 5250 to 5350 Pass			-20	120	5319.980	5250 to 5350	Pass
10 120 5320.040 5250 to 5350 Pass 30 120 5320.000 5250 to 5350 Pass 40 120 5319.960 5250 to 5350 Pass 50 120 5319.960 5250 to 5350 Pass		5320	-10	120	5319.980	5250 to 5350	Pass
30 120 5320.000 5250 to 5350 Pass 40 120 5319.960 5250 to 5350 Pass 50 120 5319.960 5250 to 5350 Pass			0	120	5319.980	5250 to 5350	Pass
40 120 5319.960 5250 to 5350 Pass 50 120 5319.960 5250 to 5350 Pass			10	120	5320.040	5250 to 5350	Pass
50 120 5319.960 5250 to 5350 Pass			30	120	5320.000	5250 to 5350	Pass
			40	120	5319.960	5250 to 5350	Pass
5500 20 102 5500.040 5470 to 5725 Pass			50	120	5319.960	5250 to 5350	Pass
		5500	20	102	5500.040	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Part, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR231100372202

Page: 494 of 503

120	 					
-30			120	5500.060	5470 to 5725	Pass
-20			138	5500.060	5470 to 5725	Pass
-10		-30	120	5500.040	5470 to 5725	Pass
120		-20	120	5500.020	5470 to 5725	Pass
10		-10	120	5500.020	5470 to 5725	Pass
30		0	120	5500.060	5470 to 5725	Pass
Mathematical Horizon		10	120	5500.020	5470 to 5725	Pass
102 5500.000 5470 to 5725 Pass		30	120	5500.060	5470 to 5725	Pass
102 5580.020 5470 to 5725 Pass		40	120	5500.020	5470 to 5725	Pass
120 5580.020 5470 to 5725 Pass		50	120	5500.000	5470 to 5725	Pass
138			102	5580.020	5470 to 5725	Pass
120 5579,980 5470 to 5725 Pass		20	120	5580.020	5470 to 5725	Pass
-20 120 5580.000 5470 to 5725 Pass -10 120 5580.020 5470 to 5725 Pass 0 120 5580.020 5470 to 5725 Pass 10 120 5580.040 5470 to 5725 Pass 30 120 5579.980 5470 to 5725 Pass 40 120 5580.020 5470 to 5725 Pass 50 120 5580.020 5470 to 5725 Pass 50 120 5580.060 5470 to 5725 Pass 20 120 5699.980 5470 to 5725 Pass 30 120 5699.980 5470 to 5725 Pass -30 120 5700.000 5470 to 5725 Pass -20 120 5699.980 5470 to 5725 Pass 5700 -10 120 5699.980 5470 to 5725 Pass 10 120 5700.020 5470 to 5725 Pass 30 120 5700.020 <t< td=""><td></td><td></td><td>138</td><td>5580.000</td><td>5470 to 5725</td><td>Pass</td></t<>			138	5580.000	5470 to 5725	Pass
5580 -10 120 5580.020 5470 to 5725 Pass 0 120 5580.040 5470 to 5725 Pass 10 120 5580.000 5470 to 5725 Pass 30 120 5579.980 5470 to 5725 Pass 40 120 5580.020 5470 to 5725 Pass 50 120 5580.060 5470 to 5725 Pass 50 120 5580.060 5470 to 5725 Pass 20 120 5699.980 5470 to 5725 Pass 138 5700.000 5470 to 5725 Pass -30 120 5700.000 5470 to 5725 Pass -30 120 5700.000 5470 to 5725 Pass -20 120 5699.980 5470 to 5725 Pass 5700 -10 120 5699.980 5470 to 5725 Pass 10 120 5700.020 5470 to 5725 Pass 30 120 5700.020		-30	120	5579.980	5470 to 5725	Pass
0 120 5580.040 5470 to 5725 Pass 10 120 5580.000 5470 to 5725 Pass 30 120 5579.980 5470 to 5725 Pass 40 120 5580.020 5470 to 5725 Pass 50 120 5580.060 5470 to 5725 Pass 102 5699.980 5470 to 5725 Pass 20 120 5700.000 5470 to 5725 Pass -30 120 5700.000 5470 to 5725 Pass -30 120 5700.000 5470 to 5725 Pass -30 120 5700.000 5470 to 5725 Pass -20 120 5699.980 5470 to 5725 Pass 5700 -10 120 5699.980 5470 to 5725 Pass 10 120 5700.020 5470 to 5725 Pass 30 120 5700.020 5470 to 5725 Pass 40 120 5699.980 5470 to 5725		-20	120	5580.000	5470 to 5725	Pass
10	5580	-10	120	5580.020	5470 to 5725	Pass
30		0	120	5580.040	5470 to 5725	Pass
Heat		10	120	5580.000	5470 to 5725	Pass
50		30	120	5579.980	5470 to 5725	Pass
102 5699.980 5470 to 5725 Pass		40	120	5580.020	5470 to 5725	Pass
120 5700.000 5470 to 5725 Pass		50	120	5580.060	5470 to 5725	Pass
138 5700.040 5470 to 5725 Pass			102	5699.980	5470 to 5725	Pass
-30		20	120	5700.000	5470 to 5725	Pass
5700 120 5699.960 5470 to 5725 Pass -10 120 5699.980 5470 to 5725 Pass 0 120 5700.020 5470 to 5725 Pass 10 120 5700.020 5470 to 5725 Pass 30 120 5700.020 5470 to 5725 Pass 40 120 5699.980 5470 to 5725 Pass 50 120 5700.000 5470 to 5725 Pass 102 5745.020 5725 to 5850 Pass 20 120 5745.060 5725 to 5850 Pass 138 5745.060 5725 to 5850 Pass -30 120 5745.060 5725 to 5850 Pass -20 120 5744.960 5725 to 5850 Pass -10 120 5744.980 5725 to 5850 Pass 0 120 5744.980 5725 to 5850 Pass			138	5700.040	5470 to 5725	Pass
5700 -10 120 5699.980 5470 to 5725 Pass 0 120 5700.020 5470 to 5725 Pass 10 120 5700.020 5470 to 5725 Pass 30 120 5700.020 5470 to 5725 Pass 40 120 5699.980 5470 to 5725 Pass 50 120 5700.000 5470 to 5725 Pass 102 5745.020 5725 to 5850 Pass 20 120 5745.060 5725 to 5850 Pass 138 5745.060 5725 to 5850 Pass -30 120 5745.060 5725 to 5850 Pass -20 120 5744.960 5725 to 5850 Pass -10 120 5744.980 5725 to 5850 Pass 0 120 5744.980 5725 to 5850 Pass		-30	120	5700.000	5470 to 5725	Pass
0 120 5700.020 5470 to 5725 Pass 10 120 5700.020 5470 to 5725 Pass 30 120 5700.020 5470 to 5725 Pass 40 120 5699.980 5470 to 5725 Pass 50 120 5700.000 5470 to 5725 Pass 102 5745.020 5725 to 5850 Pass 20 120 5745.060 5725 to 5850 Pass 138 5745.060 5725 to 5850 Pass -30 120 5745.060 5725 to 5850 Pass -20 120 5744.960 5725 to 5850 Pass -10 120 5744.980 5725 to 5850 Pass 0 120 5744.980 5725 to 5850 Pass		-20	120	5699.960	5470 to 5725	Pass
10 120 5700.020 5470 to 5725 Pass 30 120 5700.020 5470 to 5725 Pass 40 120 5699.980 5470 to 5725 Pass 50 120 5700.000 5470 to 5725 Pass 50 120 5700.000 5470 to 5725 Pass 102 5745.020 5725 to 5850 Pass 20 120 5745.060 5725 to 5850 Pass 138 5745.060 5725 to 5850 Pass -30 120 5745.060 5725 to 5850 Pass -20 120 5744.960 5725 to 5850 Pass -10 120 5744.980 5725 to 5850 Pass 0 120 5744.980 5725 to 5850 Pass	5700	-10	120	5699.980	5470 to 5725	Pass
30		0	120	5700.020	5470 to 5725	Pass
40 120 5699.980 5470 to 5725 Pass 50 120 5700.000 5470 to 5725 Pass 102 5745.020 5725 to 5850 Pass 20 120 5745.060 5725 to 5850 Pass 138 5745.060 5725 to 5850 Pass -30 120 5745.060 5725 to 5850 Pass -20 120 5744.960 5725 to 5850 Pass -10 120 5744.980 5725 to 5850 Pass 0 120 5744.980 5725 to 5850 Pass		10	120	5700.020	5470 to 5725	Pass
50 120 5700.000 5470 to 5725 Pass 102 5745.020 5725 to 5850 Pass 20 120 5745.060 5725 to 5850 Pass 138 5745.060 5725 to 5850 Pass -30 120 5745.060 5725 to 5850 Pass -20 120 5744.960 5725 to 5850 Pass -10 120 5744.980 5725 to 5850 Pass 0 120 5744.980 5725 to 5850 Pass		30	120	5700.020	5470 to 5725	Pass
102 5745.020 5725 to 5850 Pass		40	120	5699.980	5470 to 5725	Pass
20 120 5745.060 5725 to 5850 Pass 138 5745.060 5725 to 5850 Pass -30 120 5745.060 5725 to 5850 Pass -20 120 5744.960 5725 to 5850 Pass -10 120 5744.980 5725 to 5850 Pass 0 120 5744.980 5725 to 5850 Pass		50	120	5700.000	5470 to 5725	Pass
5745 138 5745.060 5725 to 5850 Pass -30 120 5745.060 5725 to 5850 Pass -20 120 5744.960 5725 to 5850 Pass -10 120 5744.980 5725 to 5850 Pass 0 120 5744.980 5725 to 5850 Pass			102	5745.020	5725 to 5850	Pass
-30 120 5745.060 5725 to 5850 Pass -20 120 5744.960 5725 to 5850 Pass -10 120 5744.980 5725 to 5850 Pass 0 120 5744.980 5725 to 5850 Pass		20	120	5745.060	5725 to 5850	Pass
5745 -20 120 5744.960 5725 to 5850 Pass -10 120 5744.980 5725 to 5850 Pass 0 120 5744.980 5725 to 5850 Pass			138	5745.060	5725 to 5850	Pass
-20 120 5744.960 5725 to 5850 Pass -10 120 5744.980 5725 to 5850 Pass 0 120 5744.980 5725 to 5850 Pass	-74F	-30	120	5745.060	5725 to 5850	Pass
0 120 5744.980 5725 to 5850 Pass	5/45	-20	120	5744.960	5725 to 5850	Pass
		-10	120	5744.980	5725 to 5850	Pass
10 120 5745.040 5725 to 5850 Pass		0	120	5744.980	5725 to 5850	Pass
		10	120	5745.040	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com"



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR231100372202

Page: 495 of 503

Section						<u> </u>		
Second				30	120	5745.000	5725 to 5850	Pass
102 5785.000 5725 to 5850 Pass				40	120	5745.040	5725 to 5850	Pass
120 5785.020 5725 to 5850 Pass				50	120	5745.040	5725 to 5850	Pass
138 5785.060 5725 to 5850 Pass					102	5785.000	5725 to 5850	Pass
STREST S				20	120	5785.020	5725 to 5850	Pass
STR5					138	5785.060	5725 to 5850	Pass
ST85				-30	120	5784.960	5725 to 5850	Pass
Name				-20	120	5785.000	5725 to 5850	Pass
10			5785	-10	120	5784.960	5725 to 5850	Pass
SISO				0	120	5785.000	5725 to 5850	Pass
Heat				10	120	5785.040	5725 to 5850	Pass
Society				30	120	5784.980	5725 to 5850	Pass
102 5825.040 5725 to 5850 Pass				40	120	5784.980	5725 to 5850	Pass
Section				50	120	5784.980	5725 to 5850	Pass
138					102	5825.040	5725 to 5850	Pass
Siso				20	120	5825.040	5725 to 5850	Pass
Section Sect					138	5825.080	5725 to 5850	Pass
S825				-30	120	5825.040	5725 to 5850	Pass
Name				-20	120	5825.020	5725 to 5850	Pass
Name			5825	-10	120	5825.020	5725 to 5850	Pass
SISO 120 5825.060 5725 to 5850 Pass				0	120	5825.000	5725 to 5850	Pass
Note				10	120	5824.960	5725 to 5850	Pass
SISO				30	120	5825.060	5725 to 5850	Pass
802.11ac (VHT40) SISO 102 5190.080 5150 to 5250 Pass				40	120	5825.000	5725 to 5850	Pass
802.11ac (VHT40) SISO 120 120 5190.120 5150 to 5250 Pass 138 5190.040 5150 to 5250 Pass -30 120 5190.080 5150 to 5250 Pass -20 120 5190.120 5150 to 5250 Pass -20 120 5190.120 5150 to 5250 Pass 0 120 5190.120 5150 to 5250 Pass 10 120 5190.080 5150 to 5250 Pass 10 120 5190.080 5150 to 5250 Pass 40 120 5190.080 5150 to 5250 Pass 40 120 5190.080 5150 to 5250 Pass 40 120 5190.080 5150 to 5250 Pass 50 120 5190.080 5150 to 5250 Pass 50 120 5190.080 5150 to 5250 Pass 102 5230.040 5150 to 5250 Pass 102 5230.040 5150 to 5250 Pass 138 5230.040 5150 to 5250 Pass				50	120	5825.060	5725 to 5850	Pass
SISO					102	5190.080	5150 to 5250	Pass
SISO				20	120	5190.120	5150 to 5250	Pass
802.11ac (VHT40) SISO SISO SISO SISO SISO SISO SISO SIS					138	5190.040	5150 to 5250	Pass
802.11ac (VHT40) SISO SISO SISO SISO SISO SISO SISO SIS				-30	120	5190.080	5150 to 5250	Pass
802.11ac (VHT40) SISO 0 120 5190.120 5150 to 5250 Pass 10 120 5190.080 5150 to 5250 Pass 30 120 5190.080 5150 to 5250 Pass 40 120 5190.160 5150 to 5250 Pass 50 120 5190.080 5150 to 5250 Pass 102 5230.040 5150 to 5250 Pass 20 120 5230.040 5150 to 5250 Pass 138 5230.040 5150 to 5250 Pass				-20	120	5190.120	5150 to 5250	Pass
SISO 10			5190	-10	120	5190.120	5150 to 5250	Pass
(VHT40) SISO 10 120 5190.080 5150 to 5250 Pass 40 120 5190.160 5150 to 5250 Pass 50 120 5190.080 5150 to 5250 Pass 102 5230.040 5150 to 5250 Pass 120 5230.040 5150 to 5250 Pass 120 5230.040 5150 to 5250 Pass 138 5230.040 5150 to 5250 Pass 138 5230.040 5150 to 5250 Pass				0	120	5190.120	5150 to 5250	Pass
30 120 5190.080 5150 to 5250 Pass 40 120 5190.160 5150 to 5250 Pass 50 120 5190.080 5150 to 5250 Pass 102 5230.040 5150 to 5250 Pass 20 120 5230.080 5150 to 5250 Pass 138 5230.040 5150 to 5250 Pass		SISO	SISO	10	120	5190.080	5150 to 5250	Pass
50 120 5190.080 5150 to 5250 Pass 102 5230.040 5150 to 5250 Pass 20 120 5230.080 5150 to 5250 Pass 138 5230.040 5150 to 5250 Pass	(٧١١40)			30	120	5190.080	5150 to 5250	Pass
5230 20 102 5230.040 5150 to 5250 Pass 120 5230.080 5150 to 5250 Pass 138 5230.040 5150 to 5250 Pass				40	120	5190.160	5150 to 5250	Pass
5230 20 120 5230.080 5150 to 5250 Pass 138 5230.040 5150 to 5250 Pass				50	120	5190.080	5150 to 5250	Pass
5230 138 5230.040 5150 to 5250 Pass					102	5230.040	5150 to 5250	Pass
138 5230.040 5150 to 5250 Pass			F000	20	120	5230.080	5150 to 5250	Pass
-30 120 5230.080 5150 to 5250 Pass			5230		138	5230.040	5150 to 5250	Pass
				-30	120	5230.080	5150 to 5250	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com"



SZEMC-TRF-01 Rev. A/1 Report No.: SZCR231100372202

> Page: 496 of 503

-20							
0 120 5230.080 5150 to 5250 Pass 10 120 5230.020 5150 to 5250 Pass 30 120 5230.000 5150 to 5250 Pass 40 120 5230.000 5150 to 5250 Pass 50 120 5270.040 5250 to 5350 Pass 138 5270.040 5250 to 5350 Pass 138 5270.040 5250 to 5350 Pass 20 120 5270.040 5250 to 5350 Pass 30 120 5270.040 5250 to 5350 Pass 40 120 5270.040 5250 to 5350 Pass 10 120 5270.040 5250 to 5350 Pass 10 120 5270.040 5250 to 5350 Pass 40 120 5270.040 5250 to 5350 Pass 50 120 5270.040 5250 to 5350 Pass 10 120 5270.080 5250 to 5350 Pass 40 120 5270.080 5250 to 5350 Pass 50 120 5310.040 5250 to 5350 Pass 50 120 5310.040 5250 to 5350 Pass 510 10 120 5310.040 5250 to 5350 Pass 138 5310.040 5250 to 5350 Pass 140 120 5310.040 5250 to 5350 Pass 1510 10 120 5310.040 5250 to 5350 Pass 1510 5310 5310 5310 5250 to 5350 Pass 1510 5310 5310 5310 5350 Pass 1510 5310 5310 5310 5350 Pass 1510 5310 5310 5310 5350 Pass 1510 5310 5310 5350 Fass 1510 5310 5310 5310 5350 Fass 1510 5310 5310 5310 5350 Fass 1510 5310 5310 5310 5310 5310 5310 5310			-20	120	5230.080	5150 to 5250	Pass
10			-10	120	5230.040	5150 to 5250	Pass
30			0	120	5230.080	5150 to 5250	Pass
40			10	120	5230.120	5150 to 5250	Pass
S0			30	120	5230.000	5150 to 5250	Pass
102 5270.040 5250 to 5350 Pass			40	120	5230.000	5150 to 5250	Pass
120 5270.080 5250 to 5350 Pass			50	120	5230.120	5150 to 5250	Pass
138				102	5270.040	5250 to 5350	Pass
120 5270.040 5250 to 5350 Pass -20 120 5270.080 5250 to 5350 Pass -20 120 5270.080 5250 to 5350 Pass -20 120 5270.080 5250 to 5350 Pass -20 120 5310.040 5250 to 5350 Pass -20 120 5510.080 5470 to 5725 Pass -20 120 5510.080 547			20	120	5270.080	5250 to 5350	Pass
120				138	5270.040	5250 to 5350	Pass
5270			-30	120	5270.040	5250 to 5350	Pass
0 120 5270.000 5250 to 5350 Pass 10 120 5270.040 5250 to 5350 Pass 30 120 5270.080 5250 to 5350 Pass 40 120 5270.080 5250 to 5350 Pass 50 120 5270.080 5250 to 5350 Pass 102 5310.040 5250 to 5350 Pass 20 120 5310.040 5250 to 5350 Pass 138 5310.040 5250 to 5350 Pass -30 120 5310.040 5250 to 5350 Pass -20 120 5310.040 5250 to 5350 Pass -20 120 5310.040 5250 to 5350 Pass 5310 -10 120 5310.000 5250 to 5350 Pass 5310 120 5310.040 5250 to 5350 Pass 30 120 5310.040 5250 to 5350 Pass 40 120 5310.040 5250 to 5350 Pass <td></td> <td></td> <td>-20</td> <td>120</td> <td>5270.040</td> <td>5250 to 5350</td> <td>Pass</td>			-20	120	5270.040	5250 to 5350	Pass
10 120 5270.040 5250 to 5350 Pass 30 120 5270.080 5250 to 5350 Pass 40 120 5270.080 5250 to 5350 Pass 50 120 5270.080 5250 to 5350 Pass 50 120 5310.040 5250 to 5350 Pass 102 5310.040 5250 to 5350 Pass 138 5310.040 5250 to 5350 Pass -30 120 5310.040 5250 to 5350 Pass -20 120 5310.000 5250 to 5350 Pass 5310 -10 120 5310.000 5250 to 5350 Pass 10 5510.000 5470 to 5725 Pass 10 5510.000 5470 to 5725 Pass 10 120 5510.000 5470 to 5725 Pass		5270	-10	120	5270.040	5250 to 5350	Pass
30			0	120	5270.000	5250 to 5350	Pass
40			10	120	5270.040	5250 to 5350	Pass
S0			30	120	5270.080	5250 to 5350	Pass
102			40	120	5270.080	5250 to 5350	Pass
120			50	120	5270.080	5250 to 5350	Pass
138				102	5310.040	5250 to 5350	Pass
-30			20	120	5310.040	5250 to 5350	Pass
-20				138	5310.040	5250 to 5350	Pass
10			-30	120	5310.040	5250 to 5350	Pass
0 120 5310.040 5250 to 5350 Pass 10 120 5310.040 5250 to 5350 Pass 30 120 5310.000 5250 to 5350 Pass 40 120 5310.000 5250 to 5350 Pass 50 120 5310.040 5250 to 5350 Pass 102 5510.120 5470 to 5725 Pass 20 120 5510.080 5470 to 5725 Pass 138 5510.080 5470 to 5725 Pass -30 120 5510.080 5470 to 5725 Pass -20 120 5510.080 5470 to 5725 Pass 5510 -10 120 5510.080 5470 to 5725 Pass 0 120 5510.080 5470 to 5725 Pass 10 120 5510.080 5470 to 5725 Pass 30 120 5510.080 5470 to 5725 Pass 30 120 5510.040 5470 to 5725 Pass			-20	120	5310.000	5250 to 5350	Pass
10 120 5310.040 5250 to 5350 Pass 30 120 5310.000 5250 to 5350 Pass 40 120 5310.000 5250 to 5350 Pass 50 120 5310.040 5250 to 5350 Pass 102 5510.120 5470 to 5725 Pass 20 120 5510.080 5470 to 5725 Pass 138 5510.080 5470 to 5725 Pass -30 120 5510.080 5470 to 5725 Pass -20 120 5510.080 5470 to 5725 Pass 0 120 5510.080 5470 to 5725 Pass 10 120 5510.080 5470 to 5725 Pass 10 120 5510.080 5470 to 5725 Pass 30 120 5510.080 5470 to 5725 Pass 40 120 5510.040 5470 to 5725 Pass		5310	-10	120	5310.000	5250 to 5350	Pass
30 120 5310.000 5250 to 5350 Pass 40 120 5310.000 5250 to 5350 Pass 50 120 5310.040 5250 to 5350 Pass 102 5510.120 5470 to 5725 Pass 20 120 5510.080 5470 to 5725 Pass 138 5510.080 5470 to 5725 Pass -30 120 5510.080 5470 to 5725 Pass -20 120 5510.080 5470 to 5725 Pass 0 120 5510.080 5470 to 5725 Pass 10 120 5510.080 5470 to 5725 Pass 10 120 5510.080 5470 to 5725 Pass 10 120 5510.080 5470 to 5725 Pass 30 120 5510.040 5470 to 5725 Pass 40 120 5510.160 5470 to 5725 Pass			0	120	5310.040	5250 to 5350	Pass
40 120 5310.000 5250 to 5350 Pass 50 120 5310.040 5250 to 5350 Pass 102 5510.120 5470 to 5725 Pass 20 120 5510.080 5470 to 5725 Pass 138 5510.080 5470 to 5725 Pass -30 120 5510.080 5470 to 5725 Pass -20 120 5510.080 5470 to 5725 Pass 0 120 5510.120 5470 to 5725 Pass 10 120 5510.080 5470 to 5725 Pass 10 120 5510.080 5470 to 5725 Pass 30 120 5510.080 5470 to 5725 Pass 30 120 5510.040 5470 to 5725 Pass 40 120 5510.160 5470 to 5725 Pass			10	120	5310.040	5250 to 5350	Pass
50 120 5310.040 5250 to 5350 Pass 102 5510.120 5470 to 5725 Pass 20 120 5510.080 5470 to 5725 Pass 138 5510.080 5470 to 5725 Pass -30 120 5510.080 5470 to 5725 Pass -20 120 5510.080 5470 to 5725 Pass 5510 -10 120 5510.120 5470 to 5725 Pass 0 120 5510.080 5470 to 5725 Pass 10 120 5510.080 5470 to 5725 Pass 30 120 5510.040 5470 to 5725 Pass 40 120 5510.160 5470 to 5725 Pass			30	120	5310.000	5250 to 5350	Pass
102 5510.120 5470 to 5725 Pass			40	120	5310.000	5250 to 5350	Pass
20			50	120	5310.040	5250 to 5350	Pass
138 5510.080 5470 to 5725 Pass -30 120 5510.080 5470 to 5725 Pass -20 120 5510.080 5470 to 5725 Pass -10 120 5510.120 5470 to 5725 Pass 0 120 5510.080 5470 to 5725 Pass 10 120 5510.080 5470 to 5725 Pass 30 120 5510.040 5470 to 5725 Pass 40 120 5510.160 5470 to 5725 Pass				102	5510.120	5470 to 5725	Pass
-30 120 5510.080 5470 to 5725 Pass -20 120 5510.080 5470 to 5725 Pass -10 120 5510.120 5470 to 5725 Pass 0 120 5510.080 5470 to 5725 Pass 10 120 5510.080 5470 to 5725 Pass 10 120 5510.080 5470 to 5725 Pass 30 120 5510.040 5470 to 5725 Pass 40 120 5510.160 5470 to 5725 Pass			20	120	5510.080	5470 to 5725	Pass
-20 120 5510.080 5470 to 5725 Pass -10 120 5510.120 5470 to 5725 Pass 0 120 5510.080 5470 to 5725 Pass 10 120 5510.080 5470 to 5725 Pass 30 120 5510.080 5470 to 5725 Pass 40 120 5510.040 5470 to 5725 Pass				138	5510.080	5470 to 5725	Pass
5510 -10 120 5510.120 5470 to 5725 Pass 0 120 5510.080 5470 to 5725 Pass 10 120 5510.080 5470 to 5725 Pass 30 120 5510.040 5470 to 5725 Pass 40 120 5510.160 5470 to 5725 Pass		5510	-30	120	5510.080	5470 to 5725	Pass
0 120 5510.080 5470 to 5725 Pass 10 120 5510.080 5470 to 5725 Pass 30 120 5510.040 5470 to 5725 Pass 40 120 5510.160 5470 to 5725 Pass			-20	120	5510.080	5470 to 5725	Pass
10 120 5510.080 5470 to 5725 Pass 30 120 5510.040 5470 to 5725 Pass 40 120 5510.160 5470 to 5725 Pass			-10	120	5510.120	5470 to 5725	Pass
30 120 5510.040 5470 to 5725 Pass 40 120 5510.160 5470 to 5725 Pass			0	120	5510.080	5470 to 5725	Pass
40 120 5510.160 5470 to 5725 Pass			10	120	5510.080	5470 to 5725	Pass
			30	120	5510.040	5470 to 5725	Pass
50 120 5510.080 5470 to 5725 Pass			40	120	5510.160	5470 to 5725	Pass
			50	120	5510.080	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com"



SZEMC-TRF-01 Rev. A/1 Report No.: SZCR231100372202

> Page: 497 of 503

102 5550.080 5470 to 5725 Pass 138 5550.120 5470 to 5725 Pass 138 5550.080 5470 to 5725 Pass 1470 to 5725 to 5850 Pas							
138				102	5550.080	5470 to 5725	Pass
-30			20	120	5550.120	5470 to 5725	Pass
120				138	5550.120	5470 to 5725	Pass
10			-30	120	5550.080	5470 to 5725	Pass
0 120 5550.160 5470 to 5725 Pass 10 120 5550.080 5470 to 5725 Pass 30 120 5550.080 5470 to 5725 Pass 40 120 5550.080 5470 to 5725 Pass 50 120 5550.080 5470 to 5725 Pass 50 120 5550.080 5470 to 5725 Pass 102 5570.040 5470 to 5725 Pass 102 5670.040 5470 to 5725 Pass 20 120 5670.040 5470 to 5725 Pass 138 5670.040 5470 to 5725 Pass 130 120 5670.080 5470 to 5725 Pass 120 5675.040 5725 to 5850 Pass 138 5755.080 5725 to 5850 Pass 138 5755.080 5725 to 5850 Pass 138 5755.080 5725 to 5850 Pass 140 120 5755.080 5725 to 5850 Pass 15755 10 120 5755.080 5725 to 5850 Pass 15755 10 120 5755.040 5725 to 5850 Pass 150 120 5795.040 5725 to 5850 Pass 150 120 5795.000 5725 to			-20	120	5550.080	5470 to 5725	Pass
10		5550	-10	120	5550.120	5470 to 5725	Pass
30			0	120	5550.160	5470 to 5725	Pass
A0			10	120	5550.080	5470 to 5725	Pass
100			30	120	5550.080	5470 to 5725	Pass
102 5670.040 5470 to 5725 Pass			40	120	5550.120	5470 to 5725	Pass
120 5670.120 5470 to 5725 Pass			50	120	5550.080	5470 to 5725	Pass
138				102	5670.040	5470 to 5725	Pass
120			20	120	5670.120	5470 to 5725	Pass
120				138	5670.040	5470 to 5725	Pass
10			-30	120	5670.080	5470 to 5725	Pass
0 120 5670.040 5470 to 5725 Pass 10 120 5670.080 5470 to 5725 Pass 30 120 5670.000 5470 to 5725 Pass 40 120 5670.080 5470 to 5725 Pass 50 120 5670.040 5470 to 5725 Pass 50 120 5670.040 5470 to 5725 Pass 20 120 5755.040 5725 to 5850 Pass 138 5755.040 5725 to 5850 Pass -30 120 5755.080 5725 to 5850 Pass -20 120 5755.080 5725 to 5850 Pass -20 120 5755.080 5725 to 5850 Pass 5755 -10 120 5755.080 5725 to 5850 Pass 10 120 5755.080 5725 to 5850 Pass 10 120 5755.040 5725 to 5850 Pass 30 120 5755.040 5725 to 5850			-20	120	5670.000	5470 to 5725	Pass
10		5670	-10	120	5670.080	5470 to 5725	Pass
30			0	120	5670.040	5470 to 5725	Pass
120			10	120	5670.080	5470 to 5725	Pass
102 5755.040 5470 to 5725 Pass			30	120	5670.000	5470 to 5725	Pass
102 5755.040 5725 to 5850 Pass			40	120	5670.080	5470 to 5725	Pass
120			50	120	5670.040	5470 to 5725	Pass
138				102	5755.040	5725 to 5850	Pass
-30			20	120	5755.040	5725 to 5850	Pass
-20 120 5755.000 5725 to 5850 Pass -10 120 5755.080 5725 to 5850 Pass 0 120 5755.080 5725 to 5850 Pass 10 120 5755.040 5725 to 5850 Pass 30 120 5755.120 5725 to 5850 Pass 40 120 5755.040 5725 to 5850 Pass 50 120 5755.120 5725 to 5850 Pass 50 120 5755.120 5725 to 5850 Pass 50 120 5755.120 5725 to 5850 Pass 20 120 5795.080 5725 to 5850 Pass 102 5795.080 5725 to 5850 Pass 138 5795.040 5725 to 5850 Pass 5795 -30 120 5795.000 5725 to 5850 Pass -20 120 5795.000 5725 to 5850 Pass				138	5755.080	5725 to 5850	Pass
5755 -10 120 5755.080 5725 to 5850 Pass 0 120 5755.080 5725 to 5850 Pass 10 120 5755.040 5725 to 5850 Pass 30 120 5755.120 5725 to 5850 Pass 40 120 5755.040 5725 to 5850 Pass 50 120 5755.120 5725 to 5850 Pass 102 5795.080 5725 to 5850 Pass 20 120 5795.080 5725 to 5850 Pass 138 5795.040 5725 to 5850 Pass 5795 -30 120 5795.000 5725 to 5850 Pass -20 120 5795.080 5725 to 5850 Pass -10 120 5795.000 5725 to 5850 Pass			-30	120	5755.080	5725 to 5850	Pass
0 120 5755.080 5725 to 5850 Pass 10 120 5755.040 5725 to 5850 Pass 30 120 5755.120 5725 to 5850 Pass 40 120 5755.040 5725 to 5850 Pass 50 120 5755.120 5725 to 5850 Pass 102 5795.080 5725 to 5850 Pass 20 120 5795.080 5725 to 5850 Pass 138 5795.040 5725 to 5850 Pass 5795 -30 120 5795.000 5725 to 5850 Pass -20 120 5795.080 5725 to 5850 Pass -10 120 5795.000 5725 to 5850 Pass			-20	120	5755.000	5725 to 5850	Pass
10 120 5755.040 5725 to 5850 Pass 30 120 5755.120 5725 to 5850 Pass 40 120 5755.040 5725 to 5850 Pass 50 120 5755.120 5725 to 5850 Pass 102 5795.080 5725 to 5850 Pass 20 120 5795.080 5725 to 5850 Pass 138 5795.040 5725 to 5850 Pass 5795 -30 120 5795.000 5725 to 5850 Pass -20 120 5795.080 5725 to 5850 Pass -10 120 5795.000 5725 to 5850 Pass		5755	-10	120	5755.080	5725 to 5850	Pass
30 120 5755.120 5725 to 5850 Pass 40 120 5755.040 5725 to 5850 Pass 50 120 5755.120 5725 to 5850 Pass 102 5795.080 5725 to 5850 Pass 20 120 5795.080 5725 to 5850 Pass 138 5795.040 5725 to 5850 Pass -30 120 5795.000 5725 to 5850 Pass -20 120 5795.080 5725 to 5850 Pass -10 120 5795.000 5725 to 5850 Pass		[0	120	5755.080	5725 to 5850	Pass
40 120 5755.040 5725 to 5850 Pass 50 120 5755.120 5725 to 5850 Pass 102 5795.080 5725 to 5850 Pass 20 120 5795.080 5725 to 5850 Pass 138 5795.040 5725 to 5850 Pass 5795 -30 120 5795.000 5725 to 5850 Pass -20 120 5795.080 5725 to 5850 Pass -10 120 5795.000 5725 to 5850 Pass		[10	120	5755.040	5725 to 5850	Pass
50 120 5755.120 5725 to 5850 Pass 102 5795.080 5725 to 5850 Pass 20 120 5795.080 5725 to 5850 Pass 138 5795.040 5725 to 5850 Pass -30 120 5795.000 5725 to 5850 Pass -20 120 5795.080 5725 to 5850 Pass -10 120 5795.000 5725 to 5850 Pass			30	120	5755.120	5725 to 5850	Pass
20 102 5795.080 5725 to 5850 Pass 120 5795.080 5725 to 5850 Pass 138 5795.040 5725 to 5850 Pass 5795 -30 120 5795.000 5725 to 5850 Pass -20 120 5795.080 5725 to 5850 Pass -10 120 5795.000 5725 to 5850 Pass			40	120	5755.040	5725 to 5850	Pass
20 120 5795.080 5725 to 5850 Pass 5795 -30 120 5795.040 5725 to 5850 Pass -20 120 5795.000 5725 to 5850 Pass -10 120 5795.080 5725 to 5850 Pass -10 120 5795.000 5725 to 5850 Pass			50	120	5755.120	5725 to 5850	Pass
138 5795.040 5725 to 5850 Pass 5795 -30 120 5795.000 5725 to 5850 Pass -20 120 5795.080 5725 to 5850 Pass -10 120 5795.000 5725 to 5850 Pass				102	5795.080	5725 to 5850	Pass
5795 -30 120 5795.000 5725 to 5850 Pass -20 120 5795.080 5725 to 5850 Pass -10 120 5795.000 5725 to 5850 Pass			20	120	5795.080	5725 to 5850	Pass
-20 120 5795.080 5725 to 5850 Pass -10 120 5795.000 5725 to 5850 Pass				138	5795.040	5725 to 5850	Pass
-10 120 5795.000 5725 to 5850 Pass		5795	-30	120	5795.000	5725 to 5850	Pass
			-20	120	5795.080	5725 to 5850	Pass
0 120 5795.080 5725 to 5850 Pass			-10	120	5795.000	5725 to 5850	Pass
		T	0	120	5795.080	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Part, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR231100372202

Page: 498 of 503

					ı age.	100 01 000					
			10	120	5795.040	5725 to 5850	Pass				
			30	120	5795.000	5725 to 5850	Pass				
			40	120	5795.080	5725 to 5850	Pass				
			50	120	5795.080	5725 to 5850	Pass				
				102	5210.150	5150 to 5250	Pass				
			20	120	5210.075	5150 to 5250	Pass				
				138	5210.150	5150 to 5250	Pass				
			-30	120	5210.075	5150 to 5250	Pass				
			-20	120	5210.075	5150 to 5250	Pass				
		5210	-10	120	5210.075	5150 to 5250	Pass				
			0	120	5210.075	5150 to 5250	Pass				
			10	120	5210.075	5150 to 5250	Pass				
			30	120	5210.075	5150 to 5250	Pass				
			40	120	5210.075	5150 to 5250	Pass				
			50	120	5210.075	5150 to 5250	Pass				
				102	5290.150	5250 to 5350	Pass				
			20	120	5290.075	5250 to 5350	Pass				
				138	5290.000	5250 to 5350	Pass				
			-30	120	5290.075	5250 to 5350	Pass				
			-20	120	5290.000	5250 to 5350	Pass				
		5290	-10	120	5290.000	5250 to 5350	Pass				
802.11ac	0100		0	120	5290.000	5250 to 5350	Pass				
(VHT80)	SISO		10	120	5289.925	5250 to 5350	Pass				
			30	120	5289.925	5250 to 5350	Pass				
			40	120	5290.075	5250 to 5350	Pass				
			50	120	5289.925	5250 to 5350	Pass				
				102	5530.075	5470 to 5725	Pass				
			20	120	5530.000	5470 to 5725	Pass				
					138	5530.150	5470 to 5725	Pass			
			-30	120	5530.075	5470 to 5725	Pass				
			-20	120	5530.000	5470 to 5725	Pass				
		5530	-10	120	5530.075	5470 to 5725	Pass				
			0	120	5530.075	5470 to 5725	Pass				
			10	120	5530.075	5470 to 5725	Pass				
			30	120	5530.075	5470 to 5725	Pass				
			40	120	5530.075	5470 to 5725	Pass				
			50	120	5530.075	5470 to 5725	Pass				
				102	5610.000	5470 to 5725	Pass				
						5610	20	120	5610.150	5470 to 5725	Pass
				138	5610.000	5470 to 5725	Pass				
					•	-					



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Part, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn



SZEMC-TRF-01 Rev. A/1 Report No.: SZCR231100372202

> Page: 499 of 503

		-30	120	5610.000	5470 to 5725	Pass
		-20	120	5610.075	5470 to 5725	Pass
		-10	120	5610.075	5470 to 5725	Pass
		0	120	5610.150	5470 to 5725	Pass
		10	120	5610.075	5470 to 5725	Pass
		30	120	5610.150	5470 to 5725	Pass
		40	120	5610.000	5470 to 5725	Pass
		50	120	5610.000	5470 to 5725	Pass
			102	5774.925	5725 to 5850	Pass
		20	120	5775.000	5725 to 5850	Pass
			138	5775.000	5725 to 5850	Pass
		-30	120	5774.925	5725 to 5850	Pass
		-20	120	5774.925	5725 to 5850	Pass
	5775	-10	120	5775.000	5725 to 5850	Pass
		0	120	5774.925	5725 to 5850	Pass
		10	120	5774.925	5725 to 5850	Pass
		30	120	5775.075	5725 to 5850	Pass
		40	120	5774.925	5725 to 5850	Pass
		50	120	5775.000	5725 to 5850	Pass

6.DFS

Test Result:

T COL TOOUT.		
BW/Channel	Test Item	Result
	Channel Availability Check Time	N/A
	Minimum Off-Channel CAC Time	N/A
	Maximum Off-Channel CAC Time	N/A
000411-/50000411-	In-Service Monitoring	N/A
80MHz/5290MHz	Channel Move Time	Pass
	Channel Closing Transmission Time	Pass
	Non-Occupancy Period	Pass
	Uniform Spreading	N/A

The test plots was shown in the report below.

Remark: Channel loading of Timing plots is greater than 17%.

This is the master device used to test DFS FCC ID: Q87-WRT3200ACM



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com"





SZEMC-TRF-01 Rev. A/1

Report No.: SZCR231100372202

Page: 500 of 503

5290MHz







Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"



SZEMC-TRF-01 Rev. A/1


Report No.: SZCR231100372202 Page: 501 of 503





In Service Monitor

5530MHz





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"


No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR231100372202 Page: 502 of 503







Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"



SZEMC-TRF-01 Rev. A/1 Report No.: SZCR231100372202

> Page: 503 of 503

Radar



- End of the Report -



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn