




Overview



Overview



Accessories



Battery

C21 Plus includes an internal battery. You can track your battery status with the icon showed on the top right of the screen. When overheated by microwave ovens, stoves, radiators, batteries may explode.



Warning

- Use only OUKITEL-approved batteries specifically designed for your phone. Incompatible batteries can cause serious injuries or damage to your phone.
- Never place batteries or phones on or in heating devices, such as microwave ovens, stoves, or radiators. Batteries may explode when overheated.

Basic parameters

Display: 6.39"HD+incell digging screen
 Operating system: Powered by Android™
 Processor: 4*Cortex A73 + 4*Cortex A53
 GPU: GE 8320 652MHz
 RAM: 8GB
 ROM: 128GB
 Battery: 4000mAh

Camera

Rear Camera 12M AF+0.3M+2M
 Front Camera 8M FF

Connection (I/O)

2G:B2 B3 B5 B8
 3G:B1 B8(European version) 3G:B2 B4 B5(American version)
 4G: B1 B3 B7 B8 B20(European version)
 4G:B2 B4 B5 B7 B12 B17 (American version)
 SIM Card Slot: Dual SIM, Nano/TF Card
 FM:87.5 MHz -108 MHz

Other Features

Video: AVI, MP4, WMV, RMVB, MKV, MOV, ASF, RM, FLV
 Audio: AAC/AAC+/AMR/AWB/MP3/WMA/VORBIS/FLAC/APE
 Image: JPEG, BMP, GIF, PNG

Dimensions

Height: 162.0mm
 Width: 75.0mm
 Thickness: 9.0mm
 Weight: 192g

Package contents

1*USB Cable
 1*Charger
 1*SIM Card pin
 1*Multi-language Manual
 1*Warranty card

Comes with the Google™ app and Google Chrome™.
 Android is a trademark of Google LLC
 MANUFACTURER NAME: SHENZHEN YUNJI INTELLIGENT TECHNOLOGY CO.,LTD
 MANUFACTURER ADDRESS: A-SIDE A2 BUILDING 2/F ENET NEW INDUSTRIAL PARK,NO.20 DAFU INDUSTRIAL ZONE, AOBEL COMMUNITY, GUANLAN, LONGHUA NEW DISTRICT,SHENZHEN CHINA

Parametri di Base

Monitor: 6.39"HD+ incell scavare schermo
 Sistema operativo: Powered by Android™
 Processore: 4*Cortex A73 + 4*Cortex A53
 GPU: GE 8320 652MHz
 Memoria: 8GB
 ROM: 128GB
 Batteria: 4000mAh

Telecamera

Fotocamera posteriore 12M AF+0.3M+2M
 Fotocamera frontale 8M FF

Connessione (I/O)

2G:B2 B3 B5 B8
 3G:B1 B8 (Versione europea) 3G:B2 B4 B5 (Versione americana)
 4G: B1 B3 B7 B8 B19 B20 (Versione europea)
 4G:B2 B4 B5 B7 B12 B17 (Versione americana)
 Slot per scheda SIM : Doppia SIM, Scheda nano/TF
 FM:87.5 MHz -108 MHz

Altre Caratteristiche

Video: AVI, MP4, WMV, RMVB, MKV, MOV, ASF, RM, FLV
 Audio: AAC/AAC+/AMR/AWB/MP3/WMA/VORBIS/FLAC/APE
 Immagine: JPEG, BMP, GIF, PNG

Formato

Altezza: 162.0mm
 Larghezza: 75.0mm
 Spessore: 9.0mm
 Peso: 192g

Imballaggio

1 * Cavo USB
 1 * Caricatore Veloce
 1 * PIN della carta SIM
 1 * Manuale multilingue
 1 * Caricabatterie

App Google™ e Google Chrome™ inclusi
 Android è un marchio di Google LLC
 Android ist eine Marke von Google LLC
 NOME DEL PRODUTTORE: SHENZHEN YUNJI TECHNOLOGIE INTELLIGENTE CO, LTD
 INDIRIZZO DEL PRODUTTORE: A-SIDE A2 BUILDING 2 / F ENET NUOVO PARCO INDUSTRIALE, NO.20 DAFU INDUSTRIAL ZONE, AOBEL COMMUNITY, GUANLAN, LONGHUA NEW DISTRICT, SHENZHEN CHINA

Grundparameter

Display: 6.39"HD+ Incell Grabbildschirm
 Betriebssystem: Powered by Android™
 Prozessor: 4*Cortex A73 + 4*Cortex A53
 GPU: GE 8320 652MHz
 RAM: 8GB
 ROM: 128GB
 Akku: 4000mAh

Kamera

hintere Kamera 12M AF+0.3M+2M
 vordere Kamera 8M FF

Verbindung

2G:B2 B3 B5 B8
 3G:B1 B8 (Europäische Version) 3G:B2 B4 B5 (Amerikanische Version)
 4G: B1 B3 B7 B8 B20 (Europäische Version)
 4G:B2 B4 B5 B7 B12 B17 (Amerikanische Version)
 Sim-Kartensteckplatz: Dual-SIM-Naon/TF-Karte
 FM:87.5 MHz -108 MHz

Weitere Eigenschaften

Video: AVI, MP4, WMV, RMVB, MKV, MOV, ASF, RM, FLV
 Audio: AAC/AAC+/AMR/AWB/MP3/WMA/VORBIS/FLAC/APE
 Bild: JPEG, BMP, GIF, PNG

Abmessungen

Länge: 162.0mm
 Breite: 75.0mm
 Höhe: 9.0mm
 Gewicht: 192g

Packungsinhalt

1*USB-Kabel
 1*Ladegerät
 1*SIM-Karten Stift
 1*mehrsprachiges Handbuch
 1*Schutzfolie

Inklusive Google™ App und Google Chrome™
 Android ist eine Marke von Google LLC
 HERSTELLERNAME: SHENZHEN YUNJI INTELLIGENT TECHNOLOGY CO., LTD
 HERSTELLERADRESSE: A-SIDE A2 BUILDING 2 / F ENET NEUER INDUSTRIAL PARK, NO.20 DAFU INDUSTRIAL ZONE, AOBEL COMMUNITY, GUANLAN, LONGHUA NEUES BEZIRK, SHENZHEN CHINA





www.oukitel.com




RF Specification:

Function	Operation Frequency	Max RF outputpower:	Limit
BLE	2402MHz~2480MHz	3.81 dBm	20 dBm.
BT(BR+EDR)	2402MHz~2480MHz	9.09dBm	20 dBm.
WIFI 802.11b/g/n(HT20,HT40)	802.11b/g/n(20MHz): 2412~2472MHz; 802.11n(40MHz):2422~2462MHz	14.07 dBm	20 dBm.
Wi-Fi 5.2G(802.11a/n20/n40/ac20/ac40/ac80)	802.11a/ n20/ac20:5180MHz~5240MHz 802.11 n40/ac40:5190MHz~5230MHz 802.11ac80:5210MHz	10.37 dBm	23 dBm.
Wi-Fi 5.8G(802.11a/n20/n40/ac20/ac40/ac80)	802.11a/ n20/ac20:5745-5825 MHz 802.11 n40/ac40:5755-5795 MHz 802.11ac80:5775MHz	10.34 dBm	13.98 dBm.
GSM/GPRS/EGPRS 900	TX(Uplink):880M - 915MHZ; RX(Downlink):925M - 960MHZ	32.69 dBm	class 4 (33±3dBm)
GSM/GPRS/EGPRS 1800	TX(Uplink):1710M - 1785MHZ; RX(Downlink):1805M - 1880MHZ	30.08 dBm	class 1 (30±3dBm)
WCDMA B1	TX(Uplink):1920-1980MHz; RX(Downlink):2110-2170MHz	24.07 dBm	24 (dBm) +1,7/-3,7 (dB)
WCDMA B8	TX(Uplink): 880-915MHz; RX(Downlink):925-960MHz	23.49 dBm	24 (dBm) +1,7/-3,7 (dB)
LTE FDD B1	TX(Uplink):1920-1980MHz; RX(Downlink):2110-2170MHz	24.65 dBm	23(dBm) ±2,7(dB)
LTE FDD B3	TX(Uplink) :1710-1785MHz; RX(Downlink):1805-1880MHz	24.68 dBm	23(dBm) ±2,7(dB)
LTE FDD B7	TX(Uplink) :2500-2570MHz; RX(Downlink):2620-2690MHz	24.01 dBm	23(dBm) ±2,7(dB)
LTE FDD B8	TX(Uplink): 880MHz to 915 MHz RX(Downlink): 925 MHz to 960 MHz	25.00 dBm	23(dBm) ±2,7(dB)
LTE FDD B20	TX(Uplink): 832MHz~862MHz; RX(Downlink): 791MHz~821MHz	24.59 dBm	23(dBm) ±2,7(dB)
FM	Rx(Downlink): 87.5MHz~108MHz	--	--
GPS	Rx(Downlink): 1.57542GHz	--	--

Warning:

1. Use careful with the earphone maybe possible excessive sound pressure from earphones and headphones can cause hearing loss.
2. CAUTION: RISK OF EXPLOSION IF BATTERY IS REPLACED BY AN INCORRECT TYPE. DISPOSE OF USED BATTERIES ACCORDING TO THE INSTRUCTIONS.  
3. The product shall only be connected to a USB interface of version USB2.0.
4. Adapter shall be installed near the equipment and shall be easily accessible.
5. Operation temperature: -10~40°C
6. The plug considered as disconnect device of adapter.
7. SAR: The device complies with RF specifications when the device used at 0.5cm from your body (SAR limit 2.0 W/Kg). The device is in compliance with the requirements.
8. Accessories information:

Adapter: Model: PS10UA050K2000EU
 Input: 100-240V~50/60Hz 0.35A Max
 Output: 5.0V  2.0A 10.0W

SHENZHEN YUNJI INTELLIGENT TECHNOLOGY CO.,LTD hereby declares that this Mobile Phone is in compliance with the essential requirements and other relevant provisions of Directive 2014/53/EU.

This information has to be presented in such a way that the user can readily understand it. Typically, this will necessitate translation into every local language (required by national consumer laws) of the markets where the equipment is intended to be sold. Illustrations, pictograms and using international abbreviations for country names may help reduce the need for translation.

EU Declaration of Conformity

We,


SHENZHEN YUNJI INTELLIGENT TECHNOLOGY CO.,LTD (202, Building A2, Silicon Valley Power Intelligent Terminal Industrial Park, No. 20, Dafu Industrial Zone, Kukeng Community, Guanlan Street, Longhua District, Shenzhen, China) hereby declares that this Smart Phone is in compliance with the essential requirements and other relevant provisions of Directive 2014/53/EU.

According to Article 10(2) of Directive 2014/53/EU, the C21 Plus can be used in Europe without restriction.

Restrictions in the 5 GHz band:

According to Article 10 (10) of Directive 2014/53/EU, the packaging shows that this radio equipment will be subject to some restrictions when placed on the market in Belgium (BE), Bulgaria (BG), the Czech Republic (CZ), Denmark (DK), Germany (DE), Estonia (EE), Ireland (IE), Greece (EL), Spain (ES), France (FR), Croatia (HR), Italy (IT), Cyprus (CY), Latvia (LV), Lithuania (LT), Luxembourg (LU), Hungary (HU), Malta (MT), Netherlands (NL), Austria (AT), Poland (PL), Portugal (PT), Romania (RO), Slovenia (SI), Slovakia (SK), Finland (FI), Sweden (SE), the Turkey (TR), Norway (NO), Switzerland (CH), Iceland (IS), and Liechtenstein (LI).

The WLAN function for this device is restricted to indoor use only when operating in the 5150 to 5250 MHz frequency range.

	ES	LU	RO	CZ	FR	HU	SI
	DK	HR	BE	BG	DE	EE	IE
	EL	IT	Cy	LV	LT	SK	MT
	NL	AT	PL	PT	FI	SE	LI
	TR	NO	CH	IS			

DECLARATION OF CONFORMITY

I hereby declare that the product

Product Name: Smart Phone

Brand Name: OUKITEL

Model: C21 Plus

(Name of product, type or model, batch or serial number)

System components:

Battery:

Rechargeable Li-ion Battery; Model:S90

Specification: DC 3.87V, 4000mAh,15.48Wh

Adapter:

Model: PS10UA050K2000EU

Input: 100-240V~50/60Hz 0.35A Max

Output: 5.0V $\overline{\text{---}}$ 2.0A 10.0W

USB Cable:

Length: 100cm;

Hardware Version: V972_MB_V2.0

Software Version: OUKITEL_C21_Plus_EEA_V05

Satisfies all the technical regulations applicable to the product within the scope of Council Directives 2014/53/EU, 2014/35/EU and 2014/30/EU:and declare that the same application has not been lodged with any other notified body.

Health & Safety (Art. 3(1)(a)): EN 62368-1:2014+A11:2017

EN 50360:2017

EN 50566:2017

EN 62209-1:2016

EN 62209-2:2010

EN 62479:2010

EMC (Art. 3(1)(b)):

ETSI EN 301 489-1 V2.2.3 (2019-11)

ETSI EN 301 489-3 V2.1.1 (2019-03)

ETSI EN 301 489-17 V3.2.4 (2020-09)

ETSI EN 301 489-19 V2.1.1 (2019-04)

(Draft) ETSI EN 301 489-52 V1.1.0 (2016-11)

EN 55032:2015+A11:2020

EN 55035:2017+A11:2020

EN IEC 61000-3-2:2019

EN 61000-3-3:2013+A1:2019

Radio Spectrum (Article 3.2)

ETSI EN 300 328 V2.2.2 (2019-07)

ETSI EN 301 893 V2.1.1 (2017-05)

ETSI EN 300 440 V2.2.1 (2018-07)

ETSI EN 301 511 V12.5.1 (2017-03)

ETSI EN 301 908-1 V11.1.1 (2016-07)

ETSI EN 301 908-2 V11.1.2 (2017-08)

ETSI EN 301 908-13 V11.1.2 (2017-07)

ETSI EN 303 413 V1.2.1 (2021-04)

ETSI EN 303 345-1 V1.1.1 (2019-06)

ETSI EN 303 345-3 V1.1.1 (2021-06)

ETSI EN 300 330 V2.1.1 (2017-02)

(Title(s) of regulations, standards, etc.)

All essential radio test suites have been carried out.

NOTIFIED BODY: MiCOM Labs Inc

– **Address:**

575 Boulder Court

Pleasanton

CA 94566, USA

Identification Number: 2280

MANUFACTURER or AUTHORISED REPRESENTATIVE:

– **Address:**

SHENZHEN YUNJI INTELLIGENT TECHNOLOGY CO.,LTD

202, Building A2, Silicon Valley Power Intelligent Terminal Industrial Park, No. 20, Dafu Industrial Zone,
Kukeng Community, Guanlan Street, Longhua District, Shenzhen , China

This declaration is issued under the sole responsibility of the manufacturer and, if applicable, his authorised representative.