

1. Effective (Isotropic) Radiated Power Output Data

1.1 GSM850_ERP

1.1.1 Test Result

Band: GSM850										
ENV	Mode		Frequency (MHz)	Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict		
	Network	Subset				Result	Limit			
NTNV	GSM	GSM	824.2	33.94	-3.31	28.48	<=38.45	Pass		
			836.6	33.83	-3.31	28.37	<=38.45	Pass		
			848.8	33.87	-3.31	28.41	<=38.45	Pass		
	GPRS	1 TX Slot	824.2	33.95	-3.31	28.49	<=38.45	Pass		
			2 TX Slots	824.2	33.36	-3.31	27.90	<=38.45	Pass	
			3 TX Slots	824.2	29.65	-3.31	24.19	<=38.45	Pass	
			4 TX Slots	824.2	28.34	-3.31	22.88	<=38.45	Pass	
		2 TX Slots	836.6	33.86	-3.31	28.40	<=38.45	Pass		
			836.6	33.34	-3.31	27.88	<=38.45	Pass		
			836.6	29.68	-3.31	24.22	<=38.45	Pass		
			836.6	28.36	-3.31	22.90	<=38.45	Pass		
		4 TX Slots	848.8	33.83	-3.31	28.37	<=38.45	Pass		
			848.8	33.31	-3.31	27.85	<=38.45	Pass		
			848.8	29.58	-3.31	24.12	<=38.45	Pass		
			848.8	28.23	-3.31	22.77	<=38.45	Pass		
		EGPRS	1 TX Slot	824.2	32.00	-3.31	26.54	<=38.45	Pass	
				2 TX Slots	824.2	25.85	-3.31	20.39	<=38.45	Pass
				3 TX Slots	824.2	25.28	-3.31	19.82	<=38.45	Pass
				4 TX Slots	824.2	21.86	-3.31	16.40	<=38.45	Pass
	2 TX Slots		836.6	25.36	-3.31	19.90	<=38.45	Pass		
			836.6	24.60	-3.31	19.14	<=38.45	Pass		
			836.6	22.60	-3.31	17.14	<=38.45	Pass		
			836.6	21.73	-3.31	16.27	<=38.45	Pass		
	4 TX Slots		848.8	25.15	-3.31	19.69	<=38.45	Pass		
			848.8	24.29	-3.31	18.83	<=38.45	Pass		
			848.8	22.47	-3.31	17.01	<=38.45	Pass		
			848.8	21.35	-3.31	15.89	<=38.45	Pass		

Note1: ERP=Conducted Power+Antenna Gain-2.15

2. Frequency Stability

2.1 GSM850

2.1.1 Test Result

Band: GSM850								
Network	Frequency (MHz)	Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict	
					Result	Limit		
GSM	824.2	20	3.27	16.563	0.0201	-2.5 to 2.5	Pass	
			3.85	15.400	0.0187	-2.5 to 2.5	Pass	
			4.43	19.049	0.0231	-2.5 to 2.5	Pass	
		-30	3.85	16.434	0.0199	-2.5 to 2.5	Pass	
			-20	3.85	16.595	0.0201	-2.5 to 2.5	Pass
				-10	3.85	17.015	0.0206	-2.5 to 2.5

		0	3.85	16.756	0.0203	-2.5 to 2.5	Pass	
		10	3.85	14.819	0.0180	-2.5 to 2.5	Pass	
		30	3.85	16.821	0.0204	-2.5 to 2.5	Pass	
		40	3.85	17.241	0.0209	-2.5 to 2.5	Pass	
		50	3.85	14.755	0.0179	-2.5 to 2.5	Pass	
	836.6	20	3.27	17.757	0.0212	-2.5 to 2.5	Pass	
			3.85	15.465	0.0185	-2.5 to 2.5	Pass	
			4.43	13.011	0.0156	-2.5 to 2.5	Pass	
		-30	3.85	9.427	0.0113	-2.5 to 2.5	Pass	
		-20	3.85	14.625	0.0175	-2.5 to 2.5	Pass	
		-10	3.85	13.043	0.0156	-2.5 to 2.5	Pass	
		0	3.85	11.332	0.0135	-2.5 to 2.5	Pass	
		10	3.85	13.495	0.0161	-2.5 to 2.5	Pass	
		30	3.85	16.660	0.0199	-2.5 to 2.5	Pass	
		40	3.85	12.301	0.0147	-2.5 to 2.5	Pass	
		50	3.85	11.558	0.0138	-2.5 to 2.5	Pass	
		848.8	20	3.27	16.660	0.0196	-2.5 to 2.5	Pass
				3.85	16.111	0.0190	-2.5 to 2.5	Pass
	4.43			14.367	0.0169	-2.5 to 2.5	Pass	
	-30		3.85	16.530	0.0195	-2.5 to 2.5	Pass	
	-20		3.85	16.498	0.0194	-2.5 to 2.5	Pass	
	-10		3.85	16.498	0.0194	-2.5 to 2.5	Pass	
	0		3.85	16.434	0.0194	-2.5 to 2.5	Pass	
	10		3.85	16.692	0.0197	-2.5 to 2.5	Pass	
30	3.85		15.497	0.0183	-2.5 to 2.5	Pass		
40	3.85		15.594	0.0184	-2.5 to 2.5	Pass		
50	3.85		16.014	0.0189	-2.5 to 2.5	Pass		
GPRS	824.2		20	3.27	19.468	0.0236	-2.5 to 2.5	Pass
				3.85	20.502	0.0249	-2.5 to 2.5	Pass
		4.43		18.177	0.0221	-2.5 to 2.5	Pass	
		-30	3.85	19.372	0.0235	-2.5 to 2.5	Pass	
		-20	3.85	18.371	0.0223	-2.5 to 2.5	Pass	
		-10	3.85	18.694	0.0227	-2.5 to 2.5	Pass	
		0	3.85	18.112	0.0220	-2.5 to 2.5	Pass	
		10	3.85	17.499	0.0212	-2.5 to 2.5	Pass	
		30	3.85	18.564	0.0225	-2.5 to 2.5	Pass	
		40	3.85	19.307	0.0234	-2.5 to 2.5	Pass	
		50	3.85	18.080	0.0219	-2.5 to 2.5	Pass	
		836.6	20	3.27	20.243	0.0242	-2.5 to 2.5	Pass
				3.85	18.726	0.0224	-2.5 to 2.5	Pass
	4.43			19.016	0.0227	-2.5 to 2.5	Pass	
	-30		3.85	18.629	0.0223	-2.5 to 2.5	Pass	
	-20		3.85	17.434	0.0208	-2.5 to 2.5	Pass	
	-10		3.85	17.660	0.0211	-2.5 to 2.5	Pass	
	0		3.85	18.887	0.0226	-2.5 to 2.5	Pass	
	10		3.85	21.180	0.0253	-2.5 to 2.5	Pass	
	30		3.85	20.243	0.0242	-2.5 to 2.5	Pass	
	40		3.85	19.630	0.0235	-2.5 to 2.5	Pass	
	50		3.85	17.951	0.0215	-2.5 to 2.5	Pass	
	848.8		20	3.27	14.561	0.0172	-2.5 to 2.5	Pass
				3.85	17.015	0.0200	-2.5 to 2.5	Pass
4.43		17.079		0.0201	-2.5 to 2.5	Pass		
-30		3.85	16.982	0.0200	-2.5 to 2.5	Pass		
-20		3.85	15.885	0.0187	-2.5 to 2.5	Pass		
-10		3.85	16.466	0.0194	-2.5 to 2.5	Pass		
0		3.85	16.272	0.0192	-2.5 to 2.5	Pass		
10	3.85	17.176	0.0202	-2.5 to 2.5	Pass			

		30	3.85	16.627	0.0196	-2.5 to 2.5	Pass
		40	3.85	16.078	0.0189	-2.5 to 2.5	Pass
		50	3.85	16.046	0.0189	-2.5 to 2.5	Pass


3. Modulation Characteristics

3.1 GSM850

3.1.1 Test Result

Band: GSM850						
ENV	Mode		Frequency (MHz)	Modulation Characteristics		Verdict
	Network	Subset		Result	Limit	
NTNV	GSM	GSM	836.6	Refer To Test Graph		Pass
	GPRS	1 TX Slot	836.6	Refer To Test Graph		Pass
	EGPRS	1 TX Slot	836.6	Refer To Test Graph		Pass

3.1.2 Test Graph



GSM850_EGPRS_MCH_836.6MHz_1 TX Slot_NTNV

GSM Measurement - V3.7.30 - Base V 3.7.160 - TX Measurement

Band/Ch: GSM850 / 190 Freq.: 836.60000 MHz Ref. Level: 42.23 dBm Meas Slots: (●●●●●●●●●●) Tim. Advance.: 0

IQ

Statistic Count: 10 / 10
Bursts out of Tolerance: 0.00 %
Mod.View Throughput: 100.0 %
Burst Type: 8PSK

CS: Synchronized PS: TBF Established DL: ○○○○●○○○ MCS-5 UL: ○○○○●○○○ MCS-5

Go To Local Show Remote Screen

GSM
Multi Evaluation RDY
RF Settings
Trigger
Display
Signaling Parameter
GSM Signaling ON


4. 99% & 26dB Bandwidth

4.1 GSM850_OBW


4.1.1 Test Result

Band: GSM850					
ENV	Mode		Frequency (MHz)	99% Occupied Bandwidth (MHz)	Verdict
	Network	Subset		Result	
NTNV	GSM	GSM	824.2	0.250	Pass
			836.6	0.243	Pass
			848.8	0.246	Pass
	GPRS	1 TX Slot	824.2	0.246	Pass
			836.6	0.244	Pass
			848.8	0.242	Pass
	EGPRS	1 TX Slot	824.2	0.498	Pass
			836.6	0.517	Pass
			848.8	0.466	Pass


4.1.2 Test Graph




GSM850_GSM_HCH_848.8MHz_GSM_NTNV




GSM850_GPRS_LCH_824.2MHz_1 TX Slot_NTNV




GSM850_GPRS_MCH_836.6MHz_1 TX Slot_NTNV




GSM850_GPRS_HCH_848.8MHz_1 TX Slot_NTNV




GSM850_EGPRS_LCH_824.2MHz_1 TX Slot_NTNV



GSM850_EGPRS_MCH_836.6MHz_1 TX Slot_NTNV



GSM850_EGPRS_HCH_848.8MHz_1 TX Slot_NTNV




4.2 GSM850_XDB


4.2.1 Test Result

Band: GSM850					
ENV	Mode		Frequency (MHz)	26dB Bandwidth (MHz)	Verdict
	Network	Subset		Result	
NTNV	GSM	GSM	824.2	0.319	Pass
			836.6	0.316	Pass
			848.8	0.313	Pass
	GPRS	1 TX Slot	824.2	0.328	Pass
			836.6	0.316	Pass
			848.8	0.315	Pass
	EGPRS	1 TX Slot	824.2	0.721	Pass
			836.6	0.820	Pass
			848.8	0.789	Pass


4.2.2 Test Graph




GSM850_GSM_HCH_848.8MHz_GSM_NTNV




GSM850_GPRS_LCH_824.2MHz_1 TX Slot_NTNV




GSM850_GPRS_MCH_836.6MHz_1 TX Slot_NTNV




GSM850_GPRS_HCH_848.8MHz_1 TX Slot_NTNV




GSM850_EGPRS_LCH_824.2MHz_1 TX Slot_NTNV



GSM850_EGPRS_MCH_836.6MHz_1 TX Slot_NTNV



GSM850_EGPRS_HCH_848.8MHz_1 TX Slot_NTNV




5. Peak-Average Ratio

5.1 GSM850


5.1.1 Test Result

Band: GSM850						
ENV	Mode		Frequency (MHz)	Peak-Average Ratio (dB)		Verdict
	Network	Subset		Result	Limit	
NTNV	GSM	GSM	824.2	9.65	<=13	Pass
			836.6	9.61	<=13	Pass
			848.8	8.91	<=13	Pass
	GPRS	4 TX Slots	824.2	10.11	<=13	Pass
			836.6	3.62	<=13	Pass
			848.8	3.55	<=13	Pass
	EGPRS	4 TX Slots	824.2	11.69	<=13	Pass
			836.6	6.22	<=13	Pass
			848.8	6.76	<=13	Pass


5.1.2 Test Graph




GSM850_GSM_HCH_848.8MHz_GSM_NTNV




GSM850_GPRS_LCH_824.2MHz_4 TX Slots_NTNV




GSM850_GPRS_MCH_836.6MHz_4 TX Slots_NTNV




GSM850_GPRS_HCH_848.8MHz_4 TX Slots_NTNV




GSM850_EGPRS_LCH_824.2MHz_4 TX Slots_NTNV



GSM850_EGPRS_MCH_836.6MHz_4 TX Slots_NTNV



GSM850_EGPRS_HCH_848.8MHz_4 TX Slots_NTNV





6. Spurious Emission

6.1 GSM850


6.1.1 Test Result

Band: GSM850						
ENV	Mode		Frequency (MHz)	Spurious Emission		Verdict
	Network	Subset		Result	Limit	
NTNV	GSM	GSM	824.2	Refer To Test Graph		Pass
			836.6	Refer To Test Graph		Pass
			848.8	Refer To Test Graph		Pass
	GPRS	1 TX Slot	824.2	Refer To Test Graph		Pass
			836.6	Refer To Test Graph		Pass
			848.8	Refer To Test Graph		Pass
	EGPRS	1 TX Slot	824.2	Refer To Test Graph		Pass
			836.6	Refer To Test Graph		Pass
			848.8	Refer To Test Graph		Pass


6.1.2 Test Graph




GSM850_GSM_MCH_836.6MHz_GSM_NTNV




GSM850_GSM_HCH_848.8MHz_GSM_NTNV




GSM850_GSM_HCH_848.8MHz_GSM_NTNV




GSM850_GPRS_LCH_824.2MHz_1 TX Slot_NTNV




GSM850_GPRS_LCH_824.2MHz_1 TX Slot_NTNV




GSM850_GPRS_MCH_836.6MHz_1 TX Slot_NTNV




GSM850_GPRS_HCH_848.8MHz_1 TX Slot_NTNV




GSM850_GPRS_HCH_848.8MHz_1 TX Slot_NTNV




GSM850_EGPRS_LCH_824.2MHz_1 TX Slot_NTNV




GSM850_EGPRS_LCH_824.2MHz_1 TX Slot_NTNV




GSM850_EGPRS_MCH_836.6MHz_1 TX Slot_NTNV



GSM850_EGPRS_HCH_848.8MHz_1 TX Slot_NTNV



GSM850_EGPRS_HCH_848.8MHz_1 TX Slot_NTNV



7. Form731

7.1 Form731_Power

7.1.1 Test Result

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
GSM850	0.2	824.2	848.8	2.4831	0.0249	ppm	250KGXW	22H	33.95
GSM850	0.2	824.2	848.8	1.5849	0.0253	ppm	517KG7W	22H	32.00

7.2 Form731_ERP

7.2.1 Test Result

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
GSM850	0.2	824.2	848.8	0.7063	0.0249	ppm	250KGXW	22H	28.49
GSM850	0.2	824.2	848.8	0.4508	0.0253	ppm	517KG7W	22H	26.54