




## Overview



## Overview




## Accessories



## Battery

WP12 is included an internal battery. You can track your battery status with the icon showed on the top right of the screen. As microwave ovens, stoves, or radiators, batteries may explode when overheated.



## Basic parameters

Display:	5.5" HD+ IPS Touch screen
Operating system:	Android™ 11
Processor:	Cortex-A53 up to 1.8 GHz *4
GPU:	IMG GE8300 @ 550 MHz
RAM:	2/3/4GB
ROM:	16/32/64GB
Battery:	4000mAh, Quick Charge

## Camera

Rear Camera	Front Camera
13M AF + 2M FF YUV LED Flash	5.0MP

## Connection (I/O)

Europe Band:	American Band:
GSM:900/1800 WCDMA:1/8 FDD:1/3/7/8/20	GSM: 2/3/5/8 WCDMA: 1/2/4/5/8 FDD: 2/4/5/7/12/17/28a/28b

FM:87.5 MHz -108 MHz  
SIM Card Slot: Dual SIM ,Nano+Nano/Nano+TF Card  
**Note:Based On Local Frequency Band**

## Other Features

Video: AVI, MP4, WMV, MKV, MOV, ASF, FLV  
Audio: FLAC, APE, AAC, MKA, MP3, M4A, AMR, ALAC, WAV  
Image: JPEG, BMP, GIF,PNG

## Dimensions Package contents

Height: 174mm	1*USB Cable	1*Multi-language Manual
Width: 81mm	1*Charger	
Thickness:14.3mm	1*Warranty card	1*SIM Card pin
Weight: 250g		

Comes with the Google™ app and Google Chrome™.  
Android is a trademark of Google LLC  
MANUFACTURER NAME: SHENZHEN YUNJI INTELLIGENT TECHNOLOGY CO.,LTD  
MANUFACTURER ADDRESS: A-SIDE A2 BUILDING 2/F ENET NEW INDUSTRIAL PARK,NO.20 DAFU INDUSTRIAL ZONE, AOBEL COMMUNITY, GUANLAN, LONGHUA NEW DISTRICT,SHENZHEN CHINA

## Parametri di Base

Monitor:	5.5" HD+ IPS Touchscreen
Sistema operativo:	Andorid™ 11
Processore:	Cortex-A53 up to 1.8 GHz *4
GPU:	IMG GE8300 @ 550 MHz
Memoria:	2/3/4GB
ROM:	16/32/64GB
Batteria:	4000 mAh , carica rapida

## Telecamera

Fotocamera posteriore	Fotocamera frontale
13M AF +2M FF YUV Flash LED	5.0MP

## Connessione (I / O)

Banda europea:	American Band:
GSM:900/1800 WCDMA:1/8 FDD:1/3/7/8/20	GSM: 2/3/5/8 WCDMA: 1/2/4/5/8 FDD: 2/4/5/7/12/17/28a/28b

Slot per scheda SIM: Dual SIM, Nano + Nano /Nano+TF Card  
**Nota: basato sulla banda di frequenza locale**

## Altre Caratteristiche

Video: AVI, MP4, WMV, MKV, MOV, ASF, FLV  
Audio: FLAC, APE, AAC, MKA, MP3, M4A, AMR, ALAC, WAV  
Immagine: JPEG, BMP, GIF,PNG

## Formato Imballaggio

Altezza: 174mm	1 * Cavo USB	1 * Manuale multilingue
Larghezza: 81mm	1 * PIN della carta SIM	
Spessore: 14.3mm	1 *	1 * Caricabatterie
Peso: 250g		

App Google™ e Google Chrome™ inclusi  
Android è un marchio di Google LLC

## Grundparameter

Display:	5.5" HD+ IPS Touchscreen
Betriebssystem:	Andorid™ 11
Prozessor:	Cortex-A53 up to 1.8 GHz *4
GPU:	IMG GE8300 @ 550 MHz
RAM:	2/3/4GB
ROM:	16/32/64GB
Akku:	4000mAh, Schnellladung

## Kamera

hintere Kamera	vordere Kamera
13M AF +2M FF YUV LED-Blitzlicht	5.0MP

## Verbindung

Europa-Band:	Amerikanische Band:
GSM: 2/3/5/8 WCDMA:1/8 FDD: 1/3/7/8/19/20	GSM: 2/3/5/8 WCDMA: 1/2/4/5/8 FDD: 2/4/5/7/12/17/28a/28b

FM:87.5 MHz -108 MHz  
SIM Kartensteckplatz: Dual-SIM, Nano + Nano /Nano + TF Karte  
**Hinweis: Basierend auf dem lokalen Frequenzband**

## Weitere Eigenschaften

Video: AVI, MP4, WMV, MKV, MOV, ASF, FLV  
Audio: FLAC, APE, AAC, MKA, MP3, M4A, AMR, ALAC, WAV  
Bild: JPEG, BMP, GIF,PNG

## Abmessungen Packungsinhalt

Länge: 174mm	1*USB-Kabel	1*mehrsprachiges Handbuch
Breite: 81mm	1*Ladegerät	
Höhe: 14.3mm	1*SIM-Karten Stift	1*Schutzfolie
Gewicht: 250g		

Inklusive Google™ App und Google Chrome™  
Android ist eine Marke von Google LLC  
HERSTELLERNAMEN: SHENZHEN YUNJI INTELLIGENT TECHNOLOGY CO., LTD  
HERSTELLERADRESSE: A-SIDE A2 BUILDING 2/F ENET NEUER INDUSTRIAL PARK, NO.20 DAFU INDUSTRIAL ZONE, AOBEL COMMUNITY, GUANLAN, LONGHUA NEUES BEZIRK, SHENZHEN CHINA

This device complies with part 15 of the FCC Rules. Operation is subject to the condition that this device does not cause harmful interference  
Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.  
NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation.  
If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Specific Absorption Rate (SAR) information:  
This Mobile Phone meets the government's requirements for exposure to radio waves. The guidelines are based on standards that were developed by independent scientific organizations through periodic and thorough evaluation of scientific studies. The standards include a substantial safety margin designed to assure the safety of all persons regardless of age or health.

requirements, use accessories that maintain a 10mm separation distance between the user's body and the back of the handset. The use of belt clips, holsters and similar accessories should not contain metallic components in its assembly. The use of accessories that do not satisfy these requirements may not comply with FCC RF exposure requirements, and should be avoided.

Body-worn Operation  
This device was tested for typical body-worn operations. To comply with RF exposure requirements, a minimum separation distance of 10mm must be maintained between the user's body and the handset, including the antenna. Third-party belt-clips, holsters, and similar accessories used by this device should not contain any metallic components. Body-worn accessories that do not meet these requirements may not comply with RF exposure requirements and should be avoided. Use only the supplied or an approved antenna.  
FCC ID: 2ANMU-WP12



www.oukitel.com



## RF Specification:

Function	Operation Frequency	Max RF output power:	Limit
BLE	2402MHz~2480MHz	-1.68 dBm	20 dBm.
BT(BR+EDR)	2402MHz~2480MHz	6.04 dBm	20 dBm.
WIFI 802.11b/g/n(HT20,HT40)	802.11b/g/n(20MHz): 2412~2472MHz; 802.11n(40MHz):2422~2462MHz	14.86 dBm	20 dBm.
Wi-Fi 5.2G(802.11a/n20/n40/ac20/ac40/ac80)	802.11a/ n20/ac20:5180MHz~5240MHz 802.11 n40/ac40:5190MHz~5230MHz 802.11ac80:5210MHz	10 dBm	23 dBm.
Wi-Fi 5.3G(802.11a/n20/n40/ac20/ac40/ac80)	802.11a/ n20/ac20: 5260MHz~5320MHz 802.11 n40/ac40: 5270MHz~5310MHz 802.11ac80: 5290MHz	9.79 dBm	23 dBm.
Wi-Fi 5.6G(802.11a/n20/n40/ac20/ac40/ac80)	802.11a/ n20/ac20: 5500MHz~5700MHz 802.11 n40/ac40: 5510MHz~5670MHz 802.11ac80: 5775MHz	10.11 dBm	23 dBm.
GSM/GPRS/EGPRS 900	TX(Uplink):880M - 915MHZ; RX(Downlink):925M - 960MHZ	33.08dBm	class 4 (33±3dBm)
GSM/GPRS/EGPRS 1800	TX(Uplink):1710M - 1785MHZ; RX(Downlink):1805M - 1880MHZ	30.53dBm	class 1 (30±3dBm)
WCDMA B1	TX(Uplink):1920-1980MHz; RX(Downlink):2110-2170MHz	22.35 dBm	24 (dBm) +1,7/-3,7 (dB)
WCDMA B8	TX(Uplink): 880-915MHz; RX(Downlink):925-960MHz	22.54 dBm	24 (dBm) +1,7/-3,7 (dB)
LTE FDD B1	TX(Uplink):1920-1980MHz; RX(Downlink):2110-2170MHz	24.29 dBm	23(dBm) ±2,7(dB)
LTE FDD B3	TX(Uplink) :1710-1785MHz; RX(Downlink):1805-1880MHz	23.9 dBm	23(dBm) ±2,7(dB)
LTE FDD B7	TX(Uplink) :2500-2570MHz; RX(Downlink):2620-2690MHz	24.99 dBm	23(dBm) ±2,7(dB)
LTE FDD B8	TX(Uplink): 880MHz to 915 MHz RX(Downlink): 925 MHz to 960 MHz	23.81 dBm	23(dBm) ±2,7(dB)
LTE FDD B20	TX(Uplink) 832MHz~862MHz; RX(Downlink)791MHz~821MHz	23.34 dBm	23(dBm) ±2,7(dB)
FM	Rx(Downlink): 87.5MHz~108MHz	--	--
GPS	Rx(Downlink): 1.57542GHz	--	--
NFC	13.56MHz	14.47dBuA/m@10m	60dBuA/m@10m

## Warning:

1. CAUTION: RISK OF EXPLOSION IF BATTERY IS REPLACED BY AN INCORRECT TYPE. DISPOSE OF USED BATTERIES ACCORDING TO THE INSTRUCTIONS.
2. Use careful with the earphone maybe possible excessive sound pressure from earphones and headphones can cause hearing loss.
3. The product shall only be connected to a USB interface of version USB2.0.
4. Adapter shall be installed near the equipment and shall be easily accessible.
5. Operation temperature:-10~40°C.
6. The plug considered as disconnect device of adapter.
7. The device complies with RF specifications when the device used at 5mm from your body(SAR limit 2.0 W/Kg for 10-g) and at 0mm from your Member(DAS limit 4.0 W/Kg for 10-g). head SAR Value: 0.621W/Kg for 10-g; Body SAR Value: 1.549W/Kg for 10-g; Member DAS Value: 3.726W/Kg for 10-g;



### 8. Accessories information:

Battery: DC 3.85V, 4000mAh, 15.4Wh

Adapter

Model:HJ-0501000B3-EU

Input: 100-240V~50/60Hz 0.15A

Output: 5.0V ---1.0A 5.0W

SHENZHEN YUNJI INTELLIGENT TECHNOLOGY CO.,LTD hereby declares that this Smart Phone is in compliance with the essential requirements and other relevant provisions of Directive 2014/53/EU.

This information has to be presented in such a way that the user can readily understand it. Typically, this will necessitate translation into every local language (required by national consumer laws) of the markets where the equipment is intended to be sold. Illustrations, pictograms and using international abbreviations for country names may help reduce the need for translation.

### EU Declaration of Conformity

We,

SHENZHEN YUNJI INTELLIGENT TECHNOLOGY CO.,LTD (A-SIDE A2 BUILDING 2/F ENET NEW INDUSTRIAL PARK,NO.20 DAFU INDUSTRIAL ZONE, AOBEL COMMUNITY, GUANLAN, LONGHUA NEW DISTRICT,SHENZHEN CHINA) hereby declares that this 4G Smart Phone is in compliance with the essential requirements and other relevant provisions of Directive 2014/53/EU.

According to Article 10(2) of Directive 2014/53/EU, the Aqua Infinity can be used in Europe without restriction.

The full text of the EU declaration DOC is available

### Restrictions in the 5 GHz band:

According to Article 10 (10) of Directive 2014/53/EU, the packaging shows that this radio equipment will be subject to some restrictions when placed on the market in Belgium (BE), Bulgaria (BG), the Czech Republic (CZ),Denmark (DK), Germany (DE), Estonia (EE), Ireland (IE), Greece (EL), Spain(ES), France (FR), Croatia (HR), Italy (IT), Cyprus (CY), Latvia (LV), Lithuania(LT), Luxembourg (LU), Hungary (HU), Malta (MT), Netherlands (NL), Austria(AT), Poland (PL), Portugal (PT), Romania (RO), Slovenia (SI), Slovakia (SK),Finland (FI), Sweden (SE), Turkey (TR), Norway(NO), Switzerland (CH), Iceland (IS), and Liechtenstein (LI).

The WLAN function for this device is restricted to indoor use only when operating in the 5150 to 5350 MHz frequency range.

	ES	LU	RO	CZ	FR	HU	SI
	DK	HR	BE	BG	DE	EE	IE
	EL	IT	Cy	LV	LT	SK	MT
	NL	AT	PL	PT	FI	SE	TR
	NO	CH	IS	LI			

# DECLARATION OF CONFORMITY

I hereby declare that the product

Product Name: Smart Phone

Brand Name: OUKITEL

Model: WP12

---

(Name of product, type or model, batch or serial number)

System components:

Battery:

Rechargeable Li-ion Battery; Model: S86; Specification: DC 3.85V, 4000mAh, 15.4Wh;

Adapter:

Model:HJ-0501000B3-EU

Input: 100-240V~50/60Hz 0.15A

Output: 5.0V  $\overline{\text{---}}$ 1.0A 5.0W

USB Cable:

Length: 80cm;

Earphone:

Length: 120cm;

Hardware Version: TE656\_MAIN\_PCB\_V1.1

Software Version: OUKITEL\_WP12\_EEA\_V01

Satisfies all the technical regulations applicable to the product within the scope of Council Directives 2014/53/EU, 2014/35/EU and 2014/30/EU:and declare that the same application has not been lodged with any other notified body.

EN 62368-1:2014+A11:2017

---

EN 50360:2017

---

EN 50566:2017

---

EN 62209-1:2016

---

EN 62209-2:2010

---

EN 62479:2010

---

ETSI EN 301 489-1 V2.2.3 (2019-11)

---

ETSI EN 301 489-3 V2.1.1 (2019-03)

---

ETSI EN 301 489-17 V3.2.4 (2020-09)

---

ETSI EN 301 489-19 V2.1.1 (2019-04)

---

(Draft) ETSI EN 301 489-52 V1.1.2 (2020-12)

---

EN 55032:2015+A11:2020

---

EN 55035:2017+A11:2020

---

EN 61000-3-2:2014

---

EN 61000-3-3:2013

---

ETSI EN 300 328 V2.2.2 (2019-07)

---

ETSI EN 301 893 V2.1.1 (2017-05)

---

ETSI EN 301 511 V12.5.1 (2017-03)

---

ETSI EN 301 908-1 V11.1.1 (2016-07)

---

ETSI EN 301 908-2 V11.1.2 (2017-08)

---

ETSI EN 301 908-13 V11.1.2 (2017-07)

---

ETSI EN 303 413 V1.1.1 (2017-06)

---

ETSI EN 303 345-1 V1.1.1 (2019-06)

---

Draft ETSI EN 303 345-3 V1.1.0 (2019-11)

---

ETSI EN 300 330 V2.1.1 (2017-02)

---

(Title(s) of regulations, standards, etc.)

**All essential radio test suites have been carried out.**

**NOTIFIED BODY:** MiCOM Labs Inc

– **Address:**

575 Boulder Court

---

Pleasanton

---

CA 94566, USA

---

Identification Number: 2280

---

**MANUFACTURER or AUTHORISED REPRESENTATIVE:**

– **Address:**

SHENZHEN YUNJI INTELLIGENT TECHNOLOGY CO.,LTD

---

A-SIDE A2 BUILDING 2/F ENET NEW INDUSTRIAL PARK,NO.20 DAFU INDUSTRIAL ZONE, AOBEI COMMUNITY,  
GUANLAN, LONGHUA NEW DISTRICT,SHENZHEN CHINA

---

This declaration is issued under the sole responsibility of the manufacturer and, if applicable, his authorised representative.