




#### **Test Data**

## **Maximum Conducted Output Power**

Condition	Mode	Frequency	Antenna	Conducted Power	Duty Factor	Total Power	Limit	Verdict
		(MHz)		(dBm)	(dB)	(dBm)	(dBm)	
NVNT	BLE	2402	Ant1	-4.201	0	-4.201	30	Pass
NVNT	BLE	2442	Ant1	-3.099	0	-3.099	30	Pass
NVNT	BLE	2480	Ant1	-4.407	0	-4.407	30	Pass













#### -6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	BLE	2402	Ant1	0.662	0.5	Pass
NVNT	BLE	2442	Ant1	0.662	0.5	Pass
NVNT	BLE	2480	Ant1	0.665	0.5	Pass













## **Occupied Channel Bandwidth**

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant1	1.041399525	
NVNT	BLE	2442	Ant1	1.041039151	
NVNT	BLE	2480	Ant1	1.045040509	













## **Maximum Power Spectral Density Level**

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-20.523	8	Pass
NVNT	BLE	2442	Ant1	-19.356	8	Pass
NVNT	BLE	2480	Ant1	-20.678	8	Pass














#### **Band Edge**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-51.44	-20	Pass
NVNT	BLE	2480	Ant1	-51.89	-20	Pass













# **Conducted RF Spurious Emission**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-43.11	-20	Pass
NVNT	BLE	2442	Ant1	-41.2	-20	Pass
NVNT	BLE	2480	Ant1	-42.23	-20	Pass











