SAR TEST REPORT								
Report Reference No.:	UNI170619046-E							
Compiled by: (position+printed name+signature)	File administrators Eric Xie	2m rie						
Tested by: (position+printed name+signature)	Test Engineer Dora Qin	Dota Qin						
Approved by: (position+printed name+signature)	Manager Kait Chen	Kara						
Product Name	Smart Watch							
Model/Type reference	W101hero							
List Model(s)	W201hero, W801, W201, W101, W302, W307, W900, W800, W50	W600, W700, W300, W301, 0						
Trade Mark	MYMOBILE							
FCC ID	2ANNATYHT							
Applicant's name	ShenZhen TianYuanHengTai Comm	unications Equipment CO., LTD						
Address	3 F, 41A Building, 5th District, Huaid Baoan, Shenzhen, China	ecuigang Industrial Park, Fuyong,						
Representative Laboratory Name	Laboratory of Shenzhen United Te	sting Technology Co., Ltd						
Address	Room 316-319, Block B, Honghualin Taoyuan Street, Nanshan District, Sl	g Industrial Park of the Fifth Zone, nenzhen, Guangdong, China						
Testing Laboratory Name	The Testing and Technology Centre Shenzhen Entry-Exit Inspection ar	er for Industrial Products of nd Quarantine Bureau						
Address	No.149,Gongye 7th Rd. Nanshan Dis	strict, Shenzhen, China						
Test specification								
Standard	ANSI C95.1–1999/IEEE 1528:2013 47CFR §2.1093							
Date of Receipt	Jun. 16, 2017							
Date of Test Date	Jun. 16, 2017 ~ Jun. 23, 2017							
Data of Issue	Jun. 23, 2017							
Result	PASS							
Laboratory of Shenzhen United Te This publication may be reproduce Laboratory of Shenzhen United T	esting Technology Co., Ltd ed in whole or in part for non-comm esting Technology Co., Ltd is ackn	mercial purposes as long as the owledged as copyright owner and						

This publication may be reproduced in whole or in part for non-commercial purposes as long as the **Laboratory of Shenzhen United Testing Technology Co., Ltd** is acknowledged as copyright owner and source of the material. **Laboratory of Shenzhen United Testing Technology Co., Ltd** takes no responsibility for and will not assume liability for damages resulting from the reader's interpretation of the reproduced material due to its placement and context.

TEST REPORT

Test Report No. :	est Report No. : UNI170619046-E		Jun. 23, 2017						
			Date of ISSUE						
Equipment under Test	:	Smart Watch							
Model /Type	:	W101hero	W101hero						
Listed Models	:	W201hero, W801, W201 W301, W302, W307, W9	W201hero, W801, W201, W101, W600, W700, W300, W301, W302, W307, W900, W800, W500						
Applicant	:	ShenZhen TianYuanHe Equipment CO., LTD	engTai Communications						
Address	:	3 F, 41A Building, 5th I Industrial Park, Fuyong	3 F, 41A Building, 5th District, Huaidecuigang Industrial Park, Fuyong, Baoan, Shenzhen, China						
Manufacturer	:	ShenZhen TianYuanHe Equipment CO., LTD	JanHengTai Communications _TD						
Address	:	3 F, 41A Building, 5th I Industrial Park, Fuyong	District, Huaidecuigang g, Baoan, Shenzhen, China						

Test result	Pass *
-------------	--------

* In the configuration tested, the EUT complied with the standards specified page 5.

The test report merely corresponds to the test sample. It is not permitted to copy extracts of these test result without the written permission of the test laboratory.

** Modifited History **

Revison	Description	Issued Data	Remark
Revsion 1.0	Initial Test Report Release	2017-06-23	Kait Chen

Contents

<u>1.</u>	SUMMARY	5
1.1. 1.2. 1.3.	TEST STANDARDS Statement of Compliance Test Facility	5 5 6
1.4. 1.5.	SAR Measurement Variability Measurement Uncertainty (300MHz-3GHz)	6 7
<u>2.</u>	GENERAL INFORMATION	11
2.1. 2.2. 2.3. 2.4.	Environmental conditions General Description of EUT Description of Test Modes Equipments Used during the Test	11 11 11 12
<u>3.</u>	SAR MEASUREMENTS SYSTEM CONFIGURATION	13
3.1. 3.2. 3.4. 3.5. 3.6. 3.7. 3.8. 3.9. 3.10. 3.11. 3.12.	SAR Measurement Set-up DASY4 E-field Probe System PHANTOMS DEVICE HOLDER Scanning Procedure Data Storage and Evaluation Tissue Dielectric Parameters for Head and Body Phantoms Tissue equivalent liquid properties System Check SAR measurement procedure General description of test procedures Power Reduction	13 14 15 15 15 16 18 18 19 21 27 27
<u>4.</u>	TEST CONDITIONS AND RESULTS	28
4.1. 4.2. 4.3. 4.4. 4.5. 4.6. 4.7.	Conducted Power Results Simultaneous TX SAR Considerations SAR Measurement Results SAR Measurement Variability Simultaneous TX SAR Considerations System Check Results SAR Test Graph Results	28 29 31 31 32 33 37
<u>5.</u>	CALIBRATION CERTIFICATE	41
5.1. 5.2. 5.3. 5.4.	Probe Calibration Ceriticate D835V2 Dipole Calibration Ceriticate D1900V2 Dipole Calibration Ceriticate D2450V2 Dipole Calibration Certificate	41 52 60
5.5.	DAE4 Calibration Ceriticate	68
<u>6.</u>	TEST SETUP PHOTOS	71

1. <u>SUMMARY</u>

1.1. TEST STANDARDS

The tests were performed according to following standards:

<u>IEEE Std C95.1, 1999:</u> IEEE Standard for Safety Levels with Respect to Human Exposure to Radio Frequency Electromagnetic Fields, 3 KHz to 300 GHz. It specifies the maximum exposure limit of 1.6 W/kg as averaged over any 1 gram of tissue for portable devices being used within 20 cm of the user in the uncontrolled environment.

<u>IEEE Std 1528™-2013</u>: IEEE Recommended Practice for Determining the Peak Spatial-Average Specific Absorption Rate (SAR) in the Human Head from Wireless Communications Devices: Measurement Techniques.

<u>KDB 447498 D01Mobile Portable RF Exposure v06:</u> Mobile and Portable Device RF Exposure Procedures and Equipment Authorization Policies

KDB865664 D01SAR measurement 100 MHz to 6 GHz v01r04: SAR Measurement Requirements for 100 MHz to 6 GHz

<u>KDB865664 D02 SAR Reporting v01r02:</u> RF Exposure Compliance Reporting and Documentation Considerations

FCC Part 2.1093:Radiofrequency Radiation Exposure Evaluation:Portable Devices KDB941225 D01 3G SAR Procedures v03r01 : 3G SAR MEAUREMENT PROCEDURES KDB648474 D04 Handset SAR v01r03: SAR Evaluation Considerations for Wireless Handsets

1.2. Statement of Compliance

The maximum of results of SAR found during testing for W101hero are follows:

Mouth-worn Configuration									
		Channel	Limit SAR _{1g} 1.6 W/kg						
Mode	Test Position	/Frequency(MHz)	Measured SAR _{1g} (W/kg)	Reported SAR _{1g} (W/kg)					
GSM 850	Mouth-worn (10mm distance)	251/848.8	0.302	0.317					
GSM 1900	Mouth-worn (10mm distance)	661/1880	0.410	0.431					

Wrist-worn Configuration									
		Channel	Limit SAR _{10g} 4.0 W/kg						
Mode	Test Position	/Frequency(MHz)	Measured SAR _{10g} (W/kg)	Reported SAR _{10g} (W/kg)					
GSM 850	Wrist-worn (0mm distance)	251/848.8	1.170	1.217					
GSM 1900	Wrist-worn (0mm distance)	661/1880	1.560	1.763					

The SAR values found for the Smart Watch are below the maximum recommended levels of 1.6W/Kg as averaged over any 1g tissue for Mouth-worn and 4.0W/Kg averaged over any 10g tissue for Wirst-worn as according to the KDB 447498 D01.

For body worn operation, this devices has been tested and meets FCC RF exposure guidelines when used with any accessory that contains no metal and which provides a minimum separation distance of 0mm between this devices and the body of the user. User of other accessories may not ensure compliance with FCC RF exposure guidelines.

The EUT battery must be fully charged and checked periodically during the test to ascertain iniform power output.

1.3. Test Facility

1.3.1 Address of the test laboratory

The Testing and Technology Center for Industrial Products of Shenzhen Entry-Exit Inspection and Quarantine Bureau

No.149, Gongye 7th Rd. Nanshan District, Shenzhen, China

1.3.2 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

CNAS-Lab Code: L2872

1.4. SAR Measurement Variability

According to KDB865664, Repeated measurements are required only when the measured SAR is \geq 0.80 W/kg. If the measured SAR value of the initial repeated measurement is < 1.45 W/kg with \leq 20% variation, only one repeated measurement is required to reaffirm that the results are not expected to have substantial variations, which may introduce significant compliance concerns. A second repeated measurement is required only if the measured result for the initial repeated measurement is within 10% of the SAR limit and vary by more than 20%, which are often related to device and measurement setup difficulties. The following procedures are applied to determine if repeated measurements are required. The same procedures should be adapted for measurements according to extremity and occupational exposure limits by applying a factor of 2.5 for extremity exposure and a factor of 5 for occupational exposure to the corresponding SAR thresholds.19 The repeated measurement results must be clearly identified in the SAR report. All measured SAR, including the repeated results, must be considered to determine compliance and for reporting according to KDB 690783.Repeated measurement is not required when the original highest measured SAR is < 0.80 W/kg; steps 2) through 4) do not apply.

- 1) When the original highest measured SAR is \geq 0.80 W/kg, repeat that measurement once.
- Perform a second repeated measurement only if the ratio of largest to smallest SAR for the original and first repeated measurements is > 1.20 or when the original or repeated measurement is ≥ 1.45 W/kg (~ 10% from the 1-g SAR limit).
- Perform a third repeated measurement only if the original, first or second repeated measurement is ≥ 1.5 W/kg and the ratio of largest to smallest SAR for the original, first and second repeated measurements is > 1.20.
- 4) Perform a third repeated measurement only if the original, first or second repeated measurement is ≥ 1.5 W/kg and the ratio of largest to smallest SAR for the original, first and second repeated measurements is > 1.20

1.5. Measurement Uncertainty (300MHz-3GHz)

According to IEC62209-1/IEEE 1528:2013										
No.	Error Description	Туре	Uncertainty Value	Probably Distribution	Div.	(Ci) 1g	(Ci) 10g	Std. Unc. (1g)	Std. Unc. (10a)	Degree of freedom
Measuremer	nt System		I	I	1			()/	\ - '	
1	Probe calibration	В	5.50%	Ν	1	1	1	5.50%	5.50%	8
2	Axial isotropy	В	4.70%	R	$\sqrt{3}$	0.7	0.7	1.90%	1.90%	œ
3	Hemispherica I isotropy	В	9.60%	R	$\sqrt{3}$	0.7	0.7	3.90%	3.90%	œ
4	Boundary Effects	В	1.00%	R	$\sqrt{3}$	1	1	0.60%	0.60%	∞
5	Probe Linearity	В	4.70%	R	$\sqrt{3}$	1	1	2.70%	2.70%	œ
6	Detection limit	В	1.00%	R	$\sqrt{3}$	1	1	0.60%	0.60%	∞
7	RF ambient conditions- noise	В	0.00%	R	$\sqrt{3}$	1	1	0.00%	0.00%	8
8	RF ambient conditions- reflection	В	0.00%	R	$\sqrt{3}$	1	1	0.00%	0.00%	œ
9	Response time	В	0.80%	R	$\sqrt{3}$	1	1	0.50%	0.50%	œ
10	Integration time	В	5.00%	R	$\sqrt{3}$	1	1	2.90%	2.90%	8
11	RF ambient	В	3.00%	R	$\sqrt{3}$	1	1	1.70%	1.70%	8
12	Probe positioned mech. restrictions	В	0.40%	R	$\sqrt{3}$	1	1	0.20%	0.20%	8
13	Probe positioning with respect to phantom shell	В	2.90%	R	$\sqrt{3}$	1	1	1.70%	1.70%	œ
14	Max.SAR evalation	В	3.90%	R	$\sqrt{3}$	1	1	2.30%	2.30%	8
Test Sample	Related	I	I	I	1		1		1	
15	Test sample positioning	Α	1.86%	N	1	1	1	1.86%	1.86%	∞
16	Device holder uncertainty	А	1.70%	N	1	1	1	1.70%	1.70%	∞
17	Drift of output power	В	5.00%	R	$\sqrt{3}$	1	1	2.90%	2.90%	8
Phantom and	d Set-up									
18	Phantom uncertainty	В	4.00%	R	$\sqrt{3}$	1	1	2.30%	2.30%	œ
19	Liquid conductivity (target)	В	5.00%	R	$\sqrt{3}$	0.64	0.43	1.80%	1.20%	œ
20	Liquid conductivity (meas.)	A	0.50%	N	1	0.64	0.43	0.32%	0.26%	∞
21	Liquid permittivity (target)	В	5.00%	R	$\sqrt{3}$	0.64	0.43	1.80%	1.20%	œ

Page 8 of 72

Report No.: UNI170619046-E

22	Liquid cpermittivity (meas.)	A	0.16%	Ν	1	0.64	0.43	0.10%	0.07%	8
Combined standard uncertainty	$u_c = \sqrt{\sum_{i=1}^{22} c_i^2 u}$	$\frac{2}{i}$	/	1	/	/	/	10.20%	10.00%	8
Expanded uncertainty (confidence interval of 95 %)	$u_e = 2u_c$		1	R	K=2	/	/	20.40%	20.00%	8

	According to IEC62209-2/2010									
No.	Error Description	Туре	Uncertainty Value	Probably Distribution	Div.	(Ci) 1g	(Ci) 10g	Std. Unc. (1g)	Std. Unc. (10g)	Degree of freedom
Measuremer	nt System							r		
1	Probe calibration	В	6.20%	Ν	1	1	1	6.20%	6.20%	œ
2	Axial isotropy	В	4.70%	R	$\sqrt{3}$	0.7	0.7	1.90%	1.90%	œ
3	Hemispherica I isotropy	В	9.60%	R	$\sqrt{3}$	0.7	0.7	3.90%	3.90%	8
4	Boundary Effects	В	2.00%	R	$\sqrt{3}$	1	1	1.20%	1.20%	œ
5	Probe Linearity	В	4.70%	R	$\sqrt{3}$	1	1	2.70%	2.70%	∞
6	Detection limit	В	1.00%	R	$\sqrt{3}$	1	1	0.60%	0.60%	œ
7	RF ambient conditions- noise	В	0.00%	R	$\sqrt{3}$	1	1	0.00%	0.00%	œ
8	RF ambient conditions- reflection	В	0.00%	R	$\sqrt{3}$	1	1	0.00%	0.00%	8
9	Response time	В	0.80%	R	$\sqrt{3}$	1	1	0.50%	0.50%	œ
10	Integration time	В	5.00%	R	$\sqrt{3}$	1	1	2.90%	2.90%	8
11	RF Ambient	В	3.00%	R	$\sqrt{3}$	1	1	1.70%	1.70%	8
12	Probe positioned mech. restrictions	В	0.80%	R	$\sqrt{3}$	1	1	0.50%	0.50%	œ
13	Probe positioning with respect to phantom shell	В	6.70%	R	$\sqrt{3}$	1	1	3.90%	3.90%	œ
14	Max.SAR Evalation	В	3.90%	R	$\sqrt{3}$	1	1	2.30%	2.30%	œ
15	Modulation Response	В	2.40%	R	$\sqrt{3}$	1	1	1.40%	1.40%	∞
Test Sample	Related	1		1	1	1	n	n	r	n
16	Test sample positioning	Α	1.86%	N	1	1	1	1.86%	1.86%	∞
17	Device holder uncertainty	Α	1.70%	N	1	1	1	1.70%	1.70%	∞
18	Drift of output power	В	5.00%	R	$\sqrt{3}$	1	1	2.90%	2.90%	∞

Phantom and	Phantom and Set-up									
19	Phantom uncertainty	В	6.10%	R	$\sqrt{3}$	1	1	3.50%	3.50%	8
20	SAR correction	В	1.90%	R	$\sqrt{3}$	1	0.84	1.11%	0.90%	8
21	Liquid conductivity (target)	В	5.00%	R	$\sqrt{3}$	0.64	0.43	1.80%	1.20%	8
22	Liquid conductivity (meas.)	А	0.50%	Ν	1	0.64	0.43	0.32%	0.26%	8
23	Liquid permittivity (target)	В	5.00%	R	$\sqrt{3}$	0.64	0.43	1.80%	1.20%	8
24	Liquid cpermittivity (meas.)	А	0.16%	Ν	1	0.64	0.43	0.10%	0.07%	8
25	Temp.Unc Conductivity	В	3.40%	R	$\sqrt{3}$	0.78	0.71	1.50%	1.40%	8
26	Temp.Unc Permittivity	В	0.40%	R	$\sqrt{3}$	0.23	0.26	0.10%	0.10%	8
Combined standard uncertainty	$u_c = \sqrt{\sum_{i=1}^{22} c_i^2 \iota}$	u_i^2	1	1	1	1	1	12.90%	12.70%	8
Expanded uncertainty (confidence interval of 95 %)	$u_e = 2u_c$		1	R	K=2	/	/	25.80%	25.40%	8

	Uncertainty of a System Performance Check with DASY5 System									
			Accordin	g to IEC6220	9-2/20	10				
No.	Error Description	Туре	Uncertainty Value	Probably Distribution	Div.	(Ci) 1g	(Ci) 10g	Std. Unc. (1g)	Std. Unc. (10g)	Degree of freedom
Measuremer	nt System									
1	Probe calibration	В	6.00%	N	1	1	1	6.00%	6.00%	œ
2	Axial isotropy	В	4.70%	R	$\sqrt{3}$	0.7	0.7	1.90%	1.90%	œ
3	Hemispherica I isotropy	В	0.00%	R	$\sqrt{3}$	0.7	0.7	0.00%	0.00%	8
4	Boundary Effects	В	1.00%	R	$\sqrt{3}$	1	1	0.60%	0.60%	8
5	Probe Linearity	В	4.70%	R	$\sqrt{3}$	1	1	2.70%	2.70%	œ
6	Detection limit	В	1.00%	R	$\sqrt{3}$	1	1	0.60%	0.60%	∞
7	RF ambient conditions- noise	В	0.00%	R	$\sqrt{3}$	1	1	0.00%	0.00%	œ
8	RF ambient conditions- reflection	В	0.00%	R	$\sqrt{3}$	1	1	0.00%	0.00%	8
9	Response time	В	0.80%	R	$\sqrt{3}$	1	1	0.50%	0.50%	8
10	Integration time	В	5.00%	R	$\sqrt{3}$	1	1	2.90%	2.90%	8
11	RF Ambient	В	3.00%	R	$\sqrt{3}$	1	1	1.70%	1.70%	8

Report No.: UNI170619046-E

12	Probe positioned mech. restrictions	В	0.80%	R	$\sqrt{3}$	1	1	0.50%	0.50%	8
13	Probe positioning with respect to phantom shell	В	6.70%	R	$\sqrt{3}$	1	1	3.90%	3.90%	8
14	Max.SAR Evalation	В	3.90%	R	$\sqrt{3}$	1	1	2.30%	2.30%	8
15	Modulation Response	В	2.40%	R	$\sqrt{3}$	1	1	1.40%	1.40%	8
Test Sample	Related									
16	Test sample positioning	А	0.00%	N	1	1	1	0.00%	0.00%	∞
17	Device holder uncertainty	А	2.00%	N	1	1	1	2.00%	2.00%	8
18	Drift of output power	В	3.40%	R	$\sqrt{3}$	1	1	2.00%	2.00%	8
Phantom and	d Set-up									
19	Phantom uncertainty	В	4.00%	R	$\sqrt{3}$	1	1	2.30%	2.30%	8
20	SAR correction	В	1.90%	R	$\sqrt{3}$	1	0.84	1.11%	0.90%	8
21	Liquid conductivity (meas.)	А	0.50%	Ν	1	0.64	0.43	0.32%	0.26%	8
22	Liquid cpermittivity (meas.)	А	0.16%	Ν	1	0.64	0.43	0.10%	0.07%	8
23	Temp.Unc Conductivity	В	1.70%	R	$\sqrt{3}$	0.78	0.71	0.80%	0.80%	8
24	Temp.Unc Permittivity	В	0.40%	R	$\sqrt{3}$	0.23	0.26	0.10%	0.10%	8
Combined standard uncertainty	$u_c = \sqrt{\sum_{i=1}^{22} c_i^2 u_i}$	u_i^2	/	/	1	/	/	12.90%	12.70%	8
Expanded uncertainty (confidence interval of 95 %)	$u_e = 2u_c$		/	R	K=2	/	/	18.80%	18.40%	8

2. GENERAL INFORMATION

2.1. Environmental conditions

Normal Temperature:	18-25 ° C
Relative Humidity:	40-65 %
Air Pressure:	950-1050mbar

2.2. General Description of EUT

Product Name:	Smart Watch
Model/Type reference:	W101hero, W201hero, W801, W201, W101, W600, W700, W300, W301, W302, W307, W900, W800, W500
Power supply:	DC 3.7V from battery
Serial number:	Prototype
Device category	Portable Device
Exposure category	General population/uncontrolled environment
Hardware version:	V2.0
Software version:	V2.0
2G	
Operation Band:	GSM850, PCS1900
Supported Type:	GSM/GPRS/
Uplink Frequency:	GSM/GPRS 850: 824~849MHz GSM/GPRS 1900: 1850~1910MHz
Downlink Frequency:	GSM/GPRS 850: 869~894MHz GSM/GPRS 1900: 1930~1990MHz
Power Class:	GSM850:Power Class 4 PCS1900:Power Class 1
Modulation Type:	GMSK for GSM/GPRS
GSM Release Version	R99
GPRS Multislot Class	10
EGPRS Multislot Class	Not Supported
Hotsopt	Not Supported
Bluetooth+EDR	
Bluetooth Version	Supported BT3.0+EDR
Frequency Range	2402-2480MHz
Modulation	GFSK, π/4 QDPSK, 8DPSK
Quantity of Channels	79
Channel Separation	1MHz
Antenna Type	Internal Antenna

Note: For more details, refer to the user's manual of the EUT.

2.3. Description of Test Modes

The EUT battery must be fully charged and checked periodically during the test to ascertain uniform power the EUT has been tested under typical operating condition and The Transmitter was operated in the normal operating mode. The TX frequency was fixed which was for the purpose of the measurements.

				Calib	ration
Test Equipment	Manufacturer	Type/Model	Serial Number	Last Calibration	Calibration Interval
Data Acquisition Electronics DAEx	SPEAG	DAE4	1315	2016/07/26	1
E-field Probe	SPEAG	ES3DV3	3292	2016/09/02	1
System Validation Dipole D835	SPEAG	D835V2	1d069	2016-07-20	3
System Validation Dipole D1900V2	SPEAG	D1900V2	5d194	2015-01-07	3
System Validation Dipole D2450V2	SPEAG	D2450V2	955	2015/01/08	3
Network analyzer	Agilent	E5071B	MY42404001	2017/03/04	1
Universal Radio Communication Tester	ROHDE & SCHWARZ	E5515C	GB47200762	2016/12/14	1
Communication Tester	ROHDE & SCHWARZ	CMW500	116581	2016/12/14	1
Dielectric Probe Kit	Agilent	85070E	NA#F-EP-00777	/	/
Power meter	Agilent	NRVD	835843/014	2016/12/14	1
Power meter	Agilent	NRVD	835843/017	2016/12/14	1
Power meter	Agilent	NRVD	835843/021	2016/12/14	1
Power sensor	Agilent	NRV-Z2	100211	2016/12/14	1
Power sensor	Agilent	NRV-Z2	100213	2016/12/14	1
Power sensor	Agilent	NRV-Z2	100215	2016/12/14	1
Signal generator	ROHDE & SCHWARZ	SME03	100029	2016/12/14	1
Amplifier	AR	2HL-42W-S	100206	/	/

2.4. Equipments Used during the Test

Note:

- 1) Per KDB865664D01 requirements for dipole calibration, the test laboratory has adopted three year extended calibration interval. Each measured dipole is expected to evalute with following criteria at least on annual interval.
 - a) There is no physical damage on the dipole;
 - b) System check with specific dipole is within 10% of calibrated values;
 - c) The most recent return-loss results, measued at least annually, deviates by no more than 20% from the previous measurement;
 - d) The most recent measurement of the real or imaginary parts of the impedance, measured at least annually is within 50 Ω from the provious measurement.
- 2) Network analyzer probe calibration against air, distilled water and a shorting block performed before measuring liquid parameters.

3. SAR Measurements System configuration

3.1. SAR Measurement Set-up

The DASY5 system for performing compliance tests consists of the following items:

A standard high precision 6-axis robot (Stäubli RX family) with controller and software. An arm extension for accommodating the data acquisition electronics (DAE).

A dosimetric probe, i.e. an isotropic E-field probe optimized and calibrated for usage in tissue simulating liquid. The probe is equipped with an optical surface detector system.

A data acquisition electronic (DAE) which performs the signal amplification, signal multiplexing, ADconversion, offset measurements, mechanical surface detection, collision detection, etc. The unit is battery powered with standard or rechargeable batteries. The signal is optically transmitted to the EOC.

A unit to operate the optical surface detector which is connected to the EOC.

The Electro-Optical Coupler (EOC) performs the conversion from the optical into a digital electric signal of the DAE. The EOC is connected to the DASY5 measurement server.

The DASY5 measurement server, which performs all real-time data evaluation for field measurements and surface detection, controls robot movements and handles safety operation. A computer operating Windows 2003.

DASY5 software and SEMCAD data evaluation software.

Remote control with teach panel and additional circuitry for robot safety such as warning lamps, etc.

The generic twin phantom enabling the testing of left-hand and right-hand usage.

The device holder for handheld mobile phones.

Tissue simulating liquid mixed according to the given recipes.

System validation dipoles allowing to validate the proper functioning of the system.



3.2. DASY4 E-field Probe System

The SAR measurements were conducted with the dosimetric probe ES3DV3 (manufactured by SPEAG), designed in the classical triangular configuration and optimized for dosimetric evaluation.

Probe Specification:

Construction	Symmetrical design with triangular core Interleaved sensors Built-in shielding against static charges PEEK enclosure material (resistant to organic solvents, e.g.,	DGBE)
Calibration	ISO/IEC 17025 calibration service available.	,
Frequency	10 MHz to 4 GHz; Linearity: ± 0.2 dB (30 MHz to 4 GHz)	
Directivity	± 0.2 dB in HSL (rotation around probe axis) ± 0.3 dB in tissue material (rotation normal to probe axis)	
Dynamic Range	5 μW/g to > 100 W/kg; Linearity: ± 0.2 dB	
Dimensions	Overall length: 337 mm (Tip: 20 mm) Tip diameter: 3.9 mm (Body: 12 mm) Distance from probe tip to dipole centers: 2.0 mm	
Application	General dosimetry up to 4 GHz Dosimetry in strong gradient fields Compliance tests of Mobile Phones	
Compatibility	DASY3, DASY4, DASY52 SAR and higher, EASY4/MRI	

Isotropic E-Field Probe:

The isotropic E-Field probe has been fully calibrated and assessed for isotropicity, and boundary effect within a controlled environment. Depending on the frequency for which the probe is calibrated the method utilized for calibration will change.

The E-Field probe utilizes a triangular sensor arrangement as detailed in the diagram below:



Report No.: UNI170619046-E

3.3. PHANTOMS

The phantom used for all tests i.e. for both system checks and device testing, was the twin-headed "SAM Phantom", manufactured by SPEAG. The SAM twin phantom is a fibreglass shell phantom with 2mm shell thickness (except the ear region, where shell thickness increases to 6mm). System checking was performed using the flat section, whilst Head SAR tests used the left and right head profile sections. Body SAR testing also used the flat section between the head profiles.

3.4. DEVICE HOLDER

The device was placed in the device holder (illustrated below) that is supplied by SPEAG as an integral part of the DASY system. The DASY device holder is designed to cope with the different positions given in the standard. It has two scales for device rotation (with respect to the body axis) and device inclination (with respect to the line between the ear reference points). The rotation center for both scales is the ear reference point (ERP). Thus the device needs no repositioning when changing the angles.

SAM Twin Phantom



Device holder supplied by SPEAG

3.5. Scanning Procedure

The DASY5 installation includes predefined files with recommended procedures for measurements and validation. They are read-only document files and destined as fully defined but unmeasured masks. All test positions (head or body-worn) are tested with the same configuration of test steps differing only in the grid definition for the different test positions.

The "reference" and "drift" measurements are located at the beginning and end of the batch process. They measure the field drift at one single point in the liquid over the complete procedure. The indicated drift is mainly the variation of the DUT's output power and should vary max. ± 5 %.

The "surface check" measurement tests the optical surface detection system of the DASY5 system by repeatedly detecting the surface with the optical and mechanical surface detector and comparing the results. The output gives the detecting heights of both systems, the difference between the two systems and the standard deviation of the detection repeatability. Air bubbles or refraction in the liquid due to separation of the sugar-water mixture gives poor repeatability (above ± 0.1 mm). To prevent wrong results tests are only executed when the liquid is free of air bubbles. The difference between the optical surface detection and the actual surface depends on the probe and is specified with each probe (It does not depend on the surface reflectivity or the probe angle to the surface within $\pm 30^{\circ}$.)

Area Scan

The Area Scan is used as a fast scan in two dimensions to find the area of high field values before running a detailed measurement around the hot spot.Before starting the area scan a grid spacing of 15 mm x 15 mm is set. During the scan the distance of the probe to the phantom remains unchanged. After finishing area scan, the field maxima within a range of 2 dB will be ascertained.

Zoom Scan

Zoom Scans are used to estimate the peak spatial SAR values within a cubic averaging volume containing 1 g and 10 g of simulated tissue. The default Zoom Scan is done by 7x7x7 points within a cube whose base is centered around the maxima found in the preceding area scan.

Spatial Peak Detection

The procedure for spatial peak SAR evaluation has been implemented and can determine values of masses of 1g and 10g, as well as for user-specific masses. The DASY5 system allows evaluations that combine measured data and robot positions, such as: • maximum search • extrapolation • boundary correction • peak search for averaged SAR During a maximum search, global and local maxima searches are automatically performed in 2-D after each Area Scan measurement with at least 6 measurement points. It is based on the evaluation of the local SAR gradient calculated by the Quadratic Shepard's method. The algorithm will find the global maximum and all local maxima within -2 dB of the global maxima for all SAR distributions.

Extrapolation routines are used to obtain SAR values between the lowest measurement points and the inner phantom surface. The extrapolation distance is determined by the surface detection distance and the probe sensor offset. Several measurements at different distances are necessary for the extrapolation. Extrapolation routines require at least 10 measurement points in 3-D space. They are used in the Zoom Scan to obtain SAR values between the lowest measurement points and the inner phantom surface. The routine uses the modified Quadratic Shepard's method for extrapolation. For a grid using 7x7x7 measurement points with 5mm resolution amounting to 343 measurement points, the uncertainty of the extrapolation routines is less than 1% for 1g and 10g cubes.

A Z-axis scan measures the total SAR value at the x-and y-position of the maximum SAR value found during the cube 7x7x7 scan. The probe is moved away in z-direction from the bottom of the SAM phantom in 5mm steps.

Frequency	Maximum Area Scan Resolution (mm)	Maximum Zoom Scan Resolution (mm)	Maximum Zoom Scan Spatial Resolution (mm)	Minimum Zoom Scan Volume (mm)				
	(Δ A area, Δ y area/		∆ ∠ zoom(")	(^,y,∠)				
≤ 2 GHz	≤ 15	≤ 8	≤ 5	≥ 30				
2-3 GHz	≤ 12	≤ 5	≤ 5	≥ 30				
3-4 GHz	≤ 12	≤ 5	≤ 4	≥ 28				
4-5 GHz	≤ 10	≤ 4	≤ 3	≥ 25				
5-6 GHz	≤ 10	≤ 4	≤2	≥ 22				

Table 1: Area and Zoom Scan Resolutions per FCC KDB Publication 865664 D01

3.6. Data Storage and Evaluation

Data Storage

The DASY5 software stores the acquired data from the data acquisition electronics as raw data (in microvolt readings from the probe sensors), together with all necessary software parameters for the data evaluation (probe calibration data, liquid parameters and device frequency and modulation data) in measurement files with the extension ".DA4". The software evaluates the desired unit and format for output each time the data is visualized or exported. This allows verification of the complete software setup even after the measurement and allows correction of incorrect parameter settings. For example, if a measurement has been performed with a wrong crest factor parameter in the device setup, the parameter can be corrected afterwards and the data can be re-evaluated.

The measured data can be visualized or exported in different units or formats, depending on the selected probe type ([V/m], [A/m], [°C], [mW/g], [mW/cm²], [dBrel], etc.). Some of these units are not available in certain situations or show meaningless results, e.g., a SAR output in a lossless media will always be zero. Raw data can also be exported to perform the evaluation with other software packages.

Data Evaluation

The SEMCAD software automatically executes the following procedures to calculate the field units from the microvolt readings at the probe connector. The parameters used in the evaluation are stored in the configuration modules of the software:

Probe parameters: - Sensitivity	Normi, ai0, ai1, ai2
 Conversion factor 	ConvFi
- Diode compression point	Dcpi
Device parameters: - Frequency	f
- Crest factor	cf
Media parameters: - Conductivity	σ
- Density	ρ

These parameters must be set correctly in the software. They can be found in the component documents or

Page 17 of 72

they can be imported into the software from the configuration files issued for the DASY5 components. In the direct measuring mode of the multimeter option, the parameters of the actual system setup are used. In the scan visualization and export modes, the parameters stored in the corresponding document files are used.

The first step of the evaluation is a linearization of the filtered input signal to account for the compression characteristics of the detector diode. The compensation depends on the input signal, the diode type and the DC-transmission factor from the diode to the evaluation electronics. If the exciting field is pulsed, the crest factor of the signal must be known to correctly compensate for peak power. The formula for each channel can be given as:

$$V_i = U_i + U_i^2 \cdot \frac{cf}{dcp_i}$$

WithVi = compensated signal of channel i(i = x, y, z)Ui = input signal of channel i(i = x, y, z)cf = crest factor of exciting field(DASY parameter)dcpi = diode compression point(DASY parameter)

From the compensated input signals the primary field data for each channel can be evaluated:

$$E - field probes : \qquad E_i = \sqrt{\frac{V_i}{Norm_i \cdot ConvF}} \\ H - field probes : \qquad H_i = \sqrt{V_i} \cdot \frac{a_{i0} + a_{i1}f + a_{i2}f^2}{f} \\ With Vi = compensated signal of channel i (i = x, y, z) \\ Normi = sensor sensitivity of channel i (i = x, y, z) \\ [mV/(V/m)2] for E-field Probes \\ ConvF = sensitivity enhancement in solution \\ aij = sensor sensitivity factors for H-field probes \\ f = carrier frequency [GHz] \\ Ei = electric field strength of channel i in V/m \\ Hi = magnetic field strength of channel i in A/m \\ \end{cases}$$

The RSS value of the field components gives the total field strength (Hermitian magnitude):

$$E_{tot} = \sqrt{E_x^2 + E_y^2 + E_z^2}$$

The primary field data are used to calculate the derived field units.

$$SAR = E_{tot}^2 \cdot \frac{\sigma}{\rho \cdot 1'000}$$

with SAR = local specific absorption rate in mW/g Etot = total field strength in V/m σ = conductivity in [mho/m] or [Siemens/m] ρ = equivalent tissue density in g/cm3

Note that the density is normally set to 1 (or 1.06), to account for actual brain density rather than the density of the simulation liquid.

3.7. Tissue Dielectric Parameters for Head and Body Phantoms

The liquid is consisted of water,salt,Glycol,Sugar,Preventol and Cellulose.The liquid has previously been proven to be suited for worst-case.It's satisfying the latest tissue dielectric parameters requirements proposed by the KDB865664.

		1	ne composi		, 1133UC 311	nulating n	quiù			
Ingredient	8351	MHz	1900	ЛНz	1750	MHz	2450	MHz	2600	MHz
(% Weight)	Head	Body	Head	Body	Head	Body	Head	Body	Head	Body
Water	41.45	52.5	55.242	69.91	55.782	69.82	62.7	73.2	62.3	72.6
Salt	1.45	1.40	0.306	0.13	0.401	0.12	0.50	0.10	0.20	0.10
Sugar	56	45.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Preventol	0.10	0.10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
HEC	1.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
DGBE	0.00	0.00	44.452	29.96	43.817	30.06	36.8	26.7	37.5	27.3

Target Frequency	He	ad	Body			
(MHz)	ε _r	σ(S/m)	ε _r	σ(S/m)		
150	52.3	0.76	61.9	0.80		
300	45.3	0.87	58.2	0.92		
450	43.5	0.87	56.7	0.94		
835	41.5	0.90	55.2	0.97		
900	41.5	0.97	55.0	1.05		
915	41.5	0.98	55.0	1.06		
1450	40.5	1.20	54.0	1.30		
1610	40.3	1.29	53.8	1.40		
1800-2000	40.0	1.40	53.3	1.52		
2450	39.2	1.80	52.7	1.95		
3000	38.5	2.40	52.0	2.73		
5800	35.3	5.27	48.2	6.00		

3.8. Tissue equivalent liquid properties

Dielectric performance of Head and Body tissue simulating liquid

Tioquo	Measured Target Tissue N					Measured Tissue			
Туре	Frequency (MHz)	٤ _r	σ	ε _r	Dev. %	σ	Dev. %	Temp.	Test Data
850H	835	41.50	0.90	40.72	-1.88	0.88	-2.22	22 degree	2017-06-18
1900H	1900	40.00	1.40	40.49	1.23	1.38	-1.43	22 degree	2017-06-19
850B	835	55.20	0.97	56.00	1.45	0.98	1.03	22 degree	2017-06-18
1900B	1900	53.30	1.52	53.97	1.26	1.56	2.63	22 degree	2017-06-19

3.9. System Check

The purpose of the system check is to verify that the system operates within its specifications at the decice test frequency. The system check is simple check of repeatability to make sure that the system works correctly at the time of the compliance test;

System check results have to be equal or near the values determined during dipole calibration with the relevant liquids and test system $(\pm 10 \%)$.

System check is performed regularly on all frequency bands where tests are performed with the DASY5 system.



The output power on dipole port must be calibrated to 30 dBm (1000mW) before dipole is connected.



Photo of Dipole Setup

System Validation of Head

Measuremen	Measurement is made at temperature 22.0 $^{\circ}$ C and relative humidity 55%.									
Liquid tempe	Liquid temperature during the test: 22.0 °C									
Measuremen	Measurement Date: 835MHz June. 18, 2017;1900MHz June. 19;2017:									
	Frequency	Target (W/	t value /kg)	Measure (W/	ed value /kg)	1W Nor (W	malized ⁄kg)	Devi	ation	
Verification	(MHz)	10 g	1 g	10 g	1 g	10 g	1 g	10 g	1 g	
results		Average	Average	Average	Average	Average	Average	Average	Average	
	835	6.18	9.44	1.50	2.26	6.00	9.04	-2.91%	-4.24%	
	1900	21.30	40.60	5.32	10.35	21.28	41.40	-0.09%	1.97%	

System Validation of Body

Measurement is made at temperature 22.0 $^\circ \!\!\!\! \mathbb{C}$ and relative humidity 55%.									
Liquid temperature during the test: 22.0°C									
Measuremen	Measurement Date: 835MHz June. 18, 2017;1900MHz June. 19;2017:								
	Frequency	Target (W/	t value /kg)	Measure (W/	ed value /kg)	1W Nor (W/	malized /kg)	Devi	ation
Verification	(MHz)	10 g	1 g	10 g	1 g	10 g	1 g	10 g	1 g
results		Average	Average	Average	Average	Average	Average	Average	Average
	835	6.36	9.69	1.61	2.46	6.44	9.84	1.26%	1.55%
	1900	21.30	40.10	5.10	9.96	20.40	39.84	-4.23%	-0.65%

Justification for Extended SAR Dipole Calibrations Referring to KDB 865664D01V01r04, if dipoles are verified in return loss (<-20dB, within 20% of prior calibration), and in impedance (within 5 ohm of prior calibration), the annual calibration is not necessary and the calibration interval can be extended. While calibration intervals not exceed 3 years.

D1900V2,	, Serial No.:	5d194 Exten	d Dipole Cal	ibrations
----------	---------------	-------------	--------------	-----------

1900 MHz Head								
Date of Measurement	Return-Loss (dB)	Delta (%)	Real Impedance (ohm)	Delta (ohm)	Imaginary Impedance (ohm)	Delta (ohm)		
2015-01-07	-24.5		53.700		4.900			
2016-01-02	-24.5	0.00%	53.779	0.079	4.041	-0.859		
2017-01-01	-24.7	0.82%	53.81	0.11	4.136	-0.764		

D1900V2, Serial No.: 5d194 Extend Dipole Calibrations

	1900 MHz Body								
Date of Measurement	Return-Loss (dB)	Delta (%)	Real Impedance (ohm)	Delta (ohm)	Imaginary Impedance (ohm)	Delta (ohm)			
2015-01-07	-25.6		48.9		5.1				
2016-01-02	-25.9	1.17%	49.1	0.2	4.93	-0.17			
2017-01-01	-26.0	1.56%	49.12	0.22	4.86	-0.24			

3.10. SAR measurement procedure

3.10.1 Tests to be performed

In order to determine the highest value of the peak spatial-average SAR of a handset, all device positions, configurations and operational modes shall be tested for each frequency band according to steps 1 to 3 below. A flowchart of the test process is shown in Picture 10.1.

- Step 1: The tests described in 11.2 shall be performed at the channel that is closest to the centre of the transmit frequency band (f_c) for:
 - a) all device positions (cheek and tilt, for both left and right sides of the SAM phantom;
 - b) all configurations for each device position in a), e.g., antenna extended and retracted, and
 - c) all operational modes, e.g., analogue and digital, for each device position in a) and configuration in b) in each frequency band.

If more than three frequencies need to be tested according to 11.1 (i.e., $N_c > 3$), then all frequencies, configurations and modes shall be tested for all of the above test conditions.

- Step 2: For the condition providing highest peak spatial-average SAR determined in Step 1, perform all tests described in 11.2 at all other test frequencies, i.e., lowest and highest frequencies. In addition, for all other conditions (device position, configuration and operational mode) where the peak spatial-average SAR value determined in Step 1 is within 3 dB of the applicable SAR limit, it is recommended that all other test frequencies shall be tested as well.
- Step 3: Examine all data to determine the highest value of the peak spatial-average SAR found in Steps 1 to 2.



Picture 10.1 Block diagram of the tests to be performed

3.10.2 General Measurement Procedure

The area and zoom scan resolutions specified in the table below must be applied to the SAR measurements and fully documented in SAR reports to qualify for TCB approval. Probe boundary effect error compensation is required for measurements with the probe tip closer than half a probe tip diameter to the phantom surface. Both the probe tip diameter and sensor offset distance must satisfy measurement protocols; to ensure probe boundary effect errors are minimized and the higher fields closest to the phantom surface can be correctly measured and extrapolated to the phantom surface for computing 1-g SAR. Tolerances of the post-processing algorithms must be verified by the test laboratory for the scan resolutions used in the SAR measurements, according to the reference distribution functions specified in IEEE Std 1528-2013. The results should be documented as part of the system validation records and may be requested to support test results when all the measurement parameters in the following table are not satisfied.

			\leq 3 GHz	> 3 GHz		
Maximum distance from (geometric center of pro	closest me be sensors)	asurement point to phantom surface	$5\pm1~\mathrm{mm}$	$\frac{1}{2} \cdot \delta \cdot \ln(2) \pm 0.5 \text{ mm}$		
Maximum probe angle fi normal at the measureme	Maximum probe angle from probe axis to phantom surface normal at the measurement location			20°±1°		
			$ \begin{array}{c} \leq 2 \; GHz : \leq 15 \; mm \\ 2 - 3 \; GHz : \leq 12 \; mm \end{array} \qquad \begin{array}{c} 3 - 4 \; GHz : \leq 12 \; mm \\ 4 - 6 \; GHz : \leq 10 \; mm \end{array} $			
Maximum area scan spa	tial resolutio	on: Δx _{Area} , Δy _{Area}	When the x or y dimension of the test device, in the measurement plane orientation, is smaller than the above, the measurement resolution must be \leq the corresponding x or y dimension of the test device with at least one measurement point on the test device.			
Maximum zoom scan spatial resolution: Δx_{Zoom} , Δy_{Zoom}			$\leq 2 \text{ GHz} \leq 8 \text{ mm}$ 2 - 3 GHz: $\leq 5 \text{ mm}^*$	$3 - 4 \text{ GHz} \le 5 \text{ mm}^{*}$ $4 - 6 \text{ GHz} \le 4 \text{ mm}^{*}$		
	uniform g	nid: ∆z _{Zoom} (n)	≤ 5 mm	$\begin{array}{l} 3-4 \; \mathrm{GHz:} \leq 4 \; \mathrm{mm} \\ 4-5 \; \mathrm{GHz:} \leq 3 \; \mathrm{mm} \\ 5-6 \; \mathrm{GHz:} \leq 2 \; \mathrm{mm} \end{array}$		
Maximum zoom scan spatial resolution, normal to phantom surface	graded grid	$\Delta z_{Zoom}(1)$: between 1^{st} two points closest to phantom surface	≤4 mm	$3 - 4 \text{ GHz:} \le 3 \text{ mm}$ $4 - 5 \text{ GHz:} \le 2.5 \text{ mm}$ $5 - 6 \text{ GHz:} \le 2 \text{ mm}$		
surface		$\Delta z_{Zoom}(n>1)$: between subsequent points	$\leq 1.5 \cdot \Delta z_{Zoom}(n-1)$			
Minimum zoom scan volume	x, y, z		\ge 30 mm	$3 - 4 \text{ GHz} \ge 28 \text{ mm}$ $4 - 5 \text{ GHz} \ge 25 \text{ mm}$ $5 - 6 \text{ GHz} \ge 22 \text{ mm}$		
 Note: δ is the penetration depth of a plane-wave at normal incidence to the tissue medium; see draft standard IEEE P1528-2011 for details. * When zoom scan is required and the <u>reported</u> SAR from the area scan based 1-g SAR estimation procedures of KDB 447498 is ≤ 1.4 W/kg, ≤ 8 mm, ≤ 7 mm and ≤ 5 mm zoom scan resolution may be applied, respectively, for 2 GHz to 3 						

44 /498 is ≤ 1.4 W/kg, ≤ 8 mm, ≤ 7 mm and ≤ GHz, 3 GHz to 4 GHz and 4 GHz to 6 GHz.

3.10.3 Conducted power measurement

a. For WWAN power measurement, use base station simulator connection with RF cable, at maximum power in each supported wireless interface and frequency band.

b. Read the WWAN RF power level from the base station simulator.

c. For WLAN/BT power measurement, use engineering software to configure EUT WLAN/BT continuously

Transmission, at maximum RF power in each supported wireless interface and frequency band.

d. Connect EUT RF port through RF cable to the power meter, and measure WLAN/BT output power.

3.10.4 SAR measurement

3.10.4.1 GSM Test Configuration

SAR tests for GSM 850 and GSM 1900, a communication link is set up with a System Simulator (SS) by air link. Using CMU200 the power level is set to "5" for GSM 850, set to "0" for GSM 1900. Since the GPRS class is 12 for this EUT, it has at most 4 timeslots in uplink and at most 4 timeslots in downlink, the maximum total timeslots is 5. the EGPRS class is 12 for this EUT, it has at most 4 timeslots is 5.

SAR test reduction for GPRS and EDGE modes is determined by the source-based time-averaged output power specified for production units, including tune-up tolerance. The data mode with highest specified time-averaged output power should be tested for SAR compliance in the applicable exposure conditions. For modes with the same specified maximum output power and tolerance, the higher number time-slot configuration should be tested. GSM voice and GPRS data use GMSK, which is a constant amplitude modulation with minimal peak to average power difference within the time-slot burst. For EDGE, GMSK is used for MCS 1 – MCS 4 and 8-PSK is used for MCS 5 – MCS 9; where 8-PSK has an inherently higher peak-to-average power ratio. The GMSK and 8-PSK EDGE configurations are considered separately for SAR compliance. The GMSK EDGE configurations are grouped with GPRS and considered with respect to time-averaged maximum output power to determine compliance. The 3G SAR test reduction procedure is applied to 8-PSK EDGE with GMSK GPRS/EDGE as the primary mode.

3.10.4.2 UMTS Test Configuration

3G SAR Test Reduction Procedure

In the following procedures, the mode tested for SAR is referred to as the primary mode. The equivalent modes considered for SAR test reduction are denoted as secondary modes. Both primary and secondary modes must be in the same frequency band. When the maximum output power and tune-up tolerance specified for production units in a secondary mode is $\leq \frac{1}{4}$ dB higher than the primary mode or when the highest reported SAR of the primary mode is scaled by the ratio of specified maximum output power and tune-up tolerance of secondary to primary mode and the adjusted SAR is ≤ 1.2 W/kg, SAR measurement is not required for the secondary mode.3 This is referred to as the 3G SAR test reduction procedure in the following SAR test guidance, where the primary mode is identified in the applicable wireless mode test procedures and the secondary mode is wireless mode being considered for SAR test reduction by that procedure. When the 3G SAR test reduction procedure is not satisfied, it is identified as "otherwise" in the applicable procedures; SAR measurement is required for the secondary mode.

Output power Verification

Maximum output power is verified on the high, middle and low channels according to procedures described in section 5.2 of 3GPP TS 34.121, using the appropriate RMC or AMR with TPC (transmit power control) set to all "1's" for WCDMA/HSDPA or by applying the required inner loop power control procedures to maintain maximum output power while HSUPA is active. Results for all applicable physical channel configurations (DPCCH, DPDCHn and spreading codes, HSDPA, HSPA) are required in the SAR report. All configurations that are not supported by the handset or cannot be measured due to technical or equipment limitations must be clearly identified.

Head SAR

SAR for next to the ear head exposure is measured using a 12.2 kbps RMC with TPC bits configured to all "1's". The 3G SAR test reduction procedure is applied to AMR configurations with 12.2 kbps RMC as the primary mode. Otherwise, SAR is measured for 12.2 kbps AMR in 3.4 kbps SRB (signaling radio bearer) using the highest reported SAR configuration in 12.2 kbps RMC for head exposure.

Body-Worn Accessory SAR

SAR for body-worn accessory configurations is measured using a 12.2 kbps RMC with TPC bits configured to all "1's". The 3G SAR test reduction procedure is applied to other spreading codes and multiple DPDCHn configurations supported by the handset with 12.2 kbps RMC as the primary mode. Otherwise, SAR is measured using an applicable RMC configuration with the corresponding spreaing code or DPDCHn, for the highest reported body-worn accessory exposure SAR configuration in 12.2 kbps RMC. When more than 2 DPDCHn are supported by the handset, it may be necessary to configure additional DPDCHn using FTM (Factory Test Mode) or other chipset based test approaches with parameters similar to those used in 384 kbps and 768 kbps RMC.

Handsets with Release 5 HSDPA

The 3G SAR test reduction procedure is applied to HSDPA body-worn accessory configurations with 12.2 kbps RMC as the primary mode. Otherwise, SAR is measured for HSDPA using the HSDPA body SAR procedures in the "Release 5 HSDPA Data Devices" section of this document, for the highest reported SAR body-worn accessory exposure configuration in 12.2 kbps RMC. Handsets with both HSDPA and HSUPA are tested according to Release 6 HSPA test procedures.

HSDPA should be configured according to the UE category of a test device. The number of HSDSCH/ HS-PDSCHs, HARQ processes, minimum inter-TTI interval, transport block sizes and RV coding sequence are defined by the H-set. To maintain a consistent test configuration and stable transmission conditions, QPSK is used in the H-set for SAR testing. HS-DPCCH should be configured with a CQI feedback cycle of 4 ms with a CQI repetition factor of 2 to maintain a constant rate of active CQI slots. DPCCH and DPDCH gain factors(βc, βd), and HS-DPCCH power offset parameters (ΔACK, ΔNACK, ΔCQI) should be set according to values indicated in the Table below. The CQI value is determined by the UE category, transport block size, number of HS-PDSCHs and modulation used in the H-set.

Sub-set	β _c	β _d	β _d (SF)	β_{c}/β_{d}	β _{hs} (note 1, note 2)	CM(dB) (note 3)	MPR(dB)		
1	2/15	15/15	64	2/15	4/15	0.0	0.0		
2	12/15 (note 4)	15/15 (note 4)	64	12/15 (note 4)	24/15	1.0	0.0		
3	15/15	8/15	64	15/8	30/15	1.5	0.5		
4	15/15	4/15	64	15/4	30/15	1.5	0.5		
Note1: \land	Note 1: \triangle_{ACK} \triangle_{ACK} and $\triangle_{CO} = 8 \leftrightarrow A_{H_2} = B_{H_2}/B_2 = 30/15 \leftrightarrow B_{H_2} = 30/15 \star B_2$								

Table 2: Subtests for UMTS Release 5 HSDPA

_{hs}/p_c=30/15(--) β_{hs}=30/15*β_c

Note2: CM=1 for $\beta_c/\beta_d = 12/15$, $\beta_{hs}/\beta_c = 24/15$.

Note3: For subtest 2 the $\beta_c\beta_d$ ratio of 12/15 for the TFC during the measurement period(TF1,TF0) is achieved by setting the signaled gain factors for the reference TFC (TFC1,TF1) to β_c =11/15 and $\beta_d = 15/15$.

HSUPA Test Configuration

The 3G SAR test reduction procedure is applied to HSPA (HSUPA/HSDPA with RMC) body-worn accessory configurations with 12.2 kbps RMC as the primary mode. Otherwise, SAR is measured for HSPA using the HSPA body SAR procedures in the "Release 6 HSPA Data Devices" section of this document, for the highest reported body-worn accessory exposure SAR configuration in 12.2 kbps RMC. When VOIP is applicable for next to the ear head exposure in HSPA, the 3G SAR test reduction procedure is applied to HSPA with 12.2 kbps RMC as the primary mode; otherwise, the same HSPA configuration used for body-worn accessory measurements is tested for next to the ear head exposure.

Due to inner loop power control requirements in HSPA, a communication test set is required for output power and SAR tests. The 12.2 kbps RMC, FRC H-set 1 and E-DCH configurations for HSPA are configured according to the β values indicated in Table 2 and other applicable procedures described in the WCDMA Handset' and 'Release 5 HSDPA Data Devices' sections of this document

									<u></u>				
Sub- set	β _c	β_d	β _d (SF)	β_c/β_d	${\beta_{hs}}^{(1)}$	β_{ec}	β_{ed}	β _{ed} (SF)	β _{ed} (codes)	CM (2)	MPR (dB)	AG ⁽⁴⁾ Index	E- TFCI

Table 3: Sub-Test 5 Setup for Release 6 HSUPA

										(dB)			
1	11/15 ⁽³⁾	15/15 ⁽³⁾	64	11/15 ⁽³⁾	22/15	209/225	1039/225	4	1	1.0	0.0	20	75
2	6/15	15/15	64	6/15	12/15	12/15	94/75	4	1	3.0	2.0	12	67
3	15/15	9/15	64	15/9	30/15	30/15	β _{ed1} 47/15 β _{ed2} 47/15	4	2	2.0	1.0	15	92
4	2/15	15/15	64	2/15	4/15	2/15	56/75	4	1	3.0	2.0	17	71
5	15/15 ⁽⁴⁾	15/15 ⁽⁴⁾	64	15/15 ⁽⁴⁾	30/15	24/15	134/15	4	1	1.0	0.0	21	81

Note 1: Δ_{ACK} , $\Delta NACK$ and $\Delta_{CQI} = 8 \Leftrightarrow A_{hs} = \underline{\beta}_{hs}/\underline{\beta}_{c} = 30/15 \Leftrightarrow \underline{\beta}_{hs} = 30/15 * \beta_{c}$.

Note 2: CM = 1 for $\beta c/\beta d = 12/15$, $\beta_{hs}/\beta_c = 24/15$. For all other combinations of DPDCH, DPCCH, HS- DPCCH, E-DPDCH and E-DPCCH the MPR is based on the relative CM difference.

Note 3: For subtest 1 the $\beta c/\beta d$ ratio of 11/15 for the TFC during the measurement period (TF1, TF0) is achieved by setting the signaled gain factors for the reference TFC (TF1, TF1) to $\beta c = 10/15$ and $\beta d = 15/15$.

Note 4: For subtest 5 the $\beta c/\beta d$ ratio of 15/15 for the TFC during the measurement period (TF1, TF0) is achieved by setting the signaled gain factors for the reference TFC (TF1, TF1) to $\beta c = 14/15$ and $\beta d = 15/15$.

Note 5: Testing UE using E-DPDCH Physical Layer category 1 Sub-test 3 is not required according to TS 25.306 Figure 5.1g.

Note 6: βed can not be set directly; it is set by Absolute Grant Value.

HSPA, HSPA+ and DC-HSDPA Test Configuration

measurement is required for HSPA, HSPA+ or DC-HSDPA, a KDB inquiry is required to confirm that the wireless mode configurations in the test setup have remained stable throughout the SAR measurements.35 Without prior KDB confirmation to determine the SAR results are acceptable, a PBA is required for TCB approval.

SAR test exclusion for HSPA, HSPA+ and DC-HSDPA is determined according to the following: 1) The HSPA procedures are applied to configure 3GPP Rel. 6 HSPA devices in the required sub-test mode(s) to determine SAR test exclusion.

2) SAR is required for Rel. 7 HSPA+ when SAR is required for Rel. 6 HSPA; otherwise, the 3G SAR test reduction procedure is applied to (uplink) HSPA+ with 12.2 kbps RMC as the primary mode.36 Power is measured for HSPA+ that supports uplink 16 QAM according to configurations in Table C.11.1.4 of 3GPP TS 34.121-1 to determine SAR test reduction.

3) SAR is required for Rel. 8 DC-HSDPA when SAR is required for Rel. 5 HSDPA; otherwise, the 3G SAR test reduction procedure is applied to DC-HSDPA with 12.2 kbps RMC as the primary mode. Power is measured for DC-HSDPA according to the H-Set 12, FRC configuration in Table C.8.1.12 of 3GPP TS 34.121-1 to determine SAR test reduction. A primary and a secondary serving HS-DSCH Cell are required to perform the power measurement and for the results to be acceptable.

4) Regardless of whether a PBA is required, the following information must be verified and included in the SAR report for devices supporting HSPA, HSPA+ or DC-HSDPA: a) The output power measurement results and applicable release version(s) of 3GPP TS 34.121.

i) Power measurement difficulties due to test equipment setup or availability must be resolved between the grantee and its test lab.

b) The power measurement results are in agreement with the individual device implementation and specifications. When Enhanced MPR (E-MPR) applies, the normal MPR targets may be modified according to the Cubic Metric (CM) measured by the device, which must be taken into consideration.

c) The UE category, operating parameters, such as the β and Δ values used to configure the device for testing, power setback procedures described in 3GGPP TS 34.121 for the power measurements, and HSPA/HSPA+ channel conditions (active and stable) for the entire duration of the measurement according to the required E-TFCI and AG index values.

5) When SAR measurement is required, the test configurations, procedures and power measurement results must be clearly described to confirm that the required test parameters are used, including E-TFCI and AG index stability and output power conditions.

3.10.5 WIFI Test Configuration

For WLAN SAR testing, WLAN engineering testing software installed on the DUT can provide continuous transmitting RF signal. The Tx power is set to 14.5 for 802.11 b mode by software. This RF signal utilized in SAR measurement has almost 100% duty cycle and its crest factor is 1.

For the 802.11b/g/n SAR tests, a communication link is set up with the test mode software for WIFI mode test. During the test, at the each test frequency channel, the EUT is operated at the RF continuous emission mode. Each channel should be tested at the lowest data rate. Testing at higher data rates is not required when the maximum average output power is less than 0.25dB higher than those measured at the lowest data rate.

802.11b/g/n operating modes are tested independently according to the service requirements in each frequency band. 802.11b/g/n modes are tested on the maximum average output channel.

SAR is not required for 802.11g/n channels when the maximum average output power is less than 0.25dB higher than that measured on the corresponding 802.11b channels.

3.10.5 Power Drift

To control the output power stability during the SAR test, DASY5 system calculates the power drift by measuring the E-field at the same location at the beginning and at the end of the measurement for each test position. These drift values can be found in Table 14.1 to Table 14.11 labeled as: (Power Drift [dB]). This ensures that the power drift during one measurement is within 5%.

3.10.6 Area Scan Based 1-g SAR

3.10.6.1 Requirement of KDB

According to the KDB447498 D01 v05, when the implementation is based the specific polynomial fit algorithm as presented at the 29th Bioelectromagnetics Society meeting (2007) and the estimated 1-g SAR is \leq 1.2 W/kg, a zoom scan measurement is not required provided it is also not needed for any other purpose; for example, if the peak SAR location required for simultaneous transmission SAR test exclusion can be determined accurately by the SAR system or manually to discriminate between distinctive peaks and scattered noisy SAR distributions from area scans.

There must not be any warning or alert messages due to various measurement concerns identified by the SAR system; for example, noise in measurements, peaks too close to scan boundary, peaks are too sharp, spatial resolution and uncertainty issues etc. The SAR system verification must also demonstrate that the area scan estimated 1-g SAR is within 3% of the zoom scan 1-g SAR (See Annex B). When all the SAR results for each exposure condition in a frequency band and wireless mode are based on estimated 1-g SAR, the 1-g SAR for the highest SAR configuration must be determined by a zoom scan.

3.11. General description of test procedures

- 1. The DUT is tested using CMU 200 communications testers as controller unit to set test channels and maximum output power to the DUT, as well as for measuring the conducted peak power.
- 2. Test positions as described in the tables above are in accordance with the specified test standard.
- 3. Tests in body position were performed in that configuration, which generates the highest time based averaged output power (see conducted power results).
- 4. Tests in head position with GSM were performed in voice mode with 1 timeslot unless GPRS/EGPRS/DTM function allows parallel voice and data traffic on 2 or more timeslots.
- 5. According to IEEE 1528 the SAR test shall be performed at middle channel. Testing of top and bottom channel is optional.
- According to KDB 447498 D01 testing of other required channels within the operating mode of a frequency band is not required when the reported 1-g or 10-g SAR for the mid-band or highest output power channel is:

• \leq 0.8 W/kg or 2.0 W/kg, for 1-g or 10-g respectively, when the transmission band is \leq 100 MHz • \leq 0.6 W/kg or 1.5 W/kg, for 1-g or 10-g respectively, when the transmission band is between 100 MHz and 200 MHz

• \leq 0.4 W/kg or 1.0 W/kg, for 1-g or 10-g respectively, when the transmission band is \geq 200 MHz

- 7. IEEE 1528-2013 require the middle channel to be tested first. This generally applies to wireless devices that are designed to operate in technologies with tight tolerances for maximum output power variations across channels in the band. When the maximum output power variation across the required test channels is > ½ dB, instead of the middle channel, the highest output power channel must be used.
- According to KDB 447498 D01 when DTM is not applicable, GPRS and EDGE do not require body-worn accessory SAR testing.

3.12. Power Reduction

The product without any power reduction.

4. TEST CONDITIONS AND RESULTS

4.1. Conducted Power Results

Max Conducted power measurement results and power drift from tune-up tolerance provide by manufacturer:

CSM 950		Burst-Average Conducted power (dBm)				Time-Average power (dBm)			
GSIV	1 050	Channel/Frequency(MHz)			/	Channel/Frequency(MHz)			
		128/824.2	190/836.6	251/848.8		128/824.2	190/836.6	251/848.8	
GS	SM	32.12	32.01	32.29	-9.03dB	23.09	22.98	23.26	
GPRS	1TX slot	32.11	32.08	32.14	-9.03dB	23.08	23.05	23.11	
(GMSK)	2TX slot	30.75	30.61	30.82	-6.02dB	24.73	24.59	24.80	
		Burst Conducted power (dBm)				Aver	Average power (dBm)		
GSM	1900	Chann	el/Frequenc	y(MHz)	,	Chann	el/Frequenc	y(MHz)	
0.511	1900	512/	661/	810/	,	512/	661/	810/	
		1850.2	1880	1909.8		1850.2	1880	1909.8	
GSM		30.26	30.28	30.04	-9.03dB	21.23	21.25	21.01	
GPRS	1TX slot	30.13	30.18	30.07	-9.03dB	21.10	21.15	21.04	
(GMSK)	2TX slot	28.35	28.47	28.23	-6.02dB	22.33	22.45	22.21	

NOTES:

1) Division Factors

To average the power, the division factor is as follows:

1TX-slot = 1 transmit time slot out of 8 time slots=> conducted power divided by (8/1) => -9.03 dB

2TX-slots = 2 transmit time slots out of 8 time slots=> conducted power divided by (8/2) => -6.02dB

<Bluetooth Conducted Power>

Mode	Channel	Frequency (MHz)	Conducted Average Power (dBm)
	0	2402	-1.55
GFSK	39	2441	-1.59
	78	2480	-2.12
	0	2402	-2.12
π/4DQPSK	39	2441	-2.27
	78	2480	-2.75
	0	2402	-2.28
8DPSK	39	2441	-2.41
	78	2480	-2.85

Manufacturing tolerance

GSM Speech								
GSM 850 (GMSK) (Brust-Average)								
Channel	Channel 251	Channel 190	Channel 190					
Target (dBm)	31.5	31.5	31.5					
Tolerance ±(dB)	1	1	1					
	GSM 1900 (GMSM	() (Brust-Average)						
Channel	Channel 810	Channel 661	Channel 512					
Target (dBm)	29.5	29.5	29.5					
Tolerance ±(dB)	1	1	1					

GSM 850 GPRS (GMSK) (Burst Average Power)							
Cha	nnel	128	190	251			
1 Typlot	Target (dBm)	31.5	31.5	31.5			
I I XSIUL	Tolerance ±(dB)	1.0	1.0	1.0			
2 Tyolot	Target (dBm)	30.0	30.0	30.0			
2 1 XSIUL	Tolerance ±(dB)	1.0	1.0	1.0			
	GSM 1900 GP	RS (GMSK) (Burst Av	/erage Power)				
Cha	nnel	512	661	810			
1 Typlot	Target (dBm)	29.5	29.5	29.5			
I I XSIOL	Tolerance ±(dB)	1.0	1.0	1.0			
2 Typlot	Target (dBm)	28.0	28.0	28.0			
ZIXSIOL	Tolerance ±(dB)	1.0	1.0	1.0			

Bluetooth								
GFSK (Average)								
Channel	Channel	Channel 39	Channel 78					
Target (dBm)	-2.0	-2.0	-2.0					
Tolerance ±(dB)	1.0	1.0	1.0					
8DPSK (Average)								
Channel	Channel 0	Channel 39	Channel 78					
Target (dBm)	-3.0	-3.0	-3.0					
Tolerance ±(dB)	1.0	1.0	1.0					
	π/4DQPSł	(Average)						
Channel	Channel 0	Channel 39	Channel 78					
Target (dBm)	-3.0	-3.0	-3.0					
Tolerance ±(dB)	1.0	1.0	1.0					

4.2. Simultaneous TX SAR Considerations

4.2.1 Introduction

Application Simultaneous Transmission information:

Air-Interface	Band (MHz)	Туре	Simultaneous Transmissions	Voice over Digital Transport(Data)	
	850	VO	No	Ν/Λ	
GSM	1900	VO	NO	IN/A	
	GPRS	DT	No	N/A	
BT	2450	DT	Yes,GSM,GPRS	N/A	
Note:VO-Voice S	Service only;DT-Digit	al Transport			

4.2.2 Standalone SAR Test Exclusion Considerations

Standalone 1-g head or body SAR evaluation by measurement or numerical simulation is not required when the corresponding SAR Exclusion Threshold condition, listed below, is satisfied.

The 1-g and 10-g SAR test exclusion thresholds for 100 MHz to 6 GHz at test separation distances \leq 50 mm are determined by::

[(max. power of channel, including tune-up tolerance, mW) / (min. test separation distance, mm)] \cdot [\checkmark f(GHz)] \leq 3.0 for 1-g SAR and \leq 7.5 for 10-g extremity SAR, where

- f(GHz) is the RF channel transmit frequency in GHz
- Power and distance are rounded to the nearest mW and mm before calculation
- The result is rounded to one decimal place for comparison
- 3.0 and 7.5 are referred to as the numeric thresholds in the step 2 below

The test exclusions are applicable only when the minimum test separation distance is \leq 50 mm and for transmission frequencies between 100 MHz and 6 GHz. When the minimum test separation distance is < 5 mm, a distance of 5 mm according to 5) in section 4.1 is applied to determine SAR test exclusion.

Standalone SAR test exclusion considerations									
Communication system	Frequency (MHz)	Configuration	Maximum Time Average Power (dBm)	Separation Distance (mm)	Calculation Result	SAR Exclusion Thresholds	Standalon e SAR Exclusion		
CSM850	935	Head	23.47	10	20.32	3.0	no		
GSIVIODU	000	Body	24.98	5	57.53	7.5	no		
CSM1000	1000	Head	21.47	10	19.34	3.0	no		
G21011900	1900	Body	22.98	5	54.75	7.5	no		
Rluctooth*	2450	Head	-1.00	5	0.25	3.0	yes		
Diueloolii	2400	Body*	-1.00	10	0.12	7.5	yes		

Remark:

- 1. Maximum power including tune-up tolerance;
- 2. Per KDB447498 requires, for Mouth-Worn is 1-g SAR requirement while Wrist-Worn as 10-g SAR requirement;

4.2.3 Standalone SAR Test Exclusion Considerations and Estimated SAR

Per KDB447498 requires when the standalone SAR test exclusion of section 4.3.1 is applied to an antenna that transmits simultaneously with other antennas, the standalone SAR must be estimated according to the following to determine simultaneous transmission SAR test exclusion;

• (max. power of channel, including tune-up tolerance, mW)/(min. test separation distance, mm)] • [$\sqrt{f(GHz)/x}$] W/kg for test separation distances \leq 50 mm;

where x = 7.5 for 1-g SAR, and x = 18.75 for 10-g SAR.

• 0.4 W/kg for 1-g SAR and 1.0 W/kg for 10-g SAR, when the test separation distances is > 50 mm

Per FCC KD B447498 D01, simultaneous transmission SAR test exclusion may be applied when the sum of the 1-g SAR for all the transmitting antenna in a specific a physical test configuration is \leq 1.6 W/Kg. When the sum is greater than the SAR limit, SAR test exclusion is determined by the SAR to peak location separation ratio.

Ratio=
$$\frac{(SAR_1+SAR_2)^{1.5}}{(peak location separation.mm)} < 0.04$$

Estimated stand alone SAR Maximum Separation Estimated Communication Frequency SAR_{1-g} Configuration Power Distance system (MHz) (dBm) (mm) (W/kg) Bluetooth* 2450 Mouth Worn -1.00 0.033 5 Separation Estimated Maximum Communication Frequency Configuration Power Distance SAR_{10-a} system (MHz) (W/kg) (dBm) (mm) Bluetooth* 2450 Wrist Worn -1.00 10 0.006

Remark:

1. Maximum average power including tune-up tolerance;

2. Bluetooth including Lower Energy Bluetooth and classical Bluetooth;

3. When the minimum test separation distance is < 5 mm, a distance of 5 mm is applied to determine SAR test exclusion

4. Body including Hotspot mode as body use distance is 10mm from manufacturer declaration of user manual.

4.3. SAR Measurement Results

Table 5: SAR Values [GSM 850 (GSM/GPRS/EGPRS)]

Ch	Freq.(Freq.(MHz) time slots Test Allowed Power Position Power (dBm) Power		Scaling	SAR _{1-g} results W/Kg)		Graph			
611.	MHz)			drift	Factor	Measured	Reported	Results		
	measured / reported SAR numbers - Mouth Worn (distance 10mm)									
251	848.8	GSM	Mouth- Worn	32.50	32.29	-0.02	1.05	0.302	0.317	Plot 1
o, Fre		Freq.	ime clots Test			Power				
Ch	Freq.	timo slots	Test	Maximum Allowed	Conducted Power	Power	Scaling	SAR _{10-g} (W/	results Kg)	Graph
Ch.	Freq. (MHz)	time slots	Test Position	Maximum Allowed Power (dBm)	Conducted Power (dBm)	Power drift	Scaling Factor	SAR _{10-g} (W/I Measured	results Kg) Reported	Graph Results
Ch.	Freq. (MHz)	time slots measu	Test Position ured / repo	Maximum Allowed Power (dBm) rted SAR num	Conducted Power (dBm) bers - Wrist Wo	Power drift orn (body	Scaling Factor /-worn, dis	SAR _{10-g} (W/ Measured stance 0mm)	results Kg) Reported	Graph Results

			Table	6: SAR Value	es [GSM 1900 (0	GSM/GPF	RS/EDGE)]			
Ch Freq.	timo slots	Test	Maximum Allowed	Conducted	Power	Scaling	SAR _{1-g} results (W/Kg)		Graph	
011.	(MHz)		Position	Power (dBm)	(dBm)	drift	Factor	Measured	Reported	Results
measured / reported SAR numbers - Mouth Worn (distance 10mm)										
661	1880.0	GSM	Mouth- Worn	30.50	30.28	-0.02	1.05	0.410	0.431	Plot 3
Ch	Freq.	Freq. (MHz) time slots Positio	Freq. time slots Test Allowed	Maximum Allowed	Conducted Power	Power drift	Scaling Factor	SAR _{10-g} results (W/Kg)		Graph
Ch. (MHz)	(MHz)		Position	Power (dBm)	(dBm)			Measured	Reported	Results
		measu	red / repor	ted SAR num	bers - Wrist Wo	orn (body	-worn, dis	stance 0mm)		
004			Wrist-							

28.47

-0.02

1.13

1.560

1.763

Plot 4

The calculated SAR is obtained by the following formula: **Reported SAR=Measured SAR*10**^{(Ptarget-Pmeasured))/10} **Scaling factor=10**^{(Ptarget-Pmeasured))/10}

Worn

29.00

1880.0 GPRS(4TX)

661

Reported SAR= Measured SAR* Scaling factor

Where Ptarget is the power of manufacturing upper limit

P_{measured} is the measured power

Measured SAR is measured SAR at measured power which including power drift) Reported SAR which including Power Drift and Scaling factor

4.4. SAR Measurement Variability

According to KDB865664, Repeated measurements are required only when the measured SAR is ≥ 0.80 W/kg. If the measured SAR value of the initial repeated measurement is < 1.45 W/kg with \leq 20% variation, only one repeated measurement is required to reaffirm that the results are not expected to have substantial variations, which may introduce significant compliance concerns. A second repeated measurement is required only if the measured result for the initial repeated measurement is within 10% of the SAR limit and vary by more than 20%, which are often related to device and measurement setup difficulties. The following procedures are applied to determine if repeated measurements are required. The same procedures should be adapted for measurements according to extremity and occupational exposure limits by applying a factor of 2.5 for extremity exposure and a factor of 5 for occupational exposure to the corresponding SAR thresholds.19 The repeated measurement results must be clearly identified in the SAR report. All measured SAR, including the repeated results, must be considered to determine compliance and for reporting according to KDB 690783.Repeated measurement is not required when the original highest measured SAR is < 0.80 W/kg; steps 2) through 4) do not apply.

- 5) When the original highest measured SAR is \geq 2.0 W/kg, repeat that measurement once.
- 6) Perform a second repeated measurement only if the ratio of largest to smallest SAR for the original and first repeated measurements is > 1.20 or when the original or repeated measurement is ≥ 3.6 W/kg (~ 10% from the 10-g SAR limit).
- Perform a third repeated measurement only if the original, first or second repeated measurement is ≥ 3.75 W/kg and the ratio of largest to smallest SAR for the original, first and second repeated measurements is > 1.20.
- Perform a third repeated measurement only if the original, first or second repeated measurement is ≥ 3.75 W/kg and the ratio of largest to smallest SAR for the original, first and second repeated measurements is > 1.20

Frequency Band (MHz)	Air Interface	RF Exposure Configuration	Test Position	Repeated SAR (yes/no)	Highest Measured SAR _{10-g} (W/Kg)	First Repeated Measued SAR _{10-g} (W/Kg)
848.8	GSM850	Standalone	Wrist Worn	no	1.170	N/A

Frequency Band (MHz)	Air Interface	RF Exposure Configuration	Test Position	Repeated SAR (yes/no)	Highest Measured SAR _{10-g} (W/Kg)	First Repeated Measued SAR _{10-g} (W/Kg)
1880	GSM1900	Standalone	Wrist Worn	no	1.560	N/A

Remark:

1. Second Repeated Measurement is not required since the ratio of the largest to smallest SAR for the orignal and first repeated measurement is not > 1.20

2.

4.5. Simultaneous TX SAR Considerations

5.6.1 Introduction

The following procedures adopted from "FCC SAR Considerations for Cell Phones with Multiple Transmitters" are applicable to handsets with built-in unlicensed transmitters such as BT and GSM devices which may simultaneously transmit with the licensed transmitter.

For the DUT, the GSM and BT can transmit at the same time

5.6.2 Evaluation of Simultaneous SAR

Simultaneous transmission SAR for BT and GSM

Test Position	PCEReported SAR _{1-q} (W/Kg)	Bluetooth Estimated SAR _{1-g} (W/Kg)	MAX. ΣSAR _{1-α} (W/Kg)	SAR _{1-α} Limit (W/Kg)	Peak location separation ratio	Simut. Meas. Required
Mouth Worn	0.431	0.033	0.464	1.6	no	no

Simultaneous transmission SAR for WiFi and GSM

Test Position	PCEReported SAR _{1-α} (W/Kg)	Bluetooth Estimated SAR _{10-g} (W/Kg)	MAX. ΣSAR _{10g} (W/Kg)	SAR _{10g} Limit (W/Kg)	Peak location separation ratio	Simut. Meas. Required
Wrist Worn	1.763	0.006	1.769	4.0	no	no

4.6. System Check Results

Date: 06/18/2017

System Performance Check at 835 MHz Head

DUT: Dipole 835 MHz; Type: D835V2; Serial: 4d069

Communication System: CW; Frequency: 835 MHz; Duty Cycle: 1:1

Medium parameters used (interpolated): f = 835 MHz; σ = 0.88 S/m; ϵ_r = 40.72 ρ = 1000 kg/m³

Phantom section: Flat Section

DASY4 Configuration:

- Probe: ES3DV3 SN3292; ConvF(6.53, 6.53, 6.53); Calibrated: 9/02/2016
- Sensor-Surface: 4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn1315; Calibrated: 7/26/2016
- Phantom: SAM 2; Type: SAM; Serial: TP-1432
- Measurement SW: DASY4, V4.7 Build 53; Postprocessing SW: SEMCAD, V1.8 Build 172

Area Scan (101x101x1): Measurement grid: dx=15.00 mm, dy=15.00 mm Maximum value of SAR (interpolated) = 2.61 mW/g

```
Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm
Reference Value = 50.235 V/m; Power Drift = 0.07dB
Peak SAR (extrapolated) = 3.43 W/kg
SAR(1 g) = 2.26 mW/g; SAR(10 g) = 1.50 mW/g
Maximum value of SAR (measured) = 2.68 mW/g
```



System Performance Check 835MHz Head 250 mW

Date: 06/18/2017

System Performance Check at 835 MHz Body

DUT: Dipole 835 MHz; Type: D835V2; Serial: 4d069

Communication System: CW; Frequency: 835 MHz; Duty Cycle: 1:1

Medium parameters used (interpolated): f = 835 MHz; σ = 0.98 S/m; ϵ_r = 56.00; ρ = 1000 kg/m³

Phantom section: Flat Section

DASY4 Configuration:

- Probe: ES3DV3 - SN3292; ConvF(6.27, 6.27, 6.27); Calibrated: 9/02/2016

- Sensor-Surface: 4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn1315; Calibrated: 7/26/2016
- Phantom: SAM 2; Type: SAM; Serial: TP-1432
- Measurement SW: DASY4, V4.7 Build 53; Postprocessing SW: SEMCAD, V1.8 Build 172

Area Scan (101x101x1): Measurement grid: dx=15.00 mm, dy=15.00 mm Maximum value of SAR (interpolated) = 2.85 mW/g

Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm Reference Value = 58.61 V/m; Power Drift = -0.05 dB Peak SAR (extrapolated) = 3.89 W/kg SAR(1 g) = 2.46 mW/g; SAR(10 g) = 1.61 mW/g Maximum value of SAR (measured) = 3.32 mW/g



System Performance Check 835MHz Body 250mW

Date: 06/19/2017

System Performance Check at 1900 MHz Head

DUT: Dipole 1900 MHz; Type: D1900V2; Serial: 5d194

Communication System: CW; Frequency: 1900 MHz; Duty Cycle: 1:1

Medium parameters used (interpolated): f = 1900 MHz; σ = 1.38 S/m; ε_r =40.49; ρ = 1000 kg/m³

Phantom section: Flat Section

DASY4 Configuration:

- Probe: ES3DV3 SN3292; ConvF(5.26, 5.26, 5.26); Calibrated: 9/02/2016
- Sensor-Surface: 4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn1315; Calibrated: 7/26/2016
- Phantom: SAM 2; Type: SAM; Serial: TP-1432
- Measurement SW: DASY4, V4.7 Build 53; Postprocessing SW: SEMCAD, V1.8 Build 172

Area Scan (61x91x71): Measurement grid: dx=15.00 mm, dy=15.00 mm Maximum value of SAR (interpolated) = 13.476 mW/g

Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm Reference Value = 93.267 V/m; Power Drift = -0.05 dB Peak SAR (extrapolated) = 19.227 W/kg SAR(1 g) = 10.35 mW/g; SAR(10 g) = 5.32 mW/g Maximum value of SAR (measured) = 13.5 mW/g



System Performance Check 1900MHz Head 250mW

Date: 06/19/2017 System Performance Check at 1900 MHz Body

DUT: Dipole 1900 MHz; Type: D1900V2; Serial: 5d194

Communication System: CW; Frequency: 1900 MHz; Duty Cycle: 1:1

Medium parameters used (interpolated): f = 1900 MHz; σ = 1.56 S/m; ϵ_r =53.97; ρ = 1000 kg/m³

Phantom section: Flat Section

DASY4 Configuration:

- Probe: ES3DV3 SN3292; ConvF(5.05, 5.05, 5.05); Calibrated: 9/02/2016
- Sensor-Surface: 4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn1315; Calibrated: 7/26/2016
- Phantom: SAM 2; Type: SAM; Serial: TP-1432
- Measurement SW: DASY4, V4.7 Build 53; Postprocessing SW: SEMCAD, V1.8 Build 172

Area Scan (61x91x1): Measurement grid: dx=15.00 mm, dy=15.00 mm Maximum value of SAR (interpolated) = 13.45 mW/g

Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm Reference Value = 91.52 V/m; Power Drift = -0.09 dB Peak SAR (extrapolated) = 18.83 W/kg SAR(1 g) = 9.96 mW/g; SAR(10 g) = 5.10 mW/g Maximum value of SAR (measured) = 12.81mW/g



System Performance Check 1900MHz Body 250mW
4.7. SAR Test Graph Results

SAR plots for **the highest measured SAR** in each exposure configuration, wireless mode and frequency band combination according to FCC KDB 865664 D02

#1

Date: 06/18/2017

GSM850 Mouth-worn High Channel

Communication System: Customer System; Frequency: 848.8 MHz;Duty Cycle:1:8 Medium parameters used (interpolated): f = 848.8 MHz; σ = 0.89S/m; ϵ_r = 40.72; ρ = 1000 kg/m³ Phantom section : Flat Section

DASY4 Configuration:

- Probe: ES3DV3 SN3292; ConvF(6.53, 6.53, 6.53); Calibrated: 9/02/2016
- Sensor-Surface: 4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn1315; Calibrated: 7/26/2016
- Phantom: SAM 2; Type: SAM; Serial: TP-1432
- Measurement SW: DASY4, V4.7 Build 53; Postprocessing SW: SEMCAD, V1.8 Build 172

Area Scan (31x31x1): Measurement grid: dx=15mm, dy=15mm Maximum value of SAR (interpolated) = 0.318 mW/g

```
Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm
```

Reference Value = 14.59 V/m; Power Drift = -0.07 dB Peak SAR (extrapolated) = 0.497 W/kg

SAR(1 g) = 0.302 mW/g; SAR(10 g) = 0.208 mW/g

Maximum value of SAR (measured) = 0.321 mW/g



Plot 1: Mouth-Worn (GSM850 Middle Channel)

#2 Date: 06/18/2017 GSM850 Body Wrist Worn High Channel

Communication System: Customer System; Frequency: 848.8 MHz;Duty Cycle:1:2 Medium parameters used (interpolated): f = 848.8 MHz; σ = 0.99 S/m; ϵ_r = 55.97; ρ = 1000 kg/m³ Phantom section : Flat Section

DASY4 Configuration:

- Probe: ES3DV3 SN3292; ConvF(6.27, 6.27, 6.27); Calibrated: 9/02/2016
- Sensor-Surface: 4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn1315; Calibrated: 7/26/2016
- Phantom: SAM 2; Type: SAM; Serial: TP-1432
- Measurement SW: DASY4, V4.7 Build 53; Postprocessing SW: SEMCAD, V1.8 Build 172

Area Scan (31x31x1): Measurement grid: dx=15mm, dy=15mm Maximum value of SAR (interpolated) = 2.47 mW/g

Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 25.29 V/m; Power Drift = -0.06 dB

Peak SAR (extrapolated) = 3.47 W/kg

SAR(1 g) = 2.21 mW/g; SAR(10 g) = 1.17 mW/g

Maximum value of SAR (measured) = 2.32 mW/g



Plot 2: Body Wrist Worn (GSM850 Middle Channel)

#3 Date: 06/19/2017 GSM1900 Mouth-worn Middle Channel

Communication System: Customer System; Frequency: 1880.0 MHz;Duty Cycle:1:8 Medium parameters used (interpolated): f = 1880.0 MHz; σ =1.35 S/m; ϵ_r = 40.32; ρ = 1000 kg/m³ Phantom section : Flat Section

DASY4 Configuration:

- Probe: ES3DV3 SN3292; ConvF(5.26, 5.26, 5.26); Calibrated: 9/02/2016
- Sensor-Surface: 4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn1315; Calibrated: 7/26/2016
- Phantom: SAM 2; Type: SAM; Serial: TP-1432
- Measurement SW: DASY4, V4.7 Build 53; Postprocessing SW: SEMCAD, V1.8 Build 172

Area Scan (31x31x1): Measurement grid: dx=15mm, dy=15mm Maximum value of SAR (interpolated) = 0.457 mW/g

Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm Reference Value = 15.31 V/m; Power Drift = -0.06 dB Peak SAR (extrapolated) = 0.678 W/kg SAR(1 g) = 0.410 mW/g; SAR(10 g) = 0.215 mW/g Maximum value of SAR (measured) = 0.451 mW/g



Plot 3: Mouth-Worn (GSM1900 Middle Channel)

#4 Date: 06/19/2017 GSM1900 Body Wrist Worn Middle Channel

Communication System: Customer System; Frequency: 1880.0 MHz;Duty Cycle:1:2 Medium parameters used (interpolated): f = 1880.0 MHz; σ = 1.56 S/m; ϵ_r = 54.97; ρ = 1000 kg/m³ Phantom section : Flat Section

DASY4 Configuration:

- Probe: ES3DV3 SN3292; ConvF(5.05, 5.05, 5.05); Calibrated: 9/02/2016
- Sensor-Surface: 4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn1315; Calibrated: 7/26/2016
- Phantom: SAM 2; Type: SAM; Serial: TP-1432
- Measurement SW: DASY4, V4.7 Build 53; Postprocessing SW: SEMCAD, V1.8 Build 172

Area Scan (31x31x1): Measurement grid: dx=15mm, dy=15mm Maximum value of SAR (interpolated) = 3.21 mW/g

Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm Reference Value = 25.71 V/m; Power Drift = -0.09 dB Peak SAR (extrapolated) = 4.06 W/kg

SAR(1 g) = 2.97 mW/g; SAR(10 g) = 1.56 mW/g Maximum value of SAR (measured) = 3.12 mW/g



Plot 4: Body Wrist Worn (GSM1900 Middle Channel)

5. Calibration Certificate

5.1. Probe Calibration Ceriticate

ccredited by the Swiss Accredit	ch, Switzerland ation Service (SAS)	Acces	Servizio svizzero di taratura Swiss Calibration Service reditation No.: SCS 0108
he Swiss Accreditation Service	ce is one of the signatories	to the EA	
unnateral Agreement for the	recognition of calibration of	er uncates	
lient CIQ-SZ (Aude	n)	Certificate No:	ES3-3292_Sep16
CALIBRATION	CERTIFICATE		and the second second
		pha - C	
Dbject	ES3DV3 - SN:329	2 SAR PESK	
Calibration procedure(s)	QA CAL-01.v9. QA	A CAL-12 V9. QA CAL-23 V5. QA	CAL-25.v6
, , , , , , , , , , , , , , , , , , , ,	Calibration proced	ure for dosimetric E-field probes	
Calibration date:	September 2, 201	6	
This calibration certificate docum	nents the traceability to nation	hal standards, which realize the physical units	of measurements (SI).
	ertainties with confidence pro	bability are given on the following pages and	are part of the certificate
he measurements and the upo	entainties with confidence pro	bability are given on the following pages and a	are part of the certificate.
he measurements and the unc			
The measurements and the unc			
The measurements and the unc All calibrations have been condu	ucted in the closed laboratory	facility: environment temperature (22 ± 3)°C a	and humidity < 70%.
The measurements and the unc	ucted in the closed laboratory	facility: environment temperature $(22 \pm 3)^{\circ}$ C a	and humidity < 70%.
The measurements and the unc	ucted in the closed laboratory	facility: environment temperature (22 \pm 3)°C a	and humidity < 70%.
The measurements and the unc All calibrations have been condu Calibration Equipment used (M&	ucted in the closed laboratory	facility: environment temperature (22 \pm 3)°C a	and humidity < 70%.
The measurements and the unc	ucted in the closed laboratory	facility: environment temperature (22 ± 3)°C a	and humidity < 70%.
The measurements and the unc All calibrations have been condu Calibration Equipment used (M&	ATE critical for calibration)	facility: environment temperature (22 ± 3)°C a	Scheduled Calibration
The measurements and the unc All calibrations have been condu- Calibration Equipment used (M& Primary Standards Power meter NRP	ID SN: 104778	facility: environment temperature (22 ± 3)°C a Cal Date (Certificate No.) 06-Apr-16 (No. 217-02288/02289)	Scheduled Calibration Apr-17
The measurements and the unc All calibrations have been condu- Calibration Equipment used (M& Primary Standards Power meter NRP Power sensor NRP-291 Power sensor NRP-291	ID SN: 104778 SN: 103244 SN: 103245	facility: environment temperature (22 ± 3)°C a Cal Date (Certificate No.) 06-Apr-16 (No. 217-02288/02289) 06-Apr-16 (No. 217-02288)	Scheduled Calibration Apr-17 Apr-17
The measurements and the unc All calibrations have been condu- Calibration Equipment used (M& Primary Standards Power meter NRP Power sensor NRP-Z91 Power sensor NRP-Z91 Power sensor NRP-Z91	ID ID SN: 104778 SN: 103244 SN: 103245 SN: 2027 (202)	facility: environment temperature (22 ± 3)°C a Cal Date (Certificate No.) 06-Apr-16 (No. 217-02288/02289) 06-Apr-16 (No. 217-02288) 06-Apr-16 (No. 217-02289) 06-Apr-16 (No. 217-02289)	And humidity < 70%. Scheduled Calibration Apr-17 Apr-17 Apr-17 Apr-17
The measurements and the unc All calibrations have been condu- Calibration Equipment used (M& Primary Standards Power sensor NRP-291 Power sensor NRP-291 Reference 20 dB Attenuator Reference 20 dB Attenuator	ID ID SN: 104778 SN: 103244 SN: 103245 SN: S5277 (20x) SN: 3013	facility: environment temperature (22 ± 3)°C a Cal Date (Certificate No.) 06-Apr-16 (No. 217-02288/02289) 06-Apr-16 (No. 217-02288) 06-Apr-16 (No. 217-02289) 05-Apr-16 (No. 217-02293) 31-Dec-15 (No. 553-3013, Dec15)	And humidity < 70%. Scheduled Calibration Apr-17 Apr-17 Apr-17 Apr-17 Dec-16
The measurements and the unc All calibrations have been condu- Calibration Equipment used (M& Primary Standards Power sensor NRP-291 Power sensor NRP-291 Power sensor NRP-291 Reference 20 dB Attenuator Reference Probe ES3DV2 DAE4	ID ID SN: 104778 SN: 103244 SN: 103245 SN: 55277 (20x) SN: 3013 SN: 660	facility: environment temperature (22 ± 3)°C a Cal Date (Certificate No.) 06-Apr-16 (No. 217-02288/02289) 06-Apr-16 (No. 217-02289) 06-Apr-16 (No. 217-02289) 05-Apr-16 (No. 217-02293) 31-Dec-15 (No. ES3-3013_Dec15) 23-Dec-15 (No. DAF4-660_Dec15)	And humidity < 70%. Scheduled Calibration Apr-17 Apr-17 Apr-17 Apr-17 Dec-16 Dec-16
The measurements and the unc All calibrations have been condu- Calibration Equipment used (M& Primary Standards Power meter NRP Power sensor NRP-Z91 Power sensor NRP-Z91 Reference 20 dB Attenuator Reference Probe ES3DV2 DAE4	ID ID SN: 104778 SN: 103244 SN: 103245 SN: 55277 (20x) SN: 3013 SN: 660	facility: environment temperature (22 ± 3)°C a Cal Date (Certificate No.) 06-Apr-16 (No. 217-02288/02289) 06-Apr-16 (No. 217-02288) 06-Apr-16 (No. 217-02289) 05-Apr-16 (No. 217-02293) 31-Dec-15 (No. ES3-3013_Dec15) 23-Dec-15 (No. DAE4-660_Dec15)	And humidity < 70%. Scheduled Calibration Apr-17 Apr-17 Apr-17 Apr-17 Apr-17 Dec-16 Dec-16 Dec-16
The measurements and the unc All calibrations have been condu- Calibration Equipment used (M& Primary Standards Power meter NRP Power sensor NRP-Z91 Power sensor NRP-Z91 Reference 20 dB Attenuator Reference Probe ES3DV2 DAE4 Secondary Standards	ID ID SN: 104778 SN: 103244 SN: 103245 SN: S5277 (20x) SN: 3013 SN: 660 ID	facility: environment temperature (22 ± 3)°C a Cal Date (Certificate No.) 06-Apr-16 (No. 217-02288/02289) 06-Apr-16 (No. 217-02288) 06-Apr-16 (No. 217-02289) 05-Apr-16 (No. 217-02293) 31-Dec-15 (No. ES3-3013_Dec15) 23-Dec-15 (No. DAE4-660_Dec15) Check Date (in house)	and humidity < 70%. Scheduled Calibration Apr-17 Apr-17 Apr-17 Apr-17 Dec-16 Dec-16 Dec-16 Scheduled Check
The measurements and the unc All calibrations have been condu- Calibration Equipment used (M& Primary Standards Power meter NRP Power sensor NRP-Z91 Power sensor NRP-Z91 Reference 20 dB Attenuator Reference Probe ES3DV2 DAE4 Secondary Standards Power meter E4419B	in the closed laboratory ID SN: 104778 SN: 103244 SN: 103245 SN: 55277 (20x) SN: 3013 SN: 660 ID SN: 660 SN: 680	facility: environment temperature (22 ± 3)°C a Cal Date (Certificate No.) 06-Apr-16 (No. 217-02288/02289) 06-Apr-16 (No. 217-02288) 06-Apr-16 (No. 217-02289) 05-Apr-16 (No. 217-02293) 31-Dec-15 (No. ES3-3013_Dec15) 23-Dec-15 (No. DAE4-660_Dec15) Check Date (in house) 06-Apr-16 (in house check Jun-16)	and humidity < 70%. Scheduled Calibration Apr-17 Apr-17 Apr-17 Apr-17 Dec-16 Dec-16 Scheduled Check In house check: Jun-18
The measurements and the unc All calibrations have been condu- Calibration Equipment used (M& Primary Standards Power meter NRP Power sensor NRP-Z91 Power sensor NRP-Z91 Reference 20 dB Attenuator Reference Probe ES3DV2 DAE4 Secondary Standards Power meter E4419B Power sensor E4412A	Line closed laboratory ATE critical for calibration) ID SN: 104778 SN: 103244 SN: 103245 SN: 3013 SN: 3013 SN: 660 ID SN: GB41293874 SN: MY41498087	facility: environment temperature (22 ± 3)°C a Cal Date (Certificate No.) 06-Apr-16 (No. 217-02288/02289) 06-Apr-16 (No. 217-02288) 06-Apr-16 (No. 217-02289) 05-Apr-16 (No. 217-02293) 31-Dec-15 (No. ES3-3013_Dec15) 23-Dec-15 (No. DAE4-660_Dec15) Check Date (in house) 06-Apr-16 (in house check Jun-16) 06-Apr-16 (in house check Jun-16)	and humidity < 70%. Scheduled Calibration Apr-17 Apr-17 Apr-17 Apr-17 Dec-16 Dec-16 Dec-16 Scheduled Check In house check: Jun-18 In house check: Jun-18
The measurements and the unconstruction Equipment used (M8 Calibration Equipment used (M8 Primary Standards Power sensor NRP-Z91 Power sensor NRP-Z91 Reference 20 dB Attenuator Reference 20 dB Attenuator Reference Probe ES3DV2 DAE4 Secondary Standards Power meter E4419B Power sensor E4412A Power sensor E4412A	Line closed laboratory ATE critical for calibration) ID SN: 104778 SN: 103244 SN: 103245 SN: 3013 SN: 660 ID SN: GB41293874 SN: MY41498087 SN: 000110210	facility: environment temperature (22 ± 3)°C a Cal Date (Certificate No.) 06-Apr-16 (No. 217-02288/02289) 06-Apr-16 (No. 217-02288) 06-Apr-16 (No. 217-02289) 05-Apr-16 (No. 217-02293) 31-Dec-15 (No. ES3-3013_Dec15) 23-Dec-15 (No. DAE4-660_Dec15) Check Date (in house) 06-Apr-16 (in house check Jun-16) 06-Apr-16 (in house check Jun-16) 06-Apr-16 (in house check Jun-16)	And humidity < 70%. Scheduled Calibration Apr-17 Apr-17 Apr-17 Dec-16 Dec-16 Scheduled Check In house check: Jun-18 In house check: Jun-18 In house check: Jun-18
The measurements and the uncomplexity of the measurements and the uncomplexity of the measurements and the uncomplexity of the measurement of the	Line closed laboratory Line critical for calibration) Line critical for calibration) SN: 104778 SN: 103244 SN: 103245 SN: 3013 SN: 660 Line critical for calibration SN: 660 SN: 6841293874 SN: MY41498087 SN: MY41498087 SN: US3642U01700	facility: environment temperature (22 ± 3)°C a Cal Date (Certificate No.) 06-Apr-16 (No. 217-02288/02289) 06-Apr-16 (No. 217-02288) 06-Apr-16 (No. 217-02289) 05-Apr-16 (No. 217-02293) 31-Dec-15 (No. E33-3013_Dec15) 23-Dec-15 (No. DAE4-660_Dec15) Check Date (in house) 06-Apr-16 (in house check Jun-16) 06-Apr-16 (in house check Jun-16) 06-Apr-16 (in house check Jun-16)	And humidity < 70%. Scheduled Calibration Apr-17 Apr-17 Apr-17 Dec-16 Dec-16 Dec-16 Scheduled Check In house check: Jun-18 In house check: Jun-18 In house check: Jun-18 In house check: Jun-18
The measurements and the unc All calibrations have been condu- Calibration Equipment used (M& Primary Standards Power sensor NRP-Z91 Power sensor NRP-Z91 Reference 20 dB Attenuator Reference 20 dB Attenuator Reference Probe ES3DV2 DAE4 Secondary Standards Power sensor E4419B Power sensor E4412A Power sensor E4412A Power sensor E4412A RF generator HP 8648C Network Analyzer HP 8753E	Lited in the closed laboratory ATE critical for calibration) ID SN: 104778 SN: 103244 SN: 103245 SN: 3013 SN: 660 ID SN: GB41293874 SN: MY41498087 SN: WY41498087 SN: US3642U01700 SN: US37390585	facility: environment temperature (22 ± 3)°C a Cal Date (Certificate No.) 06-Apr-16 (No. 217-02288/02289) 06-Apr-16 (No. 217-02288) 06-Apr-16 (No. 217-02289) 05-Apr-16 (No. 217-02289) 05-Apr-16 (No. 217-02293) 31-Dec-15 (No. ES3-3013_Dec15) 23-Dec-15 (No. DAE4-660_Dec15) Check Date (in house) 06-Apr-16 (in house check Jun-16)	And humidity < 70%. Scheduled Calibration Apr-17 Apr-17 Apr-17 Apr-17 Dec-16 Dec-16 Scheduled Check In house check: Jun-18 In house check: Oct-16
The measurements and the unc All calibrations have been condu- Calibration Equipment used (M& Primary Standards Power sensor NRP-291 Power sensor NRP-291 Reference 20 dB Attenuator Reference 20 dB Attenuator Reference 20 dB Attenuator DAE4 Secondary Standards Power sensor E4419B Power sensor E4412A Power sensor E4412A RF generator HP 8648C Network Analyzer HP 8753E	Line closed laboratory ATE critical for calibration) ID SN: 104778 SN: 103244 SN: 103245 SN: 55277 (20x) SN: 3013 SN: 660 ID SN: GB41293874 SN: MY41498087 SN: WY41498087 SN: US3642U01700 SN: US3642U01700 SN: US37390585	facility: environment temperature (22 ± 3)°C a Cal Date (Certificate No.) 06-Apr-16 (No. 217-02288/02289) 06-Apr-16 (No. 217-02288) 06-Apr-16 (No. 217-02289) 05-Apr-16 (No. 217-02293) 31-Dec-15 (No. ES3-3013_Dec15) 23-Dec-15 (No. DAE4-660_Dec15) Check Date (in house) 06-Apr-16 (in house check Jun-16)	And humidity < 70%. Scheduled Calibration Apr-17 Apr-17 Apr-17 Dec-16 Dec-16 Dec-16 Scheduled Check In house check: Jun-18 In house check: Jun-18
The measurements and the uncomplexity of the un	Line closed laboratory ATE critical for calibration) ID SN: 104778 SN: 103244 SN: 103245 SN: 3013 SN: 660 ID SN: GB41293874 SN: MY41498087 SN: 000110210 SN: US3642U01700 SN: US37390585 Name	facility: environment temperature (22 ± 3)°C a Cal Date (Certificate No.) 06-Apr-16 (No. 217-02288/02289) 06-Apr-16 (No. 217-02288) 05-Apr-16 (No. 217-02289) 05-Apr-16 (No. 217-02293) 31-Dec-15 (No. DAE4-660_Dec15) 23-Dec-15 (No. DAE4-660_Dec15) Check Date (in house) 06-Apr-16 (in house check Jun-16) 06-Apr-16 (in house check Jun-16) 06-Apr-16 (in house check Jun-16) 06-Apr-16 (in house check Jun-16) 04-Aug-99 (in house check Jun-16) 18-Oct-01 (in house check Oct-15) Function	Apr-17 Apr-17 Apr-17 Apr-17 Dec-16 Dec-16 Dec-16 Scheduled Check In house check: Jun-18 In house check: Jun-18
The measurements and the uncomposite of the measurement of the measurements and the uncomposite of the measurements and the uncomposite of the measurement of the measurements and the uncomposite of the unc	ID ID SN: 104778 SN: 103244 SN: 103245 SN: 103245 SN: 55277 (20x) SN: 3013 SN: 660 ID ID SN: 660 SN: 000110210 SN: 000110210 SN: U33642U01700 SN: U337390585	facility: environment temperature (22 ± 3)°C a Cal Date (Certificate No.) 06-Apr-16 (No. 217-02288/02289) 06-Apr-16 (No. 217-02288) 06-Apr-16 (No. 217-02289) 05-Apr-16 (No. 217-02283) 31-Dec-15 (No. E33-3013_Dec15) 23-Dec-15 (No. DAE4-660_Dec15) Check Date (in house) 06-Apr-16 (in house check Jun-16) 07-40-40-40 (in house check Jun-16) 08-Apr-170 (in house check Jun-16) 08-Apr-19 (in house check Jun-16) 08-Apr-19 (in house check Jun-16) 08-Apr-19 (in house check Jun-16) 18-Oct-01 (in house check Oct-15)	Apr-17 Apr-17 Apr-17 Apr-17 Apr-17 Dec-16 Dec-16 Dec-16 Scheduled Check In house check: Jun-18 In house check: Jun-18
The measurements and the uncomposite of the uncomposite of the measurements and the uncomposite of the uncomposite	ucted in the closed laboratory ATE critical for calibration) ID SN: 104778 SN: 103244 SN: 103245 SN: 103245 SN: 103245 SN: 103245 SN: 3013 SN: 660 ID SN: GB41293874 SN: WY41498087 SN: 000110210 SN: US3642U01700 SN: US37390585 Name Michael Weber	facility: environment temperature (22 ± 3)°C a Cal Date (Certificate No.) 06-Apr-16 (No. 217-02288/02289) 06-Apr-16 (No. 217-02288) 06-Apr-16 (No. 217-02289) 05-Apr-16 (No. 217-02293) 31-Dec-15 (No. ES3-3013_Dec15) 23-Dec-15 (No. DAE4-660_Dec15) Check Date (in house) 06-Apr-16 (in house check Jun-16) 06-Apr-16 (in house check Jun-16) 06-Apr-16 (in house check Jun-16) 06-Apr-16 (in house check Jun-16) 06-Apr-16 (in house check Jun-16) 18-Oct-01 (in house check Oct-15) Function Laboratory Technician	Apr-17 Apr-17 Apr-17 Apr-17 Apr-17 Apr-17 Dec-16 Dec-16 Dec-16 Scheduled Check In house check: Jun-18 In house check: Jun-18
The measurements and the uncomposite of the uncomposi	ID ID SN: 104778 SN: 103244 SN: 103244 SN: 103245 SN: 103245 SN: 3013 SN: 3013 SN: 660 ID SN: GB41293874 SN: 000110210 SN: US3642U01700 SN: US37390585 Name Michael Weber Michael Weber	facility: environment temperature (22 ± 3)°C a Cal Date (Certificate No.) 06-Apr-16 (No. 217-02288/02289) 06-Apr-16 (No. 217-02289) 05-Apr-16 (No. 217-02293) 31-Dec-15 (No. E3-3013_Dec15) 23-Dec-15 (No. DAE4-660_Dec15) Check Date (in house) 06-Apr-16 (in house check Jun-16) 06-Apr-16 (in house check Jun-16) 06-Apr-16 (in house check Jun-16) 06-Apr-16 (in house check Jun-16) 04-Aug-99 (in house check Jun-16) 18-Oct-01 (in house check Jun-16) 18-Oct-01 (in house check Oct-15) Function Laboratory Technician	Apr-17 Apr-17 Apr-17 Apr-17 Apr-17 Dec-16 Dec-16 Scheduled Check In house check: Jun-18 In house check: Jun-18
The measurements and the uncomposite of the measurement of the	ID ID SN: 104778 SN: 103244 SN: 103245 SN: 103245 SN: 3013 SN: 660 ID SN: GB41293874 SN: 000110210 SN: US3642U01700 SN: US37390585 Name Michael Weber Katja Pokovic	facility: environment temperature (22 ± 3)°C a Cal Date (Certificate No.) 06-Apr-16 (No. 217-02288/02289) 06-Apr-16 (No. 217-02288) 05-Apr-16 (No. 217-02289) 05-Apr-16 (No. 217-02293) 31-Dec-15 (No. ES3-3013_Dec15) 23-Dec-15 (No. DAE4-660_Dec15) Check Date (in house) 06-Apr-16 (in house check Jun-16) 06-Apr-16 (in house check Jun-16) 06-Apr-16 (in house check Jun-16) 06-Apr-16 (in house check Jun-16) 06-Apr-16 (in house check Jun-16) 04-Aug-99 (in house check Jun-16) 18-Oct-01 (in house check Oct-15) Function Laboratory Technician Technical Manager	Apr-17 Apr-17 Apr-17 Apr-17 Apr-17 Dec-16 Dec-16 Scheduled Check In house check: Jun-18 In house check: Jun-18
The measurements and the unc All calibrations have been condu- Calibration Equipment used (M8 Primary Standards Power meter NRP Power sensor NRP-Z91 Power sensor NRP-Z91 Reference 20 dB Attenuator Reference Probe ES3DV2 DAE4 Secondary Standards Power sensor E44198 Power sensor E44198 Power sensor E4412A RF generator HP 8648C Network Analyzer HP 8753E Calibrated by:	ATE critical for calibration) ID SN: 104778 SN: 103244 SN: 103245 SN: 3013 SN: 660 ID SN: GB41293874 SN: 000110210 SN: US3642U01700 SN: US37390585 Name Michael Weber Katja Pokovic	facility: environment temperature (22 ± 3)°C a Cal Date (Certificate No.) 06-Apr-16 (No. 217-02288/02289) 06-Apr-16 (No. 217-02289) 05-Apr-16 (No. 217-02293) 31-Dec-15 (No. ES3-3013_Dec15) 23-Dec-15 (No. DAE4-660_Dec15) Check Date (in house) 06-Apr-16 (in house check Jun-16) 06-Apr-16 (in house check Jun-16) 06-Apr-16 (in house check Jun-16) 06-Apr-16 (in house check Jun-16) 04-Aug-99 (in house check Jun-16) 18-Oct-01 (in house check Jun-16) 18-Oct-01 (in house check Jun-16) Teuction Laboratory Technician	Apr-17 Apr-17 Apr-17 Apr-17 Apr-17 Dec-16 Dec-16 Scheduled Check In house check: Jun-18 In house check: Jun-18 Signature
The measurements and the unc All calibrations have been condu- Calibration Equipment used (M8 Primary Standards Power meter NRP Power sensor NRP-Z91 Power sensor NRP-Z91 Reference 20 dB Attenuator Reference Probe ES3DV2 DAE4 Secondary Standards Power sensor E44198 Power sensor E44198 Power sensor E4412A RF generator HP 8648C Network Analyzer HP 8753E Calibrated by:	ATE critical for calibration) ATE critical for calibration) ID SN: 104778 SN: 103244 SN: 103245 SN: 3013 SN: 660 ID SN: GB41293874 SN: MY41498087 SN: 000110210 SN: US3642U01700 SN: US37390585 Name Michael Weber Katja Pokovic	facility: environment temperature (22 ± 3)°C a Cal Date (Certificate No.) 06-Apr-16 (No. 217-02288/02289) 06-Apr-16 (No. 217-02289) 05-Apr-16 (No. 217-02293) 31-Dec-15 (No. ES3-3013_Dec15) 23-Dec-15 (No. DAE4-660_Dec15) Check Date (in house) 06-Apr-16 (in house check Jun-16) 06-Apr-16 (in house check Jun-16) 06-Apr-16 (in house check Jun-16) 06-Apr-16 (in house check Jun-16) 06-Apr-16 (in house check Jun-16) 04-Aug-99 (in house check Jun-16) 18-Oct-01 (in house check Jun-16) 18-Oct-01 (in house check Oct-15) Function Laboratory Technician	And humidity < 70%. <table> Scheduled Calibration Apr-17 Apr-17 Apr-17 Dec-16 Dec-16 Scheduled Check In house check: Jun-18 In house check: Oct-16</table>
The measurements and the unc All calibrations have been condu- Calibration Equipment used (M& Primary Standards Power sensor NRP-Z91 Power sensor NRP-Z91 Reference 20 dB Attenuator Reference 20 dB Attenuator Reference Probe ES3DV2 DAE4 Secondary Standards Power sensor E4412A Power sensor E4419B Power sensor E4412A RF generator HP 8648C Network Analyzer HP 8753E Calibrated by:	ID SN: 104778 SN: 104778 SN: 103244 SN: 103245 SN: 3013 SN: 660 ID SN: GB41293874 SN: WY41498087 SN: 000110210 SN: US3642U01700 SN: US37390585 Name Michael Weber Katja Pokovic	facility: environment temperature (22 ± 3)°C a	Apr-17 Apr-17 Apr-17 Apr-17 Apr-17 Dec-16 Dec-16 Scheduled Check In house check: Jun-18 In house check: Jun-18 Signature

Calibration Laboratory of

Schmid & Partner Engineering AG Zeughausstrasse 43, 8004 Zurich, Switzerland



S Schweizerischer Kalibrierdienst

- C Service suisse d'étalonnage
 - Servizio svizzero di taratura
- Swiss Calibration Service

Accreditation No.: SCS 0108

Accredited by the Swiss Accreditation Service (SAS) The Swiss Accreditation Service is one of the signatories to the EA Multilateral Agreement for the recognition of calibration certificates

Glossary:

TSL	tissue simulating liquid
NORMx,v,z	sensitivity in free space
ConvF	sensitivity in TSL / NORMx,y,z
DCP	diode compression point
CF	crest factor (1/duty_cycle) of the RF signal
A, B, C, D	modulation dependent linearization parameters
Polarization o	φ rotation around probe axis
Polarization 9	ϑ rotation around an axis that is in the plane normal to probe axis (at measurement center),
Connector Angle	information used in DASY system to align probe sensor X to the robot coordinate system

Calibration is Performed According to the Following Standards:

- a) IEEE Std 1528-2013, "IEEE Recommended Practice for Determining the Peak Spatial-Averaged Specific Absorption Rate (SAR) in the Human Head from Wireless Communications Devices: Measurement Techniques", June 2013
- b) IEC 62209-1, "Procedure to measure the Specific Absorption Rate (SAR) for hand-held devices used in close proximity to the ear (frequency range of 300 MHz to 3 GHz)", February 2005
- c) IEC 62209-2, "Procedure to determine the Specific Absorption Rate (SAR) for wireless communication devices used in close proximity to the human body (frequency range of 30 MHz to 6 GHz)", March 2010
- d) KDB 865664, "SAR Measurement Requirements for 100 MHz to 6 GHz"

Methods Applied and Interpretation of Parameters:

- NORMx,y,z: Assessed for E-field polarization 9 = 0 (f ≤ 900 MHz in TEM-cell; f > 1800 MHz: R22 waveguide). NORMx,y,z are only intermediate values, i.e., the uncertainties of NORMx,y,z does not affect the E²-field uncertainty inside TSL (see below *ConvF*).
- NORM(f)x, y, z = NORMx, y, z * frequency_response (see Frequency Response Chart). This linearization is
 implemented in DASY4 software versions later than 4.2. The uncertainty of the frequency response is included
 in the stated uncertainty of ConvF.
- DCPx, y, z: DCP are numerical linearization parameters assessed based on the data of power sweep with CW signal (no uncertainty required). DCP does not depend on frequency nor media.
- PAR: PAR is the Peak to Average Ratio that is not calibrated but determined based on the signal characteristics
- Ax,y,z; Bx,y,z; Cx,y,z; Dx,y,z; VRx,y,z: A, B, C, D are numerical linearization parameters assessed based on the data of power sweep for specific modulation signal. The parameters do not depend on frequency nor media. VR is the maximum calibration range expressed in RMS voltage across the diode.
- ConvF and Boundary Effect Parameters: Assessed in flat phantom using E-field (or Temperature Transfer Standard for f ≤ 800 MHz) and inside waveguide using analytical field distributions based on power measurements for f > 800 MHz. The same setups are used for assessment of the parameters applied for boundary compensation (alpha, depth) of which typical uncertainty values are given. These parameters are used in DASY4 software to improve probe accuracy close to the boundary. The sensitivity in TSL corresponds to NORMx,y,z * ConvF whereby the uncertainty corresponds to that given for ConvF. A frequency dependent ConvF is used in DASY version 4.4 and higher which allows extending the validity from ± 50 MHz to ± 100 MHz.
- Spherical isotropy (3D deviation from isotropy): in a field of low gradients realized using a flat phantom exposed by a patch antenna.
- Sensor Offset: The sensor offset corresponds to the offset of virtual measurement center from the probe tip (on probe axis). No tolerance required.
- Connector Angle: The angle is assessed using the information gained by determining the NORMx (no uncertainty required).

Certificate No: ES3-3292_Sep16

Page 2 of 11

ES3DV3 - SN:3292

September 2, 2016

Probe ES3DV3

SN:3292

Manufactured: Repaired: Calibrated: July 6, 2010 August 29, 2016 September 2, 2016

Calibrated for DASY/EASY Systems (Note: non-compatible with DASY2 system!)

Certificate No: ES3-3292_Sep16

Page 3 of 11

ES3DV3- SN:3292

September 2, 2016

DASY/EASY - Parameters of Probe: ES3DV3 - SN:3292

Basic Calibration Parameters

	Sensor X	Sensor Y	Sensor Z	Unc (k=2)
Norm $(\mu V/(V/m)^2)^A$	0.94	0.95	0.93	± 10.1 %
DCP (mV) ^B	105.7	101.2	111.7	

Modulation Calibration Parameters

UID	Communication System Name		A dB	B dBõV	с	D dB	VR mV	Unc ^E (k=2)
0	CW	X	0.0	0.0	1.0	0.00	205.6	±3.5 %
		Y	0.0	0.0	1.0		212.6	
- 1		Z	0.0	0.0	1.0		204.7	

The reported uncertainty of measurement is stated as the standard uncertainty of measurement multiplied by the coverage factor k=2, which for a normal distribution corresponds to a coverage probability of approximately 95%.

 ^A The uncertainties of Norm X,Y,Z do not affect the E²-field uncertainty inside TSL (see Pages 5 and 6).
 ^B Numerical linearization parameter: uncertainty not required.
 ^E Uncertainty is determined using the max. deviation from linear response applying rectangular distribution and is expressed for the square of the field value.

Page 4 of 11

September 2, 2016

DASY/EASY - Parameters of Probe: ES3DV3 - SN:3292

f (MHz) ^C	Relative Permittivity ^F	Conductivity (S/m) ^F	ConvF X	ConvF Y	ConvF Z	Alpha ^G	Depth ^G (mm)	Unc (k=2)
450	43.5	0.87	7.12	7.12	7.12	0.20	1.30	± 13.3 %
750	41.9	0.89	6.76	6.76	6.76	0.80	1.19	± 12.0 %
835	41.5	0.90	6.53	6.53	6.53	0.43	1.64	± 12.0 %
900	41.5	0.97	6.40	6.40	6.40	0.53	1.43	± 12.0 %
1750	40.1	1.37	5.54	5.54	5.54	0.80	1.15	± 12.0 %
1900	40.0	1.40	5.26	5.26	5.26	0.55	1.47	± 12.0 %
2450	39.2	1.80	4.97	4.97	4.97	0.64	1.41	± 12.0 %
2600	39.0	1.96	4.77	4.77	4.77	0.80	1.28	± 12.0 %

Calibration Parameter Determined in Head Tissue Simulating Media

^c Frequency validity above 300 MHz of ± 100 MHz only applies for DASY v4.4 and higher (see Page 2), else it is restricted to ± 50 MHz. The uncertainty is the RSS of the ConvF uncertainty at calibration frequency and the uncertainty for the indicated frequency band. Frequency validity below 300 MHz is ± 10, 25, 40, 50 and 70 MHz for ConvF assessments at 30, 64, 128, 150 and 220 MHz respectively. Above 5 GHz frequency validity validity can be extended to ± 110 MHz.

^F At frequencies below 3 GHz, the validity of tissue parameters (ε and σ) can be relaxed to ± 10% if liquid compensation formula is applied to measured SAR values. At frequencies above 3 GHz, the validity of tissue parameters (ε and σ) is restricted to ± 5%. The uncertainty is the RSS of the ConvF uncertainty for indicated target tissue parameters.

⁶ Alpha/Depth are determined during calibration. SPEAG warrants that the remaining deviation due to the boundary effect after compensation is always less than ± 1% for frequencies below 3 GHz and below ± 2% for frequencies between 3-6 GHz at any distance larger than half the probe ti diameter from the boundary.

Page 5 of 11

DASY/EASY - Parameters of Probe: ES3DV3 - SN:3292

f (MHz) ^C	Relative Permittivity ^F	Conductivity (S/m) ^F	ConvF X	ConvF Y	ConvF Z	Alpha ^G	Depth ^G (mm)	Unc (k=2)
450	56.7	0.94	7.33	7.33	7.33	0.13	1.50	± 13.3 %
750	55.5	0.96	6.25	6.25	6.25	0.38	1.66	± 12.0 %
835	55.2	0.97	6.27	6.27	6.27	0.47	1.56	± 12.0 %
900	55.0	1.05	6.16	6.16	6.16	0.80	1.15	± 12.0 %
1750	53.4	1.49	5.28	5.28	5.28	0.70	1.36	± 12.0 %
1900	53.3	1.52	5.05	5.05	5.05	0.64	1.44	± 12.0 %
2450	52.7	1.95	4.70	4.70	4.70	0.74	1.22	± 12.0 %
2600	52.5	2.16	4.52	4.52	4.52	0.80	1.13	± 12.0 %

Calibration Parameter Determined in Body Tissue Simulating Media

^C Frequency validity above 300 MHz of \pm 100 MHz only applies for DASY v4.4 and higher (see Page 2), else it is restricted to \pm 50 MHz. The uncertainty is the RSS of the ConvF uncertainty at calibration frequency and the uncertainty for the indicated frequency band. Frequency validity below 300 MHz is \pm 10, 25, 40, 50 and 70 MHz for ConvF assessments at 30, 64, 128, 150 and 220 MHz respectively. Above 5 GHz frequency validity calibration frequencies below 3 GHz, the validity of tissue parameters (ϵ and σ) can be relaxed to \pm 10% if liquid compensation formula is applied to measured SAR values. At frequencies above 3 GHz, the validity of tissue parameters (ϵ and σ) is restricted to \pm 5%. The uncertainty is the RSS of the ConvF uncertainty for indicated target tissue parameters. ^G Alpha/Depth are determined during calibration. SPEAG warrants that the remaining deviation due to the boundary effect after compensation is always less than \pm 1% for frequencies below 3 GHz and below \pm 2% for frequencies between 3-6 GHz at any distance larger than half the probe tip diameter from the boundary.

diameter from the boundary.

Page 6 of 11

ES3DV3- SN:3292

September 2, 2016

Frequency Response of E-Field (TEM-Cell:ifi110 EXX, Waveguide: R22)



Uncertainty of Frequency Response of E-field: ± 6.3% (k=2)

Certificate No: ES3-3292_Sep16

Page 7 of 11

ES3DV3-SN:3292

September 2, 2016



Uncertainty of Axial Isotropy Assessment: ± 0.5% (k=2)

Certificate No: ES3-3292_Sep16

Page 8 of 11

ES3DV3-SN:3292

September 2, 2016



Uncertainty of Linearity Assessment: ± 0.6% (k=2)

Page 9 of 11

ES3DV3- SN:3292

September 2, 2016



Conversion Factor Assessment

Certificate No: ES3-3292_Sep16

Page 10 of 11

ES3DV3- SN:3292

September 2, 2016

DASY/EASY - Parameters of Probe: ES3DV3 - SN:3292

Other Probe Parameters

Sensor Arrangement	Triangular
Connector Angle (°)	36.3
Mechanical Surface Detection Mode	enabled
Optical Surface Detection Mode	disabled
Probe Overall Length	337 mm
Probe Body Diameter	10 mm
Tip Length	10 mm
Tip Diameter	4 mm
Probe Tip to Sensor X Calibration Point	2 mm
Probe Tip to Sensor Y Calibration Point	2 mm
Probe Tip to Sensor Z Calibration Point	2 mm
Recommended Measurement Distance from Surface	3 mm

5.2. D835V2 Dipole Calibration Ceriticate

Accredited by the Swiss Accreditation Service (SAS)

CTTL-BJ (Auden)

Client

The Swiss Accreditation Service is one of the signatories to the EA Multilateral Agreement for the recognition of calibration certificates

Calibration Laboratory of
Schmid & Partner
Engineering AG
Zeughausstrasse 43, 8004 Zurich, Switzerland



- S Schweizerischer Kalibrierdienst
- C Service suisse d'étalonnage Servizio svizzero di taratura

S Swiss Calibration Service

Accreditation No.: SCS 0108

Certificate No: D835V2-4d069_Jul16

Dbject	D835V2 - SN:4d0	069	
Calibration procedure(s)	QA CAL-05.v9	dure for dinole validation kits abo	N/P 700 MHz
	Cambration proce		NO 700 MI12
Calibration date:	July 20, 2016		
This calibration certificate docum	ents the traceability to nati	onal standards, which realize the physical un	its of measurements (SI)
he measurements and the unce	rtainties with confidence p	robability are given on the following pages an	d are part of the certificate.
All calibrations have been conduc	cted in the closed laborato	ry facility: environment temperature (22 \pm 3)°C	C and humidity < 70%.
Collibration Equipment wood (MP)	E critical for calibration)		
Salibration Equipment used (Mix)	E chical for calibration)		
	ID #	Cal Date (Certificate No.)	Scheduled Calibration
Primary Standards	1 10 11	our pute (certificate rio.)	
Primary Standards Power meter NRP	SN: 104778	06-Apr-16 (No. 217-02288/02289)	Apr-17
Primary Standards Power meter NRP Power sensor NRP-Z91	SN: 104778 SN: 103244	06-Apr-16 (No. 217-02288/02289) 06-Apr-16 (No. 217-02288)	Apr-17 Apr-17
Primary Standards Power meter NRP Power sensor NRP-Z91 Power sensor NRP-Z91	SN: 104778 SN: 103244 SN: 103245	06-Apr-16 (No. 217-02288/02289) 06-Apr-16 (No. 217-02288) 06-Apr-16 (No. 217-02288)	Apr-17 Apr-17 Apr-17
Primary Standards Power meter NRP Power sensor NRP-Z91 Power sensor NRP-Z91 Reference 20 dB Attenuator	SN: 104778 SN: 103244 SN: 103245 SN: 5058 (20k)	06-Apr-16 (No. 217-02288) 06-Apr-16 (No. 217-02288) 06-Apr-16 (No. 217-02289) 05-Apr-16 (No. 217-02289) 05-Apr-16 (No. 217-02292)	Apr-17 Apr-17 Apr-17 Apr-17
Primary Standards Power meter NRP Power sensor NRP-Z91 Power sensor NRP-Z91 Reference 20 dB Attenuator Fype-N mismatch combination	SN: 104778 SN: 103244 SN: 103245 SN: 5058 (20k) SN: 5047.2 / 06327	06-Apr-16 (No. 217-02288) 06-Apr-16 (No. 217-02288) 06-Apr-16 (No. 217-02288) 05-Apr-16 (No. 217-02292) 05-Apr-16 (No. 217-02292)	Apr-17 Apr-17 Apr-17 Apr-17 Apr-17
Primary Standards Power meter NRP Power sensor NRP-Z91 Power sensor NRP-Z91 Reference 20 dB Attenuator [ype-N mismatch combination Reference Probe EX3DV4	SN: 104778 SN: 103244 SN: 103245 SN: 5058 (20k) SN: 5047.2 / 06327 SN: 7349	06-Apr-16 (No. 217-02288/02289) 06-Apr-16 (No. 217-02288) 06-Apr-16 (No. 217-02289) 05-Apr-16 (No. 217-02292) 05-Apr-16 (No. 217-02295) 15-Jun-16 (No. EX3-7349_Jun16)	Apr-17 Apr-17 Apr-17 Apr-17 Apr-17 Jun-17
Primary Standards Power meter NRP Power sensor NRP-Z91 Power sensor NRP-Z91 Reference 20 dB Attenuator Type-N mismatch combination Reference Probe EX3DV4 DAE4	SN: 104778 SN: 103244 SN: 103245 SN: 5058 (20k) SN: 5047.2 / 06327 SN: 7349 SN: 601	06-Apr-16 (No. 217-02288/02289) 06-Apr-16 (No. 217-02288) 06-Apr-16 (No. 217-02288) 05-Apr-16 (No. 217-02289) 05-Apr-16 (No. 217-02292) 05-Apr-16 (No. 217-02295) 15-Jun-16 (No. EX3-7349_Jun16) 30-Dec-15 (No. DAE4-601_Dec15)	Apr-17 Apr-17 Apr-17 Apr-17 Apr-17 Jun-17 Dec-16
Primary Standards Power meter NRP Power sensor NRP-Z91 Power sensor NRP-Z91 Reference 20 dB Attenuator Type-N mismatch combination Reference Probe EX3DV4 DAE4 Secondary Standards	SN: 104778 SN: 103244 SN: 103245 SN: 5058 (20k) SN: 5047.2 / 06327 SN: 7349 SN: 601	06-Apr-16 (No. 217-0228/02289) 06-Apr-16 (No. 217-02288) 06-Apr-16 (No. 217-02288) 05-Apr-16 (No. 217-02292) 05-Apr-16 (No. 217-02292) 15-Jun-16 (No. EX3-7349_Jun16) 30-Dec-15 (No. DAE4-601_Dec15) Check Date (in house)	Apr-17 Apr-17 Apr-17 Apr-17 Apr-17 Jun-17 Dec-16 Scheduled Check
Primary Standards Power meter NRP Power sensor NRP-Z91 Power sensor NRP-Z91 Reference 20 dB Attenuator Type-N mismatch combination Reference Probe EX3DV4 DAE4 Secondary Standards Power meter EPM-442A	SN: 104778 SN: 103244 SN: 103245 SN: 5058 (20k) SN: 5047.2 / 06327 SN: 7349 SN: 601 ID # SN: GB37480704	06-Apr-16 (No. 217-02288/02289) 06-Apr-16 (No. 217-02288/02289) 06-Apr-16 (No. 217-02289) 05-Apr-16 (No. 217-02292) 05-Apr-16 (No. 217-02295) 15-Jun-16 (No. EX3-7349_Jun16) 30-Dec-15 (No. DAE4-601_Dec15) Check Date (in house) 07-Oct-15 (No. 217-02222)	Apr-17 Apr-17 Apr-17 Apr-17 Apr-17 Jun-17 Dec-16 Scheduled Check In house check: Oct-16
Primary Standards Power meter NRP Power sensor NRP-Z91 Power sensor NRP-Z91 Reference 20 dB Attenuator Type-N mismatch combination Reference Probe EX3DV4 DAE4 Secondary Standards Power meter EPM-442A Power sensor HP 8481A	SN: 104778 SN: 103244 SN: 103245 SN: 5058 (20k) SN: 5047.2 / 06327 SN: 601 ID # SN: GB37480704 SN: U337292783	06-Apr-16 (No. 217-02288/02289) 06-Apr-16 (No. 217-02288) 06-Apr-16 (No. 217-02289) 05-Apr-16 (No. 217-02292) 05-Apr-16 (No. 217-02292) 05-Apr-16 (No. 217-02295) 15-Jun-16 (No. EX3-7349_Jun16) 30-Dec-15 (No. DAE4-601_Dec15) Check Date (in house) 07-Oct-15 (No. 217-02222) 07-Oct-15 (No. 217-02222)	Apr-17 Apr-17 Apr-17 Apr-17 Jun-17 Jun-17 Dec-16 Scheduled Check In house check: Oct-16 In house check: Oct-16
Primary Standards Power meter NRP Power sensor NRP-Z91 Power sensor NRP-Z91 Reference 20 dB Attenuator Type-N mismatch combination Reference Probe EX3DV4 DAE4 Secondary Standards Power meter EPM-442A Power sensor HP 8481A Power sensor HP 8481A	SN: 104778 SN: 103244 SN: 103245 SN: 5058 (20k) SN: 5058 (20k) SN: 5047.2 / 06327 SN: 7349 SN: 601 ID # SN: US37292783 SN: WY41092317	06-Apr-16 (No. 217-02288/02289) 06-Apr-16 (No. 217-02288) 06-Apr-16 (No. 217-02289) 05-Apr-16 (No. 217-02292) 05-Apr-16 (No. 217-02292) 05-Apr-16 (No. 217-02295) 15-Jun-16 (No. 217-02295) 15-Jun-16 (No. EX3-7349_Jun16) 30-Dec-15 (No. DAE4-601_Dec15) Check Date (in house) 07-Oct-15 (No. 217-02222) 07-Oct-15 (No. 217-02222) 07-Oct-15 (No. 217-02222)	Apr-17 Apr-17 Apr-17 Apr-17 Apr-17 Jun-17 Dec-16 Scheduled Check In house check: Oct-16 In house check: Oct-16 In house check: Oct-16
Primary Standards Power meter NRP Power sensor NRP-Z91 Power sensor NRP-Z91 Reference 20 dB Attenuator Type-N mismatch combination Reference Probe EX3DV4 DAE4 Secondary Standards Power meter EPM-442A Power sensor HP 8481A Power sensor HP 8481A RF generator R&S SMT-06	ID# SN: 104778 SN: 103244 SN: 103245 SN: 5058 (20k) SN: 7349 SN: 601 ID # SN: GB37480704 SN: US37292783 SN: MY41092317 SN: 100972	06-Apr-16 (No. 217-02288/02289) 06-Apr-16 (No. 217-02288) 06-Apr-16 (No. 217-02289) 05-Apr-16 (No. 217-02292) 05-Apr-16 (No. 217-02292) 05-Apr-16 (No. 217-02295) 15-Jun-16 (No. 217-02295) 15-Jun-16 (No. EX3-7349_Jun16) 30-Dec-15 (No. DAE4-601_Dec15) Check Date (in house) 07-Oct-15 (No. 217-02222)	Apr-17 Apr-17 Apr-17 Apr-17 Jun-17 Dec-16 Scheduled Check In house check: Oct-16 In house check: Oct-16 In house check: Oct-16 In house check: Oct-16 In house check: Oct-16
Primary Standards Power meter NRP Power sensor NRP-Z91 Power sensor NRP-Z91 Reference 20 dB Attenuator Type-N mismatch combination Reference Probe EX3DV4 DAE4 Secondary Standards Power meter EPM-442A Power sensor HP 8481A Power sensor HP 8481A RF generator R&S SMT-06 Network Analyzer HP 8753E	ID# SN: 104778 SN: 103244 SN: 103245 SN: 5058 (20k) SN: 5058 (20k) SN: 5047.2 / 06327 SN: 7349 SN: 601 ID # SN: GB37480704 SN: US37292783 SN: 100972 SN: US37390585	06-Apr-16 (No. 217-02288/02289) 06-Apr-16 (No. 217-02288) 06-Apr-16 (No. 217-02289) 05-Apr-16 (No. 217-02292) 05-Apr-16 (No. 217-02292) 05-Apr-16 (No. 217-02295) 15-Jun-16 (No. 217-02295) 15-Jun-16 (No. EX3-7349_Jun16) 30-Dec-15 (No. DAE4-601_Dec15) Check Date (in house) 07-Oct-15 (No. 217-02222) 07-Oct-15 (No. 217-02222) 07-Oct-15 (No. 217-02222) 07-Oct-15 (No. 217-02223) 15-Jun-15 (in house check Jun-15) 18-Oct-01 (in house check Oct-15)	Apr-17 Apr-17 Apr-17 Apr-17 Jun-17 Dec-16 Scheduled Check In house check: Oct-16 In house check: Oct-16
Primary Standards Power meter NRP Power sensor NRP-Z91 Reference 20 dB Attenuator Type-N mismatch combination Reference Probe EX3DV4 DAE4 Secondary Standards Power meter EPM-442A Power sensor HP 8481A Power sensor HP 8481A RF generator R&S SMT-06 Network Analyzer HP 8753E	ID# SN: 104778 SN: 103244 SN: 103245 SN: 5058 (20k) SN: 7349 SN: 601 ID # SN: GB37480704 SN: US37292783 SN: 100972 SN: US37390585 Name	06-Apr-16 (No. 217-02288/02289) 06-Apr-16 (No. 217-02288) 06-Apr-16 (No. 217-02289) 05-Apr-16 (No. 217-02292) 05-Apr-16 (No. 217-02292) 05-Apr-16 (No. 217-02295) 15-Jun-16 (No. 217-02295) 15-Jun-16 (No. EX3-7349_Jun16) 30-Dec-15 (No. DAE4-601_Dec15) Check Date (in house) 07-Oct-15 (No. 217-02222) 07-Oct-15 (No. 217-02222) 07-Oct-15 (No. 217-02223) 15-Jun-15 (in house check Jun-15) 18-Oct-01 (in house check Oct-15) Function <td>Apr-17 Apr-17 Apr-17 Apr-17 Jun-17 Dec-16 Scheduled Check In house check: Oct-16 In house check: Oct-16 Signature</td>	Apr-17 Apr-17 Apr-17 Apr-17 Jun-17 Dec-16 Scheduled Check In house check: Oct-16 In house check: Oct-16 Signature
Primary Standards Power meter NRP Power sensor NRP-Z91 Power sensor NRP-Z91 Reference 20 dB Attenuator Type-N mismatch combination Reference Probe EX3DV4 DAE4 Secondary Standards Power meter EPM-442A Power sensor HP 8481A RF generator R&S SMT-06 Network Analyzer HP 8753E Calibrated by:	SN: 104778 SN: 104778 SN: 103244 SN: 103245 SN: 5058 (20k) SN: 7349 SN: 601 ID # SN: GB37480704 SN: US37292783 SN: MY41092317 SN: 100372 SN: US37390585 Name Michael Weber	Off-Apr-16 (No. 217-02288/02289) 06-Apr-16 (No. 217-02288) 06-Apr-16 (No. 217-02289) 05-Apr-16 (No. 217-02292) 05-Apr-16 (No. 217-02292) 05-Apr-16 (No. 217-02295) 15-Jun-16 (No. 217-02295) 15-Jun-16 (No. EX3-7349_Jun16) 30-Dec-15 (No. DAE4-601_Dec15) Check Date (in house) 07-Oct-15 (No. 217-02222) 07-Oct-15 (No. 217-02223) 15-Jun-15 (in house check Jun-15) 18-Oct-01 (in house check Oct-15) Function Laboratory Technician	Apr-17 Apr-17 Apr-17 Apr-17 Jun-17 Dec-16 Scheduled Check In house check: Oct-16 In house check: Oct-16 In house check: Oct-16 In house check: Oct-16 In house check: Oct-16 Signature
Primary Standards Power meter NRP Power sensor NRP-Z91 Power sensor NRP-Z91 Reference 20 dB Attenuator Type-N mismatch combination Reference Probe EX3DV4 DAE4 Secondary Standards Power meter EPM-442A Power sensor HP 8481A Power sensor HP 8481A RF generator R&S SMT-06 Network Analyzer HP 8753E Calibrated by:	SN: 104778 SN: 104778 SN: 103244 SN: 5058 (20k) SN: 5058 (20k) SN: 5047.2 / 06327 SN: 7349 SN: 601 ID # SN: GB37480704 SN: US37292783 SN: MY41092317 SN: US37390585 Name Michael Weber	06-Apr-16 (No. 217-02288/02289) 06-Apr-16 (No. 217-02288) 06-Apr-16 (No. 217-02289) 05-Apr-16 (No. 217-02292) 05-Apr-16 (No. 217-02292) 05-Apr-16 (No. 217-02295) 15-Jun-16 (No. 217-02295) 15-Jun-16 (No. EX3-7349_Jun16) 30-Dec-15 (No. DAE4-601_Dec15) Check Date (in house) 07-Oct-15 (No. 217-02222) 07-Oct-15 (No. 217-02222) 07-Oct-15 (No. 217-02222) 07-Oct-15 (No. 217-02222) 07-Oct-15 (No. 217-02223) 15-Jun-15 (in house check Jun-15) 18-Oct-01 (in house check Oct-15) Function Laboratory Technician	Apr-17 Apr-17 Apr-17 Apr-17 Apr-17 Jun-17 Dec-16 Scheduled Check In house check: Oct-16 In house check: Oct-16 In house check: Oct-16 In house check: Oct-16 In house check: Oct-16 Signature
Primary Standards Power meter NRP Power sensor NRP-Z91 Power sensor NRP-Z91 Reference 20 dB Attenuator Type-N mismatch combination Reference Probe EX3DV4 DAE4 Secondary Standards Power meter EPM-442A Power sensor HP 8481A Power sensor HP 8481A RF generator R&S SMT-06 Network Analyzer HP 8753E Calibrated by: Approved by:	SN: 104778 SN: 104778 SN: 103244 SN: 103245 SN: 5058 (20k) SN: 7349 SN: 601 ID # SN: GB37480704 SN: US37292783 SN: MY41092317 SN: 100372 SN: US37390585 Name Michael Weber Katja Pokovic	06-Apr-16 (No. 217-0228/02289) 06-Apr-16 (No. 217-02288) 06-Apr-16 (No. 217-02289) 05-Apr-16 (No. 217-02292) 05-Apr-16 (No. 217-02292) 05-Apr-16 (No. 217-02295) 15-Jun-16 (No. 217-02295) 15-Jun-16 (No. EX3-7349_Jun16) 30-Dec-15 (No. DAE4-601_Dec15) Check Date (in house) 07-Oct-15 (No. 217-02222) 07-Oct-15 (In house check Jun-15) 18-Oct-01 (in house check Oct-15) Function Laboratory Technician Technical Manager	Apr-17 Apr-17 Apr-17 Apr-17 Apr-17 Jun-17 Dec-16 Scheduled Check In house check: Oct-16 In house check: Oct-16 In house check: Oct-16 In house check: Oct-16 In house check: Oct-16 Signature

Certificate No: D835V2-4d069_Jul16

Page 1 of 8

Report No.: UNI170619046-E

Calibration Laboratory of Schmid & Partner

Engineering AG Zeughausstrasse 43, 8004 Zurich, Switzerland





- S Schweizerischer Kalibrierdienst
- C Service suisse d'étalonnage
- Servizio svizzero di taratura
- S Swiss Calibration Service

Accreditation No.: SCS 0108

Accredited by the Swiss Accreditation Service (SAS) The Swiss Accreditation Service is one of the signatories to the EA Multilateral Agreement for the recognition of calibration certificates

Glossary:	
TSL	tissue simulating liquid
ConvF	sensitivity in TSL / NORM x.v.z
N/A	not applicable or not measured

Calibration is Performed According to the Following Standards:

- a) IEEE Std 1528-2013, "IEEE Recommended Practice for Determining the Peak Spatial-Averaged Specific Absorption Rate (SAR) in the Human Head from Wireless Communications Devices: Measurement Techniques", June 2013
- b) IEC 62209-1, "Procedure to measure the Specific Absorption Rate (SAR) for hand-held devices used in close proximity to the ear (frequency range of 300 MHz to 3 GHz)", February 2005
- c) IEC 62209-2, "Procedure to determine the Specific Absorption Rate (SAR) for wireless communication devices used in close proximity to the human body (frequency range of 30 MHz to 6 GHz)", March 2010
- d) KDB 865664, "SAR Measurement Requirements for 100 MHz to 6 GHz"

Additional Documentation:

e) DASY4/5 System Handbook

Methods Applied and Interpretation of Parameters:

- Measurement Conditions: Further details are available from the Validation Report at the end
 of the certificate. All figures stated in the certificate are valid at the frequency indicated.
- Antenna Parameters with TSL: The dipole is mounted with the spacer to position its feed
 point exactly below the center marking of the flat phantom section, with the arms oriented
 parallel to the body axis.
- Feed Point Impedance and Return Loss: These parameters are measured with the dipole
 positioned under the liquid filled phantom. The impedance stated is transformed from the
 measurement at the SMA connector to the feed point. The Return Loss ensures low
 reflected power. No uncertainty required.
- Electrical Delay: One-way delay between the SMA connector and the antenna feed point. No uncertainty required.
- SAR measured: SAR measured at the stated antenna input power.
- SAR normalized: SAR as measured, normalized to an input power of 1 W at the antenna connector.
- SAR for nominal TSL parameters: The measured TSL parameters are used to calculate the nominal SAR result.

The reported uncertainty of measurement is stated as the standard uncertainty of measurement multiplied by the coverage factor k=2, which for a normal distribution corresponds to a coverage probability of approximately 95%.

Certificate No: D835V2-4d069_Jul16

Page 2 of 8

Measurement Conditions

DASY system configuration, as far as not given on page 1.

DASY Version	DASY5	V52.8.8
Extrapolation	Advanced Extrapolation	
Phantom	Modular Flat Phantom	
Distance Dipole Center - TSL	15 mm	with Spacer
Zoom Scan Resolution	dx, dy, dz = 5 mm	
Frequency	835 MHz ± 1 MHz	

Head TSL parameters

The following parameters and calculations were applied.

	Temperature	Permittivity	Conductivity
Nominal Head TSL parameters	22.0 °C	41.5	0.90 mho/m
Measured Head TSL parameters	(22.0 ± 0.2) °C	40.6 ± 6 %	0.94 mho/m ± 6 %
Head TSL temperature change during test	< 0.5 °C		

SAR result with Head TSL

SAR averaged over 1 cm ³ (1 g) of Head TSL	Condition	
SAR measured	250 mW input power	2.45 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	9.44 W/kg ± 17.0 % (k=2)
SAR averaged over 10 cm ³ (10 g) of Head TSL	condition	
SAR measured	250 mW input power	1.59 W/kg

Body TSL parameters

The following parameters and calculations were applied.

	Temperature	Permittivity	Conductivity
Nominal Body TSL parameters	22.0 °C	55.2	0.97 mho/m
Measured Body TSL parameters	(22.0 ± 0.2) °C	54.9 ± 6 %	1.01 mho/m ± 6 %
Body TSL temperature change during test	< 0.5 °C		

SAR result with Body TSL

SAR averaged over 1 cm ³ (1 g) of Body TSL	Condition	
SAR measured	250 mW input power	2.50 W/kg
SAR for nominal Body TSL parameters	normalized to 1W	9.69 W/kg ± 17.0 % (k=2)
SAR averaged over 10 cm ³ (10 g) of Body TSL	condition	AL 1. I DOMESTIC C. 1. I DOMESTIC
SAR averaged over 10 cm ³ (10 g) of Body TSL SAR measured	condition 250 mW input power	1.63 W/kg

Certificate No: D835V2-4d069_Jul16

Page 3 of 8

Appendix (Additional assessments outside the scope of SCS 0108)

Antenna Parameters with Head TSL

Impedance, transformed to feed point	51.9 Ω - 2.1 jΩ	
Return Loss	- 31.1 dB	

Antenna Parameters with Body TSL

Impedance, transformed to feed point	48.8 Ω - 2.5 jΩ
Return Loss	- 31.0 dB

General Antenna Parameters and Design

Electrical Delay (one direction)	1.394 ns

After long term use with 100W radiated power, only a slight warming of the dipole near the feedpoint can be measured.

The dipole is made of standard semirigid coaxial cable. The center conductor of the feeding line is directly connected to the second arm of the dipole. The antenna is therefore short-circuited for DC-signals. On some of the dipoles, small end caps are added to the dipole arms in order to improve matching when loaded according to the position as explained in the "Measurement Conditions" paragraph. The SAR data are not affected by this change. The overall dipole length is still according to the Standard.

No excessive force must be applied to the dipole arms, because they might bend or the soldered connections near the feedpoint may be damaged.

Additional EUT Data

Manufactured by	SPEAG
Manufactured on	November 09, 2007

DASY5 Validation Report for Head TSL

Date: 20.07.2016

Test Laboratory: SPEAG, Zurich, Switzerland

DUT: Dipole 835 MHz D835V2; Type: D835V2; Serial: D835V2 - SN:4d069

Communication System: UID 0 - CW; Frequency: 835 MHz Medium parameters used: f = 835 MHz; σ = 0.94 S/m; ϵ_r = 40.6; ρ = 1000 kg/m³ Phantom section: Flat Section Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2011)

DASY52 Configuration:

- Probe: EX3DV4 SN7349; ConvF(9.72, 9.72, 9.72); Calibrated: 15.06.2016;
- Sensor-Surface: 1.4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn601; Calibrated: 30.12.2015
- Phantom: Flat Phantom 4.9L; Type: QD000P49AA; Serial: 1001
- DASY52 52.8.8(1258); SEMCAD X 14.6.10(7372)

Dipole Calibration for Head Tissue/Pin=250 mW, d=15mm/Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 62.09 V/m; Power Drift = 0.02 dBPeak SAR (extrapolated) = 3.70 W/kgSAR(1 g) = 2.45 W/kg; SAR(10 g) = 1.59 W/kgMaximum value of SAR (measured) = 3.26 W/kg



0 dB = 3.26 W/kg = 5.13 dBW/kg

Certificate No: D835V2-4d069_Jul16

Page 5 of 8

Impedance Measurement Plot for Head TSL



Certificate No: D835V2-4d069_Jul16

Page 6 of 8

Report No.: UNI170619046-E

Date: 20.07.2016

DASY5 Validation Report for Body TSL

Test Laboratory: SPEAG, Zurich, Switzerland

DUT: Dipole 835 MHz D835V2; Type: D835V2; Serial: D835V2 - SN: 4d069

Communication System: UID 0 - CW; Frequency: 835 MHz Medium parameters used: f = 835 MHz; σ = 1.01 S/m; ϵ_r = 54.9; ρ = 1000 kg/m³ Phantom section: Flat Section Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2011)

DASY52 Configuration:

- Probe: EX3DV4 SN7349; ConvF(9.73, 9.73, 9.73); Calibrated: 15.06.2016;
- Sensor-Surface: 1.4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn601; Calibrated: 30.12.2015
- Phantom: Flat Phantom 5.0 (back); Type: QD000P50AA; Serial: 1002
- DASY52 52.8.8(1258); SEMCAD X 14.6.10(7372)

Dipole Calibration for Body Tissue/Pin=250 mW, d=15mm/Zoom Scan (7x7x7)/Cube 0:

Measurement grid: dx=5mm, dy=5mm, dz=5mm Reference Value = 60.64 V/m; Power Drift = -0.02 dB Peak SAR (extrapolated) = 3.68 W/kg SAR(1 g) = 2.5 W/kg; SAR(10 g) = 1.63 W/kg Maximum value of SAR (measured) = 3.31 W/kg



Certificate No: D835V2-4d069_Jul16

Page 7 of 8

Impedance Measurement Plot for Body TSL



Certificate No: D835V2-4d069_Jul16

Page 8 of 8

5.3. D1900V2 Dipole Calibration Ceriticate

Engineering AG Reughausstrasse 43, 8004 Zuric	ry of		Schweizerischer Kalibrierdienst Service suisse d'étalonnage Servizio svizzero di taratura Swiss Calibration Service
Accredited by the Swiss Accredits The Swiss Accreditation Servic Multilateral Agreement for the n Client SMQ (Auden)	ation Service (SAS) e is one of the signatoric ecognition of calibration	is to the EA certificates Certificate N	ccreditation No.: SCS 0108
CALIBRATION C	CERTIFICATE		STATISTICS.
Object +	D1900V2 - SN: 5	id194	
Calibration procedure(s)	QA CAL-05.v9 Calibration proce	dure for dipole validation kits ab	ove 700 MHz
Calibration date:	January 07, 2015	5	
This calibration certificate docum The measurements and the unce All calibrations have been conduc Calibration Equipment used (M&T	ents the traceability to nat etainties with confidence p cled in the closed laborato FE critical for calibration)	ional standards, which realize the physical un robability are given on the following pages at ny facility: environment temperature (22 ± 3)*	nits of measurements (Si). nd are part of the certificate. C and humidity < 70%.
This calibration certificate docum The measurements and the unce All calibrations have been conduc Calibration Equipment used (M&T Primary Standards Primary Standards	ents the traceability to nat etainties with confidence p cled in the closed laborato FE critical for calibration)	ional standards, which realize the physical un robability are given on the following pages an ry facility: environment temperature (22 ± 3)* Cal Date (Certificate No.)	nits of measurements (Si). nd are part of the certificate. C and humidity < 70%. Scheduled Calibration
This calibration certificate docum The measurements and the unce All calibrations have been conduc Calibration Equipment used (M&T Primary Standards Power meter EPM-442A Power sensor HP 6461A	ents the traceability to nat etainties with confidence p cted in the closed laborato FE critical for calibration) 10 # GB37480704 US37290783	ional standards, which realize the physical un robability are given on the following pages at ny facility: environment temperature (22 ± 3)* Cal Date (Certificate No.) 07-Oct-14 (No. 217-02020) 07-Oct-14 (No. 217-02020)	nits of measurements (Si), nd are part of the certificate. C and humidity < 70%. Scheduled Calibration Oct-15 Oct-15
This calibration certificate docum The measurements and the unce All calibrations have been conduc Calibration Equipment used (M&T Primary Standards Power sensor HP 8481A Power sensor HP 8481A	ents the traceability to nat etainties with confidence p cted in the closed laborato FE critical for calibration) 10 # GB37480704 US37292783 MY41092517	ional standards, which realize the physical un robability are given on the following pages at ny facility: environment temperature (22 ± 3)* Cal Date (Certificate No.) 07-Oct-14 (No. 217-02020) 07-Oct-14 (No. 217-02020) 07-Oct-14 (No. 217-02021)	ntts of measurements (Si), nd are part of the certificate. C and humidity < 70%. Scheduled Calibration Oct-15 Oct-15 Oct-15
This calibration certificate docum The measurements and the unce All calibrations have been conduc Calibration Equipment used (M&T Primary Standards Power sensor HP 8481A Power sensor HP 8481A Reference 20 dB Attacuator	ents the traceability to nat etainties with confidence p cted in the closed laborato FE critical for calibration) ID # GB37480704 US37292783 MY41092517 SN: 5058 (20k)	ional standards, which realize the physical un robability are given on the following pages at ry facility: environment temperature (22 ± 3)* Cal Date (Certificate No.) 07-Oct-14 (No. 217-02020) 07-Oct-14 (No. 217-02020) 07-Oct-14 (No. 217-02021) 03-Apr-14 (No. 217-01918)	ntts of measurements (Si), nd are part of the certificate. C and humidity < 70%. Scheduled Calibration Oct-15 Oct-15 Oct-15 Apr-15
This calibration certificate docum The measurements and the unce All calibrations have been conduc Calibration Equipment used (M&T Primary Standards Power sensor HP 8481A Power sensor HP 8481A Reference 20 dB Attanuator Type-N mismatch combination	ents the traceability to nat etainties with confidence p cled in the closed laborato FE critical for calibration) ID # GB37480704 US37292783 MY41092517 SN: 5058 (20k) SN: 5058 (20k) SN: 5047.2 / 06327	ional standards, which realize the physical un robability are given on the following pages at ry facility: environment temperature (22 ± 3)* Cal Date (Certificate No.) 07-Oct-14 (No. 217-02020) 07-Oct-14 (No. 217-02020) 07-Oct-14 (No. 217-02021) 03-Apr-14 (No. 217-01918) 03-Apr-14 (No. 217-01921)	ntts of measurements (Si), nd are part of the certificate. C and humidity < 70%. Scheduled Calibration Oct-15 Oct-15 Oct-15 Oct-15 Apr-15 Apr-15
This calibration certificate docum The measurements and the unce All calibrations have been conduc Calibration Equipment used (M&T Primary Standards Power sensor HP 8481A Power sensor HP 8481A Power sensor HP 8481A Reference 20 dB Alteruator Type-N mismatch combination Reference Probe ES3DV3 DAE4	ents the traceability to nat etainties with confidence p cted in the closed laborato TE critical for calibration) ID # GB37480704 US37292783 MY41092517 SN: 5058 (20k) SN: 5047.2 / 06327 SN: 5047.2 / 06327 SN: 505	Cal Date (Certificate No.) 07-Oct-14 (No. 217-02020) 07-Oct-14 (No. 217-02020) 07-Oct-14 (No. 217-02020) 07-Oct-14 (No. 217-02020) 07-Oct-14 (No. 217-02021) 03-Apr-14 (No. 217-01918) 03-Apr-14 (No. 217-01921) 30-Dec-14 (No. ES3-3205_Dec14) 18-Aug-14 (No. DAE4-601_Aug14)	ntts of measurements (Si). nd are part of the certificate. C and humidity < 70%. Scheduled Calibration Oct-15 Oct-15 Oct-15 Oct-15 Apr-15 Apr-15 Dec-15 Aug-15
This calibration certificate docum The measurements and the unce All calibrations have been conduc Calibration Equipment used (M&T Primary Standards Power meter EPM-442A Power sensor HP 8481A Power sensor HP 8481A Reference 20 dB Atterwator Type-N mismatch combination Reference Probe ES3DV3 DAE4 Secondary Standards	ents the traceability to nat etainties with confidence p cled in the closed laborato TE critical for calibration) ID # GB37480704 US37292783 MY41092317 SN: 5058 (20k) SN: 5047.2 / 06327 SN: 505 SN: 601 ID #	ional standards, which realize the physical un robability are given on the following pages at ny facility: environment temperature (22 ± 3)* Cal Date (Certificate No.) 07-Oct-14 (No. 217-02020) 07-Oct-14 (No. 217-02020) 07-Oct-14 (No. 217-02020) 07-Oct-14 (No. 217-02021) 03-Apr-14 (No. 217-01921) 30-Dec-14 (No. 217-01921) 30-Dec-14 (No. ES3-3205_Dec14) 18-Aug-14 (No. DAE4-601_Aug14) Check Date (in house)	ntts of measurements (Si). nd are part of the certificate. C and humidity < 70%. Scheduled Calibration Oct-15 Oct-15 Oct-15 Oct-15 Oct-15 Apr-15 Apr-15 Apr-15 Deo-15 Aug-15 Scheduled Check
This calibration certificate docum The measurements and the unce All calibrations have been conduc Calibration Equipment used (M&T Primary Standards Power meter EPM-442A Power sensor HP 8481A Power sensor HP 8481A Power sensor HP 8481A Reference 20 dB Atterwator Type-N mismatch combination Reference Probe ES3DV3 DAE4 Secondary Standards RF generator R&S SMT-06 Network Analyzer HP 6753E	ents the traceability to nat etainties with confidence p cted in the closed laborato ID # GB37480704 US37292783 MY41092517 SN: 5058 (20k) SN: 5047.2 / 06327 SN: 5058 SN: 601 ID # 100005 US37390685 S4205	Innai standards, which realize the physical un robability are given on the following pages at ny facility: environment temperature (22 ± 3)° Cal Date (Certificate No.) 07-Oct-14 (No. 217-02020) 07-Oct-14 (No. 217-02020) 07-Oct-14 (No. 217-02020) 07-Oct-14 (No. 217-02021) 03-Apr-14 (No. 217-01921) 30-Dec-14 (No. 217-01921) 30-Dec-14 (No. 217-01921) 30-Dec-14 (No. DAE4-601_Aug14) 18-Aug-14 (No. DAE4-601_Aug14) Check Date (in house) D4-Aug-99 (in house check Oct-13) 18-Oct-01 (in house check Oct-14)	ntts of measurements (Si). nd are part of the certificate. C and humidity < 70%. <u>Scheduled Celibration</u> Oct-15 Oct-15 Oct-15 Apr-15 Apr-15 Dec-15 Aug-15 Scheduled Check In house check: Oct-16 In house check: Oct-15
This calibration certificate docum The measurements and the unce All calibrations have been conduc Calibration Equipment used (M&T Primary Standards Power meter EPM-442A Power sensor HP 8481A Power sensor HP 8481A Reference 20 dB Atteruator Type-N mismatch combination Reference Probe ES3DV3 DAE4 Secondary Standards RF generator R&S SMT-06 Network Analyzer HP 8753E	ents the traceability to nat etainties with confidence p cled in the closed laborato IE critical for calibration) ID # GB37480704 US37292783 MY41092517 SN: 5058 (20k) SN: 5058 (20k) SN: 5057.2 / 06327 SN: 5058 SN: 601 ID # 100005 US37390585 S4205 Name	Innel standards, which realize the physical un robability are given on the following pages at ny facility: environment temperature (22 ± 3)* Cal Date (Certificate No.) 07-Oct-14 (No. 217-02020) 07-Oct-14 (No. 217-02020) 07-Oct-14 (No. 217-02020) 07-Oct-14 (No. 217-01918) 03-Apr-14 (No. 217-01921) 30-Dec-14 (No. 217-01921) 30-Dec	ntts of measurements (Si), nd are part of the certificate. C and humidity < 70%. Scheduled Calibration Oct-15 Oct-15 Oct-15 Oct-15 Apr-15 Apr-15 Apr-15 Apr-15 Apr-15 Scheduled Check In house check: Oct-16 In house check: Oct-15 Signature
This calibration certificate docum The measurements and the unce All calibrations have been conduc Calibration Equipment used (M&T Primary Standards Power meter EPM-442A Power sensor HP 8481A Rower sensor HP 8481A Reference 20 dB Atteruator Type-N mismatch combination Reference Probe ES3DV3 DAE4 Secondary Standards RF generator R&S SMT-06 Network Analyzer HP 5753E Calibrated by:	ents the traceability to nat etainties with confidence p cled in the closed laborato FE critical for calibration) ID # GB37480704 US37292783 MY41092317 SN: 5058 (20k) SN: 5057.2 / 06327 SN: 5058 (20k) SN: 507.2 / 06327 SN: 5058 (20k) UD # 100005 US37390585 S4205 Name Claudio Leubler	Cal Date (Certificate No.) Cal Date (Certificate No.) 07-Oct-14 (No. 217-02020) 07-Oct-14 (No. 217-02020) 07-Oct-14 (No. 217-02020) 07-Oct-14 (No. 217-02020) 07-Oct-14 (No. 217-02021) 03-Apr-14 (No. 217-01918) 03-Apr-14 (No. 217-01918) 03-Apr-14 (No. 217-01921) 30-Dec-14 (No. 217-	ntts of measurements (Si), nd are part of the certificate. C and humidity < 70%. Scheduled Calibration Oct-15 Oct-15 Oct-15 Oct-15 Apr-15 Apr-15 Apr-15 Apr-15 Deo-15 Aug-15 Scheduled Check In house check: Oct-16 In house check: Oct-15 Signature
This calibration certificate docum The measurements and the unce All calibrations have been conduc Calibration Equipment used (M&T Power sensor HP 8481A Power sensor HP 8481A Power sensor HP 8481A Power sensor HP 8481A Power sensor HP 8481A Reference 20 dB Attenuator Type-N mismatch combination Reference Probe ES3DV3 DAE4 Secondary Standards RF generator R&S SMT-06 Network Analyzer HP 6753E Calibrated by: Approved by:	ents the traceability to nat etainties with confidence p cted in the closed laborato FE critical for calibration) ID # GB37480704 US37292783 MY41092517 SN: 5058 (20k) SN: 5047.2 / 06327 SN: 5057.2 / 06327 SN: 601 ID # 100005 US37390685 S4205 Name Claudio Leubler Katja Pokovic	Check Date (in house) Check Date (in house) D4-Aug-99 (in house check Oct-13) 18-Oct-01 (in house) D4-Aug-99 (in house check Oct-13) 18-Oct-01 (in house) D4-Aug-99 (in house check Oct-14) 18-Oct-01 (in house) D4-Aug-99 (in house check Oct-14) Technical Manager	nts of measurements (Si). nd are part of the certificate. C and humidity < 70%. <u>Scheduled Calibration</u> Oct-15 Oct-15 Oct-15 Apr-15 Apr-15 Dec-15 Aug-15 <u>Scheduled Check</u> In house check: Oct-16 In house check: Oct-16 In house check: Oct-15 Signature
This calibration certificate docum The measurements and the unce All calibrations have been conduc Calibration Equipment used (Mā1 Primary Standards Power meter EPM-442A Power sensor HP 8481A Power sensor HP 8481A Power sensor HP 8481A Power sensor HP 8481A Reference 20 dB Attenuator Type-N mismatch combination Reference Probe ES3DV3 DAE4 Secondary Standards RF generator R&S SMT-06 Network Analyzer HP 6753E Calibrated by: Approved by: This calibration certificate shall no	ents the traceability to nat etainties with confidence p cled in the closed laborato FE critical for calibration) ID # GB37480704 US37292783 MY41092317 SN: 5058 (20k) SN: 5047.2 / 06327 SN: 5058 (20k) SN: 601 ID # 100005 US37390565 S4205 Name Claudio Leubler Katja Pokovic	Cal Date (Certificate No.) Cal Date (Certificate No.) 07-Oct-14 (No. 217-02020) 07-Oct-14 (No. 217-02020) 07-Oct-14 (No. 217-02020) 07-Oct-14 (No. 217-02020) 07-Oct-14 (No. 217-02020) 07-Oct-14 (No. 217-02021) 03-Apr-14 (No. 217-02021) 30-Dec-14 (No. 217-01921) 30-Dec-14 (No. ES3-3205_Dec14) 18-Aug-14 (No. DAE4-501_Aug14) Check Date (in house) D4-Aug-99 (in house check Oct-13) 18-Oct-01 (in house check Oct-14) Function Laboratory Technician Technical Manager	htts of measurements (Si). nd are part of the certificate. C and humidity < 70%. Scheduled Calibration Oct-15 Oct-15 Oct-15 Apr-15 Dec-15 Aug-15 Scheduled Check In house check: Oct-16 In house check: Oct-15 Signature

Calibration Laboratory of Schmid & Partner Engineering AG Zeeghausstrasse 43, 8004 Zurich, Switzerland



Schweizerischer Kalibrierdienst Service suisse d'étalonnage

Servizio svizzero di taratura

Swiss Calibration Service

Accreditation No.: SCS 0108

Accredited by the Swiss Accreditation Service (SAS)

The Swiss Accreditation Service is one of the signatories to the EA Multilateral Agreement for the recognition of calibration certificates

Glossary: TSL ConvF N/A

F sensitivity in TSL / NORM x,y,z not applicable or not measured

Calibration is Performed According to the Following Standards:

- a) IEEE Std 1528-2013, "IEEE Recommended Practice for Determining the Peak Spatial-Averaged Specific Absorption Rate (SAR) in the Human Head from Wireless Communications Devices: Measurement Techniques", June 2013
- b) IEC 62209-1, "Procedure to measure the Specific Absorption Rate (SAR) for hand-held devices used in close proximity to the ear (frequency range of 300 MHz to 3 GHz)", February 2005
- c) KDB 865664, "SAR Measurement Requirements for 100 MHz to 6 GHz"

Additional Documentation:

d) DASY4/5 System Handbook

Methods Applied and Interpretation of Parameters:

- Measurement Conditions: Further details are available from the Validation Report at the end
 of the certificate. All figures stated in the certificate are valid at the frequency indicated.
- Antenna Parameters with TSL: The dipole is mounted with the spacer to position its feed
 point exactly below the center marking of the flat phantom section, with the arms oriented
 parallel to the body axis.
- Feed Point Impedance and Return Loss: These parameters are measured with the dipole
 positioned under the liquid filled phantom. The impedance stated is transformed from the
 measurement at the SMA connector to the feed point. The Return Loss ensures low
 reflected power. No uncertainty required.
- Electrical Delay: One-way delay between the SMA connector and the antenna feed point. No uncertainty required.
- SAR measured: SAR measured at the stated antenna input power.
- SAR normalized: SAR as measured, normalized to an input power of 1 W at the antenna connector.
- SAR for nominal TSL parameters: The measured TSL parameters are used to calculate the nominal SAR result.

The reported uncertainty of measurement is stated as the standard uncertainty of measurement multiplied by the coverage factor k=2, which for a normal distribution corresponds to a coverage probability of approximately 95%.

Certificate No: D1900V2-5d194_Jan15

Page 2 of 8

Measurement Conditions

DASY system configuration, as far as not given on page 1.

DASY Version	DASY5	V52.8.8
Extrapolation	Advanced Extrapolation	
Phantom	Modular Flat Phantom	
Distance Dipole Center - TSL	10 mm	with Spacer
Zoom Scan Resolution	dx, dy, dz = 5 mm	
Frequency	1900 MHz ± 1 MHz	

Head TSL parameters The following parameters and calculations were applied.

	Temperature	Permittivity	Conductivity
Nominal Head TSL parameters	22.0 °C	40.0	1.40 mho/m
Measured Head TSL parameters	(22.0 ± 0.2) °C	40.1 ± 6 %	1.39 mho/m ± 6 %
Head TSL temperature change during test	< 0.5 °C		

SAR result with Head TSL

SAR averaged over 1 cm ² (1 g) of Head TSL	Condition	
SAR measured	250 mW input power	10.1 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	40.6 W/kg ± 17.0 % (k=2)
SAR averaged over 10 cm ³ (10 g) of Head TSL	condition	
SAR measured	250 mW input power	5.32 W/kg
SAB for nominal Head TSL narameters	normalized to 4141	01 5 WIL- 10 5 5 11 01

Body TSL parameters

The following parameters and calculations were applied.

	Temperature	Permittivity	Conductivity
Nominal Body TSL parameters	22.0 °C	53.3	1.52 mho/m
Measured Body TSL parameters	(22.0 ± 0.2) °C	53.3 ± 6 %	1.50 mho/m ± 6 %
Body TSL temperature change during test	< 0.5 °C		

SAR result with Body TSL

SAR averaged over 1 cm3 (1 g) of Body TSL	Condition	
SAR measured	250 mW input power	9.95 W/kg
SAR for nominal Body TSL parameters	normalized to 1W	40.1 W/kg ± 17.0 % (k=2)
		and the second
SAR averaged over 10 cm ³ (10 g) of Body TSL	condition	
SAR averaged over 10 cm ³ (10 g) of Body TSL SAR measured	condition 250 mW input power	5.31 W/kg

Certificate No: D1900V2-5d194_Jan15

Page 3 of 8

Appendix (Additional assessments outside the scope of SCS108)

Antenna Parameters with Head TSL

Impedance, transformed to feed point	53.7 Ω + 4.9 Ω		
Return Loss	- 24.5 dB		

Antenna Parameters with Body TSL

Impedance, transformed to feed point	48.9 Ω + 5.1 jΩ
Return Loss	- 25.6 dB
+	

General Antenna Parameters and Design

Electrical Delay (one direction)	1.201 ns		

After long term use with 100W radiated power, only a slight warming of the dipole near the feedpoint can be measured.

The dipole is made of standard semirigid coaxial cable. The center conductor of the feeding line is directly connected to the second arm of the dipole. The antenna is therefore short-circuited for DC-signals. On some of the dipoles, small end caps are added to the dipole arms in order to improve matching when loaded according to the position as explained in the "Measurement Conditions" paragraph. The SAR data are not affected by this change. The overall dipole length is still according to the Standard.

No excessive force must be applied to the dipole arms, because they might bend or the soldered connections near the feedpoint may be damaged.

Additional EUT Data

Manufactured by	SPEAG
Manufactured on	May 06, 2014

Certificate No: D1900V2-5d194_Jan15

Page 4 of 8



Impedance Measurement Plot for Head TSL



Certificate No: D1900V2-5d194_Jan15

Page 6 of 8



Impedance Measurement Plot for Body TSL



Certificate No: D1900V2-5d194_Jan15

Page 8 of 8

5.4. DAE4 Calibration Ceriticate

			andahala		中国社
T	TL S	boration with			国际互
	CALIBR	ATION LABORATORY		GNA	う校准 CALIBRA
Add: No.51 Xu Tel: +86-10-62. E-mail: cttl@ch	eyuan Road, Haidian 304633-2218 Fa	District, Beijing, 100191, China x: +86-10-62304633-2209	"dalahalaha		CNAS L
Client : Clo	Q(Shenzhen)	ip.a/www.enmattien	Certificate I	No: Z16-97120	2503
CALIBRATION	CERTIFICA	ATE	Marth B.		Card Di
Object	DAE	4 - SN: 1315 JD4	62		
Calibration Procedure(s)		1			
Calibration Procedure(s)	FD-Z	211-2-002-01	Data Assurati	ing Flashaning	
	(DAE	Ex)	Data Acquisit	tion Electronics	
Calibration date:	July	26, 2016			
pages and are part of the All calibrations have be humidity<70%. Calibration Equipment us Primary Standards	e certificate. een conducted in sed (M&TE critica ID # C	n the closed laboratory find the closed laboratory find al for calibration) Cal Date(Calibrated by, Cert	acility: environ tificate No.)	ment temperature Scheduled Calib	(22±3)°C an Pration
Process Calibrator 753	1971018	27-June-16 (CTTL, No:J	16X04778)	June-1	17
	Name	Function		Signature	
Calibrated by:	Yu Zongying	SAR Test Engineer		A.R.	
Reviewed by:	Qi Dianyuan	SAR Project Leade	r e	202	
Approved by:	Lu Bingsong	Deputy Director of t	the laboratory	The ward	3
This calibration certificate	shall not be repr	roduced except in full witho	lss ut written appro	sued: July 27, 2016 oval of the laborate	s ary.

Certificate No: Z16-97120

Page 1 of 3



Add: No.51 Xueyuan Road, Haidian District, Beijing, 100191, China Tel: +86-10-62304633-2218 Fax: +86-10-62304633-2209 E-mail: ettl@chinattl.com Http://www.chinattl.cn

Glossary: DAE Connector angle

data acquisition electronics information used in DASY system to align probe sensor X to the robot coordinate system.

Methods Applied and Interpretation of Parameters:

- DC Voltage Measurement: Calibration Factor assessed for use in DASY system by comparison with a calibrated instrument traceable to national standards. The figure given corresponds to the full scale range of the voltmeter in the respective range.
- Connector angle: The angle of the connector is assessed measuring the angle mechanically by a tool inserted. Uncertainty is not required.
- The report provide only calibration results for DAE, it does not contain other performance test results.

Certificate No: Z16-97120

Page 2 of 3



Add: No.51 Xueyuan Road, Haidian District, Beijing, 100191, China Tel: +86-10-62304633-2218 Fax: +86-10-62304633-2209 E-mail: cttl@chinattl.com Http://www.chinattl.cn

DC Voltage Measurement A/D - Converter Resolution nominal High Range: 6.1μV , 61nV , 1LSB = full range = -100...+300 mV Low Range: 1LSB = full range = -1.....+3mV DASY measurement parameters: Auto Zero Time: 3 sec; Measuring time: 3 sec

Calibration Factors	x	Y	z
High Range	$405.179 \pm 0.15\% \text{ (k=2)}$	405.018 ± 0.15% (k=2)	404.98 ± 0.15% (k=2)
Low Range	3.99015 ± 0.7% (k=2)	3.98549 ± 0.7% (k=2)	3.98861 ± 0.7% (k=2)

Connector Angle

Connector Angle to be used in DASY system

20.5°±1°

Page 3 of 3

6. Test Setup Photos



Photograph of the depth in the Head Phantom



Photograph of the depth in the Body Phantom



10mm Mouth-worn Setup Photo



.....End of Report.....