

Radiated emissions

Limits

FCC § 24.238. RSS-133 Clause 6.5.

The power of emissions shall be attenuated below the transmitter power (P) by a factor of at least $43 + 10 \log (P)$ dB. P in watts.

Compliance with these rules is based on the use of measurement instrumentation employing a resolution bandwidth of 1 MHz or greater.

Method

The measurement was performed with the EUT inside an anechoic chamber. The spectrum was scanned from 30 MHz to at least the 10th harmonic of the High frequency generated within the equipment.

The EUT was placed on a non-conductive stand at 3-meter distance from the measuring antenna for measurements up to 18 GHz. Measurements above 18 GHz require the distance to be reduced to 1.5 meters.

Detected emissions were maximized at each frequency by rotating the EUT and adjusting the height and polarization of the measuring antenna. The maximum meter reading was recorded.

Measurement Limit:

At P_o transmitting power. the specified minimum attenuation becomes $43+10\log (P_o)$ and the level in dBm relative P_o becomes:

$$P_o \text{ (dBm)} - [43 + 10 \log (P_o \text{ in mwatts}) - 30] = - 13 \text{ dBm}$$


The maximum field strength (dB μ V/m) of each detected emission at less than 20 dB respect to the limit is converted to an equivalent EIRP level (dBm) according to ANSI C63.26 with the formula:

$$\text{EIRP (dBm)} = E \text{ (dB}\mu\text{V/m)} + 20 \log(D) - 104.8;$$


where D is the measurement distance (in the far field region) in m.

Test Setup


Radiated measurements below 1 GHz:



Radiated measurements above 1 GHz up to 18 GHz:



Radiated measurements above 18 GHz:



Results

LTE Cat- NB1 Band 25:

A preliminary scan determined the QPSK, BW=3.75 kHz, Tone Number=1, Tone Offset=0, MSC/TBS=0 as the worst case. The following results are for this worst-case configuration.

- LOW CHANNEL:

Frequency range 30 MHz - 1 GHz:

No spurious signals were found at less than 20 dB below the limit.

Frequency range 1 - 18 GHz:

No spurious signals were found at less than 20 dB below the limit.

Frequency range 18 - 20 GHz:

No spurious signals were found at less than 20 dB below the limit.

- MIDDLE CHANNEL:

Frequency range 30 MHz - 1 GHz:

No spurious signals were found at less than 20 dB below the limit.

Frequency range 1 - 18 GHz:

No spurious signals were found at less than 20 dB below the limit.

Frequency range 18 - 20 GHz:

No spurious signals were found at less than 20 dB below the limit.

- HIGH CHANNEL:

Frequency range 30 MHz - 1 GHz:

No spurious signals were found at less than 20 dB below the limit.

Frequency range 1 - 18 GHz:

No spurious signals were found at less than 20 dB below the limit.

Frequency range 18 - 20 GHz:

No spurious signals were found at less than 20 dB below the limit.

Measurement uncertainty (dB) $< \pm 5.03$ for $f < 1$ GHz
 $< \pm 4.32$ for $f \geq 1$ GHz up to 17 GHz
 $< \pm 4.58$ for $f \geq 17$ GHz up to 20 GHz


Verdict

Pass


Subrange	Step Size	Detectors	Bandwidth	Sweep Time	Preamp
30 MHz - 1 GHz	30.312 kHz	PK+	1 MHz	1 s	0 dB
1 GHz - 3 GHz	62.5 kHz	PK+	1 MHz	1 s	0 dB
3 GHz - 18 GHz	468.75 kHz	PK+	1 MHz	1 s	0 dB
18 GHz - 20 GHz	62.5 kHz	PK+	1 MHz	1 s	0 dB

FREQUENCY RANGE 30 MHz - 1 GHz:


- Low Channel:



- Middle Channel:




- High Channel:




FREQUENCY RANGE 1 - 3 GHz:

- Low Channel:




The peak above the limit is the carrier frequency.

- Middle Channel:



The peak above the limit is the carrier frequency.


- High Channel:




The peak above the limit is the carrier frequency.

FREQUENCY RANGE 3 - 18 GHz:


- Low Channel:



- Middle Channel:




- High Channel:




FREQUENCY RANGE 18 - 20 GHz:

- Low Channel:



- Middle Channel:



- High Channel:

