



1.6dB Bandwidth


Test Mode	Test Channel	Ant	EBW[MHz]	Limit	Verdict
BLE	2402	Ant1	0.6935	0.5	PASS
BLE	2440	Ant1	0.6879	0.5	PASS
BLE	2480	Ant1	0.6904	0.5	PASS

6dB Bandwidth_BLE_2402_Ant1



6dB Bandwidth_BLE_2440_Ant1






2.Occupied Bandwidth

Test Mode	Test Channel	Ant	OBW[MHz]	Limit[MHz]	Verdict
-----------	--------------	-----	----------	------------	---------


3.Maximum peak conducted output power

Test Mode	Test Channel	Ant	Power[dBm]	Limit[dBm]	Verdict
BLE	2402	Ant1	-3.079	30	PASS
BLE	2440	Ant1	-2.798	30	PASS
BLE	2480	Ant1	-3.041	30	PASS


Maximum peak conducted output power_BLE_2402_Ant1



Maximum peak conducted output power_BLE_2440_Ant1




Maximum peak conducted output power_BLE_2480_Ant1




4. Maximum Peak power spectral density

Test Mode	Test Channel	Ant	PSD[dBm/3KHz]	Limit[dBm/3KHz]	Verdict
BLE	2402	Ant1	-18.57	8.00	PASS
BLE	2440	Ant1	-18.321	8.00	PASS
BLE	2480	Ant1	-18.644	8.00	PASS


Maximum Peak power spectral density_BLE_2402_Ant1



Maximum Peak power spectral density_BLE_2440_Ant1




Maximum Peak power spectral density_BLE_2480_Ant1




5.Band-edge for RF Conducted Emissions

Test Mode	Test Channel	Ant	Carrier Power[dBm]	Max. Spurious Level [dBm]	Limit [dBm]	Verdict
BLE	2402	Ant1	-3.929	-49.639	-23.93	PASS
BLE	2480	Ant1	-3.872	-49.617	-23.87	PASS

Band-edge for RF Conducted Emissions_BLE_2402_Ant1





Band-edge for RF Conducted Emissions_BLE_2480_Ant1





6.RF Conducted Spurious Emissions


Test Mode	Test Channel	Ant	StartFre [MHz]	StopFre [MHz]	RBW [kHz]	VBW [kHz]	Pref[dBm]	Max. Level [dBm]	Limit [dBm]	Verdict
BLE	2402	Ant1	30	25000	100	300	-4.066	-43.316	<-24.066	PASS
BLE	2440	Ant1	30	25000	100	300	-3.785	-42.975	<-23.785	PASS
BLE	2480	Ant1	30	25000	100	300	-4.064	-43.305	<-24.064	PASS

RF Conducted Spurious Emissions_BLE_2402_Ant1



RF Conducted Spurious Emissions_BLE_2440_Ant1







7.Restrict-band band-edge measurements

Test Mode	Test Channel	Ant	Freq.	Power [dBm]	Gain	Ground Factor	E [dBuV/m]	Detector	Limit [dBuV/m]	Verdict
BLE	2402	Ant1	2310.0	-41.60	2	0	55.66	PEAK	74	PASS
BLE	2402	Ant1	2310.0	-53.17	2	0	44.08	AV	54	PASS
BLE	2402	Ant1	2390.0	-41.04	2	0	56.22	PEAK	74	PASS
BLE	2402	Ant1	2390.0	-52.94	2	0	44.31	AV	54	PASS
BLE	2480	Ant1	2483.5	-41.72	2	0	55.53	PEAK	74	PASS
BLE	2480	Ant1	2483.5	-52.71	2	0	44.55	AV	54	PASS
BLE	2480	Ant1	2500.0	-42.08	2	0	55.17	PEAK	74	PASS
BLE	2480	Ant1	2500.0	-52.57	2	0	44.68	AV	54	PASS

Restrict-band band-edge measurements_BLE_2402_Ant1_PEAK



Restrict-band band-edge measurements_BLE_2402_Ant1_AV



8.Duty Cycle

Test Mode	Test Channel	Ant	Duty Cycle[%]	Verdict
BLE	2440	Ant1	100	PASS

