


14. LTE_Band26(part22)


14.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.53	-13	Pass	2986
30	814	0.1	RMS	813.6	-61.95	-13	Pass	7841
814	860	0.1	RMS	824.2	21.15	60	Pass	461
860	1000	0.1	RMS	947.5	-62.4	-13	Pass	1401
1000	3000	1	RMS	2648	-46.79	-13	Pass	2001
3000	10000	1	RMS	7738	-42.26	-13	Pass	7001




14.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.78	-13	Pass	401
0.15	30	0.01	RMS	0.16	-47.92	-13	Pass	2986
30	814	0.1	RMS	813.8	-62.07	-13	Pass	7841
814	860	0.1	RMS	824.3	19.97	60	Pass	461
860	1000	0.1	RMS	976.7	-62.58	-13	Pass	1401
1000	3000	1	RMS	2652	-46.82	-13	Pass	2001
3000	10000	1	RMS	7724	-42.25	-13	Pass	7001




14.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:3, Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.26	-13	Pass	2986
30	814	0.1	RMS	811.9	-62.22	-13	Pass	7841
814	860	0.1	RMS	836.1	21.21	60	Pass	461
860	1000	0.1	RMS	919	-62.35	-13	Pass	1401
1000	3000	1	RMS	1672	-46.3	-13	Pass	2001
3000	10000	1	RMS	7732	-42.26	-13	Pass	7001




14.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:4, Channel:26915, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.98	-13	Pass	2986
30	814	0.1	RMS	810.8	-62.52	-13	Pass	7841
814	860	0.1	RMS	836.1	20.02	60	Pass	461
860	1000	0.1	RMS	927.3	-62.48	-13	Pass	1401
1000	3000	1	RMS	2653	-46.8	-13	Pass	2001
3000	10000	1	RMS	7743	-42.28	-13	Pass	7001




14.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.93	-13	Pass	2986
30	814	0.1	RMS	810.8	-62.42	-13	Pass	7841
814	860	0.1	RMS	847.9	21.22	60	Pass	461
860	1000	0.1	RMS	913.5	-62.39	-13	Pass	1401
1000	3000	1	RMS	1696	-46.56	-13	Pass	2001
3000	10000	1	RMS	9542	-42.31	-13	Pass	7001




14.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.51	-13	Pass	2986
30	814	0.1	RMS	785.3	-62.46	-13	Pass	7841
814	860	0.1	RMS	847.9	20.12	60	Pass	461
860	1000	0.1	RMS	930.5	-62.4	-13	Pass	1401
1000	3000	1	RMS	2654	-46.83	-13	Pass	2001
3000	10000	1	RMS	7735	-42.28	-13	Pass	7001




14.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:7, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.45	-13	Pass	2986
30	814	0.1	RMS	813.8	-61.46	-13	Pass	7841
814	860	0.1	RMS	824.2	21.15	60	Pass	461
860	1000	0.1	RMS	934.5	-62.38	-13	Pass	1401
1000	3000	1	RMS	2655	-46.77	-13	Pass	2001
3000	10000	1	RMS	7749	-42.3	-13	Pass	7001




14.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:8, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.89	-13	Pass	2986
30	814	0.1	RMS	813.8	-61.59	-13	Pass	7841
814	860	0.1	RMS	824.2	20.15	60	Pass	461
860	1000	0.1	RMS	930.2	-62.46	-13	Pass	1401
1000	3000	1	RMS	2652	-46.83	-13	Pass	2001
3000	10000	1	RMS	7740	-42.24	-13	Pass	7001




14.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:9, Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.56	-13	Pass	401
0.15	30	0.01	RMS	0.16	-48.33	-13	Pass	2986
30	814	0.1	RMS	807.9	-62.26	-13	Pass	7841
814	860	0.1	RMS	835.2	21.21	60	Pass	461
860	1000	0.1	RMS	946.7	-62.41	-13	Pass	1401
1000	3000	1	RMS	2648	-46.82	-13	Pass	2001
3000	10000	1	RMS	7763	-42.29	-13	Pass	7001




14.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:10, Channel:26915, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.6	-13	Pass	2986
30	814	0.1	RMS	809.1	-62.4	-13	Pass	7841
814	860	0.1	RMS	835.2	20.09	60	Pass	461
860	1000	0.1	RMS	910.8	-62.5	-13	Pass	1401
1000	3000	1	RMS	2651	-46.81	-13	Pass	2001
3000	10000	1	RMS	7730	-42.19	-13	Pass	7001




14.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:11, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.71	-13	Pass	2986
30	814	0.1	RMS	806.7	-62.5	-13	Pass	7841
814	860	0.1	RMS	846.2	21.22	60	Pass	461
860	1000	0.1	RMS	936.7	-62.47	-13	Pass	1401
1000	3000	1	RMS	2650	-46.81	-13	Pass	2001
3000	10000	1	RMS	7732	-42.2	-13	Pass	7001




14.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:12, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.98	-13	Pass	2986
30	814	0.1	RMS	791.2	-62.42	-13	Pass	7841
814	860	0.1	RMS	846.2	20.16	60	Pass	461
860	1000	0.1	RMS	917.7	-62.46	-13	Pass	1401
1000	3000	1	RMS	2658	-46.85	-13	Pass	2001
3000	10000	1	RMS	7739	-42.25	-13	Pass	7001




14.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:13, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.81	-13	Pass	2986
30	814	0.1	RMS	813.2	-62.19	-13	Pass	7841
814	860	0.1	RMS	824.3	21.41	60	Pass	461
860	1000	0.1	RMS	921.8	-62.41	-13	Pass	1401
1000	3000	1	RMS	2647	-46.82	-13	Pass	2001
3000	10000	1	RMS	7745	-42.32	-13	Pass	7001




14.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:14, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.86	-13	Pass	2986
30	814	0.1	RMS	812.9	-62.05	-13	Pass	7841
814	860	0.1	RMS	824.3	20.25	60	Pass	461
860	1000	0.1	RMS	927.4	-62.51	-13	Pass	1401
1000	3000	1	RMS	2651	-46.84	-13	Pass	2001
3000	10000	1	RMS	7731	-42.27	-13	Pass	7001




14.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:15, Channel:26915, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.81	-13	Pass	401
0.15	30	0.01	RMS	0.16	-48.55	-13	Pass	2986
30	814	0.1	RMS	813.5	-62.39	-13	Pass	7841
814	860	0.1	RMS	834.3	21.49	60	Pass	461
860	1000	0.1	RMS	931	-62.41	-13	Pass	1401
1000	3000	1	RMS	1669	-46.65	-13	Pass	2001
3000	10000	1	RMS	7732	-42.23	-13	Pass	7001




14.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:16, Channel:26915, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.12	-13	Pass	2986
30	814	0.1	RMS	810	-62.4	-13	Pass	7841
814	860	0.1	RMS	834.3	20.66	60	Pass	461
860	1000	0.1	RMS	918.1	-62.44	-13	Pass	1401
1000	3000	1	RMS	2646	-46.84	-13	Pass	2001
3000	10000	1	RMS	7745	-42.24	-13	Pass	7001




14.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:17, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.6	-13	Pass	2986
30	814	0.1	RMS	808.3	-62.44	-13	Pass	7841
814	860	0.1	RMS	844.3	21.45	60	Pass	461
860	1000	0.1	RMS	902.1	-62.49	-13	Pass	1401
1000	3000	1	RMS	2651	-46.78	-13	Pass	2001
3000	10000	1	RMS	7737	-42.23	-13	Pass	7001




14.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:18, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.66	-13	Pass	2986
30	814	0.1	RMS	813	-62.24	-13	Pass	7841
814	860	0.1	RMS	844.3	20.64	60	Pass	461
860	1000	0.1	RMS	871.7	-62.41	-13	Pass	1401
1000	3000	1	RMS	2653	-46.82	-13	Pass	2001
3000	10000	1	RMS	7737	-42.22	-13	Pass	7001




14.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:19, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.4	-13	Pass	2986
30	814	0.1	RMS	814	-51.1	-13	Pass	7841
814	860	0.1	RMS	824.6	21.9	60	Pass	461
860	1000	0.1	RMS	935.6	-62.42	-13	Pass	1401
1000	3000	1	RMS	1649	-46.32	-13	Pass	2001
3000	10000	1	RMS	7731	-42.21	-13	Pass	7001




14.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:20, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.06	-13	Pass	2986
30	814	0.1	RMS	814	-51.41	-13	Pass	7841
814	860	0.1	RMS	824.6	20.97	60	Pass	461
860	1000	0.1	RMS	911.5	-62.48	-13	Pass	1401
1000	3000	1	RMS	2654	-46.83	-13	Pass	2001
3000	10000	1	RMS	7729	-42.29	-13	Pass	7001




14.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:21, Channel:26915, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.29	-13	Pass	2986
30	814	0.1	RMS	813.6	-61.78	-13	Pass	7841
814	860	0.1	RMS	832.1	21.96	60	Pass	461
860	1000	0.1	RMS	940.6	-62.32	-13	Pass	1401
1000	3000	1	RMS	1664	-45.84	-13	Pass	2001
3000	10000	1	RMS	7739	-42.25	-13	Pass	7001




14.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:22, Channel:26915, Bandwidth:10, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.19	-13	Pass	2986
30	814	0.1	RMS	813.6	-62.15	-13	Pass	7841
814	860	0.1	RMS	832.1	20.89	60	Pass	461
860	1000	0.1	RMS	917.4	-62.44	-13	Pass	1401
1000	3000	1	RMS	2650	-46.85	-13	Pass	2001
3000	10000	1	RMS	7736	-42.22	-13	Pass	7001




14.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:23, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.73	-13	Pass	2986
30	814	0.1	RMS	811.1	-62.24	-13	Pass	7841
814	860	0.1	RMS	839.6	21.87	60	Pass	461
860	1000	0.1	RMS	937.2	-62.32	-13	Pass	1401
1000	3000	1	RMS	1679	-46.77	-13	Pass	2001
3000	10000	1	RMS	7742	-42.28	-13	Pass	7001




14.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:24, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.82	-13	Pass	2986
30	814	0.1	RMS	811.8	-62.45	-13	Pass	7841
814	860	0.1	RMS	839.6	20.97	60	Pass	461
860	1000	0.1	RMS	904	-62.48	-13	Pass	1401
1000	3000	1	RMS	2648	-46.8	-13	Pass	2001
3000	10000	1	RMS	7727	-42.24	-13	Pass	7001




14.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:25, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.89	-13	Pass	2986
30	814	0.1	RMS	813.1	-44.84	-13	Pass	7841
814	860	0.1	RMS	824.8	21.4	60	Pass	461
860	1000	0.1	RMS	930.9	-62.32	-13	Pass	1401
1000	3000	1	RMS	2651	-46.79	-13	Pass	2001
3000	10000	1	RMS	7738	-42.26	-13	Pass	7001




14.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:26, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.92	-13	Pass	2986
30	814	0.1	RMS	812.9	-47.84	-13	Pass	7841
814	860	0.1	RMS	824.8	20.37	60	Pass	461
860	1000	0.1	RMS	923.2	-62.48	-13	Pass	1401
1000	3000	1	RMS	2655	-46.81	-13	Pass	2001
3000	10000	1	RMS	7736	-42.25	-13	Pass	7001




14.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:27, Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.57	-13	Pass	2986
30	814	0.1	RMS	806.8	-56.64	-13	Pass	7841
814	860	0.1	RMS	829.8	21.42	60	Pass	461
860	1000	0.1	RMS	936.2	-62.46	-13	Pass	1401
1000	3000	1	RMS	1660	-46.31	-13	Pass	2001
3000	10000	1	RMS	7731	-42.25	-13	Pass	7001




14.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:28, Channel:26915, Bandwidth:15, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.34	-13	Pass	2986
30	814	0.1	RMS	814	-57.35	-13	Pass	7841
814	860	0.1	RMS	829.8	20.27	60	Pass	461
860	1000	0.1	RMS	905	-62.5	-13	Pass	1401
1000	3000	1	RMS	2653	-46.85	-13	Pass	2001
3000	10000	1	RMS	7742	-42.25	-13	Pass	7001




14.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:29, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.08	-13	Pass	2986
30	814	0.1	RMS	811.8	-55.84	-13	Pass	7841
814	860	0.1	RMS	834.8	21.28	60	Pass	461
860	1000	0.1	RMS	917.9	-62.45	-13	Pass	1401
1000	3000	1	RMS	1670	-46.65	-13	Pass	2001
3000	10000	1	RMS	7736	-42.31	-13	Pass	7001



14.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:30, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number:1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.31	-13	Pass	2986
30	814	0.1	RMS	811.8	-57.03	-13	Pass	7841
814	860	0.1	RMS	834.8	20.45	60	Pass	461
860	1000	0.1	RMS	938	-62.41	-13	Pass	1401
1000	3000	1	RMS	2653	-46.84	-13	Pass	2001
3000	10000	1	RMS	7761	-42.27	-13	Pass	7001



15. LTE_Band26(part90)


15.1. LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-42.08	-13	Pass	401
0.15	30	0.01	Peak	0.15	-41.4	-13	Pass	2986
30	809	0.1	Peak	808.4	-49.23	-13	Pass	7791
809	829	0.1	Peak	814.3	26.39	60	Pass	401
829	1000	0.1	Peak	944.6	-51.28	-13	Pass	1711
1000	3000	1	Peak	2653	-35.29	-13	Pass	2001
3000	10000	1	Peak	8181	-30.47	-13	Pass	7001




15.2. LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-44.19	-13	Pass	401
0.15	30	0.01	Peak	0.15	-40.36	-13	Pass	2986
30	809	0.1	Peak	808.9	-49.9	-13	Pass	7791
809	829	0.1	Peak	814.2	26.62	60	Pass	401
829	1000	0.1	Peak	983.8	-50.74	-13	Pass	1711
1000	3000	1	Peak	2652	-35.49	-13	Pass	2001
3000	10000	1	Peak	9532	-30.16	-13	Pass	7001




15.3. LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:3, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-42.13	-13	Pass	401
0.15	30	0.01	Peak	0.15	-39.45	-13	Pass	2986
30	809	0.1	Peak	788.8	-51.83	-13	Pass	7791
809	829	0.1	Peak	818.55	26.6	60	Pass	401
829	1000	0.1	Peak	983.8	-50.67	-13	Pass	1711
1000	3000	1	Peak	2976	-34.42	-13	Pass	2001
3000	10000	1	Peak	7295	-31.01	-13	Pass	7001




15.4. LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:4, Channel:26740, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-43.2	-13	Pass	401
0.15	30	0.01	Peak	0.16	-41.72	-13	Pass	2986
30	809	0.1	Peak	774.7	-51.03	-13	Pass	7791
809	829	0.1	Peak	818.6	26.34	60	Pass	401
829	1000	0.1	Peak	830.4	-51.15	-13	Pass	1711
1000	3000	1	Peak	2873	-35.01	-13	Pass	2001
3000	10000	1	Peak	8129	-30.53	-13	Pass	7001




**15.5. LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:5,
Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-41.97	-13	Pass	401
0.15	30	0.01	Peak	0.15	-40.22	-13	Pass	2986
30	809	0.1	Peak	786.8	-51.79	-13	Pass	7791
809	829	0.1	Peak	822.85	26.45	60	Pass	401
829	1000	0.1	Peak	829.2	-47.93	-13	Pass	1711
1000	3000	1	Peak	2801	-35.3	-13	Pass	2001
3000	10000	1	Peak	7747	-30.68	-13	Pass	7001




15.6. LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-42.95	-13	Pass	401
0.15	30	0.01	Peak	0.15	-40.86	-13	Pass	2986
30	809	0.1	Peak	807.7	-51.43	-13	Pass	7791
809	829	0.1	Peak	822.8	26.26	60	Pass	401
829	1000	0.1	Peak	829.6	-48.4	-13	Pass	1711
1000	3000	1	Peak	2772	-35.45	-13	Pass	2001
3000	10000	1	Peak	7688	-30.48	-13	Pass	7001




15.7. LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:7, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-40.8	-13	Pass	401
0.15	30	0.01	Peak	0.16	-39.96	-13	Pass	2986
30	809	0.1	Peak	809	-42.42	-13	Pass	7791
809	829	0.1	Peak	814.25	25.9	60	Pass	401
829	1000	0.1	Peak	847.4	-51.96	-13	Pass	1711
1000	3000	1	Peak	2669	-35.27	-13	Pass	2001
3000	10000	1	Peak	7735	-30.4	-13	Pass	7001




15.8. LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:8, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-43.35	-13	Pass	401
0.15	30	0.01	Peak	0.15	-39.86	-13	Pass	2986
30	809	0.1	Peak	808.7	-42.74	-13	Pass	7791
809	829	0.1	Peak	814.3	26.34	60	Pass	401
829	1000	0.1	Peak	834.5	-51.47	-13	Pass	1711
1000	3000	1	Peak	2715	-35.08	-13	Pass	2001
3000	10000	1	Peak	7714	-30.71	-13	Pass	7001




15.9. LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:9, Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-42.89	-13	Pass	401
0.15	30	0.01	Peak	0.15	-40.77	-13	Pass	2986
30	809	0.1	Peak	776.3	-51.32	-13	Pass	7791
809	829	0.1	Peak	817.75	26.56	60	Pass	401
829	1000	0.1	Peak	830.7	-47.15	-13	Pass	1711
1000	3000	1	Peak	2659	-35.07	-13	Pass	2001
3000	10000	1	Peak	8131	-30.83	-13	Pass	7001




15.10. LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:10, Channel:26740, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-42.08	-13	Pass	401
0.15	30	0.01	Peak	0.16	-40.9	-13	Pass	2986
30	809	0.1	Peak	796.8	-51.79	-13	Pass	7791
809	829	0.1	Peak	817.8	26.33	60	Pass	401
829	1000	0.1	Peak	830.7	-47.58	-13	Pass	1711
1000	3000	1	Peak	2653	-34.65	-13	Pass	2001
3000	10000	1	Peak	9536	-30.99	-13	Pass	7001




15.11. LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:11, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-41.83	-13	Pass	401
0.15	30	0.01	Peak	0.15	-40.38	-13	Pass	2986
30	809	0.1	Peak	748	-51.48	-13	Pass	7791
809	829	0.1	Peak	821.25	26.59	60	Pass	401
829	1000	0.1	Peak	829	-46.07	-13	Pass	1711
1000	3000	1	Peak	2775	-35.04	-13	Pass	2001
3000	10000	1	Peak	8089	-30.9	-13	Pass	7001




15.12. LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:12, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-41.32	-13	Pass	401
0.15	30	0.01	Peak	0.15	-39.83	-13	Pass	2986
30	809	0.1	Peak	787	-51.9	-13	Pass	7791
809	829	0.1	Peak	821.25	26.35	60	Pass	401
829	1000	0.1	Peak	831	-47.23	-13	Pass	1711
1000	3000	1	Peak	2670	-35.33	-13	Pass	2001
3000	10000	1	Peak	8124	-31.11	-13	Pass	7001




15.13. LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:13, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-43	-13	Pass	401
0.15	30	0.01	Peak	0.16	-40.72	-13	Pass	2986
30	809	0.1	Peak	809	-44.1	-13	Pass	7791
809	829	0.1	Peak	814.35	26.71	60	Pass	401
829	1000	0.1	Peak	958.5	-50.67	-13	Pass	1711
1000	3000	1	Peak	2711	-35.17	-13	Pass	2001
3000	10000	1	Peak	7779	-30.11	-13	Pass	7001




15.14. LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:14, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-42.03	-13	Pass	401
0.15	30	0.01	Peak	0.16	-40.14	-13	Pass	2986
30	809	0.1	Peak	809	-44.63	-13	Pass	7791
809	829	0.1	Peak	814.3	26.84	60	Pass	401
829	1000	0.1	Peak	889.1	-51.63	-13	Pass	1711
1000	3000	1	Peak	2635	-34.89	-13	Pass	2001
3000	10000	1	Peak	7734	-30.74	-13	Pass	7001




15.15. LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:15, Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-42.47	-13	Pass	401
0.15	30	0.01	Peak	0.17	-40.8	-13	Pass	2986
30	809	0.1	Peak	808.2	-47.29	-13	Pass	7791
809	829	0.1	Peak	816.85	26.77	60	Pass	401
829	1000	0.1	Peak	934.5	-50.66	-13	Pass	1711
1000	3000	1	Peak	2615	-35.51	-13	Pass	2001
3000	10000	1	Peak	7689	-30.75	-13	Pass	7001




15.16. LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:16, Channel:26740, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-44.35	-13	Pass	401
0.15	30	0.01	Peak	0.15	-38.63	-13	Pass	2986
30	809	0.1	Peak	808.2	-48.54	-13	Pass	7791
809	829	0.1	Peak	816.8	26.73	60	Pass	401
829	1000	0.1	Peak	963.2	-50.13	-13	Pass	1711
1000	3000	1	Peak	2987	-34.62	-13	Pass	2001
3000	10000	1	Peak	8233	-30.42	-13	Pass	7001




15.17. LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:17, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-42.32	-13	Pass	401
0.15	30	0.01	Peak	0.15	-38.38	-13	Pass	2986
30	809	0.1	Peak	801.5	-50.9	-13	Pass	7791
809	829	0.1	Peak	819.35	26.49	60	Pass	401
829	1000	0.1	Peak	829	-47.44	-13	Pass	1711
1000	3000	1	Peak	2999	-35.36	-13	Pass	2001
3000	10000	1	Peak	7718	-30.03	-13	Pass	7001




**15.18. LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:18,
Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-42.85	-13	Pass	401
0.15	30	0.01	Peak	0.16	-39.76	-13	Pass	2986
30	809	0.1	Peak	783.8	-50.53	-13	Pass	7791
809	829	0.1	Peak	819.3	26.55	60	Pass	401
829	1000	0.1	Peak	829	-48.13	-13	Pass	1711
1000	3000	1	Peak	2640	-35.61	-13	Pass	2001
3000	10000	1	Peak	7728	-30.5	-13	Pass	7001




**15.19. LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:19,
Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-40.23	-13	Pass	401
0.15	30	0.01	Peak	0.15	-39.8	-13	Pass	2986
30	809	0.1	Peak	808.6	-35.61	-13	Pass	7791
809	829	0.1	Peak	814.6	26.77	60	Pass	401
829	1000	0.1	Peak	829.9	-31.86	-13	Pass	1711
1000	3000	1	Peak	2652	-34.92	-13	Pass	2001
3000	10000	1	Peak	7723	-30.72	-13	Pass	7001



15.20. LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:20, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-41.09	-13	Pass	401
0.15	30	0.01	Peak	0.15	-41	-13	Pass	2986
30	809	0.1	Peak	808.2	-35.97	-13	Pass	7791
809	829	0.1	Peak	814.55	26.61	60	Pass	401
829	1000	0.1	Peak	830	-32.01	-13	Pass	1711
1000	3000	1	Peak	2726	-35	-13	Pass	2001
3000	10000	1	Peak	7728	-30.69	-13	Pass	7001



16. LTE_Band38


16.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.54	-25	Pass	401
0.15	30	0.01	RMS	0.15	-42.62	-25	Pass	2986
30	1000	0.1	RMS	935.4	-58.07	-25	Pass	9701
1000	2560	1	RMS	2558	-42.02	-25	Pass	1561
2560	2630	1	RMS	2570.325	25.04	60	Pass	401
2630	3000	1	RMS	2654.05	-42.57	-25	Pass	401
3000	12000	1	RMS	5140	-47.23	-25	Pass	9001
12000	26500	1	RMS	25014	-41.43	-25	Pass	14501




16.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.31	-25	Pass	401
0.15	30	0.01	RMS	0.15	-42.46	-25	Pass	2986
30	1000	0.1	RMS	947.1	-58.08	-25	Pass	9701
1000	2560	1	RMS	2560	-41.67	-25	Pass	1561
2560	2630	1	RMS	2570.325	24.16	60	Pass	401
2630	3000	1	RMS	2650.35	-42.55	-25	Pass	401
3000	12000	1	RMS	5141	-52.5	-25	Pass	9001
12000	26500	1	RMS	25012	-41.34	-25	Pass	14501




16.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.84	-25	Pass	401
0.15	30	0.01	RMS	0.15	-43.73	-25	Pass	2986
30	1000	0.1	RMS	928	-58.09	-25	Pass	9701
1000	2560	1	RMS	2541	-43.56	-25	Pass	1561
2560	2630	1	RMS	2592.725	24.83	60	Pass	401
2630	3000	1	RMS	2659.6	-42.58	-25	Pass	401
3000	12000	1	RMS	5185	-49.77	-25	Pass	9001
12000	26500	1	RMS	25012	-41.45	-25	Pass	14501




16.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.98	-25	Pass	401
0.15	30	0.01	RMS	0.15	-43.83	-25	Pass	2986
30	1000	0.1	RMS	923.3	-58.08	-25	Pass	9701
1000	2560	1	RMS	2503	-43.58	-25	Pass	1561
2560	2630	1	RMS	2592.9	24.25	60	Pass	401
2630	3000	1	RMS	2649.425	-42.58	-25	Pass	401
3000	12000	1	RMS	5186	-50.41	-25	Pass	9001
12000	26500	1	RMS	25015	-41.48	-25	Pass	14501




16.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.3	-25	Pass	401
0.15	30	0.01	RMS	0.15	-43.84	-25	Pass	2986
30	1000	0.1	RMS	923.4	-58.07	-25	Pass	9701
1000	2560	1	RMS	2542	-43.63	-25	Pass	1561
2560	2630	1	RMS	2615.475	24.75	60	Pass	401
2630	3000	1	RMS	2630	-42.03	-25	Pass	401
3000	12000	1	RMS	5231	-53.15	-25	Pass	9001
12000	26500	1	RMS	25011	-41.46	-25	Pass	14501




16.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.54	-25	Pass	401
0.15	30	0.01	RMS	0.15	-44.77	-25	Pass	2986
30	1000	0.1	RMS	929.7	-58.2	-25	Pass	9701
1000	2560	1	RMS	2536	-43.6	-25	Pass	1561
2560	2630	1	RMS	2615.3	23.49	60	Pass	401
2630	3000	1	RMS	2630	-42.13	-25	Pass	401
3000	12000	1	RMS	5231	-47.95	-25	Pass	9001
12000	26500	1	RMS	25010	-41.49	-25	Pass	14501




16.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.56	-25	Pass	401
0.15	30	0.01	RMS	0.15	-44.14	-25	Pass	2986
30	1000	0.1	RMS	996.1	-58.09	-25	Pass	9701
1000	2560	1	RMS	2560	-38.7	-25	Pass	1561
2560	2630	1	RMS	2570.5	24.88	60	Pass	401
2630	3000	1	RMS	2653.125	-42.56	-25	Pass	401
3000	12000	1	RMS	5141	-45.2	-25	Pass	9001
12000	26500	1	RMS	25011	-41.44	-25	Pass	14501




16.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.37	-25	Pass	401
0.15	30	0.01	RMS	0.15	-43.43	-25	Pass	2986
30	1000	0.1	RMS	945	-58.05	-25	Pass	9701
1000	2560	1	RMS	2560	-39.62	-25	Pass	1561
2560	2630	1	RMS	2570.5	23.8	60	Pass	401
2630	3000	1	RMS	2648.5	-42.57	-25	Pass	401
3000	12000	1	RMS	5142	-49.36	-25	Pass	9001
12000	26500	1	RMS	25016	-41.45	-25	Pass	14501




16.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.23	-25	Pass	401
0.15	30	0.01	RMS	0.15	-44.62	-25	Pass	2986
30	1000	0.1	RMS	925.2	-58.17	-25	Pass	9701
1000	2560	1	RMS	2527	-43.6	-25	Pass	1561
2560	2630	1	RMS	2590.625	24.82	60	Pass	401
2630	3000	1	RMS	2654.05	-42.56	-25	Pass	401
3000	12000	1	RMS	5181	-48.25	-25	Pass	9001
12000	26500	1	RMS	25014	-41.46	-25	Pass	14501




16.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.82	-25	Pass	401
0.15	30	0.01	RMS	0.16	-43.86	-25	Pass	2986
30	1000	0.1	RMS	917.7	-58.1	-25	Pass	9701
1000	2560	1	RMS	2517	-43.59	-25	Pass	1561
2560	2630	1	RMS	2590.625	23.74	60	Pass	401
2630	3000	1	RMS	2660.525	-42.54	-25	Pass	401
3000	12000	1	RMS	5181	-46.06	-25	Pass	9001
12000	26500	1	RMS	25012	-41.42	-25	Pass	14501




16.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.1	-25	Pass	401
0.15	30	0.01	RMS	0.15	-43.39	-25	Pass	2986
30	1000	0.1	RMS	947.1	-58.06	-25	Pass	9701
1000	2560	1	RMS	2540	-43.62	-25	Pass	1561
2560	2630	1	RMS	2610.75	24.3	60	Pass	401
2630	3000	1	RMS	2630	-41.42	-25	Pass	401
3000	12000	1	RMS	5222	-51.79	-25	Pass	9001
12000	26500	1	RMS	25013	-41.46	-25	Pass	14501




16.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.08	-25	Pass	401
0.15	30	0.01	RMS	0.15	-43.9	-25	Pass	2986
30	1000	0.1	RMS	928	-58.05	-25	Pass	9701
1000	2560	1	RMS	2514	-43.6	-25	Pass	1561
2560	2630	1	RMS	2610.75	23.32	60	Pass	401
2630	3000	1	RMS	2630	-41.03	-25	Pass	401
3000	12000	1	RMS	5221	-42.68	-25	Pass	9001
12000	26500	1	RMS	25013	-41.4	-25	Pass	14501




16.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.45	-25	Pass	401
0.15	30	0.01	RMS	0.15	-43.11	-25	Pass	2986
30	1000	0.1	RMS	943.2	-58	-25	Pass	9701
1000	2560	1	RMS	2560	-36.31	-25	Pass	1561
2560	2630	1	RMS	2570.85	24.74	60	Pass	401
2630	3000	1	RMS	2655.9	-42.53	-25	Pass	401
3000	12000	1	RMS	5142	-47.4	-25	Pass	9001
12000	26500	1	RMS	25012	-41.39	-25	Pass	14501




16.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.75	-25	Pass	401
0.15	30	0.01	RMS	0.15	-42.91	-25	Pass	2986
30	1000	0.1	RMS	926.4	-58.04	-25	Pass	9701
1000	2560	1	RMS	2559	-37.25	-25	Pass	1561
2560	2630	1	RMS	2570.675	23.44	60	Pass	401
2630	3000	1	RMS	2652.2	-42.55	-25	Pass	401
3000	12000	1	RMS	5142	-46.59	-25	Pass	9001
12000	26500	1	RMS	25014	-41.49	-25	Pass	14501




16.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.18	-25	Pass	401
0.15	30	0.01	RMS	0.15	-44.21	-25	Pass	2986
30	1000	0.1	RMS	920.8	-58.02	-25	Pass	9701
1000	2560	1	RMS	2540	-43.55	-25	Pass	1561
2560	2630	1	RMS	2588.35	24.7	60	Pass	401
2630	3000	1	RMS	2650.35	-42.55	-25	Pass	401
3000	12000	1	RMS	5177	-46.94	-25	Pass	9001
12000	26500	1	RMS	25015	-41.37	-25	Pass	14501




16.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.16	-25	Pass	401
0.15	30	0.01	RMS	0.15	-44.01	-25	Pass	2986
30	1000	0.1	RMS	930.2	-58.2	-25	Pass	9701
1000	2560	1	RMS	2548	-43.56	-25	Pass	1561
2560	2630	1	RMS	2588.175	23.61	60	Pass	401
2630	3000	1	RMS	2658.675	-42.58	-25	Pass	401
3000	12000	1	RMS	5177	-46.19	-25	Pass	9001
12000	26500	1	RMS	25013	-41.45	-25	Pass	14501




16.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.61	-25	Pass	401
0.15	30	0.01	RMS	0.15	-43.03	-25	Pass	2986
30	1000	0.1	RMS	933.9	-58.08	-25	Pass	9701
1000	2560	1	RMS	2515	-43.63	-25	Pass	1561
2560	2645	1	RMS	2605.9	24.72	60	Pass	401
2645	3000	1	RMS	2650.325	-42.51	-25	Pass	401
3000	12000	1	RMS	5212	-52.73	-25	Pass	9001
12000	26500	1	RMS	25016	-41.54	-25	Pass	14501




16.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.03	-25	Pass	401
0.15	30	0.01	RMS	0.15	-44.75	-25	Pass	2986
30	1000	0.1	RMS	888.7	-58.11	-25	Pass	9701
1000	2560	1	RMS	2514	-43.62	-25	Pass	1561
2560	2645	1	RMS	2605.9	24	60	Pass	401
2645	3000	1	RMS	2650.325	-42.53	-25	Pass	401
3000	12000	1	RMS	7818	-58.47	-25	Pass	9001
12000	26500	1	RMS	25008	-41.41	-25	Pass	14501




16.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.97	-25	Pass	401
0.15	30	0.01	RMS	0.15	-44.31	-25	Pass	2986
30	1000	0.1	RMS	937.6	-58.2	-25	Pass	9701
1000	2560	1	RMS	2559	-36.61	-25	Pass	1561
2560	2630	1	RMS	2571.025	25	60	Pass	401
2630	3000	1	RMS	2647.575	-42.57	-25	Pass	401
3000	12000	1	RMS	5143	-47.53	-25	Pass	9001
12000	26500	1	RMS	25012	-41.54	-25	Pass	14501




16.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.85	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.06	-25	Pass	2986
30	1000	0.1	RMS	902.5	-58.02	-25	Pass	9701
1000	2560	1	RMS	2558	-38.69	-25	Pass	1561
2560	2630	1	RMS	2571.025	23.97	60	Pass	401
2630	3000	1	RMS	2651.275	-42.57	-25	Pass	401
3000	12000	1	RMS	5143	-51.59	-25	Pass	9001
12000	26500	1	RMS	25018	-41.49	-25	Pass	14501




16.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.67	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45	-25	Pass	2986
30	1000	0.1	RMS	933.3	-58.1	-25	Pass	9701
1000	2560	1	RMS	2551	-42.96	-25	Pass	1561
2560	2630	1	RMS	2586.075	24.89	60	Pass	401
2630	3000	1	RMS	2650.35	-42.6	-25	Pass	401
3000	12000	1	RMS	5172	-45.24	-25	Pass	9001
12000	26500	1	RMS	25015	-41.45	-25	Pass	14501




16.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.87	-25	Pass	401
0.15	30	0.01	RMS	0.15	-44.15	-25	Pass	2986
30	1000	0.1	RMS	925.6	-57.91	-25	Pass	9701
1000	2560	1	RMS	2550	-42.36	-25	Pass	1561
2560	2630	1	RMS	2586.075	23.79	60	Pass	401
2630	3000	1	RMS	2654.05	-42.56	-25	Pass	401
3000	12000	1	RMS	5172	-42.96	-25	Pass	9001
12000	26500	1	RMS	25019	-41.41	-25	Pass	14501




16.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.68	-25	Pass	401
0.15	30	0.01	RMS	0.15	-43.89	-25	Pass	2986
30	1000	0.1	RMS	969.7	-58.12	-25	Pass	9701
1000	2560	1	RMS	2541	-43.57	-25	Pass	1561
2560	2645	1	RMS	2601.225	24.52	60	Pass	401
2645	3000	1	RMS	2650.325	-42.49	-25	Pass	401
3000	12000	1	RMS	5203	-52.9	-25	Pass	9001
12000	26500	1	RMS	25012	-41.38	-25	Pass	14501



16.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.34	-25	Pass	401
0.15	30	0.01	RMS	0.15	-43.5	-25	Pass	2986
30	1000	0.1	RMS	892.9	-58.12	-25	Pass	9701
1000	2560	1	RMS	2498	-43.64	-25	Pass	1561
2560	2645	1	RMS	2601.013	23.91	60	Pass	401
2645	3000	1	RMS	2646.775	-42.54	-25	Pass	401
3000	12000	1	RMS	5202	-54.59	-25	Pass	9001
12000	26500	1	RMS	25016	-41.44	-25	Pass	14501




17. LTE_Band41 full

17.1. LTE Spurious Emission at Antenna Terminals_Part22-24-


27(NTNV)(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.78	-25	Pass	401
0.15	30	0.01	RMS	0.15	-43.79	-25	Pass	2986
30	1000	0.1	RMS	911.6	-57.98	-25	Pass	9701
1000	2486	1	RMS	2486	-41.33	-25	Pass	1487
2486	2700	1	RMS	2496.165	24.38	60	Pass	401
2700	3000	1	RMS	3000	-42.62	-25	Pass	401
3000	12000	1	RMS	4993	-34.94	-25	Pass	9001
12000	27000	1	RMS	25009	-36.75	-25	Pass	15001




17.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.52	-25	Pass	401
0.15	30	0.01	RMS	0.15	-44.26	-25	Pass	2986
30	1000	0.1	RMS	944.9	-57.96	-25	Pass	9701
1000	2486	1	RMS	2486	-42.07	-25	Pass	1487
2486	2700	1	RMS	2496.165	23.35	60	Pass	401
2700	3000	1	RMS	3000	-42.67	-25	Pass	401
3000	12000	1	RMS	4993	-31.22	-25	Pass	9001
12000	27000	1	RMS	25017	-36.63	-25	Pass	15001




17.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.76	-25	Pass	401
0.15	30	0.01	RMS	0.16	-44.24	-25	Pass	2986
30	1000	0.1	RMS	955	-58.03	-25	Pass	9701
1000	2486	1	RMS	2485	-43.85	-25	Pass	1487
2486	2700	1	RMS	2590.86	23.76	60	Pass	401
2700	3000	1	RMS	2998.5	-42.66	-25	Pass	401
3000	12000	1	RMS	5182	-57	-25	Pass	9001
12000	27000	1	RMS	25008	-36.85	-25	Pass	15001




17.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:40620, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.93	-25	Pass	401
0.15	30	0.01	RMS	0.15	-44.23	-25	Pass	2986
30	1000	0.1	RMS	964.4	-58.13	-25	Pass	9701
1000	2486	1	RMS	2486	-43.83	-25	Pass	1487
2486	2700	1	RMS	2590.86	23.3	60	Pass	401
2700	3000	1	RMS	3000	-42.62	-25	Pass	401
3000	12000	1	RMS	5181	-50.45	-25	Pass	9001
12000	27000	1	RMS	25012	-36.69	-25	Pass	15001




17.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.35	-25	Pass	401
0.15	30	0.01	RMS	0.15	-43.75	-25	Pass	2986
30	1000	0.1	RMS	909.3	-58.06	-25	Pass	9701
1000	2486	1	RMS	2484	-43.92	-25	Pass	1487
2486	2700	1	RMS	2685.555	24.39	60	Pass	401
2700	3000	1	RMS	2700	-42.46	-25	Pass	401
3000	12000	1	RMS	5370	-41.32	-25	Pass	9001
12000	27000	1	RMS	25012	-36.77	-25	Pass	15001




17.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.46	-25	Pass	401
0.15	30	0.01	RMS	0.15	-44.11	-25	Pass	2986
30	1000	0.1	RMS	932.7	-58.09	-25	Pass	9701
1000	2486	1	RMS	2482	-43.9	-25	Pass	1487
2486	2700	1	RMS	2685.555	23.78	60	Pass	401
2700	3000	1	RMS	3000	-42.58	-25	Pass	401
3000	12000	1	RMS	5371	-40.73	-25	Pass	9001
12000	27000	1	RMS	25012	-36.69	-25	Pass	15001




17.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.09	-25	Pass	401
0.15	30	0.01	RMS	0.16	-44.94	-25	Pass	2986
30	1000	0.1	RMS	919.3	-58.03	-25	Pass	9701
1000	2486	1	RMS	2485	-41.26	-25	Pass	1487
2486	2700	1	RMS	2496.7	24.11	60	Pass	401
2700	3000	1	RMS	3000	-42.68	-25	Pass	401
3000	12000	1	RMS	4994	-34.94	-25	Pass	9001
12000	27000	1	RMS	25016	-36.76	-25	Pass	15001




17.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.39	-25	Pass	401
0.15	30	0.01	RMS	0.15	-43.98	-25	Pass	2986
30	1000	0.1	RMS	917.2	-58.05	-25	Pass	9701
1000	2486	1	RMS	2486	-40.27	-25	Pass	1487
2486	2700	1	RMS	2496.7	22.97	60	Pass	401
2700	3000	1	RMS	3000	-42.66	-25	Pass	401
3000	12000	1	RMS	4993	-34.92	-25	Pass	9001
12000	27000	1	RMS	25009	-36.69	-25	Pass	15001




17.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45	-25	Pass	401
0.15	30	0.01	RMS	0.16	-44.89	-25	Pass	2986
30	1000	0.1	RMS	939.9	-58.07	-25	Pass	9701
1000	2486	1	RMS	2486	-43.81	-25	Pass	1487
2486	2700	1	RMS	2588.72	24.48	60	Pass	401
2700	3000	1	RMS	2999.25	-42.67	-25	Pass	401
3000	12000	1	RMS	11849	-59.41	-25	Pass	9001
12000	27000	1	RMS	25011	-36.72	-25	Pass	15001




17.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:40620, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.27	-25	Pass	401
0.15	30	0.01	RMS	0.16	-44.83	-25	Pass	2986
30	1000	0.1	RMS	932.9	-58.05	-25	Pass	9701
1000	2486	1	RMS	2483	-43.79	-25	Pass	1487
2486	2700	1	RMS	2588.72	23.35	60	Pass	401
2700	3000	1	RMS	3000	-42.69	-25	Pass	401
3000	12000	1	RMS	5177	-53.02	-25	Pass	9001
12000	27000	1	RMS	25014	-36.63	-25	Pass	15001




17.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.38	-25	Pass	401
0.15	30	0.01	RMS	0.15	-43.65	-25	Pass	2986
30	1000	0.1	RMS	906.3	-58.11	-25	Pass	9701
1000	2486	1	RMS	2479	-43.88	-25	Pass	1487
2486	2700	1	RMS	2680.74	23.62	60	Pass	401
2700	3000	1	RMS	2700	-41.8	-25	Pass	401
3000	12000	1	RMS	5361	-38.09	-25	Pass	9001
12000	27000	1	RMS	25013	-36.76	-25	Pass	15001




17.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.49	-25	Pass	401
0.15	30	0.01	RMS	0.15	-44.37	-25	Pass	2986
30	1000	0.1	RMS	921.7	-58.05	-25	Pass	9701
1000	2486	1	RMS	2484	-43.86	-25	Pass	1487
2486	2700	1	RMS	2680.205	22.73	60	Pass	401
2700	3000	1	RMS	2700	-41.69	-25	Pass	401
3000	12000	1	RMS	5362	-43.42	-25	Pass	9001
12000	27000	1	RMS	25012	-36.58	-25	Pass	15001




17.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.48	-25	Pass	401
0.15	30	0.01	RMS	0.15	-44.41	-25	Pass	2986
30	1000	0.1	RMS	915.1	-58.11	-25	Pass	9701
1000	2486	1	RMS	2486	-36.14	-25	Pass	1487
2486	2700	1	RMS	2496.7	24.01	60	Pass	401
2700	3000	1	RMS	2997	-42.68	-25	Pass	401
3000	12000	1	RMS	4993	-28.38	-25	Pass	9001
12000	27000	1	RMS	25012	-36.76	-25	Pass	15001




17.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.68	-25	Pass	401
0.15	30	0.01	RMS	0.15	-44.06	-25	Pass	2986
30	1000	0.1	RMS	914.5	-58.1	-25	Pass	9701
1000	2486	1	RMS	2486	-37.4	-25	Pass	1487
2486	2700	1	RMS	2496.7	23.06	60	Pass	401
2700	3000	1	RMS	3000	-42.67	-25	Pass	401
3000	12000	1	RMS	4994	-26.56	-25	Pass	9001
12000	27000	1	RMS	25011	-36.59	-25	Pass	15001




17.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:40620, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.01	-25	Pass	401
0.15	30	0.01	RMS	0.15	-44.89	-25	Pass	2986
30	1000	0.1	RMS	899.5	-58.1	-25	Pass	9701
1000	2486	1	RMS	2485	-43.92	-25	Pass	1487
2486	2700	1	RMS	2586.58	23.48	60	Pass	401
2700	3000	1	RMS	3000	-42.63	-25	Pass	401
3000	12000	1	RMS	5173	-48.86	-25	Pass	9001
12000	27000	1	RMS	25010	-36.72	-25	Pass	15001




17.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:40620, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.66	-25	Pass	401
0.15	30	0.01	RMS	0.15	-44.14	-25	Pass	2986
30	1000	0.1	RMS	895.3	-58.1	-25	Pass	9701
1000	2486	1	RMS	2484	-43.83	-25	Pass	1487
2486	2700	1	RMS	2586.58	22.34	60	Pass	401
2700	3000	1	RMS	2997	-42.66	-25	Pass	401
3000	12000	1	RMS	5173	-48.63	-25	Pass	9001
12000	27000	1	RMS	25012	-36.73	-25	Pass	15001




17.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-45.35	-25	Pass	401
0.15	30	0.01	RMS	0.15	-44.06	-25	Pass	2986
30	1000	0.1	RMS	888.4	-58.09	-25	Pass	9701
1000	2486	1	RMS	2484	-43.92	-25	Pass	1487
2486	2700	1	RMS	2675.925	23.5	60	Pass	401
2700	3000	1	RMS	2702.25	-38.51	-25	Pass	401
3000	12000	1	RMS	5352	-49.47	-25	Pass	9001
12000	27000	1	RMS	25014	-36.81	-25	Pass	15001




17.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.75	-25	Pass	401
0.15	30	0.01	RMS	0.15	-44.47	-25	Pass	2986
30	1000	0.1	RMS	942.1	-58.1	-25	Pass	9701
1000	2486	1	RMS	2485	-43.85	-25	Pass	1487
2486	2700	1	RMS	2675.925	23.94	60	Pass	401
2700	3000	1	RMS	2703	-39.23	-25	Pass	401
3000	12000	1	RMS	5352	-50.54	-25	Pass	9001
12000	27000	1	RMS	25010	-36.78	-25	Pass	15001




17.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.66	-25	Pass	401
0.15	30	0.01	RMS	0.16	-44.57	-25	Pass	2986
30	1000	0.1	RMS	934.1	-58.06	-25	Pass	9701
1000	2486	1	RMS	2486	-36.53	-25	Pass	1487
2486	2700	1	RMS	2496.7	23.27	60	Pass	401
2700	3000	1	RMS	2995.5	-42.68	-25	Pass	401
3000	12000	1	RMS	4994	-27.39	-25	Pass	9001
12000	27000	1	RMS	25013	-36.66	-25	Pass	15001




17.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.08	-25	Pass	401
0.15	30	0.01	RMS	0.15	-44.35	-25	Pass	2986
30	1000	0.1	RMS	908.2	-58.07	-25	Pass	9701
1000	2486	1	RMS	2484	-38.64	-25	Pass	1487
2486	2700	1	RMS	2497.235	22.58	60	Pass	401
2700	3000	1	RMS	3000	-42.67	-25	Pass	401
3000	12000	1	RMS	4994	-28.04	-25	Pass	9001
12000	27000	1	RMS	25017	-36.74	-25	Pass	15001




17.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.87	-25	Pass	401
0.15	30	0.01	RMS	0.16	-44.86	-25	Pass	2986
30	1000	0.1	RMS	913.7	-58.12	-25	Pass	9701
1000	2486	1	RMS	2486	-43.85	-25	Pass	1487
2486	2700	1	RMS	2583.905	23.7	60	Pass	401
2700	3000	1	RMS	3000	-42.64	-25	Pass	401
3000	12000	1	RMS	5169	-51.74	-25	Pass	9001
12000	27000	1	RMS	25012	-36.66	-25	Pass	15001




17.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.75	-25	Pass	401
0.15	30	0.01	RMS	0.15	-44.93	-25	Pass	2986
30	1000	0.1	RMS	931.1	-58.1	-25	Pass	9701
1000	2486	1	RMS	2485	-43.9	-25	Pass	1487
2486	2700	1	RMS	2584.44	22.27	60	Pass	401
2700	3000	1	RMS	2999.25	-42.69	-25	Pass	401
3000	12000	1	RMS	5169	-53.42	-25	Pass	9001
12000	27000	1	RMS	25015	-36.79	-25	Pass	15001




17.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.11	-25	Pass	401
0.15	30	0.01	RMS	0.15	-43.99	-25	Pass	2986
30	1000	0.1	RMS	894	-58.17	-25	Pass	9701
1000	2486	1	RMS	2481	-43.89	-25	Pass	1487
2486	2700	1	RMS	2671.11	24.17	60	Pass	401
2700	3000	1	RMS	2701.5	-36.18	-25	Pass	401
3000	12000	1	RMS	5342	-37.29	-25	Pass	9001
12000	27000	1	RMS	25012	-36.66	-25	Pass	15001



17.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.51	-25	Pass	401
0.15	30	0.01	RMS	0.15	-44.02	-25	Pass	2986
30	1000	0.1	RMS	923.7	-58.03	-25	Pass	9701
1000	2486	1	RMS	2481	-43.89	-25	Pass	1487
2486	2700	1	RMS	2671.11	23.04	60	Pass	401
2700	3000	1	RMS	2702.25	-37.02	-25	Pass	401
3000	12000	1	RMS	5342	-44.03	-25	Pass	9001
12000	27000	1	RMS	25011	-36.7	-25	Pass	15001



18. LTE_Band66


18.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.1	-13	Pass	2986
30	1000	0.1	RMS	924.5	-61.91	-13	Pass	9701
1000	1700	1	RMS	1700	-50.74	-13	Pass	701
1700	1790	1	RMS	1710.35	23.91	60	Pass	401
1790	3000	1	RMS	2644	-46.44	-13	Pass	1211
3000	12000	1	RMS	11929	-40.01	-13	Pass	9001
12000	20000	1	RMS	20000	-27.63	-13	Pass	8001




18.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.19	-13	Pass	2986
30	1000	0.1	RMS	926.7	-61.96	-13	Pass	9701
1000	1700	1	RMS	1700	-50.87	-13	Pass	701
1700	1790	1	RMS	1710.35	22.9	60	Pass	401
1790	3000	1	RMS	2656	-46.47	-13	Pass	1211
3000	12000	1	RMS	11947	-40.02	-13	Pass	9001
12000	20000	1	RMS	20000	-27.65	-13	Pass	8001




18.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.56	-13	Pass	2986
30	1000	0.1	RMS	953.4	-62.1	-13	Pass	9701
1000	1700	1	RMS	1695	-50.99	-13	Pass	701
1700	1790	1	RMS	1744.55	23.94	60	Pass	401
1790	3000	1	RMS	2655	-46.36	-13	Pass	1211
3000	12000	1	RMS	11925	-40.05	-13	Pass	9001
12000	20000	1	RMS	19990	-27.69	-13	Pass	8001




18.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.17	-13	Pass	2986
30	1000	0.1	RMS	929.4	-61.99	-13	Pass	9701
1000	1700	1	RMS	1614	-51.05	-13	Pass	701
1700	1790	1	RMS	1744.55	22.93	60	Pass	401
1790	3000	1	RMS	2648	-46.47	-13	Pass	1211
3000	12000	1	RMS	11862	-40.03	-13	Pass	9001
12000	20000	1	RMS	19997	-27.68	-13	Pass	8001




18.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.7	-13	Pass	2986
30	1000	0.1	RMS	918.6	-61.95	-13	Pass	9701
1000	1700	1	RMS	1698	-51.01	-13	Pass	701
1700	1790	1	RMS	1778.75	23.87	60	Pass	401
1790	3000	1	RMS	2652	-46.4	-13	Pass	1211
3000	12000	1	RMS	11946	-40.04	-13	Pass	9001
12000	20000	1	RMS	20000	-27.66	-13	Pass	8001




18.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.66	-13	Pass	2986
30	1000	0.1	RMS	938.3	-62.14	-13	Pass	9701
1000	1700	1	RMS	1583	-51.06	-13	Pass	701
1700	1790	1	RMS	1778.75	22.91	60	Pass	401
1790	3000	1	RMS	2653	-46.4	-13	Pass	1211
3000	12000	1	RMS	11954	-39.94	-13	Pass	9001
12000	20000	1	RMS	19996	-27.67	-13	Pass	8001




18.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.33	-13	Pass	2986
30	1000	0.1	RMS	946.7	-62.12	-13	Pass	9701
1000	1700	1	RMS	1700	-50.7	-13	Pass	701
1700	1790	1	RMS	1710.35	23.74	60	Pass	401
1790	3000	1	RMS	2659	-46.48	-13	Pass	1211
3000	12000	1	RMS	11858	-40.06	-13	Pass	9001
12000	20000	1	RMS	19999	-27.6	-13	Pass	8001




18.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.56	-13	Pass	2986
30	1000	0.1	RMS	914.1	-62	-13	Pass	9701
1000	1700	1	RMS	1700	-50.78	-13	Pass	701
1700	1790	1	RMS	1710.125	22.88	60	Pass	401
1790	3000	1	RMS	2649	-46.46	-13	Pass	1211
3000	12000	1	RMS	11963	-40.05	-13	Pass	9001
12000	20000	1	RMS	19999	-27.7	-13	Pass	8001




18.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.84	-13	Pass	2986
30	1000	0.1	RMS	921.6	-62.08	-13	Pass	9701
1000	1700	1	RMS	1700	-51.01	-13	Pass	701
1700	1790	1	RMS	1743.65	23.72	60	Pass	401
1790	3000	1	RMS	2649	-46.47	-13	Pass	1211
3000	12000	1	RMS	11947	-40.06	-13	Pass	9001
12000	20000	1	RMS	20000	-27.57	-13	Pass	8001




18.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.05	-13	Pass	2986
30	1000	0.1	RMS	991.3	-62.13	-13	Pass	9701
1000	1700	1	RMS	1591	-51.05	-13	Pass	701
1700	1790	1	RMS	1743.65	22.71	60	Pass	401
1790	3000	1	RMS	2650	-46.44	-13	Pass	1211
3000	12000	1	RMS	11936	-40.02	-13	Pass	9001
12000	20000	1	RMS	19997	-27.69	-13	Pass	8001




18.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.14	-13	Pass	2986
30	1000	0.1	RMS	900.2	-62.01	-13	Pass	9701
1000	1700	1	RMS	1583	-51.01	-13	Pass	701
1700	1790	1	RMS	1777.175	23.8	60	Pass	401
1790	3000	1	RMS	2651	-46.4	-13	Pass	1211
3000	12000	1	RMS	11946	-40.06	-13	Pass	9001
12000	20000	1	RMS	19999	-27.55	-13	Pass	8001




18.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.24	-13	Pass	401
0.15	30	0.01	RMS	0.16	-47.45	-13	Pass	2986
30	1000	0.1	RMS	928.8	-62.04	-13	Pass	9701
1000	1700	1	RMS	1594	-51.04	-13	Pass	701
1700	1790	1	RMS	1777.175	22.88	60	Pass	401
1790	3000	1	RMS	2647	-46.41	-13	Pass	1211
3000	12000	1	RMS	11847	-40.08	-13	Pass	9001
12000	20000	1	RMS	19998	-27.66	-13	Pass	8001




18.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.35	-13	Pass	2986
30	1000	0.1	RMS	945.2	-62.11	-13	Pass	9701
1000	1700	1	RMS	1700	-50.82	-13	Pass	701
1700	1790	1	RMS	1710.35	24.1	60	Pass	401
1790	3000	1	RMS	2651	-46.41	-13	Pass	1211
3000	12000	1	RMS	11848	-40.08	-13	Pass	9001
12000	20000	1	RMS	19998	-27.57	-13	Pass	8001




18.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.55	-13	Pass	2986
30	1000	0.1	RMS	925.1	-62.05	-13	Pass	9701
1000	1700	1	RMS	1700	-50.91	-13	Pass	701
1700	1790	1	RMS	1710.35	23.12	60	Pass	401
1790	3000	1	RMS	2651	-46.48	-13	Pass	1211
3000	12000	1	RMS	11870	-40.08	-13	Pass	9001
12000	20000	1	RMS	19999	-27.66	-13	Pass	8001




18.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.87	-13	Pass	2986
30	1000	0.1	RMS	919	-62.02	-13	Pass	9701
1000	1700	1	RMS	1700	-50.99	-13	Pass	701
1700	1790	1	RMS	1742.75	23.97	60	Pass	401
1790	3000	1	RMS	2650	-46.43	-13	Pass	1211
3000	12000	1	RMS	11962	-40.07	-13	Pass	9001
12000	20000	1	RMS	20000	-27.66	-13	Pass	8001




18.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.48	-13	Pass	2986
30	1000	0.1	RMS	926.5	-62.13	-13	Pass	9701
1000	1700	1	RMS	1689	-51.05	-13	Pass	701
1700	1790	1	RMS	1742.75	23.09	60	Pass	401
1790	3000	1	RMS	2658	-46.41	-13	Pass	1211
3000	12000	1	RMS	11958	-40.02	-13	Pass	9001
12000	20000	1	RMS	19999	-27.67	-13	Pass	8001




18.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48	-13	Pass	2986
30	1000	0.1	RMS	928.5	-62.14	-13	Pass	9701
1000	1700	1	RMS	1700	-50.87	-13	Pass	701
1700	1790	1	RMS	1775.375	24	60	Pass	401
1790	3000	1	RMS	2654	-46.42	-13	Pass	1211
3000	12000	1	RMS	11980	-39.98	-13	Pass	9001
12000	20000	1	RMS	19999	-27.65	-13	Pass	8001




18.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.36	-13	Pass	2986
30	1000	0.1	RMS	940.6	-62.07	-13	Pass	9701
1000	1700	1	RMS	1700	-50.94	-13	Pass	701
1700	1790	1	RMS	1775.375	23.27	60	Pass	401
1790	3000	1	RMS	2647	-46.49	-13	Pass	1211
3000	12000	1	RMS	11851	-40.05	-13	Pass	9001
12000	20000	1	RMS	19999	-27.68	-13	Pass	8001




18.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.47	-13	Pass	2986
30	1000	0.1	RMS	921.7	-62.08	-13	Pass	9701
1000	1700	1	RMS	1693	-47.69	-13	Pass	701
1700	1790	1	RMS	1710.575	24.18	60	Pass	401
1790	3000	1	RMS	2659	-46.44	-13	Pass	1211
3000	12000	1	RMS	11951	-40.02	-13	Pass	9001
12000	20000	1	RMS	19998	-27.65	-13	Pass	8001




18.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.22	-13	Pass	2986
30	1000	0.1	RMS	924.7	-62.06	-13	Pass	9701
1000	1700	1	RMS	1693	-48.41	-13	Pass	701
1700	1790	1	RMS	1710.575	23.37	60	Pass	401
1790	3000	1	RMS	2651	-46.45	-13	Pass	1211
3000	12000	1	RMS	11953	-40.04	-13	Pass	9001
12000	20000	1	RMS	19998	-27.64	-13	Pass	8001




18.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-50.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.45	-13	Pass	2986
30	1000	0.1	RMS	937.9	-62.05	-13	Pass	9701
1000	1700	1	RMS	1697	-50.99	-13	Pass	701
1700	1790	1	RMS	1740.5	24.07	60	Pass	401
1790	3000	1	RMS	2643	-46.46	-13	Pass	1211
3000	12000	1	RMS	11845	-40.04	-13	Pass	9001
12000	20000	1	RMS	20000	-27.55	-13	Pass	8001




18.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.34	-13	Pass	2986
30	1000	0.1	RMS	947.6	-62.12	-13	Pass	9701
1000	1700	1	RMS	1696	-51.02	-13	Pass	701
1700	1790	1	RMS	1740.5	23.03	60	Pass	401
1790	3000	1	RMS	2654	-46.45	-13	Pass	1211
3000	12000	1	RMS	11923	-40.08	-13	Pass	9001
12000	20000	1	RMS	19994	-27.59	-13	Pass	8001




18.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.23	-13	Pass	401
0.15	30	0.01	RMS	0.16	-47.82	-13	Pass	2986
30	1000	0.1	RMS	923.9	-62	-13	Pass	9701
1000	1700	1	RMS	1697	-50.98	-13	Pass	701
1700	1790	1	RMS	1770.65	24.11	60	Pass	401
1790	3000	1	RMS	2649	-46.45	-13	Pass	1211
3000	12000	1	RMS	11972	-40.07	-13	Pass	9001
12000	20000	1	RMS	19997	-27.57	-13	Pass	8001




18.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.02	-13	Pass	2986
30	1000	0.1	RMS	931.9	-61.85	-13	Pass	9701
1000	1700	1	RMS	1696	-51	-13	Pass	701
1700	1790	1	RMS	1770.65	23.18	60	Pass	401
1790	3000	1	RMS	2655	-46.46	-13	Pass	1211
3000	12000	1	RMS	11931	-40.04	-13	Pass	9001
12000	20000	1	RMS	20000	-27.63	-13	Pass	8001




18.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.52	-13	Pass	2986
30	1000	0.1	RMS	927.5	-62.06	-13	Pass	9701
1000	1700	1	RMS	1700	-41.55	-13	Pass	701
1700	1790	1	RMS	1710.8	24.09	60	Pass	401
1790	3000	1	RMS	2656	-46.47	-13	Pass	1211
3000	12000	1	RMS	11848	-40.04	-13	Pass	9001
12000	20000	1	RMS	20000	-27.64	-13	Pass	8001




18.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.2	-13	Pass	2986
30	1000	0.1	RMS	963.4	-62.02	-13	Pass	9701
1000	1700	1	RMS	1700	-43.57	-13	Pass	701
1700	1790	1	RMS	1710.8	23.25	60	Pass	401
1790	3000	1	RMS	2649	-46.44	-13	Pass	1211
3000	12000	1	RMS	11846	-40.04	-13	Pass	9001
12000	20000	1	RMS	19999	-27.63	-13	Pass	8001




18.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.34	-13	Pass	2986
30	1000	0.1	RMS	938.6	-61.98	-13	Pass	9701
1000	1700	1	RMS	1685	-50.92	-13	Pass	701
1700	1790	1	RMS	1738.25	24	60	Pass	401
1790	3000	1	RMS	2657	-46.42	-13	Pass	1211
3000	12000	1	RMS	11941	-40.03	-13	Pass	9001
12000	20000	1	RMS	19994	-27.68	-13	Pass	8001




18.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.2	-13	Pass	2986
30	1000	0.1	RMS	929	-62.05	-13	Pass	9701
1000	1700	1	RMS	1685	-50.97	-13	Pass	701
1700	1790	1	RMS	1738.25	23.05	60	Pass	401
1790	3000	1	RMS	2652	-46.41	-13	Pass	1211
3000	12000	1	RMS	11851	-40.08	-13	Pass	9001
12000	20000	1	RMS	20000	-27.51	-13	Pass	8001




18.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.1	-13	Pass	2986
30	1000	0.1	RMS	910.5	-62.09	-13	Pass	9701
1000	1700	1	RMS	1700	-51.01	-13	Pass	701
1700	1790	1	RMS	1765.925	24	60	Pass	401
1790	3000	1	RMS	1792	-34.74	-13	Pass	1211
3000	12000	1	RMS	11998	-40.03	-13	Pass	9001
12000	20000	1	RMS	19999	-27.68	-13	Pass	8001




18.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.55	-13	Pass	2986
30	1000	0.1	RMS	923.7	-62.05	-13	Pass	9701
1000	1700	1	RMS	1602	-51.03	-13	Pass	701
1700	1790	1	RMS	1765.925	23.15	60	Pass	401
1790	3000	1	RMS	1792	-35.22	-13	Pass	1211
3000	12000	1	RMS	11943	-40.06	-13	Pass	9001
12000	20000	1	RMS	20000	-27.65	-13	Pass	8001




18.31. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.52	-13	Pass	2986
30	1000	0.1	RMS	959.9	-61.92	-13	Pass	9701
1000	1700	1	RMS	1700	-42.53	-13	Pass	701
1700	1790	1	RMS	1711.025	24.02	60	Pass	401
1790	3000	1	RMS	2652	-46.37	-13	Pass	1211
3000	12000	1	RMS	11954	-40.02	-13	Pass	9001
12000	20000	1	RMS	19998	-27.66	-13	Pass	8001




18.32. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-49.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.47	-13	Pass	2986
30	1000	0.1	RMS	944.5	-62.03	-13	Pass	9701
1000	1700	1	RMS	1700	-44.58	-13	Pass	701
1700	1790	1	RMS	1711.025	23.14	60	Pass	401
1790	3000	1	RMS	2654	-46.41	-13	Pass	1211
3000	12000	1	RMS	11950	-40.01	-13	Pass	9001
12000	20000	1	RMS	19997	-27.63	-13	Pass	8001




18.33. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.57	-13	Pass	2986
30	1000	0.1	RMS	894.4	-62.1	-13	Pass	9701
1000	1700	1	RMS	1700	-43.65	-13	Pass	701
1700	1790	1	RMS	1736	23.96	60	Pass	401
1790	3000	1	RMS	2653	-46.45	-13	Pass	1211
3000	12000	1	RMS	11925	-40.09	-13	Pass	9001
12000	20000	1	RMS	19997	-27.65	-13	Pass	8001




18.34. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.06	-13	Pass	2986
30	1000	0.1	RMS	919.4	-62.03	-13	Pass	9701
1000	1700	1	RMS	1700	-44.88	-13	Pass	701
1700	1790	1	RMS	1736	22.97	60	Pass	401
1790	3000	1	RMS	2650	-46.45	-13	Pass	1211
3000	12000	1	RMS	11834	-40.03	-13	Pass	9001
12000	20000	1	RMS	19998	-27.69	-13	Pass	8001




18.35. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.18	-13	Pass	2986
30	1000	0.1	RMS	924.5	-62.16	-13	Pass	9701
1000	1700	1	RMS	1690	-50.02	-13	Pass	701
1700	1790	1	RMS	1760.975	23.89	60	Pass	401
1790	3000	1	RMS	1792	-39.25	-13	Pass	1211
3000	12000	1	RMS	11846	-40.03	-13	Pass	9001
12000	20000	1	RMS	19999	-27.67	-13	Pass	8001



18.36. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-48.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.76	-13	Pass	2986
30	1000	0.1	RMS	913.6	-62.22	-13	Pass	9701
1000	1700	1	RMS	1690	-50.34	-13	Pass	701
1700	1790	1	RMS	1760.975	22.91	60	Pass	401
1790	3000	1	RMS	1792	-40	-13	Pass	1211
3000	12000	1	RMS	11951	-40.08	-13	Pass	9001
12000	20000	1	RMS	19999	-27.67	-13	Pass	8001



--BLANK BELOW--