


## 99% Bandwidth

### 1. 802.11a\_20M\_U-NII-1\_L

#### 1.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) | Verdict |
|------------------------|---------------|-----------|----------|-------------|-----------|---------|
| 5180                   | 99            | 0.2       | Peak     | 0           | 16.806594 | N/A     |



## 2. 802.11a\_20M\_U-NII-1\_M

### 2.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5220                   | 99            |  | 0.2       | Peak     | 0           | 16.805629 |  | N/A     |



### 3. 802.11a\_20M\_U-NII-1\_H

#### 3.2. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5240                   | 99            |  | 0.2       | Peak     | 0           | 16.79191  |  | N/A     |



## 4. 802.11n\_20M\_U-NII-1\_L

### 4.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5180                   | 99            |  | 0.2       | Peak     | 0           | 17.897475 |  | N/A     |



## 5. 802.11n\_20M\_U-NII-1\_M

### 5.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5220                   | 99            |  | 0.2       | Peak     | 0           | 17.849093 |  | N/A     |



## 6. 802.11n\_20M\_U-NII-1\_H

### 6.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5240                   | 99            |  | 0.2       | Peak     | 0           | 17.839162 |  | N/A     |



## 7. 802.11n\_40M\_U-NII-1\_L

### 7.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5190                   | 99            |  | 0.39      | Peak     | 0           | 35.770698 |  | N/A     |



## 8. 802.11n\_40M\_U-NII-1\_H

### 8.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5230                   | 99            |  | 0.39      | Peak     | 0           | 35.701204 |  | N/A     |



## 9. 802.11ac\_20M\_U-NII-1\_L

### 9.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5180                   | 99            |  | 0.2       | Peak     | 0           | 17.792879 |  | N/A     |



## 10. 802.11ac\_20M\_U-NII-1\_M

### 10.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5220                   | 99            |  | 0.2       | Peak     | 0           | 17.617506 |  | N/A     |



## 11. 802.11ac\_20M\_U-NII-1\_H

### 11.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5240                   | 99            |  | 0.2       | Peak     | 0           | 17.763422 |  | N/A     |



## 12. 802.11ac\_40M\_U-NII-1\_L

### 12.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5190                   | 99            |  | 0.39      | Peak     | 0           | 35.736244 |  | N/A     |



### 13. 802.11ac\_40M\_U-NII-1\_H

#### 13.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5230                   | 99            |  | 0.39      | Peak     | 0           | 35.696353 |  | N/A     |



## 14. 802.11ac\_80M\_U-NII-1\_M

### 14.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz)     |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|---------------|--|---------|
| 5210                   | 99            |  | 0.82      | Peak     | 0           | 73.73356<br>1 |  | N/A     |



## 15. 802.11a\_20M\_U-NII-2A\_L

### 15.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5260                   | 99            |  | 0.2       | Peak     | 0           | 16.690856 |  | N/A     |



## 16. 802.11a\_20M\_U-NII-2A\_M

### 16.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5300                   | 99            |  | 0.2       | Peak     | 0           | 16.695006 |  | N/A     |



## 17. 802.11a\_20M\_U-NII-2A\_H

### 17.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5320                   | 99            |  | 0.2       | Peak     | 0           | 16.769833 |  | N/A     |



## 18. 802.11n\_20M\_U-NII-2A\_L

### 18.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5260                   | 99            |  | 0.2       | Peak     | 0           | 17.849342 |  | N/A     |



## 19. 802.11n\_20M\_U-NII-2A\_M

### 19.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5300                   | 99            |  | 0.2       | Peak     | 0           | 17.806907 |  | N/A     |



## 20. 802.11n\_20M\_U-NII-2A\_H

### 20.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5320                   | 99            |  | 0.2       | Peak     | 0           | 17.632324 |  | N/A     |



## 21. 802.11n\_40M\_U-NII-2A\_L

### 21.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5270                   | 99            |  | 0.39      | Peak     | 0           | 35.729725 |  | N/A     |



## 22. 802.11n\_40M\_U-NII-2A\_H

### 22.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5310                   | 99            |  | 0.39      | Peak     | 0           | 35.67657  |  | N/A     |



## 23. 802.11ac\_20M\_U-NII-2A\_L

### 23.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5260                   | 99            |  | 0.2       | Peak     | 0           | 17.787353 |  | N/A     |



## 24. 802.11ac\_20M\_U-NII-2A\_M

### 24.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5300                   | 99            |  | 0.2       | Peak     | 0           | 17.76326  |  | N/A     |



## 25. 802.11ac\_20M\_U-NII-2A\_H

### 25.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5320                   | 99            |  | 0.2       | Peak     | 0           | 17.605693 |  | N/A     |



## 26. 802.11ac\_40M\_U-NII-2A\_L

### 26.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5270                   | 99            |  | 0.39      | Peak     | 0           | 35.745114 |  | N/A     |



## 27. 802.11ac\_40M\_U-NII-2A\_H

### 27.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5310                   | 99            |  | 0.39      | Peak     | 0           | 35.891801 |  | N/A     |



## 28. 802.11ac\_80M\_U-NII-2A\_M

### 28.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5290                   | 99            |  | 0.82      | Peak     | 0           | 73.759446 |  | N/A     |



## 29. 802.11a\_20M\_U-NII-2C\_L

### 29.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5500                   | 99            |  | 0.2       | Peak     | 0           | 16.604537 |  | N/A     |



## 30. 802.11a\_20M\_U-NII-2C\_M

### 30.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5580                   | 99            |  | 0.2       | Peak     | 0           | 16.77873  |  | N/A     |



## 31. 802.11a\_20M\_U-NII-2C\_H

### 31.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5700                   | 99            |  | 0.2       | Peak     | 0           | 16.587359 |  | N/A     |



## 32. 802.11n\_20M\_U-NII-2C\_L

### 32.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5500                   | 99            |  | 0.2       | Peak     | 0           | 17.663805 |  | N/A     |



### 33. 802.11n\_20M\_U-NII-2C\_M

#### 33.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5580                   | 99            |  | 0.2       | Peak     | 0           | 17.651434 |  | N/A     |



## 34. 802.11n\_20M\_U-NII-2C\_H

### 34.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5700                   | 99            |  | 0.2       | Peak     | 0           | 17.644757 |  | N/A     |



### 35. 802.11n\_40M\_U-NII-2C\_L

#### 35.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5510                   | 99            |  | 0.39      | Peak     | 0           | 36.016708 |  | N/A     |



## 36. 802.11n\_40M\_U-NII-2C\_M

### 36.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5590                   | 99            |  | 0.39      | Peak     | 0           | 36.205239 |  | N/A     |





## 38. 802.11ac\_20M\_U-NII-2C\_L

### 38.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5500                   | 99            |  | 0.2       | Peak     | 0           | 17.755478 |  | N/A     |



## 39. 802.11ac\_20M\_U-NII-2C\_M

### 39.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5580                   | 99            |  | 0.2       | Peak     | 0           | 17.780104 |  | N/A     |



## 40. 802.11ac\_20M\_U-NII-2C\_H

### 40.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5700                   | 99            |  | 0.2       | Peak     | 0           | 17.587314 |  | N/A     |



## 41. 802.11ac\_40M\_U-NII-2C\_L

### 41.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5510                   | 99            |  | 0.39      | Peak     | 0           | 35.982064 |  | N/A     |



## 42. 802.11ac\_40M\_U-NII-2C\_M

### 42.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5590                   | 99            |  | 0.39      | Peak     | 0           | 35.983249 |  | N/A     |



### 43. 802.11ac\_40M\_U-NII-2C\_H

#### 43.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5670                   | 99            |  | 0.39      | Peak     | 0           | 35.968741 |  | N/A     |



## 44. 802.11ac\_80M\_U-NII-2C\_L

### 44.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5530                   | 99            |  | 0.82      | Peak     | 0           | 74.198627 |  | N/A     |



## 45. 802.11ac\_80M\_U-NII-2C\_M

### 45.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5610                   | 99            |  | 0.82      | Peak     | 0           | 73.641196 |  | N/A     |



## 1. 802.11a\_20M\_U-NII-3\_L

### 1.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) | Verdict |
|------------------------|---------------|-----------|----------|-------------|-----------|---------|
| 5745                   | 99            | 0.2       | Peak     | 0           | 16.787043 | N/A     |



## 2. 802.11a\_20M\_U-NII-3\_M

### 2.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5785                   | 99            |  | 0.2       | Peak     | 0           | 16.794635 |  | N/A     |



### 3. 802.11a\_20M\_U-NII-3\_H

#### 3.2. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5825                   | 99            |  | 0.2       | Peak     | 0           | 16.758727 |  | N/A     |



## 4. 802.11n\_20M\_U-NII-3\_L

### 4.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5745                   | 99            |  | 0.2       | Peak     | 0           | 17.89518  |  | N/A     |



## 5. 802.11n\_20M\_U-NII-3\_M

### 5.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5785                   | 99            |  | 0.2       | Peak     | 0           | 17.871578 |  | N/A     |



## 6. 802.11n\_20M\_U-NII-3\_H

### 6.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5825                   | 99            |  | 0.2       | Peak     | 0           | 17.910822 |  | N/A     |



## 7. 802.11n\_40M\_U-NII-3\_L

### 7.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5755                   | 99            |  | 0.39      | Peak     | 0           | 36.601172 |  | N/A     |



## 8. 802.11n\_40M\_U-NII-3\_H

### 8.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5795                   | 99            |  | 0.39      | Peak     | 0           | 36.6318   |  | N/A     |



## 9. 802.11ac\_20M\_U-NII-3\_L

### 9.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5745                   | 99            |  | 0.2       | Peak     | 0           | 17.812171 |  | N/A     |



## 10. 802.11ac\_20M\_U-NII-3\_M

### 10.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5785                   | 99            |  | 0.2       | Peak     | 0           | 17.814645 |  | N/A     |



## 11. 802.11ac\_20M\_U-NII-3\_H

### 11.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5825                   | 99            |  | 0.2       | Peak     | 0           | 17.813161 |  | N/A     |



## 12. 802.11ac\_40M\_U-NII-3\_L

### 12.1. A.2.2-99% Bandwidth(NTNV)


| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5755                   | 99            |  | 0.39      | Peak     | 0           | 36.571374 |  | N/A     |



### 13. 802.11ac\_40M\_U-NII-3\_H

#### 13.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5795                   | 99            |  | 0.39      | Peak     | 0           | 36.591492 |  | N/A     |



## 14. 802.11ac\_80M\_U-NII-3\_M

### 14.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5775                   | 99            |  | 0.82      | Peak     | 0           | 75.524471 |  | N/A     |



--BLANK BELOW--