Appendix B

RF Test Data for BT LE V5.0(DSS) (Conducted Measurement)

Product Name: Alarm clock

Trade Mark: TOSHIBA

Test Model: WS-QI639

Environmental Conditions

Temperature:	23.3 ° C
Relative Humidity:	54.2%
ATM Pressure:	100.0 kPa
Test Engineer:	Jay Li
Supervised by:	Li Huan

B.1 Duty Cycle

Test Mode	Test Channel	Ant	Duty Cycle[%]	Verdict
BT LE	2440	Ant1	100	PASS



B.2 Maximum Conducted Peak Output Power

Mode	Channel	Conduct Peak Power[dBm]	Limit [dBm]	Verdict
BT LE	LCH	-0.592	30	PASS
BT LE	MCH	-2.692	30	PASS
BT LE	HCH	-3.024	30	PASS

Test Graphs		
LCH		
MCH		

HCH		

Agilent Spectrum Analyzer - Swept SA
RL
RF
50 Ω AC
SENSE:INT
ALIGN AUTO
02:23:32 PM Jul 21, 2020
Center Freq 2.480000000 GHz
PNO: Fast
IFGain:Low
Trig: Free Run
#Atten: 30 dB
Avg Type: Log-Pwr
Avg|Hold: 10/10
TRACE 1 2 3 4 5 6
TYPE M WWWWW
DET P P P P P
Ref Offset 8.05 dB
10 dB/div
Log
Ref 20.00 dBm
Mkr1 2.479 753 750 GHz
-3.024 dBm
10.0
0.00
-10.0
-20.0
-30.0
-40.0
-50.0
-60.0
-70.0
Center 2.480000 GHz
#Res BW 1.0 MHz
#VBW 3.0 MHz
Span 5.000 MHz
Sweep 1.067 ms (8001 pts)
MSG
STATUS
Frequency
Auto Tune
Center Freq
2.480000000 GHz
Start Freq
2.477500000 GHz
Stop Freq
2.482500000 GHz
CF Step
500.000 kHz
Auto
Man
Freq Offset
0 Hz

B.3 Maximum Power Spectral Density

Mode	Channel	PSD [dBm/3KHz]	Limit [dBm/3KHz]	Verdict
BT LE	LCH	-17.810	8	PASS
BT LE	MCH	-20.102	8	PASS
BT LE	HCH	-20.250	8	PASS

Test Graphs		
LCH		
MCH		

HCH		

Agilent Spectrum Analyzer - Swept SA
RL
RF
50 Ω AC
SENSE:INT
ALIGN AUTO
02:23:45 PM Jul 21, 2020
Center Freq 2.480000000 GHz
PNO: Wide
IFGain:Low
Trig: Free Run
#Atten: 30 dB
Avg Type: Log-Pwr
Avg|Hold: 10/10
TRACE 1 2 3 4 5 6
TYPE M WWWWW
DET P P P P P
Ref Offset 8.05 dB
10 dB/div
Log
Ref 20.00 dBm
Mkr1 2.479 844 0 GHz
-20.250 dBm
10.0
0.00
-10.0
-20.0
-30.0
-40.0
-50.0
-60.0
-70.0
1
Center 2.4800000 GHz
#Res BW 3.0 kHz
#VBW 10 kHz
Span 1.500 MHz
Sweep 158.2 ms (1001 pts)
MSG
STATUS
Frequency
Auto Tune
Center Freq
2.480000000 GHz
Start Freq
2.479250000 GHz
Stop Freq
2.480750000 GHz
CF Step
150.000 kHz
Auto
Man
Freq Offset
0 Hz

B.4 6dB Bandwidth

Mode	Channel	6dB Bandwidth [MHz]	Limit [MHz]	Verdict
BT LE	LCH	0.6469	⩾0.5	PASS
BT LE	MCH	0.6688	⩾0.5	PASS
BT LE	HCH	0.6608	⩾0.5	PASS

Test Graphs

LCH



MCH



HCH		

Agilent Spectrum Analyzer - Occupied BW
RL
RF
50 Ω AC
SENSE:INT
ALIGN AUTO
02:23:21 PM Jul 21, 2020
Center Freq 2.480000000 GHz
Center Freq: 2.480000000 GHz
Trig: Free Run
Avg|Hold: 1/1
#IFGain:Low
#Atten: 30 dB
Radio Std: None
Radio Device: BTS
Frequency
Ref Offset 8.05 dB
10 dB/div
Ref 20.00 dBm
Log
Mkr1 2.4800345 GHz
-3.5916 dBm
10.0
0.00
-10.0
-20.0
-30.0
-40.0
-50.0
-60.0
-70.0
1
Center Freq
2.480000000 GHz
Center 2.48 GHz
#Res BW 100 kHz
#VBW 300 kHz
Span 3 MHz
Sweep 1.067 ms
CF Step
300.000 kHz
Auto
Man
Occupied Bandwidth
1.0403 MHz
Total Power
3.12 dBm
Transmit Freq Error
13.860 kHz
OBW Power
99.00 %
x dB Bandwidth
660.8 kHz
x dB
-6.00 dB
Freq Offset
0 Hz
MSG
STATUS

A.5 Occupied Bandwidth

Mode	Channel	Occupied Bandwidth [MHz]	Limit [MHz]	Verdict
BT LE	LCH	1.0272	⩾0.5	PASS
BT LE	MCH	1.0412	⩾0.5	PASS
BT LE	HCH	1.0527	⩾0.5	PASS

Test Graphs

LCH



MCH



HCH		

Agilent Spectrum Analyzer - Occupied BW
RL
RF
50 Ω AC
SENSE:INT
ALIGN AUTO
05:00:41 PM Jul 21, 2020
Center Freq 2.480000000 GHz
Center Freq: 2.480000000 GHz
Trig: Free Run
Avg|Hold:>10/10
#IFGain:Low
#Atten: 30 dB
Radio Std: None
Radio Device: BTS
Ref Offset 8.05 dB
10 dB/div
Ref 20.00 dBm
Log
10.0
0.00
-10.0
-20.0
-30.0
-40.0
-50.0
-60.0
-70.0
Center 2.48 GHz
#Res BW 30 kHz
#VBW 100 kHz
Span 4 MHz
Sweep 4.267 ms
Occupied Bandwidth
1.0527 MHz
Total Power 15.2 dBm
Transmit Freq Error -113.85 kHz
OBW Power 99.00 %
x dB Bandwidth 643.8 kHz
x dB -6.00 dB
MSG
STATUS
Frequency
Center Freq
2.480000000 GHz
CF Step
400.000 kHz
Auto
Man
Freq Offset
0 Hz

B.6 RF Conducted Spurious Emissions

Mode	Channel	Pref [dBm]	Max. Level [dBm]	Limit [dBm]	Verdict
BT LE	LCH	-1.002	-35.835	-21.002	PASS
BT LE	MCH	-3.133	-37.467	-23.133	PASS
BT LE	HCH	-3.39	-37.723	-23.390	PASS

BT LE_LCH_Graphs	
Pref/BT LE/LCH	
Puw/BT LE/LCH	

BT LE_MCH_Graphs	
Pref/BT LE/MCH	
Puw/BT LE/MCH	

BT LE_HCH_Graphs	
Pref/BT LE/HCH	
Puw/BT LE/HCH	

B.7 Band-edge for RF Conducted Emissions

Mode	Channel	Carrier Power[dBm]	Max.Spurious Level [dBm]	Limit [dBm]	Verdict
BT LE	LCH	-0.824	-49.436	-20.82	PASS
BT LE	HCH	-3.181	-45.698	-23.18	PASS

Test Graphs

LCH



HCH



B.8 Restrict-band band-edge measurements

Test Mode	Test Channel	Ant	Freq.	Power [dBm]	Gain	Ground Factor	E [dBuV/m]	Detector	Limit [dBuV/m]	Verdi
BT LE	2402	Ant1	2310.0	-42.27	2.0	0	52.99	PEAK	74	PASS
		Ant1	2310.0	-53.18	2.0	0	42.08	AV	54	PASS
		Ant1	2390.0	-42.51	2.0	0	52.75	PEAK	74	PASS
		Ant1	2390.0	-52.85	2.0	0	42.41	AV	54	PASS
	2480	Ant1	2483.5	-39.55	2.0	0	55.71	PEAK	74	PASS
		Ant1	2483.5	-50.81	2.0	0	44.45	AV	54	PASS
		Ant1	2500.0	-42.91	2.0	0	52.35	PEAK	74	PASS
		Ant1	2500.0	-52.21	2.0	0	43.05	AV	54	PASS

Restrict-band band-edge measurements_BT LE_2402_Ant1_PEAK



Restrict-band band-edge measurements_BT LE_2402_Ant1_AV



Restrict-band band-edge measurements_BT LE_2480_Ant1_PEAK



Restrict-band band-edge measurements_BT LE_2480_Ant1_AV