



ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT

INTENTIONAL RADIATOR CERTIFICATION TO FCC PART 15 SUBPART C REQUIREMENT

Applicant: Air Mentor Intelligence Corp.

24F-5, No.99, Sec. 1, Sintai 5th Rd., Sijhih Dist., New Taipei City 22175,

Taiwan(R.O.C.)

Product Name: AIR MENTOR **Brand Name:** AIR MENTOR

Model No.: 8099-AF, 8099-AP, 8099-BP **Model Difference:** 8099-AP w/o formaldehyde

8099-BP w/o formaldehyde \ Wi-Fi function

FCC ID: 2ANUD-8099-AP **Report Number:** E2/2017/90044

FCC Rule Part: §15.247, Cat: DTS

Issue Date: Nov. 01, 2017

Date of Test: Sep. 04, 2017~ Oct. 24, 2017

Date of EUT Received: Sep. 04, 2017

We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. Electronics & Communication Laboratory The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.10:2013 and the energy emitted by the sample EUT tested as described in this report is in compliance with conducted and radiated emission limits.

The test results of this report relate only to the tested sample identified in this report.

Prepared By:

Stefanie Yu / Clerk

Approved By:

Jim Chang / Asst. Manager





0513

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留⁹0天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-

tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, intention is drawn to the limitation of liability, intention is drawn to the limitation only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com



Revision History

Report Number	Revision	Description	Issue Date
E2/2017/90044	Rev.00	Initial creation of document	Nov. 01, 2017

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留⑪天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without price wither approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this decument is undertile and effective ment in the present of the industry of the content of the lower of the industry of the company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488



Table of Contents

1	GENERAL INFORMATION	4
2	SYSTEM TEST CONFIGURATION	6
3	SUMMARY OF TEST RESULTS	8
4	DESCRIPTION OF TEST MODES	9
5	MEASUREMENT UNCERTAINTY	11
6	CONDUCTED EMISSION TEST	.12
7	DUTY CYCLE OF TEST SIGNAL	.16
8	PEAK OUTPUT POWER MEASUREMENT	. 19
9	6dB & 99% BANDWIDTH MEASUREMENT	. 23
10	CONDUCTED BAND EDGES AND SPURIOUS EMISSION MEASUREMENT	. 28
11	RADIATED BANDEDGE AND SPURIOUS EMISSION MEASUREMENT	. 41
12	PEAK POWER SPECTRAL DENSITY	. 92
12	ANTENNA DECLUDEMENT	96

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate of this decument is undertically the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate of this decument. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



GENERAL INFORMATION

1.1 Product description

General:

Product Name:	AIR MENTOR	
Brand Name:	AIR MENTOR	
Model No.:	8099-AF, 8099-AP, 8099-BP	
Model Difference:	8099-AP w/o formaldehyde 8099-BP w/o formaldehyde \ Wi-Fi function	
Hardware Version:	PVT	
Software Version:	N/A	
Power Supply:	5Vdc from USB port	

WLAN 2.4GHz:

ILAN E.TONE.						
Wi-Fi 802.11	Frequency Range	Channels	Rated Power (dBm)	Modulation Technology		
b			17.31	DSSS,		
g	2412-2462	13	25.44			
n_HT20			25.99	OFDM		
n_HT40	2422-2452	10	26.07			
Antenna Designation:		PIFA Antenna, Gain:4.82dBi Supplier:LYNwave, Part No.: ALA140-051028-00				
Modulation type:		CCK, DQPSK, DBPSK for DSSS 64QAM, 16QAM, QPSK, BPSK for OFDM				
Transition Rate:		802.11 b: 1/2/5.5/11 Mbps 802.11 g: 6/9/12/18/24/36/48/54 Mbps 802.11 n_20MHz: 6.5 – 72.2Mbps 802.11 n_40MHz: 13.5 – 150.0Mbps				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate of this decument is undertically the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate of this decument. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



1.2 Test Methodology of Applied Standards

FCC Part 15, Subpart C §15.247

FCC KDB 558074 D01 DTS Meas, Guidance

ANSI C63.10:2013

Note:

1. All test items have been performed and record as per the above standards.

1.3 Test Facility

SGS Taiwan Ltd. Electronics & Communication Laboratory No.2, Keji 1st Rd., Guishan District, Taoyuan City, Taiwan 333

(TAF code 0513)

FCC Registration Number and Designation numer are: 735305 / TW 0002

1.4 Special Accessories

There are no special accessories used while test was conducted.


1.5 Equipment Modifications

There was no modification incorporated into the EUT.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.





SYSTEM TEST CONFIGURATION

2.1 EUT Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

2.2 EUT Exercise

An engineering test mode (software/firmware) that applicant provided was utilized to manipulate the EUT into transmit, selection of the test channel, and modulation scheme.

2.3 Test Procedure

2.3.1 Conducted Emissions

The EUT is a placed on as turn table which is 0.8 m above ground plane. Conducted emissions from the EUT measured in the frequency range between 0.15 MHz and 30MHz,. The CISPR Quasi-Peak and Average detector mode is employed according to §15.207. The two LISNs provide 50 ohm/ 50uH of coupling impedance for the measuring instrument. Both lines of the power mains connected to the EUT were checked for maximum conducted interference.

2.3.2 Radiated Emissions

The EUT is a placed on as turn table. For emissions testing at or below 1 GHz, the table height shall be 0.8 m above the reference ground plane. For emission measurements above 1 GHz, the table height shall be 1.5 m. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical. In order to find out the max. emission, the relative positions of this transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.

2.4 Measurement Results Explanation Example

For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuation factor between EUT conducted port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly EUT RF output level. Note:

The spectrum analyzer offset is derived from RF cable loss and attenuator factor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



2.5 Configuration of Tested System

Fig. 2-1 Conducted (Antenna Port)



Fig. 2-2 Radiated Emission & Conduction




Table 2-1 Equipment Used in Tested System

lt	em	Equipment	Mfr/Brand	Model/Type No.	Series No.	Data Cable	Power Cord
	1.	WLAN Test Software	N/A	N/A	N/A	N/A	N/A
	2.	Notebook	Lenovo	L420	LR-6MEX0	Shielded	Un-shielded

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sqs.com



SUMMARY OF TEST RESULTS

FCC Rules / IC Rules	Description Of Test	Result
§15.207(a)	AC Power Line Conducted Emission	Compliant
§15.247(b) (3)	Peak Output Power	Compliant
§15.247(a)(2)	6dB & 99% Emission Bandwidth	Compliant
§15.247(d)	Conducted Band Edge and Spurious Emission	Compliant
§15.247(d)	Radiated Band Edge and Spurious Emission	Compliant
§15.247(e)	Power Spectral Density	Compliant
§15.203 §15.247(b)	Antenna Requirement	Compliant

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate of this decument is undertically the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate of this decument. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



DESCRIPTION OF TEST MODES

4.1 Operated in 2400 ~ 2483.5MHz Band

11 channels are provided for 802.11b, 802.11g and 802.11n HT20

<u> </u>							
CHANNEL	FREQUENCY	CHANNEL	FREQUENCY				
1	2412 MHz	7	2442 MHz				
2	2417 MHz	8	2447 MHz				
3	2422 MHz	9	2452 MHz				
4	2427 MHz	10	2457 MHz				
5	2432 MHz	11	2462 MHz				
6	2437 MHz						

7 channels are provided for 802.11n HT40

CHANNEL	FREQUENCY	CHANNEL	FREQUENCY
3	2422 MHz	7	2442 MHz
4	2427 MHz	8	2447 MHz
5	2432 MHz	9	2452 MHz
6	2437 MHz		

4.2 The Worst Test Modes and Channel Details

- 1. The EUT has been tested under operating condition.
- 2. Test program used to control the EUT for staying in continuous transmitting and receiving mode is programmed.
- 3. Investigation has been done on all the possible configurations for searching the worst case.

RADIATED EMISSION TEST:

MODE	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	DATA RATE (Mbps)	ANTENNA PORT	
RADIATED EMISSION TEST (BELOW 1 GHz)						
802.11g	1 to 11	1,6,11	OFDM	6	Main	
	RADIA	TED EMISS	ION TEST (ABO	VE 1 GHz)		
802.11b	1 to 11	1, 6, 11	DSSS	1	Main	
802.11g	1 to 11	1, 6, 11	OFDM	6	Main	
802.11n (HT20)	1 to 11	1, 6, 11	OFDM	MCS 0	SISO	
802.11n (HT40)	3 to 9	3, 6, 9	OFDM	MCS 0	SISO	
Note:						

The field strength of radiation emission was measured as EUT stand-up position (H mode) and lie down position (E1, E2 mode) for 802.11b/g/n WLAN Transmitter for channel Low, Mid and High, the worst case E2 position was reported.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留⁹0天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, international jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



ANTENNA PORT CONDUCTED MEASUREMENT:

	CONDUCTED TEST					
MODE	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	DATA RATE (Mbps)	ANTENNA PORT	
802.11b	1 to 11	1, 6, 11	DSSS	1	Main	
802.11g	1 to 11	1, 6, 11	OFDM	6	Main	
802.11n (HT20)	1 to 11	1, 6, 11	OFDM	MCS 0	SISO	
802.11n (HT40)	3 to 9	3, 6, 9	OFDM	MCS 0	SISO	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留⑪天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without price wither approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this decument is undertile and effective ment in the present of the industry of the content of the lower of the industry of the company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



MEASUREMENT UNCERTAINTY

Test Items	Uncertainty
AC Power Line Conducted Emission	+/- 2.586 dB
Peak Output Power	+/- 0.84 dB
6dB Bandwidth	+/- 51.33 Hz
100 KHz Bandwidth Of Frequency Band Edges	+/- 0.84 dB
Peak Power Density	+/- 1.3 dB
Temperature	+/- 0.65 °C
Humidity	+/- 4.6 %
DC / AC Power Source	DC= +/- 0.13%, AC= +/- 0.2%

Radiated Spurious Emission:

	9kHz-30MHz: +/-2.87dB	
	30MHz - 180MHz: +/- 3.37dB	
Measurement uncertainty	180MHz -417MHz: +/- 3.19dB	
(Polarization : Vertical)	0.417GHz-1GHz: +/- 3.19dB	
	1GHz - 18GHz: +/- 4.04dB	
	18GHz - 40GHz: +/- 4.04dB	

	9kHz-30MHz: +/-2.87dB
	30MHz - 167MHz: +/- 4.22dB
Measurement uncertainty	167MHz -500MHz: +/- 3.44dB
(Polarization : Horizontal)	0.5GHz-1GHz: +/- 3.39dB
	1GHz - 18GHz: +/- 4.08dB
	18GHz - 40GHz: +/- 4.08dB

This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



CONDUCTED EMISSION TEST

6.1 Standard Applicable

Frequency range within 150kHz to 30MHz shall not exceed the Limit table as below.

Frequency range	Limits dB(uV)						
MHz	Quasi-peak	Average					
0.15 to 0.50	66 to 56	56 to 46					
0.50 to 5	56	46					
5 to 30	60	50					

Note

6.2 Measurement Equipment Used

Conducted Emission Test Site										
EQUIPMENT MFR TYPE		MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.					
EMI Test Receiver	R&S	ESCI 7	100950	12/12/2016	12/11/2017					
Coaxial Cables	N/A	N30N30-1042-150cm	N/A	08/30/2017	08/29/2018					
LISN	Schwarzbeck	NSLK 8127	8127-648	06/18/2017	06/17/2018					
Test Software	Farad	EZ-EMC	Ver. SGS-03A2	N.C.R.	N.C.R.					

6.3 EUT Setup

- 1. The conducted emission tests were performed in the test site, using the setup in accordance with the ANSI 63.10:2013.
- 2. The AC/DC Power adaptor of EUT was plug-in LISN. The EUT was placed flushed with the rear of the table.
- 3. The LISN was connected with 120Vac/60Hz power source.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.

^{1.} The lower limit shall apply at the transition frequencies

^{2.} The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.50 MHz.



6.4 Test SET-UP (Block Diagram of Configuration)



6.5 Measurement Procedure

- 1. The EUT was placed on a table which is 0.8m above ground plane.
- 2. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 3. Repeat above procedures until all phases of power being supplied by given UE are completed


6.6 Measurement Result

Note: Refer to next page for measurement data and plots.

Note2: The * reveals the worst-case results that closet to the limit

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.






AC POWER LINE CONDUCTED EMISSION TEST DATA

Site: Conduction Room Phase: L1 Temperature: 23 °C AC 120V/60Hz Limit: FCC Class B Conduction(QP) Power: Humidity: 75 %

Mode: Note:

Conducted Emission



No. Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
	MHz	dBuV	dB	dBuV	dBuV	dB	Detector	Comment
1	0.7300	18.69	20.00	38.69	56.00	-17.31	peak	
2	1.1220	23.04	19.94	42.98	56.00	-13.02	peak	
3	1.4140	22.70	20.14	42.84	56.00	-13.16	peak	
4	1.5700	22.36	20.26	42.62	56.00	-13.38	peak	
5 *	2.5820	24.96	20.47	45.43	56.00	-10.57	peak	
6	5.4100	20.30	20.09	40.39	60.00	-19.61	peak	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488

23 °C

Temperature:




Conduction Room Phase: Site: N

AC 120V/60Hz Humidity: Limit: FCC Class B Conduction(QP) Power:

Mode: Note:

Conducted Emission



	Level	Factor	ment	Limit	Over		
MHz	dBuV	dB	dBuV	dBuV	dB	Detector	Comment
1.9620	24.89	20.39	45.28	56.00	-10.72	peak	
2.1300	24.92	20.39	45.31	56.00	-10.69	peak	
2.3540	24.17	20.36	44.53	56.00	-11.47	peak	
2.8100	15.21	20.30	35.51	56.00	-20.49	QP	
2.8100	4.20	20.30	24.50	46.00	-21.50	AVG	
3.2940	23.38	20.21	43.59	56.00	-12.41	peak	
4.9540	24.10	19.97	44.07	56.00	-11.93	peak	
	1.9620 2.1300 2.3540 2.8100 2.8100 3.2940	1.9620 24.89 2.1300 24.92 2.3540 24.17 2.8100 15.21 2.8100 4.20 3.2940 23.38	1.9620 24.89 20.39 2.1300 24.92 20.39 2.3540 24.17 20.36 2.8100 15.21 20.30 2.8100 4.20 20.30 3.2940 23.38 20.21	1.9620 24.89 20.39 45.28 2.1300 24.92 20.39 45.31 2.3540 24.17 20.36 44.53 2.8100 15.21 20.30 35.51 2.8100 4.20 20.30 24.50 3.2940 23.38 20.21 43.59	1.9620 24.89 20.39 45.28 56.00 2.1300 24.92 20.39 45.31 56.00 2.3540 24.17 20.36 44.53 56.00 2.8100 15.21 20.30 35.51 56.00 2.8100 4.20 20.30 24.50 46.00 3.2940 23.38 20.21 43.59 56.00	1.9620 24.89 20.39 45.28 56.00 -10.72 2.1300 24.92 20.39 45.31 56.00 -10.69 2.3540 24.17 20.36 44.53 56.00 -11.47 2.8100 15.21 20.30 35.51 56.00 -20.49 2.8100 4.20 20.30 24.50 46.00 -21.50 3.2940 23.38 20.21 43.59 56.00 -12.41	1.9620 24.89 20.39 45.28 56.00 -10.72 peak 2.1300 24.92 20.39 45.31 56.00 -10.69 peak 2.3540 24.17 20.36 44.53 56.00 -11.47 peak 2.8100 15.21 20.30 35.51 56.00 -20.49 QP 2.8100 4.20 20.30 24.50 46.00 -21.50 AVG 3.2940 23.38 20.21 43.59 56.00 -12.41 peak

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com



DUTY CYCLE OF TEST SIGNAL

Pre-analysis Check: While conducting average power measurement, duty cycle of each mode shall be checked to ensure its duty cycle in order to compensate for the loss due to insufficient ratio of duty cycle.

All duty cycle is pre-scanned, and result as obtained below shows only the most representative ones where duty cycle is conducted as the given transmission with given virtual operation that expresses the percentage.

Formula:

Duty Cycle = Ton / (Ton+Toff)

Measurement Procedure:

- 1. Set span = Zero
- 2. RBW = 8MHz
- 3. VBW = 8MHz,
- 4. Detector = Peak

Duty Cycle:

	Duty Cycle (%)	Duty Factor (dB)
802.11b	99.03	0.04
802.11g	94.19	0.26
802.11n_20	93.73	0.28
802.11n_40	88.04	0.55

b = 99.03%, q = 94.19%, n ht 20 = 93.73%Duty Cycle Factor: $10 * \log(1/0.9903) = 0.04$ Duty Cycle Factor: $10 * \log(1/0.9419) = 0.26$ Duty Cycle Factor: $10 * \log(1/0.9373) = 0.28$ Duty Cycle Factor: $10 * \log(1/0.8804) = 0.55$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

f (886-2) 2298-0488



7.1 DUTY CYCLE TEST SIGNAL Measurement Result 802.11 b



802.11 g



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


f (886-2) 2298-0488

t (886-2) 2299-3279

www.tw.sgs.com



802.11 n 20 MHz



802.11 n 40 MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488

t (886-2) 2299-3279

www.tw.sgs.com



PEAK OUTPUT POWER MEASUREMENT

8.1 Standard Applicable

For systems using digital modulation in the 2400-2483.5 MHz bands, the limit for peak output power is 1Watt.

If the transmitting antenna of directional gain greater than 6dBi are used the peak output power form the intentional radiator shall be reduced below the above stated value by the amount in dB that the directional gain of the Antenna exceeds 6dBi.

In case of point-to-point operation, the limit has to be reduced by 1dB for every 3dB that the directional gain of Antenna exceeds 6dBi.

Note:

Main Antenna Gain:	4.82	dBi
Aux1 Antenna Gain:	0.00	dBi
Aux2 Antenna Gain:	0.00	dBi
Aux3 Antenna Gain:	0.00	dBi
Number Antenna:	1	pcs
Limit:	30	dBm

The antenna gain is grater than 6dBi in MIMO mode the limit reduce as below:

Directional gain = gain of antenna element + 10 log (# of TX antenna elements)

Effective Legacy Gain (dBi) = 4.82+0=4.82dBi

Limit: 30dBm - (4.82- 6dBi)=30

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. www.tw.sqs.com




8.2 Measurement Equipment Used

	Conducted Emission Test Site										
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.						
TYPE		NUMBER	NUMBER	CAL.							
Power Meter	Anritsu	ML2496A	1326001	06/23/2017	06/22/2018						
Power Sensor	Anritsu	MA2411B	1315048	06/23/2017	06/22/2018						
Power Sensor	Anritsu	MA2411B	1315049	06/23/2017	06/22/2018						
Coaxial Cable 30cm	WOKEN	00100A1F1A 195C	RF01	12/12/2016	12/11/2017						
DC Block	PASTERNACK	PE8210	RF29	12/12/2016	12/11/2017						
Splitter	RF-LAMBAD	RFLT2W1G1 8G	RF35	12/12/2016	12/11/2017						
Attenuator	WOKEN	218FS-10	RF23	12/12/2016	12/11/2017						
DC Power Supply	Agilent	E3640A	MY53140006	05/02/2017	05/01/2018						

8.3 Test Set-up

Power Meter:



8.4 Measurement Procedure

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guid-
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the power meter.

Power Meter:

It is used as the auxiliary test equipment to conduct the output power measurement.

4. Record the max. Reading as observed from Spectrum or Power Meter.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



8.5 Measurement Result

	1b Main						
СН	Freq. (MHz)	Data Rate	Peak Output Power (dBm)	Limit			RESULT
1	2412	1	16.85	1 Watt =	30.00	dBm	PASS
6	2437	1	17.31	1 Watt =	30.00	dBm	PASS
11	2462	1	17.30	1 Watt =	30.00	dBm	PASS
802.1	1b Main						
СН	Freq. (MHz)	Data Rate	Max. Avg. Output include tune up tolerance Power (dBm)		Limit		RESULT
1	2412	1	14.50	1 Watt =	30.00	dBm	PASS
6	2437	1	14.62	1 Watt =	30.00	dBm	PASS
11	2462	1	14.65	1 Watt = 30.00 dBm		PASS	
802.1	1g Main						
СН	Freq. (MHz)	Data Rate	Peak Output Power (dBm)		Limit		RESULT
1	2412	6	24.88	1 Watt =	30.00	dBm	PASS
6	2437	6	24.79	1 Watt =	30.00	dBm	PASS
11	2462	6	25.44	1 Watt =	30.00	dBm	PASS
802.1	1g Main						
СН	Freq. (MHz)	Data Rate	Max. Avg. Output include tune up tolerance Power (dBm)	Limit		RESULT	
1	2412	6	16.44	1 Watt =	30.00	dBm	PASS
6	2437	6	16.21	1 Watt =	30.00	dBm	PASS
11	2462	6	16.59	1 Watt =	30.00	dBm	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate of this decument is undertically the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate of this decument. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



802.1	802.11n_HT20M Main								
СН	Freq. (MHz)	Data Rate	Peak Output Power (dBm)	Limit RESUL			RESULT		
1	2412	MCS0	25.48	1 Watt =	30.00	dBm	PASS		
6	2437	MCS0	25.56	1 Watt =	30.00	dBm	PASS		
11	2462	MCS0	25.99	1 Watt =	30.00	dBm	PASS		
802.1	1n_HT20	M Main							
СН	Freq. (MHz)	Data Rate	Max. Avg. Output include tune up tolerance Power (dBm)	Limit			RESULT		
1	2412	MCS0	16.40	1 Watt =	30.00	dBm	PASS		
6	2437	MCS0	16.57	1 Watt =	30.00	dBm	PASS		
11	2462	MCS0	16.48	1 Watt =	30.00	dBm	PASS		

802.1	302.11n_HT40M Main									
СН	Freq. (MHz)	Data Rate	Peak Output Power (dBm)	Limit R			RESULT			
3	2422	MCS0	25.24	1 Watt =	30.00	dBm	PASS			
6	2437	MCS0	25.59	1 Watt =	30.00	dBm	PASS			
9	2452	MCS0	26.07	1 Watt =	30.00	dBm	PASS			
802.1	1n_HT40	M Main				*				
СН	Freq. (MHz)	Data Rate	Max. Avg. Output include tune up tolerance Power (dBm)	Limit			RESULT			
3	2422	MCS0	16.44	1 Watt =	30.00	dBm	PASS			
6	2437	MCS0	16.61	1 Watt =	30.00	dBm	PASS			
9	2452	MCS0	16.76	1 Watt =	30.00	dBm	PASS			

Note:

offset 10.50 dB for SISO mode

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sqs.com

^{*} Note: The duty cycle factor is compensated to obtain the maximum value of measurement in average.



6DB & 99% BANDWIDTH MEASUREMENT


9.1 Standard Applicable

The minimum 6 dB bandwidth shall be at least 500 kHz.

9.2 Measurement Equipment Used

Conducted Emission Test Site										
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.					
Spectrum Analyzer	KEYSIGHT	N9010A	MY51440113	06/20/2017	06/19/2018					
Coaxial Cable 30cm	WOKEN	00100A1F1A 195C	RF01	12/12/2016	12/11/2017					
DC Block	PASTERNACK	PE8210	RF29	12/12/2016	12/11/2017					
Attenuator	WOKEN	218FS-10	RF23	12/12/2016	12/11/2017					
DC Power Supply	Agilent	E3640A	MY53140006	05/02/2017	05/01/2018					

9.3 Test Set-up



9.4 Measurement Procedure

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance.
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the spectrum analyzer.
- For 6dB Bandwidth:
 - Set the spectrum analyzer as RBW = 100 kHz, VBW = 3*RBW, Span = 30M/50MHz, Detector=peak, Sweep=auto.
- 5. Mark the peak frequency and –6dB (upper and lower) frequency.
- 6. For 99% Bandwidth:
 - Set the spectrum analyzer as RBW=1%, VBW = 3*RBW, Span = 30M/50MHz, Detector=Sample, Sweep=auto.
- 7. Turn on the 99% bandwidth function, max reading.
- 8. Repeat above procedures until all frequency of interest measured was complete.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



9.5 Measurement Result

802.11b Main

Freg.	6dB BW	Limit	
(MHz)	(kHz)	(kHz)	Result
2412	9077	> 500	PASS
2437	9075	> 500	PASS
2462	9078	> 500	PASS

802.11g Main

Freq.	6dB BW	Limit	Result
(MHz)	(kHz)	(kHz)	Resuit
2412	16360	> 500	PASS
2437	16360	> 500	PASS
2462	16360	> 500	PASS

802.11 n HT20 Main

Freq.	6dB BW	Limit	Result
(MHz)	(kHz)	(kHz)	Kesuit
2412	17560	> 500	PASS
2437	17530	> 500	PASS
2462	17360	> 500	PASS

802.11 n HT40 Main

Freq. (MHz)	6dB BW (kHz)	Limit (kHz)	Result
2422	36040	> 500	PASS
2437	36080	> 500	PASS
2452	35980	> 500	PASS

*Refer to next page for plots

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate of this decument is undertically the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate of this decument. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


f (886-2) 2298-0488



802.11b (Main) CH-Low




802.11g (Main) CH-Low



802.11b (Main) CH-Mid




802.11g (Main) CH-Mid



802.11b (Main) CH-High



802.11g (Main) CH-High




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488



802.11n_20M (Main) CH-Low




802.11n_40M (Main) CH-Low




802.11n_20M (Main) CH-Mid




802.11n_40M (Main) CH-Mid



802.11n_20M (Main) CH-High



802.11n_40M (Main) CH-High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



10 CONDUCTED BAND EDGES AND SPURIOUS EMISSION MEASUREMENT

10.1 Standard Applicable


In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits.

In addition, radiated emissions which fall in the restricted bands, as defined in §15.205(a), must also comply with the radiated emission limits specified in §15.209(a).

10.2 Measurement Equipment Used


Conducted Emission Test Site					
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.
Spectrum Analyzer	KEYSIGHT	N9010A	MY51440113	06/20/2017	06/19/2018
Coaxial Cable 30cm	WOKEN	00100A1F1A 195C	RF01	12/12/2016	12/11/2017
DC Block	PASTERNACK	PE8210	RF29	12/12/2016	12/11/2017
Attenuator	WOKEN	218FS-10	RF23	12/12/2016	12/11/2017
DC Power Supply	Agilent	E3640A	MY53140006	05/02/2017	05/01/2018

10.3 Test SET-UP



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留⁹0天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.





10.4 Measurement Procedure **Conducted Band Edge:**

- To connect Antenna Port of EUT to Spectrum.
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance.
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the spectrum analyzer.
- 4. Set start to edge frequency, and stop frequency of spectrum analyzer so as to encompass the spectrum to be examined.
- 5. Set the spectrum analyzer as RBW=100 kHz, VBW=300 kHz, Detector = Peak, Sweep = auto
- 6. Mark the highest reading of the emission as the reference level measurement.
- 7. Set DL as the limit = reading on marker 1 20dBm
- 8. Marker on frequency, 2.3999GHz and 2.4836GHz, and examine shall 100 kHz immediately outside the authorized (2400~2483.5) be attenuated by 20dB at least relative to the maximum emission of power.
- 9. Repeat above procedures until all default test channel (low, middle, and high) was complete.

Conducted Spurious Emission:

- To connect Antenna Port of EUT to Spectrum
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance.
- 3. Set RBW = 100 kHz & VBW = 300 kHz, Detector = Peak, Sweep = Auto.
- Allow trace to fully stabilize.
- 5. Use the peak marker function to determine the maximum power level in any 100 kHz band segment within the fundamental EBW.
- Repeat above procedures until all default test channel measured were complete.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-

pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.



10.5 Measurement Result

Bandedge Limit 802.11b MODE		Bandedge Limit 802.11g MODE			
Freq.	PSD	Bandedge Limit	Freq.	PSD	Bandedge Limit
(MHz)	(dBm)	(dBm)	(MHz)	(dBm)	(dBm)
2412	8.25	-11.75	2412	4.14	-15.86
2462	5.23	-14.77	2462	4.19	-15.81
Bandedge Limit 802.11n20 MODE					
Banded	dge Lim	it 802.11n20 MODE	Band	edge Lin	nit 802.11n40 MODE
	dge Lim		Band Freq.	edge Lin PSD	nit 802.11n40 MODE Bandedge Limit
Banded Freq. (MHz)		it 802.11n20 MODE Bandedge Limit (dBm)			
Freq.	PSD	Bandedge Limit	Freq.	PSD	Bandedge Limit

Note:

10.50 dB for SISO mode offset

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate of this decument is undertically the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate of this decument. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



802.11b PSD for Band edge Limit (CH-Low)


802.11g PSD for Bandedge Limit(CH-Low)



802.11b PSD for Bandedge Limit(CH-High)




802.11g PSD for Bandedge Limit(CH-High)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for Electronic Document and Cond offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488






802.11n_HT20 PSD for Bandedge Limit(CH-Low)

Ref Offset 10.6 ets Ref 20.00 ethers


802.11n_HT40 PSD for Bandedge Limit(CH-Low)



802.11n_HT20 PSD for Bandedge Limit(CH-High)




802.11n_HT40 PSD for Bandedge Limit(CH-High)




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for Electronic Document and Cond offenders may be prosecuted to the fullest extent of the law.





802.11b: Band Edges Test Data CH-Low




802.11b: Band Edges Test Data CH-High



802.11g: Band Edges Test Data CH-Low


802.11g: Band Edges Test Data CH-High





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for Electronic Document and Cond offenders may be prosecuted to the fullest extent of the law.





802.11n_HT20: Band Edges Test Data CH-Low



802.11n_HT20: Band Edges Test Data CH-High



802.11n_HT40: Band Edges Test Data CH-Low




802.11n_HT40: Band Edges Test Data CH-High




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for Electronic Document and Cond offenders may be prosecuted to the fullest extent of the law.






802.11b: Spurious Emission Test Data CH-Low













Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for Electronic Document and Cond offenders may be prosecuted to the fullest extent of the law.








802.11b: Spurious Emission Test Data CH-High












Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for Electronic Document and Cond offenders may be prosecuted to the fullest extent of the law.








802.11g: Spurious Emission Test Data CH-Mid













Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for Electronic Document and Cond offenders may be prosecuted to the fullest extent of the law.








802.11n_HT20: Spurious Emission Test Data CH-Low



802.11n_HT20: Spurious Emission Test Data CH-Mid








Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for Electronic Document and Cond offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sqs.com








802.11n_HT20: Spurious Emission Test Data CH-High

Ref 20.00 dille

802.11n_HT40: Spurious Emission Test Data CH-Low








Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for Electronic Document and Cond offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號







802.11n_HT40: Spurious Emission Test Data CH-Mid



802.11n_HT40: Spurious Emission Test Data CH-High







Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for Electronic Document and Cond offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



11 RADIATED BANDEDGE AND SPURIOUS EMISSION MEASUREMENT

11.1 Standard Applicable

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. In addition, radiated emissions which fall in the restricted bands must also comply with the §15.209 limit as below.

And according to §15.33(a) (1), for an intentional radiator operates below 10GHz, the frequency range of measurements: to the tenth harmonic of the highest fundamental frequency or to 40GHz, whichever is lower.

Frequency (MHz)	Field strength (microvolts/meter)	Distance (meters)		
0.009-0.490	2400/F(kHz)	300		
0.490-1.705	24000/F(kHz)	30		
1.705-30	30	30		
30-88	100	3		
88-216	150	3		
216-960	200	3		
Above 960	500	3		

Note:

- 1. The lower limit shall apply at the transition frequencies.
- 2. Emission level $(dB\mu V/m) = 20 \log Emission level (dB\mu V/m)$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留⁹0天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, intention is drawn to the limitation of liability, intention is drawn to the limitation only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 www.tw.sgs.com



11.2 Measurement Equipment Used:

1.2 Wieasurement L	966 Chamber									
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.					
TYPE		NUMBER	NUMBER	CAL.						
EMI Test Receiver	R&S	ESU 40	100363	04/18/2017	04/17/2018					
Loop Antenna	ETS-Lindgren	6502	00143303	12/23/2016	12/22/2017					
Broadband Antenna	TESEQ	CBL 6112D	35240	11/03/2016	11/02/2017					
Horn Antenna	ETS-Lindgren	3117	00143272	12/15/2016	12/16/2017					
Horn Antenna	Schwarzbeck	BBHA9170	185	08/01/2017	07/31/2018					
Pre Amplifier	EMC Instruments	EMC330	980096	12/12/2016	12/11/2017					
Pre Amplifier	EMC Instruments	EMC0011830	980199	12/12/2016	12/11/2017					
Pre Amplifier	R&S	SCU-18	10204	12/12/2016	12/11/2017					
Pre Amplifier	R&S	SCU-26	100780	12/12/2016	12/11/2017					
Coaxial Cable	Huber+Suhner	RG 214/U	966Rx 9K-30M	12/12/2016	12/11/2017					
Coaxial Cable	Huber+Suhner	RG 214/U SUCOFLEX 104	966Rx 30M-3G	12/12/2016	12/11/2017					
Coaxial Cable	Huber+Suhner	SUCOFLEX 104	966Rx 1G-18G	12/12/2016	12/11/2017					
Coaxial Cable	Huber+Suhner	mini 141-12 SUCOFLEX 104	966Rx 18G-40G	12/12/2016	12/11/2017					
Coaxial Cable	Huber+Suhner	SUCOFLEX 104	966Tx 30M-18G	12/12/2016	12/11/2017					
Coaxial Cable	Huber+Suhner	SUCOFLEX 102	966Tx 18G-40G	12/12/2016	12/11/2017					
Attenuator	WOKEN	218FS-10	RF27	12/12/2016	12/11/2017					
Site NSA	SGS	966 Chamber C	SAC-C	03/02/2017	03/01/2018					
Site VSWR	SGS	966 Chamber C	SAC-C	03/02/2017	03/01/2018					
DC Power Supply	HOLA	DP-3003	D7070035	05/04/2017	05/03/2018					
Controller	MF	MF-7802	N/A	N.C.R.	N.C.R.					
Antenna Master	MF	N/A	N/A	N.C.R.	N.C.R.					
Turn Table	MF	N/A	N/A	N.C.R.	N.C.R.					
Test Software	World-Pallas	Dr. E	V 3.0 Lite	N.C.R.	N.C.R.					

NOTE: N.C.R refers to Not Calibrated Required.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate of this decument is undertically the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate of this decument. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




11.3 Test SET-UP


(A) Radiated Emission Test Set-UP Frequency Below 30MHz.



(B) Radiated Emission Test Set-Up, Frequency form 30MHz to 1000MHz



(C) Radiated Emission Test Set-UP Frequency Over 1 GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electrinis documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



11.4 Measurement Procedure

- 1. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guid-
- 2. The EUT was placed on a turn table with 0.8m for frequency< 1GHz and 1.5m for frequency> 1GHz above ground plane.
- 3. The turn table shall rotate 360 degrees to determine the position of maximum emission level.
- 4. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emissions.
- 5. When measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.
- 6. Set the spectrum analyzer as RBW=120 kHz and VBW=300 kHz for Peak Detector (PK) and Quasi-peak (QP) at frequency below 1 GHz.
- 7. Set the spectrum analyzer as RBW=1 MHz, VBW=3 MHz for Peak Detector at frequency above 1 GHz.
- 8. Set the spectrum analyzer as RBW=1 MHz, VBW=10 Hz (Duty cycle > 98%) or VBW ≥ 1/T (Duty cycle < 98%) for Average Detector at frequency above 1 GHz.

Band	Duty Cycle(%)	T(µs)	1/T(kHz)	VBW Setting
802.11g	93.19	2064	0.48	1kHz
802.11n_20	92.73	1920	0.52	1kHz

- 9. The test-receiver system was set to quasi-peak detect function and specified bandwidth with maximum hold mode when the test frequency is below 1 GHz.
- 10. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 11. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical. On spectrum, change spectrum mode in linear display mode, and reduce VBW = 10Hz if average reading is measured.
- 12. Repeat above procedures until all default test channel measured were complete.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electrinis documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-

pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



11.5 Field Strength Calculation

The field strength is calculated by adding the Antenna Factor and Cable Factor and subtracting the Amplifier Gain and Duty Cycle Correction Factor (if any) from the measured reading. The basic equation with a sample calculation is as follows:

FS = RA + AF + CL - AG

Where	FS = Field Strength	CL = Cable Attenuation Factor (Cable Loss)			
	RA = Reading Amplitude	AG = Amplifier Gain			
	AF = Antenna Factor				

Actual FS(dB μ V/m) = SPA. Reading level(dB μ V) + Factor(dB)

Factor(dB) = Antenna Factor(dBµV/m) + Cable Loss(dB) - Pre_Amplifier Gain(dB)

"F": denotes Fundamental Frequency.; "H": denotes Harmonic Frequency. "E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

11.6 Test Results of Radiated Spurious Emissions form 9 kHz to 30 MHz

The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit per 15.31(o) was not reported.


11.7 Measurement Result

Note: Refer to next page spectrum analyzer data chart and tabular data sheets.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electrinis documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號






Radiated Band Edge Measurement Result (802.11b)

Operation Mode: Test Date: 802.11b 2017/10/25


Fundamental Frequency: 2412 MHz Temp. / Humi. : 23.7deg_C/59RH

Operation Band: BE CH Low Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol. : Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
2387.16	S	Peak	48.34	0.88	49.23	74	-24.77
2387.16	S	Average	33.51	0.88	34.39	54	-19.61
2390.00	E	Peak	44.59	0.92	45.52	74	-28.48
2390.00	E	Average	33.24	0.92	34.16	54	-19.84

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






Test Date: Operation Mode: 802.11b 2017/10/25


Fundamental Frequency: 2412 MHz Temp. / Humi. : 23.7deg_C/59RH

Operation Band: BE CH Low Test Engineer: Ashton EUT Pol.: Measurement Antenna Pol. : Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
2387.16	S	Peak	47.64	0.88	48.52	74	-25.48
2387.16	S	Average	35.33	0.88	36.21	54	-17.79
2390.00	E	Peak	45.98	0.92	46.90	74	-27.10
2390.00	E	Average	34.67	0.92	35.59	54	-18.41


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






Fundamental Frequency: 23.7deg_C/59RH 2462 MHz Temp. / Humi.:

Operation Band: BE CH High Test Engineer: Ashton EUT Pol.: Measurement Antenna Pol. : Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
2483.50	E	Peak	44.85	1.16	46.01	74	-27.99
2483.50	E	Average	33.51	1.16	34.67	54	-19.33
2484.00	S	Peak	46.76	1.16	47.92	74	-26.08
2484.00	S	Average	33.43	1.16	34.59	54	-19.41


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






23.7deg_C/59RH Fundamental Frequency: 2462 MHz Temp. / Humi.:

Operation Band: BE CH High Test Engineer: Ashton EUT Pol.: Measurement Antenna Pol. : Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
2483.50	Е	Peak	46.59	1.16	47.75	74	-26.25
2483.50	Е	Average	34.19	1.16	35.35	54	-18.65

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






Radiated Band Edge Measurement Result (802.11g)

Operation Mode: Test Date: 802.11g 2017/10/25

Fundamental Frequency: 2412 MHz Temp. / Humi. : 23.7deg_C/59RH

Operation Band: BE CH Low Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol. : Vertical




Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
2390.00	Е	Peak	51.03	0.92	51.95	74	-22.05
2390.00	Е	Average	34.97	0.92	35.89	54	-18.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, intention is drawn to the limitation of liability, intention is drawn to the limitation only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


f (886-2) 2298-0488 www.tw.sgs.com






Fundamental Frequency: 2412 MHz Temp. / Humi. : 23.7deg_C/59RH

Operation Band: BE CH Low Test Engineer: Ashton EUT Pol.: Measurement Antenna Pol. : Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
2390.00	Е	Peak	55.03	0.92	55.95	74	-18.05
2390.00	Е	Average	38.61	0.92	39.53	54	-14.47


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






Fundamental Frequency: 2462 MHz 23.7deg_C/59RH Temp. / Humi. :

Operation Band: BE CH High Test Engineer: Ashton EUT Pol.: Measurement Antenna Pol. : Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
2483.50	Е	Peak	58.16	1.16	59.32	74	-14.68
2483.50	Е	Average	39.49	1.16	40.65	54	-13.35


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.





23.7deg_C/59RH Fundamental Frequency: 2462 MHz Temp. / Humi. :

Operation Band: BE CH High Test Engineer: Ashton EUT Pol.: Measurement Antenna Pol. : Horizontal




Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
2483.50	Е	Peak	61.35	1.16	62.51	74	-11.49
2483.50	Е	Average	42.36	1.16	43.52	54	-10.48

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sgs.com






Radiated Band Edge Measurement Result (802.11_HT20)

Operation Mode: Test Date: 802.11n20 2017/10/25


Fundamental Frequency: 2412 MHz Temp. / Humi. : 23.7deg_C/59RH

Operation Band: BE CH Low Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol. : Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
2389.80	S	Peak	55.45	0.92	56.37	74	-17.63
2389.80	S	Average	36.79	0.92	37.71	54	-16.29
2390.00	E	Peak	55.08	0.92	56.01	74	-17.99
2390.00	E	Average	36.54	0.92	37.46	54	-16.54


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






Fundamental Frequency: 2412 MHz Temp. / Humi. : 23.7deg_C/59RH

Operation Band: BE CH Low Test Engineer: Ashton EUT Pol.: Measurement Antenna Pol. : Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB	
2390.00	Е	Peak	61.48	0.92	62.40	74	-11.60	-
2390.00	Ε	Average	41.52	0.92	42.44	54	-11.56	


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






Fundamental Frequency: 23.7deg_C/59RH 2462 MHz Temp. / Humi. :

Operation Band: BE CH High Test Engineer: Ashton EUT Pol.: Measurement Antenna Pol.: Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
2483.50	Е	Peak	55.86	1.16	57.02	74	-16.98
2483.50	E	Average	40.33	1.16	41.49	54	-12.51
2485.70	S	Peak	58.05	1.15	59.20	74	-14.80
2485.70	S	Average	38.65	1.15	39.80	54	-14.20


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






23.7deg_C/59RH Fundamental Frequency: 2462 MHz Temp. / Humi. :

Operation Band: BE CH High Test Engineer: Ashton EUT Pol.: Measurement Antenna Pol. : Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
2483.50	E	Peak	58.50	1.16	59.66	74	-14.34
2483.50	Е	Average	42.52	1.16	43.68	54	-10.32
2485.80	S	Peak	60.20	1.15	61.35	74	-12.65
2485.80	S	Average	40.44	1.15	41.59	54	-12.41

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






Radiated Band Edge Measurement Result (802.11_HT40)

Operation Mode: Test Date: 802.11n40 2017/10/25

Fundamental Frequency: 2422 MHz Temp. / Humi. : 23.7deg_C/59RH

Operation Band: BE CH Low Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol. : Vertical




Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
2388.48	S	Peak	52.24	0.90	53.14	74	-20.86
2388.48	S	Average	37.07	0.90	37.97	54	-16.03
2390.00	E	Peak	51.17	0.92	52.09	74	-21.91
2390.00	Е	Average	37.43	0.92	38.35	54	-15.65

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, intention is drawn to the limitation of liability, intention is drawn to the limitation only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279






Test Date: Operation Mode: 802.11n40 2017/10/25


Fundamental Frequency: 2422 MHz Temp. / Humi. : 23.7deg_C/59RH

Operation Band: BE CH Low Test Engineer: Ashton EUT Pol.: Measurement Antenna Pol. : Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
2388.96	S	Peak	56.81	0.91	57.71	74	-16.29
2388.96	S	Average	41.39	0.91	42.30	54	-11.70
2390.00	Е	Peak	54.94	0.92	55.86	74	-18.14
2390.00	E	Average	41.96	0.92	42.88	54	-11.12


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






Fundamental Frequency: 23.7deg_C/59RH 2452 MHz Temp. / Humi. :

Operation Band: BE CH High Test Engineer: Ashton EUT Pol.: Measurement Antenna Pol. : Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
2483.50	E	Peak	55.46	1.16	56.62	74	-17.38
2483.50	Е	Average	41.76	1.16	42.92	54	-11.08
2484.90	S	Peak	57.51	1.16	58.67	74	-15.33
2484.90	S	Average	41.31	1.16	42.47	54	-11.53


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.





23.7deg_C/59RH Fundamental Frequency: 2452 MHz Temp. / Humi. :

Operation Band: BE CH High Test Engineer: Ashton EUT Pol.: Measurement Antenna Pol. : Horizontal




Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
2483.50	E	Peak	57.23	1.16	58.39	74	-15.61
2483.50	E	Average	43.45	1.16	44.61	54	-9.39
2485.10	S	Peak	59.32	1.16	60.47	74	-13.53
2485.10	S	Average	42.82	1.16	43.98	54	-10.02

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488






Below 1GHz Worst-Case Data:

Radiated Spurious Emission Measurement Result (802.11 g)

Operation Mode: 802.11g Test Date: 2017/10/25

Fundamental Frequency: 2412 MHz Temp. / Humi.: 23.7deg_C/59RH

Operation Band: TX CH LOW Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol.: Vertical



			rrequency (mine)					
Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin	
		Mode	Reading Level		FS	@3m		
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB	_
101.78	S	Peak	44.28	-17.52	26.75	43.5	-16.75	
354.95	S	Peak	33.19	-11.22	21.98	46	-24.02	
585.81	S	Peak	33.08	-6.29	26.79	46	-19.21	
831.22	S	Peak	32.25	-2.91	29.34	46	-16.66	
937.92	S	Peak	34.92	-1.71	33.21	46	-12.79	
979.63	S	Peak	31.76	-0.90	30.86	54	-23.14	


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279


f (886-2) 2298-0488






Fundamental Frequency: 2412 MHz Temp. / Humi. : 23.7deg_C/59RH

Ashton Operation Band: TX CH LOW Test Engineer: EUT Pol.: Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
MHz	F/H/E/S	Mode PK/QP/AV	Reading Level dBµV	dB	FS dBµV/m	@3m dBµV/m	dB
	F/H/E/3	FN/QF/AV	иви	uБ		ασμ ν/π	
38.73	S	Peak	42.03	-12.04	29.99	40	-10.01
100.81	S	Peak	43.73	-17.64	26.08	43.5	-17.42
221.09	S	Peak	38.30	-17.03	21.26	46	-24.74
343.31	S	Peak	43.01	-11.61	31.40	46	-14.60
729.37	S	Peak	33.24	-4.64	28.59	46	-17.41
986.42	S	Peak	31.02	-0.65	30.37	54	-23.63


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






Fundamental Frequency: 2437 MHz Temp. / Humi. : 23.7deg_C/59RH

Test Engineer: Operation Band: TX CH MID Ashton EUT Pol.: E2 Measurement Antenna Pol. : Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBμV/m	dBµV/m	dB
38.73	S	Peak	41.84	-12.04	29.80	40	-10.20
101.78	S	Peak	44.05	-17.52	26.52	43.5	-16.98
215.27	S	Peak	35.12	-17.14	17.98	43.5	-25.52
341.37	S	Peak	34.55	-11.66	22.89	46	-23.11
937.92	S	Peak	32.80	-1.71	31.09	46	-14.91
986.42	S	Peak	30.88	-0.65	30.23	54	-23.77


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






Fundamental Frequency: 2437 MHz Temp. / Humi. : 23.7deg_C/59RH

Test Engineer: Operation Band: TX CH MID Ashton EUT Pol.: E2 Measurement Antenna Pol. : Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dΒμV/m	dBµV/m	dB
38.73	S	Peak	37.82	-12.04	25.78	40	-14.22
101.78	S	Peak	37.71	-17.52	20.19	43.5	-23.31
219.15	S	Peak	38.36	-17.11	21.25	46	-24.75
820.55	S	Peak	32.25	-2.87	29.39	46	-16.61
933.07	S	Peak	32.69	-1.66	31.02	46	-14.98
988.36	S	Peak	31.16	-0.57	30.59	54	-23.41


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






Fundamental Frequency: 2462 MHz Temp. / Humi.: 23.7deg_C/59RH

Operation Band: TX CH HIGH Test Engineer: Ashton EUT Pol.: Measurement Antenna Pol. : Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
38.73	S	Peak	41.82	-12.04	29.78	40	-10.22
101.78	S	Peak	44.61	-17.52	27.09	43.5	-16.41
493.66	S	Peak	33.83	-7.73	26.10	46	-19.90
729.37	S	Peak	38.02	-4.64	33.38	46	-12.62
882.63	S	Peak	32.94	-2.79	30.15	46	-15.85
991.27	S	Peak	31.65	-0.67	30.98	54	-23.02


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






Fundamental Frequency: 2462 MHz Temp. / Humi.: 23.7deg_C/59RH

Operation Band: TX CH HIGH Test Engineer: **Ashton** EUT Pol.: Measurement Antenna Pol. : Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dΒμV/m	dBµV/m	dB
63.95	S	Peak	49.90	-22.48	27.42	40	-12.58
101.78	S	Peak	40.97	-17.52	23.44	43.5	-20.06
216.24	S	Peak	36.40	-17.15	19.25	46	-26.75
288.99	S	Peak	35.21	-13.31	21.89	46	-24.11
504.33	S	Peak	34.03	-7.86	26.17	46	-19.83
985.45	S	Peak	32.62	-0.72	31.90	54	-22.10

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






Above 1GHz Data:

Radiated Spurious Emission Measurement Result (802.11 b)

Operation Mode: 802.11b Test Date: 2017/10/25

Fundamental Frequency: 2412 MHz Temp. / Humi. : 23.7deg C/59RH

Operation Band: Tx CH Low Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol. : Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
4824.00	Н	Peak	37.90	7.58	45.48	74	-28.52
4824.00	Н	Average	34.17	7.58	41.75	54	-12.25

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488

台灣檢驗科技股份有限公司


www.tw.sgs.com






Fundamental Frequency: Temp. / Humi. : 2412 MHz 23.7deg_C/59RH

Operation Band: Tx CH Low Test Engineer: Ashton EUT Pol.: Measurement Antenna Pol. : Horizontal



	Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
_	MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
	4824.00	Н	Peak	34.44	7.58	42.02	74	-31.98
	4824.00	Н	Average	25.76	7.58	33.34	54	-20.66


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.





Fundamental Frequency: Temp. / Humi. : 2437 MHz 23.7deg_C/59RH

Operation Band: Tx CH Mid Test Engineer: Ashton EUT Pol.: Measurement Antenna Pol. : Vertical




	Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin	
	MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB	
,	4874.00	Н	Peak	36.27	7.91	44.18	74	-29.82	
	4874.00	Н	Average	28.71	7.91	36.62	54	-17.38	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


t (886-2) 2299-3279 f (886-2) 2298-0488






Fundamental Frequency: Temp. / Humi. : 2437 MHz 23.7deg_C/59RH

Operation Band: Tx CH Mid Test Engineer: Ashton EUT Pol.: Measurement Antenna Pol. : Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
4874.00	Н	Peak	33.77	7.91	41.68	74	-32.32
4874.00	Н	Average	23.17	7.91	31.08	54	-22.92


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






Fundamental Frequency: 2462 MHz Temp. / Humi. : 23.7deg_C/59RH

Operation Band: Tx CH High Test Engineer: Ashton EUT Pol.: Measurement Antenna Pol.: Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
4924.00	Н	Peak	35.83	7.92	43.75	74	-30.25
4924.00	Н	Average	28.07	7.92	35.99	54	-18.01


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.





Fundamental Frequency: 2462 MHz Temp. / Humi. : 23.7deg_C/59RH

Operation Band: Tx CH High Test Engineer: Ashton EUT Pol.: Measurement Antenna Pol.: Horizontal




	Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
_	MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
	4924.00	Н	Peak	33.04	7.92	40.96	74	-33.04
	4924.00	Н	Average	23.01	7.92	30.93	54	-23.07

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sgs.com






Radiated Spurious Emission Measurement Result (802.11 g)

Operation Mode: 802.11g Test Date: 2017/10/25


Fundamental Frequency: 2412 MHz Temp. / Humi. : 23.7deg_C/59RH

Operation Band: Tx CH Low Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol. : Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dΒμV/m	dBµV/m	dB
4824.00	Н	Peak	35.61	7.58	43.19	74	-30.81
4824.00	Н	Average	23.44	7.58	31.02	54	-22.98


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






Fundamental Frequency: 2412 MHz Temp. / Humi. : 23.7deg_C/59RH

Operation Band: Test Engineer: Tx CH Low Ashton EUT Pol.: E2 Measurement Antenna Pol. : Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB	
4824.00	Н	Peak	32.29	7.58	39.87	74	-34.13	
4824.00	Н	Average	21.64	7.58	29.22	54	-24.78	


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.





Fundamental Frequency: 2437 MHz Temp. / Humi.: 23.7deg_C/59RH

Operation Band: Tx CH Mid Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol.: Vertical




Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB	
4874.00	Н	Peak	32.80	7.91	40.71	74	-33.29	_
4874.00	Н	Average	23.21	7.91	31.12	54	-22.88	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Ses Taiwan Ltd.

No.134,WuKungRoad,NewTaipeil/Dark, Use Taibut Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this. The August Street Control (New Taipeil/S) are retained to 10 studys this the August Street Control (New Taipeil/S) are retained to 10 studys this the August Street Control (New Taipeil/S) are retained to 10 studys this the August Street Control (New Taipeil/S) are retained to 10 studys this


O. 10-1, votal and votal test appendix appendix appendix a result of a result






Fundamental Frequency: 2437 MHz Temp. / Humi. : 23.7deg_C/59RH

Operation Band: Test Engineer: Tx CH Mid Ashton EUT Pol.: E2 Measurement Antenna Pol. : Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin	
		Mode	Reading Level		FS	@3m		
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB	
4874.00	Н	Peak	32.96	7.91	40.87	74	-33.13	
4874.00	Н	Average	21.56	7.91	29.47	54	-24.53	


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






Fundamental Frequency: 2462 MHz Temp. / Humi. : 23.7deg_C/59RH

Operation Band: Tx CH High Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin	
		Mode	Reading Level		FS	@3m		
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB	
4924.00	Н	Peak	35.91	7.92	43.83	74	-30.17	
4924.00	Н	Average	23.38	7.92	31.30	54	-22.70	
	MHz 4924.00	MHz F/H/E/S 4924.00 H	Mode MHz F/H/E/S PK/QP/AV 4924.00 H Peak	Mode Reading Level MHz F/H/E/S PK/QP/AV dBμV 4924.00 H Peak 35.91	Mode Reading Level MHz F/H/E/S PK/QP/AV dBμV dB 4924.00 H Peak 35.91 7.92	MHz F/H/E/S PK/QP/AV dBμV dB dBμV/m 4924.00 H Peak 35.91 7.92 43.83	Mode MHz Reading Level PK/QP/AV FS @3m dBμV/m 4924.00 H Peak 35.91 7.92 43.83 74	MHz F/H/E/S Mode PK/QP/AV Reading Level dB μV FS dB μV/m @3m dB μV/m dB μV/m dB μV/m dB μV/m dB μV/m dB 4924.00 H Peak 35.91 7.92 43.83 74 -30.17


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.





Fundamental Frequency: 2462 MHz Temp. / Humi. : 23.7deg_C/59RH

Operation Band: Tx CH High Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol.: Horizontal




Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB	
4924.00	Н	Peak	32.65	7.92	40.57	74	-33.43	
4924.00	Н	Average	21.85	7.92	29.77	54	-24.23	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279






Radiated Spurious Emission Measurement Result (802.11_HT20)

Operation Mode: 802.11n20 Test Date: 2017/10/25


Fundamental Frequency: 2412 MHz Temp. / Humi.: 23.7deg_C/59RH

Operation Band: Test Engineer: Tx CH Low Ashton EUT Pol.: E2 Measurement Antenna Pol. : Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
4824.00	Н	Peak	35.32	7.58	42.90	74	-31.10
4824.00	Н	Average	23.33	7.58	30.91	54	-23.09


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






Fundamental Frequency: 2412 MHz Temp. / Humi. : 23.7deg_C/59RH

Operation Band: Tx CH Low Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol. : Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin	
		Mode	Reading Level		FS	@3m		
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB	
4824.00	Н	Peak	31.92	7.58	39.50	74	-34.50	_
4824.00	Н	Average	21.60	7.58	29.18	54	-24.82	


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






Fundamental Frequency: 2437 MHz Temp. / Humi. : 23.7deg_C/59RH

Operation Band: Tx CH Mid Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol. : Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB	
4874.00	Н	Peak	36.37	7.91	44.28	74	-29.72	
4874.00	Н	Average	23.27	7.91	31.18	54	-22.82	


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






Fundamental Frequency: 2437 MHz Temp. / Humi. : 23.7deg_C/59RH

Operation Band: Tx CH Mid Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol. : Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin	
		Mode	Reading Level		FS	@3m		
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB	
4874.00	Н	Peak	30.97	7.91	38.88	74	-35.12	
4874.00	Н	Average	21.57	7.91	29.48	54	-24.52	


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






Fundamental Frequency: Temp. / Humi. : 23.7deg_C/59RH 2462 MHz

Operation Band: Tx CH High Test Engineer: Ashton EUT Pol.: Measurement Antenna Pol. : Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin	
		Mode	Reading Level		FS	@3m		
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB	
4924.00	Н	Peak	36.30	7.92	44.22	74	-29.78	
4924.00	Н	Average	23.24	7.92	31.16	54	-22.84	


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






Fundamental Frequency: Temp. / Humi. : 23.7deg_C/59RH 2462 MHz

Operation Band: Tx CH High Test Engineer: Ashton EUT Pol.: Measurement Antenna Pol. : Horizontal



			Frequency [MHz]				
Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
4924.00	Н	Peak	31.33	7.92	39.25	74	-34.75
4924.00	Н	Average	21.65	7.92	29.57	54	-24.43

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






Radiated Spurious Emission Measurement Result (802.11_HT40)

Operation Mode: Test Date: 802.11n40 2017/10/25

Fundamental Frequency: 2422 MHz Temp. / Humi. : 23.7deg_C/59RH

Operation Band: Tx CH Low Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol. : Vertical




	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin	
			Mode	Reading Level		FS	@3m		
_	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB	_
	4844.00	Н	Peak	34.23	7.55	41.78	74	-32.22	
	4844.00	Н	Average	22.67	7.55	30.22	54	-23.78	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


f (886-2) 2298-0488






Fundamental Frequency: 2422 MHz Temp. / Humi. : 23.7deg_C/59RH

Operation Band: Tx CH Low Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol. : Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin	
		Mode	Reading Level		FS	@3m		
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB	
4844.00	Н	Peak	30.81	7.55	38.36	74	-35.64	
4844.00	Н	Average	21.46	7.55	29.01	54	-24.99	


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






Fundamental Frequency: 2437 MHz Temp. / Humi. : 23.7deg_C/59RH

Operation Band: Tx CH Mid Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol. : Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin	
		Mode	Reading Level		FS	@3m		
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB	
4874.00	Н	Peak	33.62	7.91	41.53	74	-32.47	_
4874.00	Н	Average	21.26	7.91	29.17	54	-24.83	


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






Fundamental Frequency: 2437 MHz Temp. / Humi. : 23.7deg_C/59RH

Operation Band: Tx CH Mid Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol. : Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin	
		Mode	Reading Level		FS	@3m		
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB	
4874.00	Н	Peak	29.97	7.91	37.88	74	-36.12	
4874.00	Н	Average	21.23	7.91	29.14	54	-24.86	


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






Fundamental Frequency: Temp. / Humi. : 23.7deg_C/59RH 2452 MHz

Operation Band: Tx CH High Test Engineer: Ashton EUT Pol.: Measurement Antenna Pol. : Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin	
		Mode	Reading Level		FS	@3m		
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB	
4904.00	Н	Peak	32.33	7.44	39.77	74	-34.23	
4904.00	Н	Average	21.36	7.44	28.80	54	-25.20	


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.





Fundamental Frequency: Temp. / Humi. : 23.7deg_C/59RH 2452 MHz

Operation Band: Tx CH High Test Engineer: Ashton EUT Pol.: Measurement Antenna Pol. : Horizontal



	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin	
			Mode	Reading Level		FS	@3m		
_	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB	
	4904.00	Н	Peak	31.03	7.44	38.47	74	-35.53	
	4904.00	Н	Average	21.14	7.44	28.58	54	-25.42	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



12 PEAK POWER SPECTRAL DENSITY


12.1 Standard Applicable

The power spectral density conducted from the intentional radiator to the antenna shall not be greater than 8dBm in any 3 kHz band during any time interval of continuous transmission.

12.2 Measurement Equipment Used

Conducted Emission Test Site											
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.						
TYPE		NUMBER	NUMBER	CAL.							
Spectrum Analyzer	KEYSIGHT	N9010A	MY51440113	06/20/2017	06/19/2018						
Coaxial Cable 30cm	WOKEN	00100A1F1A 195C	RF01	12/12/2016	12/11/2017						
DC Block	PASTERNACK	PE8210	RF29	12/12/2016	12/11/2017						
Attenuator	WOKEN	218FS-10	RF23	12/12/2016	12/11/2017						
DC Power Supply	Agilent	E3640A	MY53140006	05/02/2017	05/01/2018						

12.3 Test Set-up



12.4 Measurement Procedure

- Set analyzer center frequency to DTS channel center frequency.
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance.
- 3. Set the span to 1.5 times the DTS channel bandwidth.
- 4. Set the RBW = 3 kHz & VBW = 10 kHz.
- 5. For defining Restricted Band Edge Limit: Set the RBW = 100kHz & VBW = 300 kHz
- 6. Detector = peak.
- 7. Sweep time = auto couple.
- Trace mode = max hold.
- 9. Allow trace to fully stabilize.
- 10. Use the peak marker function to determine the maximum amplitude level.
- 11.802.11n MIMO mode: offset is set following "measure and add 10 Log (N)" on spectrum to measure the PSD for MIMO mode. Offset = cable loss + 10 log (N), where N is number of transmitting antenna. N=2 for this given application.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留⁹0天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Note:

Antenna Gain: 4.82 dBi Number Antenna: 1 pcs 8 dBm Limit:

The antenna gain is grater than 6dBi in MIMO mode the limit reduce as below: Directional gain = gain of antenna element + 10 log (# of TX antenna elements)

Effective Legacy Gain (dBi) = 4.82+0=4.82dBi

Limit: 8dBm - (4.82- 6dBi)=8

12.5 Measurement Result

	POW	ER DEN	SITY 802.	11b		
Freq. (MHz)	PPSD W/O Duty Factor (dBm)	Offset	Duty Factor	PPSD With Duty Factor (dBm)	Limit (dBm)	Result
2412	3.31	10.50	0.04	3.35	8.00	PASS
2437	0.01	10.50	0.04	0.05	8.00	PASS
2462	0.06	10.50	0.04	0.10	8.00	PASS
	POW	ER DEN	SITY 802.	11g		
Freq. (MHz)	PPSD W/O Duty Factor (dBm)	Offset	Duty Factor	PPSD With Duty Factor (dBm)	Limit (dBm)	Result
2412	-10.26	10.50	0.26	-10.00	8.00	PASS
2437	-10.34	10.50	0.26	-10.08	8.00	PASS
2462	-10.22	10.50	0.26	-9.96	8.00	PASS
	POWER	DENSIT	Y 802.11r	n HT20		
Freq. (MHz)	PPSD W/O Duty Factor (dBm)	Offset	Duty Factor	PPSD With Duty Factor (dBm)	Limit (dBm)	Result
2412	-11.32	10.50	0.28	-11.04	8.00	PASS
2437	-11.24	10.50	0.28	-10.96	8.00	PASS
2462	-11.18	10.50	0.28	-10.90	8.00	PASS
	POWER	DENSIT	Y 802.11r	n HT40		
Freq. (MHz)	PPSD W/O Duty Factor (dBm)	Offset	Duty Factor	PPSD With Duty Factor (dBm)	Limit (dBm)	Result
2422	-14.53	10.50	0.55	-13.98	8.00	PASS
2437	-14.24	10.50	0.55	-13.69	8.00	PASS
2452	-14.58	10.50	0.55	-14.03	8.00	PASS

Note:

offset 10.50 dB for SISO mode

*Refer to next page for plots

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


f (886-2) 2298-0488




802.11b PSD(CH-Low)




802.11g PSD(CH-Low)




802.11b PSD (CH-Mid)




802.11g PSD (CH-Mid)



802.11b PSD (CH-High)



P802.11g PSD (CH-High)




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices therefore testings in the testing shown in this state report relations for the samples) tested and such as the position of the samples) tested and such as the samples are testing and the samples are the samples are testing and the samples are th offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號







802.11n_HT20 PSD (CH-Low)




802.11n_HT20 PSD (CH-Mid)



802.11n_HT20 PSD (CH-High)




802.11n_HT40 PSD (CH-Low)



802.11n_HT40 PSD (CH-Mid)




802.11n_HT40 PSD (CH-High)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時比樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemrification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號





13 ANTENNA REQUIREMENT

13.1 Standard Applicable

For intentional device, according to §15.203, an intentional radiator shall be designed to ensure that no antenna other than furnished by the responsible party shall be used with the device.

If the transmitting antenna is greater than 6dBi, the power shall be reduced by the same level in dB comparing to gain minus 6dBi.

13.2 Antenna Connected Construction

An embedded-in antenna design is used.

The antenna connector is designed with unique type RF connector and no consideration of replacement. Please see EUT photo and antenna spec. for details.

~ End of Report ~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號