



1.6dB Bandwidth

Test Mode	Test Channel	Ant	6dB Bandwidth [MHz]	Limit	Verdict
BLE	2402	Ant1	0.7139	0.5	PASS
BLE	2440	Ant1	0.7111	0.5	PASS
BLE	2480	Ant1	0.7129	0.5	PASS


6dB Bandwidth_BLE_2402_Ant1



6dB Bandwidth_BLE_2440_Ant1



6dB Bandwidth_BLE_2480_Ant1




2.Occupied Bandwidth

Test Mode	Test Channel	Ant	OBW[MHz]	Limit[MHz]	Verdict
-----------	--------------	-----	----------	------------	---------


3.Maximum peak conducted output power

Test Mode	Test Channel	Ant	Power[dBm]	Limit[dBm]	Verdict
BLE	2402	Ant1	-1.644	30	PASS
BLE	2440	Ant1	-1.762	30	PASS
BLE	2480	Ant1	-1.828	30	PASS


Maximum peak conducted output power_BLE_2402_Ant1



Maximum peak conducted output power_BLE_2440_Ant1




Maximum peak conducted output power_BLE_2480_Ant1




4. Maximum Peak power spectral density

Test Mode	Test Channel	Ant	PSD[dBm/3KHz]	Limit[dBm/3KHz]	Verdict
BLE	2402	Ant1	-17.338	8.00	PASS
BLE	2440	Ant1	-17.478	8.00	PASS
BLE	2480	Ant1	-17.538	8.00	PASS


Maximum Peak power spectral density_BLE_2402_Ant1



Maximum Peak power spectral density_BLE_2440_Ant1




Maximum Peak power spectral density_BLE_2480_Ant1




5. Band-edge for RF Conducted Emissions

Test Mode	Test Channel	Ant	Carrier Power[dBm]	Max. Spurious Level [dBm]	Limit [dBm]	Verdict
BLE	2402	Ant1	-2.423	-50.373	-22.42	PASS
BLE	2480	Ant1	-2.671	-50.173	-22.67	PASS

Band-edge for RF Conducted Emissions_BLE_2402_Ant1





Band-edge for RF Conducted Emissions_BLE_2480_Ant1





6.RF Conducted Spurious Emissions

Test Mode	Test Channel	Ant	StartFre [MHz]	StopFre [MHz]	RBW [kHz]	VBW [kHz]	Pref[dBm]	Max. Level [dBm]	Limit [dBm]	Verdict
BLE	2402	Ant1	30	25000	100	300	-2.68	-43.569	<-22.68	PASS
BLE	2440	Ant1	30	25000	100	300	-2.781	-43.314	<-22.781	PASS
BLE	2480	Ant1	30	25000	100	300	-2.865	-44.238	<-22.865	PASS




RF Conducted Spurious Emissions_BLE_2480_Ant1




7.Restrict-band band-edge measurements

Test Mode	Test Channel	Ant	Freq.	Power [dBm]	Gain	Ground Factor	E [dBuV/m]	Detector	Limit [dBuV/m]	Verdict
BLE	2402	Ant1	2310.0	-41.91	2	0	55.32	PEAK	74	PASS
BLE	2402	Ant1	2310.0	-54.18	2	0	43.05	AV	54	PASS
BLE	2402	Ant1	2390.0	-43.02	2	0	54.21	PEAK	74	PASS
BLE	2402	Ant1	2390.0	-53.96	2	0	43.27	AV	54	PASS
BLE	2480	Ant1	2483.5	-42.49	2	0	54.74	PEAK	74	PASS
BLE	2480	Ant1	2483.5	-53.74	2	0	43.49	AV	54	PASS
BLE	2480	Ant1	2500.0	-43.38	2	0	53.85	PEAK	74	PASS
BLE	2480	Ant1	2500.0	-53.58	2	0	43.65	AV	54	PASS

Restrict-band band-edge measurements_BLE_2480_Ant1_PEAK



Restrict-band band-edge measurements_BLE_2480_Ant1_AV



8.Duty Cycle

Test Mode	Test Channel	Ant	Duty Cycle[%]	Verdict
BLE	2440	Ant1	100	PASS

