




DH5_Ant1_2480_30~1000




DH5_Ant1_2480_1000~26500




2DH5_Ant1_2402_0~Reference




2DH5_Ant1_2402_30~1000




2DH5_Ant1_2402_1000~26500




2DH5_Ant1_2441_0~Reference




2DH5_Ant1_2441_30~1000




2DH5_Ant1_2441_1000~26500




2DH5_Ant1_2480_0~Reference




2DH5_Ant1_2480_30~1000




2DH5_Ant1_2480_1000~26500




3DH5_Ant1_2402_0~Reference




3DH5_Ant1_2402_30~1000




3DH5_Ant1_2402_1000~26500




3DH5_Ant1_2441_0~Reference




3DH5_Ant1_2441_30~1000




3DH5_Ant1_2441_1000~26500




3DH5_Ant1_2480_0~Reference



3DH5_Ant1_2480_30~1000



3DH5_Ant1_2480_1000~26500






9. Duty Cycle


9.1. Test Result

TestMode	Antenna	Channel	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	1/T [kHz]	Limit	Verdict
DH5	Ant1	2402	2.89	3.75	77.07	0.346	---	---
		2441	2.89	3.75	77.07	0.346	---	---
		2480	2.89	3.75	77.07	0.346	---	---
2DH5	Ant1	2402	2.88	3.74	77.01	0.347	---	---
		2441	2.89	3.75	77.07	0.346	---	---
		2480	2.88	3.74	77.01	0.347	---	---
3DH5	Ant1	2402	2.89	3.75	77.07	0.346	---	---
		2441	2.89	3.75	77.07	0.346	---	---
		2480	2.89	3.75	77.07	0.346	---	---


9.2. Test Graphs




2DH5_Ant1_2402




2DH5_Ant1_2441




2DH5_Ant1_2480




3DH5_Ant1_2402



3DH5_Ant1_2441



3DH5_Ant1_2480



10. Emissions in Restricted Bands




10.1. Test Result

TestMode	Antenna	ChName	Channel	Detector	Freq. [MHz]	Result [dBm]	Limit [dBm]	Verdict
DH5	Ant1	Low	2402	AV	2310.000	-63.26	≤-41.20	PASS
				AV	2353.870	-49.26	≤-41.20	PASS
				AV	2390.000	-57.87	≤-41.20	PASS
				Peak	2310.000	-51.54	≤-21.20	PASS
				Peak	2378.065	-44.47	≤-21.20	PASS
				Peak	2390.000	-48.12	≤-21.20	PASS
		High	2480	AV	2483.500	-59.1	≤-41.20	PASS
				AV	2485.188	-56.47	≤-41.20	PASS
				AV	2500.000	-61.74	≤-41.20	PASS
				Peak	2483.500	-50.66	≤-21.20	PASS
				Peak	2485.304	-46.91	≤-21.20	PASS
				Peak	2500.000	-49.89	≤-21.20	PASS
2DH5	Ant1	Low	2402	AV	2310.000	-63.14	≤-41.20	PASS
				AV	2353.870	-54.12	≤-41.20	PASS
				AV	2390.000	-61.01	≤-41.20	PASS
				Peak	2310.000	-51.8	≤-21.20	PASS
				Peak	2379.587	-44.78	≤-21.20	PASS
				Peak	2390.000	-51.28	≤-21.20	PASS
		High	2480	AV	2483.500	-60.05	≤-41.20	PASS
				AV	2485.188	-58.93	≤-41.20	PASS
				AV	2500.000	-61.55	≤-41.20	PASS
				Peak	2483.500	-50.78	≤-21.20	PASS
				Peak	2485.768	-47.54	≤-21.20	PASS
				Peak	2500.000	-50.33	≤-21.20	PASS
3DH5	Ant1	Low	2402	AV	2310.000	-63.29	≤-41.20	PASS
				AV	2353.870	-53.91	≤-41.20	PASS
				AV	2390.000	-60.76	≤-41.20	PASS
				Peak	2310.000	-51.55	≤-21.20	PASS
				Peak	2388.413	-44.99	≤-21.20	PASS
				Peak	2390.000	-48.99	≤-21.20	PASS
		High	2480	AV	2483.500	-60.16	≤-41.20	PASS
				AV	2485.188	-58.72	≤-41.20	PASS
				AV	2500.000	-61.95	≤-41.20	PASS
				Peak	2483.500	-50.45	≤-21.20	PASS
				Peak	2484.609	-48.18	≤-21.20	PASS
				Peak	2500.000	-51.11	≤-21.20	PASS


Note:

1. The Antenna Gain is compensated in the graph.
2. The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.


10.2. Test Graphs




DH5_Ant1_High_2480_Peak




2DH5_Ant1_Low_2402_AV




2DH5_Ant1_Low_2402_Peak




2DH5_Ant1_High_2480_AV




2DH5_Ant1_High_2480_Peak




3DH5_Ant1_Low_2402_AV




3DH5_Ant1_Low_2402_Peak



3DH5_Ant1_High_2480_AV



3DH5_Ant1_High_2480_Peak



-----End of the report-----