

APPENDIX REPORT

Project No.	SHT2005099304EW	Radio Specification	Bluetooth EDR
Test sample No.	YPHT20050993021	Model No.	TE580PD
Start test date	2020/7/6	Finish date	2020/7/6
Temperature	25°C	Humidity	50%
Test Engineer	Jiongsheng.Feng	Auditor	<i>William.wang</i>


Appendix clause	Test item	Result
A	Peak Output Power	PASS
B	20 dB Bandwidth	PASS
C	99% Occupied Bandwidth	PASS
D	Carrier Frequencies Separation	PASS
E	Hopping Channel Number	PASS
F	Dwell Time	PASS
G	Duty Cycle Correction Factor (DCCF)	PASS
H	Band edge and Spurious Emissions(coducted)	PASS

Appendix A: Peak Output Power


Modulation type	Channel	Output power (dBm)	Average Output power (dBm)	Limit (dBm)	Result
GFSK	00	1.75	1.73	≤ 30.00	Pass
	39	-0.20	-0.22		
	78	-1.44	-1.45		
π/4DQPSK	00	0.94	0.40	≤ 21.00	Pass
	39	-0.71	-1.04		
	78	-1.95	-2.31		
8DPSK	00	1.03	0.54	≤ 21.00	Pass
	39	-0.67	-1.05		
	78	-1.93	-2.39		

Modulation Type: GFSK


CH00



CH39




CH78




Modulation Type: $\pi/4$ DQPSK


CH00



CH39




CH78




Modulation Type: 8DPSK


CH00



CH39



CH78




Appendix B : 20 dB Bandwidth


Modulation type	Channel	20 dB Bandwidth (kHz)	Limit (kHz)	Result
GFSK	00	930.00	-	Pass
	39	927.50		
	78	932.50		
$\pi/4$ DQPSK	00	1297.50	-	Pass
	39	1317.50		
	78	1317.50		
8DPSK	00	1300.00	-	Pass
	39	1310.00		
	78	1317.50		

Modulation Type: GFSK


CH00



CH39




CH78




Modulation Type: **$\pi/4$ DQPSK**


CH00



CH39




CH78




Modulation Type: 8DPSK


CH00



CH39



CH78




Appendix C: 99% Occupied Bandwidth

Modulation type	Channel	99% Occupied Bandwidth (MHz)	Limit (MHz)	Result
GFSK	00	0.91	-	Pass
	39	0.92		
	78	0.92		
$\pi/4$ DQPSK	00	1.18	-	Pass
	39	1.20		
	78	1.19		
8DPSK	00	1.18	-	Pass
	39	1.21		
	78	1.20		


Modulation Type: GFSK

CH00




Date: 6.JUL.2020 13:46:15

CH39



Date: 6.JUL.2020 13:56:19


CH78




Date: 6.JUL.2020 13:56:02

Modulation Type: $\pi/4$ DQPSK


CH00



CH39




CH78




Modulation Type: 8DPSK


CH00



CH39



CH78



Appendix D: Carrier Frequencies Separation

Modulation type	Channel	Carrier Frequencies Separation (MHz)	Limit (kHz) *	Result
GFSK	39	1.00	≥	Pass
$\pi/4$ DQPSK	39	1.00	≥	Pass
8DPSK	39	1.00	≥	Pass

Note:

*: GFSK limit = The maximum 20 dB Bandwidth for GFSK modulation on the appendix B.

$\pi/4$ DQPSK limit = $2/3$ * The maximum 20 dB Bandwidth for $\pi/4$ DQPSK modulation on the appendix B.


8DPSK limit = $2/3$ * The maximum 20 dB Bandwidth for 8DPSK modulation on the appendix B

<p style="text-align: center;">GFSK</p>	<p style="text-align: center;">Date: 6.JUL.2020 13:48:45</p>
<p style="text-align: center;">$\pi/4$DQPSK</p>	<p style="text-align: center;">Date: 6.JUL.2020 14:31:12</p>
<p style="text-align: center;">8DPSK</p>	<p style="text-align: center;">Date: 6.JUL.2020 14:40:41</p>


Appendix E: Hopping Channel Number

Modulation type	Channel number	Limit	Result
GFSK	79	≥15.00	Pass
π/4DQPSK	79		
8DPSK	79		


GFSK



$\pi/4$ DQPSK



8DPSK




Appendix F: Dwell Time


Modulation type	Packet	Burst Width [ms]	Total Hops[hop*ch]	Dwell time (Second)	Limit (Second)	Result
GFSK	DH1	0.38	313	0.12	≤ 0.40	Pass
	DH3	1.63	158	0.26		
	DH5	2.88	112	0.32		
π/4DQPSK	2DH1	0.38	315	0.12	≤ 0.40	Pass
	2DH3	1.64	163	0.27		
	2DH5	2.88	102	0.29		
8DPSK	3DH1	0.38	315	0.12	≤ 0.40	Pass
	3DH3	1.64	158	0.26		
	3DH5	2.89	106	0.31		

Modulation Type: GFSK	
DH1 Burst width	
DH1 Burst number	
DH3 Burst width	


DH3
Burst number






DH5
Burst width




DH5
Burst number




Modulation Type:	$\pi/4$ DQPSK
<p>2DH1 Burst width</p>	 <p>The spectrum plot shows a signal burst at 2.441 GHz. The y-axis represents power in dBm, ranging from -60 to 10. The x-axis represents time in ms, with a scale of 1.0 ms. A red horizontal line indicates a threshold at -4.900 dBm. The signal peak is at approximately -5.89 dBm. The plot shows a narrow band of signal activity.</p>
<p>2DH1 Burst number</p>	 <p>The spectrum plot shows a signal burst at 2.441 GHz. The y-axis represents power in dBm, ranging from -60 to 10. The x-axis represents time in s, with a scale of 3.16 s. A red horizontal line indicates a threshold at -4.900 dBm. The signal peak is at approximately -5.89 dBm. The plot shows a dense, continuous signal activity over a longer duration.</p>
<p>2DH3 Burst width</p>	 <p>The spectrum plot shows a signal burst at 2.441 GHz. The y-axis represents power in dBm, ranging from -60 to 10. The x-axis represents time in ms, with a scale of 1.0 ms. A red horizontal line indicates a threshold at -18.27 dBm. The signal peak is at approximately -18.27 dBm. The plot shows a narrow band of signal activity.</p>


2DH3
Burst number



2DH5
Burst width




2DH5
Burst number




Modulation Type: 8DPSK


3DH1
Burst width




3DH1
Burst number




3DH3
Burst width




3DH3
Burst number



3DH5
Burst width




3DH5
Burst number






Appendix G: Duty Cycle Correction Factor (DCCF)


DCCF Calculate Formula					
DCCF=20 * Log(duty cycle) = 20 * Log($T_{on\ time} / T_{period}$)					
Modulation type	Test Frequency (MHz)	$T_{on\ time}$ for single burst [ms]	T_{period} [ms]	Burst Quantity	DCCF [dB]
GFSK	2441	2.87	100	2.00	-24.82
$\pi/4$ DQPSK	2441	2.87	100	2.00	-24.82
8DPSK	2441	2.88	100	2.00	-24.79



Appendix H: Band edge and Spurious Emissions (conducted)


Test Item:	Band edge	Modulation type:	GFSK
<p>CH00 No hopping mode</p>			
<p>CH00 Hopping mode</p>			
<p>CH78 No hopping mode</p>			

CH78
Hopping mode



Test Item:	Band edge	Modulation type:	$\pi/4$ DQPSK																																										
<p>CH00 No hopping mode</p>	<p>MultiView Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWI 1.05 ms VBW 300 kHz Mode Auto Sweep Count 500/500</p> <p>1 Frequency Sweep</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.401821 GHz</td> <td>0.11 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4 GHz</td> <td>-55.11 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.39 GHz</td> <td>-62.93 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.31 GHz</td> <td>-64.63 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td>1</td> <td></td> <td>2.399965 GHz</td> <td>-54.83 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 6.JUL.2020 14:26:57</p>			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.401821 GHz	0.11 dBm			M2	1		2.4 GHz	-55.11 dBm			M3	1		2.39 GHz	-62.93 dBm			M4	1		2.31 GHz	-64.63 dBm			M5	1		2.399965 GHz	-54.83 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.401821 GHz	0.11 dBm																																									
M2	1		2.4 GHz	-55.11 dBm																																									
M3	1		2.39 GHz	-62.93 dBm																																									
M4	1		2.31 GHz	-64.63 dBm																																									
M5	1		2.399965 GHz	-54.83 dBm																																									
<p>CH00 Hopping mode</p>	<p>MultiView Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWI 1.05 ms VBW 300 kHz Mode Auto Sweep Count 500/500</p> <p>1 Frequency Sweep</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.404953 GHz</td> <td>-1.23 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4 GHz</td> <td>-56.36 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.39 GHz</td> <td>-62.59 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.31 GHz</td> <td>-63.40 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td>1</td> <td></td> <td>2.399965 GHz</td> <td>-57.67 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 6.JUL.2020 14:52:40</p>			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.404953 GHz	-1.23 dBm			M2	1		2.4 GHz	-56.36 dBm			M3	1		2.39 GHz	-62.59 dBm			M4	1		2.31 GHz	-63.40 dBm			M5	1		2.399965 GHz	-57.67 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.404953 GHz	-1.23 dBm																																									
M2	1		2.4 GHz	-56.36 dBm																																									
M3	1		2.39 GHz	-62.59 dBm																																									
M4	1		2.31 GHz	-63.40 dBm																																									
M5	1		2.399965 GHz	-57.67 dBm																																									
<p>CH78 No hopping mode</p>	<p>MultiView Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWI 1.02 ms VBW 300 kHz Mode Auto Sweep Count 500/500</p> <p>1 Frequency Sweep</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.479835 GHz</td> <td>-2.65 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.48335 GHz</td> <td>-63.60 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.5 GHz</td> <td>-64.63 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.4945 GHz</td> <td>-61.63 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 6.JUL.2020 14:36:14</p>			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.479835 GHz	-2.65 dBm			M2	1		2.48335 GHz	-63.60 dBm			M3	1		2.5 GHz	-64.63 dBm			M4	1		2.4945 GHz	-61.63 dBm									
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.479835 GHz	-2.65 dBm																																									
M2	1		2.48335 GHz	-63.60 dBm																																									
M3	1		2.5 GHz	-64.63 dBm																																									
M4	1		2.4945 GHz	-61.63 dBm																																									


CH78
Hopping mode






Date: 6.JUL.2020 14:53:21

Test Item:	Band edge	Modulation type:	8DPSK																																										
<p>CH00 No hopping mode</p>	<p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.402105 GHz</td> <td>0.10 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4 GHz</td> <td>-55.72 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.39 GHz</td> <td>-63.60 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.31 GHz</td> <td>-64.35 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td>1</td> <td></td> <td>2.399965 GHz</td> <td>-55.83 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 6.JUL.2020 14:30:07</p>			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.402105 GHz	0.10 dBm			M2	1		2.4 GHz	-55.72 dBm			M3	1		2.39 GHz	-63.60 dBm			M4	1		2.31 GHz	-64.35 dBm			M5	1		2.399965 GHz	-55.83 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.402105 GHz	0.10 dBm																																									
M2	1		2.4 GHz	-55.72 dBm																																									
M3	1		2.39 GHz	-63.60 dBm																																									
M4	1		2.31 GHz	-64.35 dBm																																									
M5	1		2.399965 GHz	-55.83 dBm																																									
<p>CH00 Hopping mode</p>	<p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.404003 GHz</td> <td>-1.04 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4 GHz</td> <td>-58.15 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.39 GHz</td> <td>-63.51 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.31 GHz</td> <td>-63.24 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td>1</td> <td></td> <td>2.399965 GHz</td> <td>-57.53 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 6.JUL.2020 14:57:21</p>			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.404003 GHz	-1.04 dBm			M2	1		2.4 GHz	-58.15 dBm			M3	1		2.39 GHz	-63.51 dBm			M4	1		2.31 GHz	-63.24 dBm			M5	1		2.399965 GHz	-57.53 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.404003 GHz	-1.04 dBm																																									
M2	1		2.4 GHz	-58.15 dBm																																									
M3	1		2.39 GHz	-63.51 dBm																																									
M4	1		2.31 GHz	-63.24 dBm																																									
M5	1		2.399965 GHz	-57.53 dBm																																									
<p>CH78 No hopping mode</p>	<p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.479835 GHz</td> <td>-2.80 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.48335 GHz</td> <td>-62.01 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.5 GHz</td> <td>-64.61 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.483566 GHz</td> <td>-61.49 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 6.JUL.2020 14:44:48</p>			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.479835 GHz	-2.80 dBm			M2	1		2.48335 GHz	-62.01 dBm			M3	1		2.5 GHz	-64.61 dBm			M4	1		2.483566 GHz	-61.49 dBm									
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.479835 GHz	-2.80 dBm																																									
M2	1		2.48335 GHz	-62.01 dBm																																									
M3	1		2.5 GHz	-64.61 dBm																																									
M4	1		2.483566 GHz	-61.49 dBm																																									


CH78
Hoppig mode




Date: 6.JUL.2020 14:57:44

Test Item:	Spurious Emission	Modulation type:	GFSK
<p>CH00 Reference level</p>	 <p>MultiView Spectrum Ref Level 30.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWI 1.04 ms VBW 300 kHz Mode Auto Sweep Count 100/100 1 Frequency Sweep M1[1] 1.68 dBm 2.4021500 GHz CF 2.402 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz Date: 6.JUL.2020 13:46:49</p>		
<p>CH00 30MHz~1000MHz</p>	 <p>MultiView Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWI 30.1 ms VBW 300 kHz Mode Auto Sweep Count 10/10 1 Frequency Sweep M1[1] -60.53 dBm 542.0620 MHz M1 -18.200 dBm 30.0 MHz 30001 pts 97.0 MHz/ 1.0 GHz Date: 6.JUL.2020 13:47:05</p>		
<p>CH00 1GHz~26GHz</p>	 <p>MultiView Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWI 250 ms VBW 300 kHz Mode Auto Sweep Count 10/10 1 Frequency Sweep M1[1] -51.96 dBm 25.943333 GHz M1 -18.200 dBm 1.0 GHz 30001 pts 2.5 GHz/ 26.0 GHz Date: 6.JUL.2020 13:47:22</p>		


CH39
Reference level




CH39
30MHz~1000MHz




CH39
1GHz~26GHz




CH78
Reference level






CH78
30MHz~1000MHz




CH78
1GHz~26GHz




Test Item:	Spurious Emission	Modulation type:	$\pi/4$ DQPSK
<p>CH00 Reference level</p>	<p>MultiView Spectrum Ref Level 30.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWI 1.04 ms VBW 300 kHz Mode Auto Sweep Count 100/100 Frequency Sweep M1[1] -0.11 dBm 2.4021500 GHz CF 2.402 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz Date: 6.JUL.2020 14:27:04</p>		
<p>CH00 30MHz~1000MHz</p>	<p>MultiView Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWI 30.1 ms VBW 300 kHz Mode Auto Sweep Count 10/10 Frequency Sweep M1[1] -60.16 dBm 569.2210 MHz 30.0 MHz 30001 pts 97.0 MHz/ 1.0 GHz Date: 6.JUL.2020 14:27:20</p>		
<p>CH00 1GHz~26GHz</p>	<p>MultiView Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWI 250 ms VBW 300 kHz Mode Auto Sweep Count 10/10 Frequency Sweep M1[1] -62.55 dBm 25.828333 GHz 1.0 GHz 30001 pts 2.5 GHz/ 26.0 GHz Date: 6.JUL.2020 14:27:37</p>		

<p>CH39 Reference level</p>	
<p>CH39 30MHz~1000MHz</p>	
<p>CH39 1GHz~26GHz</p>	


CH78
Reference level






CH78
30MHz~1000MHz




CH78
1GHz~26GHz




Test Item:	Spurious Emission	Modulation type:	8DPSK
<p>CH00 Reference level</p>			
<p>CH00 30MHz~1000MHz</p>			
<p>CH00 1GHz~26GHz</p>			


CH39
Reference level



CH39
30MHz~1000MHz



CH39
1GHz~26GHz



<p>CH78 Reference level</p>	
<p>CH78 30MHz~1000MHz</p>	
<p>CH78 1GHz~26GHz</p>	

-----End of Report-----