



Band IV

802.11a


CH_L



CH_M




CH_H




Band IV

802.11ac (HT40)

CH_L




CH_H




Band IV

802.11n (HT40)

CH_L




CH_H




Band IV


802.11ac (HT80)


CH_M




Appendix F: Band edge











Band I **802.11 ac(HT40)**

CH_L




CH_H





Band I


802.11 ac(HT80)


CH_L















Band II

802.11 ac(HT80)


CH_L



Band IV


802.11a

CH_L




Date: 16.JUL.2020 10:22:54

CH_H




Date: 16.JUL.2020 10:27:25



Band IV


802.11 n(HT40)

CH_L




Date: 16.JUL.2020 10:37:56

CH_H




Date: 16.JUL.2020 10:40:24



Band IV


802.11ac(HT40)

CH_L



Date: 16.JUL.2020 10:50:40

CH_H




Date: 16.JUL.2020 10:52:35

Band IV

802.11ac(HT80)

CH_L



Appendix G: Frequency stability**Voltage VS Frequency stability**

Band: I			Test Frequency: 5180.00MHz	
Temperature (°C)	Voltage (V)	Frequency Deviation (Hz)	Frequency Deviation (ppm)	Result
T _N	V _L	-14000.00	-2.70270	PASS
T _N	V _N	-13000.00	-2.50965	PASS
T _N	V _H	-15000.00	-2.89575	PASS

Band: II			Test Frequency: 5260.00MHz	
Temperature (°C)	Voltage (V)	Frequency Deviation (Hz)	Frequency Deviation (ppm)	Result
T _N	V _L	-16000.00	-3.04183	PASS
T _N	V _N	-15000.00	-2.85171	PASS
T _N	V _H	-16000.00	-3.04183	PASS

Band: IV			Test Frequency: 5745.00MHz	
Temperature (°C)	Voltage (V)	Frequency Deviation (Hz)	Frequency Deviation (ppm)	Result
T _N	V _L	-17000.00	-2.95910	PASS
T _N	V _N	-16000.00	-2.78503	PASS
T _N	V _H	-17000.00	-2.95910	PASS

Temperature VS Frequency stability

Band: I			Test Frequency: 5180.00MHz	
Voltage (V)	Temperature (°C)	Frequency Deviation (Hz)	Frequency Deviation (ppm)	Result
V _N	-20	-15000.00	-2.89575	PASS
V _N	-10	-15000.00	-2.89575	PASS
V _N	0	-16000.00	-3.08880	PASS
V _N	10	-16000.00	-3.08880	PASS
V _N	20	-16000.00	-3.08880	PASS
V _N	30	-16000.00	-3.08880	PASS
V _N	40	-16000.00	-3.08880	PASS
V _N	50	-16000.00	-3.08880	PASS

Band: II			Test Frequency: 5260.00MHz	
Voltage (V)	Temperature (°C)	Frequency Deviation (Hz)	Frequency Deviation (ppm)	Result
V _N	-20	-16000.00	-3.04183	PASS
V _N	-10	-16000.00	-3.04183	PASS
V _N	0	-16000.00	-3.04183	PASS
V _N	10	-17000.00	-3.23194	PASS
V _N	20	-17000.00	-3.23194	PASS
V _N	30	-17000.00	-3.23194	PASS
V _N	40	-17000.00	-3.23194	PASS
V _N	50	-17000.00	-3.23194	PASS

Band: IV			Test Frequency: 5745.00MHz	
Voltage (V)	Temperature (°C)	Frequency Deviation (Hz)	Frequency Deviation (ppm)	Result
V _N	-20	-18000.00	-3.13316	PASS
V _N	-10	-18000.00	-3.13316	PASS
V _N	0	-18000.00	-3.13316	PASS
V _N	10	-18000.00	-3.13316	PASS
V _N	20	-18000.00	-3.13316	PASS
V _N	30	-18000.00	-3.13316	PASS
V _N	40	-18000.00	-3.13316	PASS
V _N	50	-18000.00	-3.13316	PASS

-----End of Report-----